

**ATTACHMENT 3
SAMPLING RESULTS
(AUGUST 24-HOUR SAMPLE)**

September 08, 2022

David Cochran
City of Bristol VA
2655 Valley Dr
Bristol, VA 24201

RE: Project: City of Bristol VA
Pace Project No.: 92623772

Dear David Cochran:

Enclosed are the analytical results for sample(s) received by the laboratory on September 02, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace National - Mt. Juliet

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Sara Poulson
sara.poulson@pacelabs.com
(704)875-9092
Project Manager

Enclosures

cc: Logan Howard, SCS Engineers
Mike Martin, City of Bristol VA
Ms. Jennifer Robb, SCS Engineers



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: City of Bristol VA

Pace Project No.: 92623772

Pace Analytical Services National

12065 Lebanon Road, Mt. Juliet, TN 37122

Alabama Certification #: 40660

Alaska Certification #: 17-026

Arizona Certification #: AZ0612

Arkansas Certification #: 88-0469

California Certification #: 2932

Canada Certification #: 1461.01

Colorado Certification #: TN00003

Connecticut Certification #: PH-0197

DOD Certification #: #1461.01

EPA# TN00003

Florida Certification #: E87487

Georgia DW Certification #: 923

Georgia Certification: NELAP

Idaho Certification #: TN00003

Illinois Certification #: 200008

Indiana Certification #: C-TN-01

Iowa Certification #: 364

Kansas Certification #: E-10277

Kentucky UST Certification #: 16

Kentucky Certification #: 90010

Louisiana Certification #: AI30792

Louisiana DW Certification #: LA180010

Maine Certification #: TN0002

Maryland Certification #: 324

Massachusetts Certification #: M-TN003

Michigan Certification #: 9958

Minnesota Certification #: 047-999-395

Mississippi Certification #: TN00003

Missouri Certification #: 340

Montana Certification #: CERT0086

Nebraska Certification #: NE-OS-15-05

Nevada Certification #: TN-03-2002-34

New Hampshire Certification #: 2975

New Jersey Certification #: TN002

New Mexico DW Certification

New York Certification #: 11742

North Carolina Aquatic Toxicity Certification #: 41

North Carolina Drinking Water Certification #: 21704

North Carolina Environmental Certificate #: 375

North Dakota Certification #: R-140

Ohio VAP Certification #: CL0069

Oklahoma Certification #: 9915

Oregon Certification #: TN200002

Pennsylvania Certification #: 68-02979

Rhode Island Certification #: LAO00356

South Carolina Certification #: 84004

South Dakota Certification

Tennessee DW/Chem/Micro Certification #: 2006

Texas Certification #: T 104704245-17-14

Texas Mold Certification #: LAB0152

USDA Soil Permit #: P330-15-00234

Utah Certification #: TN00003

Virginia Certification #: VT2006

Vermont Dept. of Health: ID# VT-2006

Virginia Certification #: 460132

Washington Certification #: C847

West Virginia Certification #: 233

Wisconsin Certification #: 998093910

Wyoming UST Certification #: via A2LA 2926.01

A2LA-ISO 17025 Certification #: 1461.01

A2LA-ISO 17025 Certification #: 1461.02

AIHA-LAP/LLC EMLAP Certification #:100789

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: City of Bristol VA

Pace Project No.: 92623772

Lab ID	Sample ID	Matrix	Date Collected	Date Received
92623772001	August 24Hr	Air	08/30/22 10:12	09/02/22 09:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: City of Bristol VA

Pace Project No.: 92623772

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92623772001	August 24Hr	TO-15	DBB	68	PAN

PAN = Pace National - Mt. Juliet

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: City of Bristol VA

Pace Project No.: 92623772

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92623772001	August 24Hr					
TO-15	Acetone	18.2	ug/m3	2.97	09/06/22 16:36	
TO-15	Benzene	22.6	ug/m3	0.639	09/06/22 16:36	
TO-15	Chloromethane	1.36	ug/m3	0.413	09/06/22 16:36	
TO-15	Ethanol	12.3	ug/m3	2.36	09/06/22 16:36	
TO-15	Ethylbenzene	4.42	ug/m3	0.867	09/06/22 16:36	
TO-15	4-Ethyltoluene	1.05	ug/m3	0.982	09/06/22 16:36	
TO-15	Trichlorofluoromethane	1.71	ug/m3	1.12	09/06/22 16:36	
TO-15	Dichlorodifluoromethane	2.81	ug/m3	0.989	09/06/22 16:36	
TO-15	Methylene Chloride	0.701	ug/m3	0.694	09/06/22 16:36	
TO-15	2-Butanone (MEK)	5.16	ug/m3	3.69	09/06/22 16:36	
TO-15	2-Propanol	7.67	ug/m3	3.07	09/06/22 16:36	
TO-15	Propylene	5.44	ug/m3	2.15	09/06/22 16:36	
TO-15	Toluene	5.01	ug/m3	1.88	09/06/22 16:36	
TO-15	1,2,4-Trimethylbenzene	1.12	ug/m3	0.982	09/06/22 16:36	
TO-15	m&p-Xylene	5.77	ug/m3	1.73	09/06/22 16:36	
TO-15	o-Xylene	1.84	ug/m3	0.867	09/06/22 16:36	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: City of Bristol VA

Pace Project No.: 92623772

Method: TO-15

Description: VOA (MS) TO-15

Client: City of Bristol VA

Date: September 08, 2022

General Information:

1 sample was analyzed for TO-15 by Pace National Mt. Juliet. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: City of Bristol VA

Pace Project No.: 92623772

Sample: August 24Hr		Lab ID: 92623772001		Collected: 08/30/22 10:12		Received: 09/02/22 09:00		Matrix: Air	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
VOA (MS) TO-15 Analytical Method: TO-15 Preparation Method: TO-15 Pace National - Mt. Juliet									
Acetone	18.2	ug/m3	2.97	0.5840	1	09/06/22 16:36	09/06/22 16:36	67-64-1	
Allyl chloride	ND	ug/m3	0.626	0.1140	1	09/06/22 16:36	09/06/22 16:36	107-05-1	
Benzene	22.6	ug/m3	0.639	0.0715	1	09/06/22 16:36	09/06/22 16:36	71-43-2	
Benzyl chloride	ND	ug/m3	1.04	0.0598	1	09/06/22 16:36	09/06/22 16:36	100-44-7	
Bromodichloromethane	ND	ug/m3	1.34	0.0702	1	09/06/22 16:36	09/06/22 16:36	75-27-4	
Bromoform	ND	ug/m3	6.21	0.0732	1	09/06/22 16:36	09/06/22 16:36	75-25-2	
Bromomethane	ND	ug/m3	0.776	0.0982	1	09/06/22 16:36	09/06/22 16:36	74-83-9	
1,3-Butadiene	ND	ug/m3	4.43	0.1040	1	09/06/22 16:36	09/06/22 16:36	106-99-0	
Carbon disulfide	ND	ug/m3	0.622	0.1020	1	09/06/22 16:36	09/06/22 16:36	75-15-0	
Carbon tetrachloride	ND	ug/m3	1.26	0.0732	1	09/06/22 16:36	09/06/22 16:36	56-23-5	
Chlorobenzene	ND	ug/m3	0.924	0.0832	1	09/06/22 16:36	09/06/22 16:36	108-90-7	
Chloroethane	ND	ug/m3	0.528	0.0996	1	09/06/22 16:36	09/06/22 16:36	75-00-3	
Chloroform	ND	ug/m3	0.973	0.0717	1	09/06/22 16:36	09/06/22 16:36	67-66-3	
Chloromethane	1.36	ug/m3	0.413	0.1030	1	09/06/22 16:36	09/06/22 16:36	74-87-3	
2-Chlorotoluene	ND	ug/m3	1.03	0.0828	1	09/06/22 16:36	09/06/22 16:36	95-49-8	
Cyclohexane	ND	ug/m3	0.689	0.0753	1	09/06/22 16:36	09/06/22 16:36	110-82-7	
Dibromochloromethane	ND	ug/m3	1.70	0.0727	1	09/06/22 16:36	09/06/22 16:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/m3	1.54	0.0721	1	09/06/22 16:36	09/06/22 16:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/m3	1.20	0.1280	1	09/06/22 16:36	09/06/22 16:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/m3	1.20	0.1820	1	09/06/22 16:36	09/06/22 16:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/m3	1.20	0.0557	1	09/06/22 16:36	09/06/22 16:36	106-46-7	
1,2-Dichloroethane	ND	ug/m3	0.810	0.07	1	09/06/22 16:36	09/06/22 16:36	107-06-2	
1,1-Dichloroethane	ND	ug/m3	0.802	0.0723	1	09/06/22 16:36	09/06/22 16:36	75-34-3	
1,1-Dichloroethene	ND	ug/m3	0.793	0.0762	1	09/06/22 16:36	09/06/22 16:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/m3	0.793	0.0784	1	09/06/22 16:36	09/06/22 16:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/m3	0.793	0.0673	1	09/06/22 16:36	09/06/22 16:36	156-60-5	
1,2-Dichloropropane	ND	ug/m3	0.924	0.0760	1	09/06/22 16:36	09/06/22 16:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/m3	0.908	0.0689	1	09/06/22 16:36	09/06/22 16:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/m3	0.908	0.0728	1	09/06/22 16:36	09/06/22 16:36	10061-02-6	
1,4-Dioxane (p-Dioxane)	ND	ug/m3	0.721	0.0833	1	09/06/22 16:36	09/06/22 16:36	123-91-1	
Ethanol	12.3	ug/m3	2.36	0.2650	1	09/06/22 16:36	09/06/22 16:36	64-17-5	
Ethylbenzene	4.42	ug/m3	0.867	0.0835	1	09/06/22 16:36	09/06/22 16:36	100-41-4	
4-Ethyltoluene	1.05	ug/m3	0.982	0.0783	1	09/06/22 16:36	09/06/22 16:36	622-96-8	
Trichlorofluoromethane	1.71	ug/m3	1.12	0.0819	1	09/06/22 16:36	09/06/22 16:36	75-69-4	
Dichlorodifluoromethane	2.81	ug/m3	0.989	0.1370	1	09/06/22 16:36	09/06/22 16:36	75-71-8	
1,1,2-Trichlorotrifluoroethane	ND	ug/m3	1.53	0.0793	1	09/06/22 16:36	09/06/22 16:36	76-13-1	
Dichlorotetrafluoroethane	ND	ug/m3	1.40	0.0890	1	09/06/22 16:36	09/06/22 16:36	76-14-2	
n-Heptane	ND	ug/m3	0.818	0.1040	1	09/06/22 16:36	09/06/22 16:36	142-82-5	
Hexachloro-1,3-butadiene	ND	ug/m3	6.73	0.1050	1	09/06/22 16:36	09/06/22 16:36	87-68-3	
n-Hexane	ND	ug/m3	2.22	0.2060	1	09/06/22 16:36	09/06/22 16:36	110-54-3	
Isopropylbenzene (Cumene)	ND	ug/m3	0.983	0.0777	1	09/06/22 16:36	09/06/22 16:36	98-82-8	
Methylene Chloride	0.701	ug/m3	0.694	0.0979	1	09/06/22 16:36	09/06/22 16:36	75-09-2	
2-Hexanone	ND	ug/m3	5.11	0.1330	1	09/06/22 16:36	09/06/22 16:36	591-78-6	
2-Butanone (MEK)	5.16	ug/m3	3.69	0.0814	1	09/06/22 16:36	09/06/22 16:36	78-93-3	
4-Methyl-2-pentanone (MIBK)	ND	ug/m3	5.12	0.0765	1	09/06/22 16:36	09/06/22 16:36	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: City of Bristol VA

Pace Project No.: 92623772

Sample: August 24Hr		Lab ID: 92623772001		Collected: 08/30/22 10:12		Received: 09/02/22 09:00		Matrix: Air	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
VOA (MS) TO-15		Analytical Method: TO-15 Preparation Method: TO-15 Pace National - Mt. Juliet							
Methyl methacrylate	ND	ug/m3	0.819	0.0876	1	09/06/22 16:36	09/06/22 16:36	80-62-6	
Methyl-tert-butyl ether	ND	ug/m3	0.721	0.0647	1	09/06/22 16:36	09/06/22 16:36	1634-04-4	
Naphthalene	ND	ug/m3	3.30	0.35	1	09/06/22 16:36	09/06/22 16:36	91-20-3	
2-Propanol	7.67	ug/m3	3.07	0.2640	1	09/06/22 16:36	09/06/22 16:36	67-63-0	
Propylene	5.44	ug/m3	2.15	0.0932	1	09/06/22 16:36	09/06/22 16:36	115-07-1	
Styrene	ND	ug/m3	0.851	0.0788	1	09/06/22 16:36	09/06/22 16:36	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/m3	1.37	0.0743	1	09/06/22 16:36	09/06/22 16:36	79-34-5	
Tetrachloroethene	ND	ug/m3	1.36	0.0814	1	09/06/22 16:36	09/06/22 16:36	127-18-4	
Tetrahydrofuran	ND	ug/m3	0.590	0.0734	1	09/06/22 16:36	09/06/22 16:36	109-99-9	
Toluene	5.01	ug/m3	1.88	0.0870	1	09/06/22 16:36	09/06/22 16:36	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/m3	4.66	0.1480	1	09/06/22 16:36	09/06/22 16:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/m3	1.09	0.0736	1	09/06/22 16:36	09/06/22 16:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/m3	1.09	0.0775	1	09/06/22 16:36	09/06/22 16:36	79-00-5	
Trichloroethene	ND	ug/m3	1.07	0.0680	1	09/06/22 16:36	09/06/22 16:36	79-01-6	
1,2,4-Trimethylbenzene	1.12	ug/m3	0.982	0.0764	1	09/06/22 16:36	09/06/22 16:36	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/m3	0.982	0.0779	1	09/06/22 16:36	09/06/22 16:36	108-67-8	
2,2,4-Trimethylpentane	ND	ug/m3	0.934	0.1330	1	09/06/22 16:36	09/06/22 16:36	540-84-1	
Vinyl chloride	ND	ug/m3	0.511	0.0949	1	09/06/22 16:36	09/06/22 16:36	75-01-4	
Vinyl bromide	ND	ug/m3	0.875	0.0852	1	09/06/22 16:36	09/06/22 16:36	593-60-2	
Vinyl acetate	ND	ug/m3	0.704	0.1160	1	09/06/22 16:36	09/06/22 16:36	108-05-4	
m&p-Xylene	5.77	ug/m3	1.73	0.1350	1	09/06/22 16:36	09/06/22 16:36	179601-23-1	
o-Xylene	1.84	ug/m3	0.867	0.0828	1	09/06/22 16:36	09/06/22 16:36	95-47-6	
Surrogates									
1,4-Dichlorobenzene-d4 (IS)	101	%	60.0-140		1	09/06/22 16:36	09/06/22 16:36	3855-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: City of Bristol VA

Pace Project No.: 92623772

QC Batch: 1921936

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: VOA (MS) TO-15

Laboratory: Pace National - Mt. Juliet

Associated Lab Samples: 92623772001

METHOD BLANK: R3834612-2

Matrix: Air

Associated Lab Samples: 92623772001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Acetone	ppbv	ND	1.25	0.584	09/06/22 10:15	
Allyl chloride	ppbv	ND	0.200	0.114	09/06/22 10:15	
Benzene	ppbv	ND	0.200	0.0715	09/06/22 10:15	
Benzyl chloride	ppbv	ND	0.200	0.0598	09/06/22 10:15	
Bromodichloromethane	ppbv	ND	0.200	0.0702	09/06/22 10:15	
Bromoform	ppbv	ND	0.600	0.0732	09/06/22 10:15	
Bromomethane	ppbv	ND	0.200	0.0982	09/06/22 10:15	
1,3-Butadiene	ppbv	ND	2.00	0.104	09/06/22 10:15	
Carbon disulfide	ppbv	ND	0.200	0.102	09/06/22 10:15	
Carbon tetrachloride	ppbv	ND	0.200	0.0732	09/06/22 10:15	
Chlorobenzene	ppbv	ND	0.200	0.0832	09/06/22 10:15	
Chloroethane	ppbv	ND	0.200	0.0996	09/06/22 10:15	
Chloroform	ppbv	ND	0.200	0.0717	09/06/22 10:15	
Chloromethane	ppbv	ND	0.200	0.103	09/06/22 10:15	
2-Chlorotoluene	ppbv	ND	0.200	0.0828	09/06/22 10:15	
Cyclohexane	ppbv	ND	0.200	0.0753	09/06/22 10:15	
Dibromochloromethane	ppbv	ND	0.200	0.0727	09/06/22 10:15	
1,2-Dibromoethane (EDB)	ppbv	ND	0.200	0.0721	09/06/22 10:15	
1,2-Dichlorobenzene	ppbv	ND	0.200	0.128	09/06/22 10:15	
1,3-Dichlorobenzene	ppbv	ND	0.200	0.182	09/06/22 10:15	
1,4-Dichlorobenzene	ppbv	ND	0.200	0.0557	09/06/22 10:15	
1,2-Dichloroethane	ppbv	ND	0.200	0.0700	09/06/22 10:15	
1,1-Dichloroethane	ppbv	ND	0.200	0.0723	09/06/22 10:15	
1,1-Dichloroethene	ppbv	ND	0.200	0.0762	09/06/22 10:15	
cis-1,2-Dichloroethene	ppbv	ND	0.200	0.0784	09/06/22 10:15	
trans-1,2-Dichloroethene	ppbv	ND	0.200	0.0673	09/06/22 10:15	
1,2-Dichloropropane	ppbv	ND	0.200	0.0760	09/06/22 10:15	
cis-1,3-Dichloropropene	ppbv	ND	0.200	0.0689	09/06/22 10:15	
trans-1,3-Dichloropropene	ppbv	ND	0.200	0.0728	09/06/22 10:15	
1,4-Dioxane (p-Dioxane)	ppbv	ND	0.200	0.0833	09/06/22 10:15	
Ethanol	ppbv	ND	1.25	0.265	09/06/22 10:15	
Ethylbenzene	ppbv	ND	0.200	0.0835	09/06/22 10:15	
4-Ethyltoluene	ppbv	ND	0.200	0.0783	09/06/22 10:15	
Trichlorofluoromethane	ppbv	ND	0.200	0.0819	09/06/22 10:15	
Dichlorodifluoromethane	ppbv	ND	0.200	0.137	09/06/22 10:15	
1,1,2-Trichlorotrifluoroethane	ppbv	ND	0.200	0.0793	09/06/22 10:15	
Dichlorotetrafluoroethane	ppbv	ND	0.200	0.0890	09/06/22 10:15	
n-Heptane	ppbv	ND	0.200	0.104	09/06/22 10:15	
Hexachloro-1,3-butadiene	ppbv	ND	0.630	0.105	09/06/22 10:15	
n-Hexane	ppbv	ND	0.630	0.206	09/06/22 10:15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: City of Bristol VA

Pace Project No.: 92623772

METHOD BLANK: R3834612-2

Matrix: Air

Associated Lab Samples: 92623772001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Isopropylbenzene (Cumene)	ppbv	ND	0.200	0.0777	09/06/22 10:15	
Methylene Chloride	ppbv	ND	0.200	0.0979	09/06/22 10:15	
2-Hexanone	ppbv	ND	1.25	0.133	09/06/22 10:15	
2-Butanone (MEK)	ppbv	ND	1.25	0.0814	09/06/22 10:15	
4-Methyl-2-pentanone (MIBK)	ppbv	ND	1.25	0.0765	09/06/22 10:15	
Methyl methacrylate	ppbv	ND	0.200	0.0876	09/06/22 10:15	
Methyl-tert-butyl ether	ppbv	ND	0.200	0.0647	09/06/22 10:15	
Naphthalene	ppbv	ND	0.630	0.350	09/06/22 10:15	
2-Propanol	ppbv	ND	1.25	0.264	09/06/22 10:15	
Propylene	ppbv	0.136J	1.25	0.0932	09/06/22 10:15	J
Styrene	ppbv	ND	0.200	0.0788	09/06/22 10:15	
1,1,2,2-Tetrachloroethane	ppbv	ND	0.200	0.0743	09/06/22 10:15	
Tetrachloroethene	ppbv	ND	0.200	0.0814	09/06/22 10:15	
Tetrahydrofuran	ppbv	ND	0.200	0.0734	09/06/22 10:15	
Toluene	ppbv	ND	0.500	0.0870	09/06/22 10:15	
1,2,4-Trichlorobenzene	ppbv	ND	0.630	0.148	09/06/22 10:15	
1,1,1-Trichloroethane	ppbv	ND	0.200	0.0736	09/06/22 10:15	
1,1,2-Trichloroethane	ppbv	ND	0.200	0.0775	09/06/22 10:15	
Trichloroethene	ppbv	ND	0.200	0.0680	09/06/22 10:15	
1,2,4-Trimethylbenzene	ppbv	ND	0.200	0.0764	09/06/22 10:15	
1,3,5-Trimethylbenzene	ppbv	ND	0.200	0.0779	09/06/22 10:15	
2,2,4-Trimethylpentane	ppbv	ND	0.200	0.133	09/06/22 10:15	
Vinyl chloride	ppbv	ND	0.200	0.0949	09/06/22 10:15	
Vinyl bromide	ppbv	ND	0.200	0.0852	09/06/22 10:15	
Vinyl acetate	ppbv	ND	0.200	0.116	09/06/22 10:15	
m&p-Xylene	ppbv	ND	0.400	0.135	09/06/22 10:15	
o-Xylene	ppbv	ND	0.200	0.0828	09/06/22 10:15	
1,4-Dichlorobenzene-d4 (IS)	%	99.1	60.0-140		09/06/22 10:15	

LABORATORY CONTROL SAMPLE & LCSD: R3834612-1

R3834612-3

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Acetone	ppbv	3.75	4.60	4.72	123	126	70.0-130	2.58	25	
Allyl chloride	ppbv	3.75	4.73	4.62	126	123	70.0-130	2.35	25	
Benzene	ppbv	3.75	4.11	4.29	110	114	70.0-130	4.29	25	
Benzyl chloride	ppbv	3.75	4.38	4.39	117	117	70.0-152	0.228	25	
Bromodichloromethane	ppbv	3.75	4.11	4.27	110	114	70.0-130	3.82	25	
Bromoform	ppbv	3.75	4.06	4.07	108	109	70.0-130	0.246	25	
Bromomethane	ppbv	3.75	4.13	4.07	110	109	70.0-130	1.46	25	
1,3-Butadiene	ppbv	3.75	4.44	4.47	118	119	70.0-130	0.673	25	
Carbon disulfide	ppbv	3.75	4.13	4.16	110	111	70.0-130	0.724	25	
Carbon tetrachloride	ppbv	3.75	4.35	4.29	116	114	70.0-130	1.39	25	
Chlorobenzene	ppbv	3.75	4.03	4.18	107	111	70.0-130	3.65	25	
Chloroethane	ppbv	3.75	4.20	4.22	112	113	70.0-130	0.475	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: City of Bristol VA
Pace Project No.: 92623772

LABORATORY CONTROL SAMPLE & LCSD: R3834612-1			R3834612-3							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Chloroform	ppbv	3.75	4.19	4.19	112	112	70.0-130	0.00	25	
Chloromethane	ppbv	3.75	4.22	4.30	113	115	70.0-130	1.88	25	
2-Chlorotoluene	ppbv	3.75	4.28	4.27	114	114	70.0-130	0.234	25	
Cyclohexane	ppbv	3.75	4.34	4.09	116	109	70.0-130	5.93	25	
Dibromochloromethane	ppbv	3.75	4.10	4.22	109	113	70.0-130	2.88	25	
1,2-Dibromoethane (EDB)	ppbv	3.75	4.04	4.27	108	114	70.0-130	5.54	25	
1,2-Dichlorobenzene	ppbv	3.75	4.30	4.32	115	115	70.0-130	0.464	25	
1,3-Dichlorobenzene	ppbv	3.75	4.33	4.34	115	116	70.0-130	0.231	25	
1,4-Dichlorobenzene	ppbv	3.75	4.39	4.43	117	118	70.0-130	0.907	25	
1,2-Dichloroethane	ppbv	3.75	4.29	4.38	114	117	70.0-130	2.08	25	
1,1-Dichloroethane	ppbv	3.75	4.26	4.21	114	112	70.0-130	1.18	25	
1,1-Dichloroethene	ppbv	3.75	4.26	4.23	114	113	70.0-130	0.707	25	
cis-1,2-Dichloroethene	ppbv	3.75	4.22	4.34	113	116	70.0-130	2.80	25	
trans-1,2-Dichloroethene	ppbv	3.75	4.21	4.24	112	113	70.0-130	0.710	25	
1,2-Dichloropropane	ppbv	3.75	4.08	4.26	109	114	70.0-130	4.32	25	
cis-1,3-Dichloropropene	ppbv	3.75	4.10	4.32	109	115	70.0-130	5.23	25	
trans-1,3-Dichloropropene	ppbv	3.75	4.18	4.39	111	117	70.0-130	4.90	25	
1,4-Dioxane (p-Dioxane)	ppbv	3.75	4.20	4.57	112	122	70.0-140	8.44	25	
Ethanol	ppbv	3.75	4.61	4.50	123	120	55.0-148	2.41	25	
Ethylbenzene	ppbv	3.75	4.17	4.23	111	113	70.0-130	1.43	25	
4-Ethyltoluene	ppbv	3.75	4.47	4.48	119	119	70.0-130	0.223	25	
Trichlorofluoromethane	ppbv	3.75	4.46	4.43	119	118	70.0-130	0.675	25	
Dichlorodifluoromethane	ppbv	3.75	4.20	4.20	112	112	64.0-139	0.00	25	
1,1,2-Trichlorotrifluoroethane	ppbv	3.75	4.17	4.15	111	111	70.0-130	0.481	25	
Dichlorotetrafluoroethane	ppbv	3.75	4.05	4.03	108	107	70.0-130	0.495	25	
n-Heptane	ppbv	3.75	4.68	4.67	125	125	70.0-130	0.214	25	
Hexachloro-1,3-butadiene	ppbv	3.75	4.07	4.07	109	109	70.0-151	0.00	25	
n-Hexane	ppbv	3.75	4.36	4.41	116	118	70.0-130	1.14	25	
Isopropylbenzene (Cumene)	ppbv	3.75	4.43	4.46	118	119	70.0-130	0.675	25	
Methylene Chloride	ppbv	3.75	4.22	4.29	113	114	70.0-130	1.65	25	
2-Hexanone	ppbv	3.75	4.58	4.81	122	128	70.0-149	4.90	25	
2-Butanone (MEK)	ppbv	3.75	4.14	4.19	110	112	70.0-130	1.20	25	
4-Methyl-2-pentanone (MIBK)	ppbv	3.75	4.61	4.79	123	128	70.0-139	3.83	25	
Methyl methacrylate	ppbv	3.75	4.37	4.45	117	119	70.0-130	1.81	25	
Methyl-tert-butyl ether	ppbv	3.75	4.25	4.28	113	114	70.0-130	0.703	25	
Naphthalene	ppbv	3.75	4.49	4.56	120	122	70.0-159	1.55	25	
2-Propanol	ppbv	3.75	4.57	4.58	122	122	70.0-139	0.219	25	
Propylene	ppbv	3.75	4.46	4.52	119	121	64.0-144	1.34	25	
Styrene	ppbv	3.75	4.62	4.63	123	123	70.0-130	0.216	25	
1,1,2,2-Tetrachloroethane	ppbv	3.75	4.07	4.08	109	109	70.0-130	0.245	25	
Tetrachloroethene	ppbv	3.75	4.03	4.21	107	112	70.0-130	4.37	25	
Tetrahydrofuran	ppbv	3.75	4.49	4.32	120	115	70.0-137	3.86	25	
Toluene	ppbv	3.75	4.21	4.37	112	117	70.0-130	3.73	25	
1,2,4-Trichlorobenzene	ppbv	3.75	4.11	4.20	110	112	70.0-160	2.17	25	
1,1,1-Trichloroethane	ppbv	3.75	4.32	4.27	115	114	70.0-130	1.16	25	
1,1,2-Trichloroethane	ppbv	3.75	4.00	4.18	107	111	70.0-130	4.40	25	
Trichloroethene	ppbv	3.75	4.07	4.16	109	111	70.0-130	2.19	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: City of Bristol VA

Pace Project No.: 92623772

LABORATORY CONTROL SAMPLE & LCSD: R3834612-1			R3834612-3							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,2,4-Trimethylbenzene	ppbv	3.75	4.65	4.59	124	122	70.0-130	1.30	25	
1,3,5-Trimethylbenzene	ppbv	3.75	4.47	4.44	119	118	70.0-130	0.673	25	
2,2,4-Trimethylpentane	ppbv	3.75	4.61	4.29	123	114	70.0-130	7.19	25	
Vinyl chloride	ppbv	3.75	4.08	4.09	109	109	70.0-130	0.245	25	
Vinyl bromide	ppbv	3.75	4.22	4.16	113	111	70.0-130	1.43	25	
Vinyl acetate	ppbv	3.75	4.47	4.59	119	122	70.0-130	2.65	25	
m&p-Xylene	ppbv	7.50	8.77	8.78	117	117	70.0-130	0.114	25	
o-Xylene	ppbv	3.75	4.29	4.34	114	116	70.0-130	1.16	25	
1,4-Dichlorobenzene-d4 (IS)	%				98.1	98.1	60.0-140			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: City of Bristol VA

Pace Project No.: 92623772

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

J Analyte detected below the reporting limit, therefore result is an estimate. This qualifier is also used for all TICs.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: City of Bristol VA

Pace Project No.: 92623772

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92623772001	August 24Hr	TO-15	1921936	TO-15	1921936

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



92623772

Page 15 of 15