



Keehan, Christopher <christopher.keehan@deq.virginia.gov>

SWP619 Completeness review

1 message

Keehan, Christopher <christopher.keehan@deq.virginia.gov>

Fri, May 21, 2021 at 12:47 PM

To: lisa.c.messinger@dominionenergy.com, dennis.a.slade@dominionenergy.com, gabriel.lang@aecom.com

Cc: Shawn Weimer <shawn.weimer@deq.virginia.gov>, Eric Seavey <eric.seavey@deq.virginia.gov>, Geoff Christe <geoff.christe@deq.virginia.gov>, Kathryn Perszyk <kathryn.perszyk@deq.virginia.gov>

Ms. Messinger,

Please see the attached completeness review of the Part B permit submittal for closure of the Lower and Upper Ash Ponds at Chesterfield Power Station.

--

Christopher Keehan
Solid Waste Permit Writer
Piedmont Regional Office
804-385-5570



SWP619 CR.pdf

117K



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

PIEDMONT REGIONAL OFFICE

4949A Cox Road, Glen Allen, Virginia 23060

(804) 527-5020 Fax (804) 698-4178

www.deq.virginia.gov

Matthew J. Strickler
Secretary of Natural Resources

David K. Paylor
Director

James. J. Golden
Regional Director

May 21, 2021

Ms. Lisa C. Messinger
Director, Environmental Services
Dominion Energy Services, Inc.
120 Tredegar Street
Richmond, VA 23219

RE: Chesterfield Power Station (SWP 619)
Surface Impoundments Closure Plans - Upper and Lower Ash Ponds

Dear Ms. Messinger:

The Virginia Department of Environmental Quality (DEQ or Department) Piedmont Regional Office (PRO) is in receipt of the Part B major permit submittal for the above referenced facility. The submittal was prepared on behalf of Dominion by AECOM. The submittal was received on February 5, 2021.

The submittal has been reviewed for administrative completeness and regulatory compliance in accordance with the applicable provisions of the Virginia Solid Waste Management Regulations (VSWMR) and the EPA 2015 Final Rule on the Disposal of Coal Combustion Regulations (EPA Rule). Based on the review, the current submittal appears to be administratively inadequate due to the item listed below:

Permit Application Fee

1. Based upon the modules applicable to the facility, Dominion needs to remit a permit application fee for \$5,990. The following is a summary of the permit application fees associated with processing this permit:

Module I - \$390
Design Plans - \$910
Modules X/XI - \$3260
Module XII Closure - \$390
Public Participation - \$1040

The permit application fee should be forwarded directly to the fiscal office of DEQ,
Accounts Receivable, P.O. Box 1104, Richmond VA, 23218.

Please note that this facility has been assigned Solid Waste Permit Number 619. Please use this number in future submittals for this facility.

Processing of your Part B application will not continue until these revisions are made and submitted to DEQ.

Please note this letter should not be considered a legal opinion or a case decision as defined by the Administrative Process Act, Code of Virginia § 2.2-4000 *et seq.* If there are any questions about this letter, please contact me by telephone at (804) 385-5570 and/or by e-mail at christopher.keehan@deq.virginia.gov.

Sincerely,



Christopher Keehan
Solid Waste Permit Writer

cc: Gabriel W. Lang, P.E., AECOM
Dennis Slade, Dominion
Shawn Weimer, DEQ - Regional Land Protection Program Manager
Eric Seavey, DEQ - PRO
Kathryn Perszyk, DEQ - CO
Geoff Christie, DEQ - CO