

Project Name:

Sandy Creek (West) - Dan River (030101031004)

Date:

5/28/2025

CLEAR ALL

(Ctrl+Shift+R)

|                   |
|-------------------|
| data input cells  |
| constant values   |
| calculation cells |
| final results     |

BMP Design Specifications List: 2024 Stds & Specs

Site Information

Post-Development Project (Treatment Volume and Loads)

Land Cover (acres)

|                                                                                       | A Soils | B Soils | C Soils | D Soils | Totals |
|---------------------------------------------------------------------------------------|---------|---------|---------|---------|--------|
| Forest (acres) -- undisturbed, protected forest or reforested land                    |         |         |         |         | 0.00   |
| Mixed Open (acres) -- undisturbed/infrequently maintained grass or shrub land         |         | 7.42    |         | 0.34    | 7.76   |
| Managed Turf (acres) -- disturbed, graded for yards or other turf to be mowed/managed |         |         |         |         | 0.00   |
| Impervious Cover (acres)                                                              |         |         |         |         | 0.00   |
|                                                                                       |         |         |         |         | 7.76   |

| Post-Development Requirement for Site Area |      |
|--------------------------------------------|------|
| TP Load Reduction Required (lb/yr)         | 0.67 |

LAND COVER SUMMARY -- POST DEVELOPMENT

| Land Cover Summary         |      | Treatment Volume and Nutrient Loads |        |
|----------------------------|------|-------------------------------------|--------|
| Forest Cover (acres)       | 0.00 | Treatment Volume (acre-ft)          | 0.0723 |
| Weighted Rv (forest)       | 0.00 | Treatment Volume (cubic feet)       | 3,148  |
| % Forest                   | 0%   | TP Load (lb/yr)                     | 2.68   |
| Mixed Open (acres)         | 7.76 | TN Load (lb/yr)                     | 12.27  |
| Weighted Rv (mixed open)   | 0.11 |                                     |        |
| % Mixed Open               | 100% |                                     |        |
| Managed Turf Cover (acres) | 0.00 |                                     |        |
| Weighted Rv (turf)         | 0.00 |                                     |        |
| % Managed Turf             | 0%   |                                     |        |
| Impervious Cover (acres)   | 0.00 |                                     |        |
| Rv (impervious)            | 0.95 |                                     |        |
| % Impervious               | 0%   |                                     |        |
| Site Area (acres)          | 7.76 |                                     |        |
| Site Rv                    | 0.11 |                                     |        |

Drainage Area A

| Drainage Area A Land Cover (acres) |         |         |         |         |        |               |                     |
|------------------------------------|---------|---------|---------|---------|--------|---------------|---------------------|
|                                    | A Soils | B Soils | C Soils | D Soils | Totals | Land Cover Rv | Composite Loading P |
| Forest (acres)                     |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Mixed Open (acres)                 |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Managed Turf (acres)               |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Impervious Cover (acres)           |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Total                              |         |         |         |         | 0.00   |               |                     |

CLEAR BMP AREAS

Total Phosphorus Available for Removal in D.A. A (lb/yr)  
Post Development Treatment Volume in D.A. A (ft³)

0.00  
0

Stormwater Best Management Practices (RR = Runoff Reduction)

--Select from dropdown lists--

| Practice                                                                                                    | Runoff Reduction Credit (%) | Mixed Open Credit Area (acres) | Managed Turf Credit Area (acres) | Impervious Cover Credit Area (acres) | Volume from Upstream Practice (ft³) | Runoff Reduction (ft³) | Remaining Runoff Volume (ft³) | Total BMP Treatment Volume (ft³) | Phosphorus Removal Efficiency (%) | Phosphorus Load from Upstream Practices (lb) | Untreated Phosphorus Load to Practice (lb) | Phosphorus Removed By Practice (lb) | Remaining Phosphorus Load (lb) | Downstream Practice to be Employed |
|-------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------|----------------------------------|--------------------------------------|-------------------------------------|------------------------|-------------------------------|----------------------------------|-----------------------------------|----------------------------------------------|--------------------------------------------|-------------------------------------|--------------------------------|------------------------------------|
| 1. Vegetated Roof (RR)                                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 1.a. Vegetated Roof #1 (P-FIL-02)                                                                           | 45                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 0                                 |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 1.b. Vegetated Roof #2 (P-FIL-02)                                                                           | 60                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 0                                 |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2. Rooftop Disconnection (RR)                                                                               |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 2.a. Simple Disconnection to A/B Soils (P-FIL-01)                                                           | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.b. Simple Disconnection to C/D Soils (P-FIL-01)                                                           | 25                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.c. To Soil Amended Filter Path as per specifications (existing C/D soils) (P-FIL-08)                      | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.d. To Dry Well or French Drain #1, Micro-Infiltration #1 (P-FIL-04)                                       | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.e. To Dry Well or French Drain #2, Micro-Infiltration #2 (P-FIL-04)                                       | 90                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.f. To Rain Garden #1, Micro-Bioretentation #1 (P-FIL-05)                                                  | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.g. To Rain Garden #2, Micro-Bioretentation #2 (P-FIL-05)                                                  | 80                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 50                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.h. To Rainwater Harvesting (P-BAS-04)                                                                     | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.i. To Stormwater Planter, Urban Bioretention (P-FIL-05)                                                   | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 3. Permeable Pavement (RR)                                                                                  |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 3.a. Permeable Pavement #1 (P-FIL-03)                                                                       | 45                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 3.b. Permeable Pavement #2 (P-FIL-03)                                                                       | 75                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 25                                |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4. Grass Channel (RR)                                                                                       |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 4.a. Grass Channel A/B Soils (P-CNV-01)                                                                     | 20                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4.b. Grass Channel C/D Soils (P-CNV-01)                                                                     | 10                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4.c. Grass Channel with Compost Amended Soils as per specs (P-FIL-08)                                       | 20                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 5. Dry Swale (RR)                                                                                           |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 5.a. Dry Swale #1 (P-CNV-02)                                                                                | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 20                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 5.b. Dry Swale #2 (P-CNV-02)                                                                                | 60                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 40                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 6. Bioretention (RR)                                                                                        |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 6.a. Bioretention #1 or Micro-Bioretentation #1 or Urban Bioretention (P-FIL-05)                            | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 6.b. Bioretention #2 or Micro-Bioretentation #2 (P-FIL-05)                                                  | 80                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 50                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 7. Infiltration (RR)                                                                                        |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 7.a. Infiltration #1 (P-FIL-04)                                                                             | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 7.b. Infiltration #2 (P-FIL-04)                                                                             | 90                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 8. Extended Detention Pond (RR)                                                                             |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 8.a. ED #1 (P-BAS-03)                                                                                       | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 8.b. ED #2 (P-BAS-03)                                                                                       | 15                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9. Sheetflow to Filter/Open Space (RR)                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 9.a. Sheetflow to Conservation Area, A/B Soils (P-FIL-07)                                                   | 75                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9.b. Sheetflow to Conservation Area, C/D Soils (P-FIL-07)                                                   | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9.c. Sheetflow to Vegetated Filter Strip, A Soils or Compost Amended B/C/D Soils (Spec P-FIL-07 & P-FIL-08) | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 10. Regenerative Stormwater Conveyance                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 10.a. Regenerative Stormwater Conveyance (P-CNV-04)                                                         | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 20                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 10.b. Regenerative Stormwater Conveyance (P-CNV-04)                                                         | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 40                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11. Tree BMP                                                                                                |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 11.a. Trees over Pervious, A/B (P-FIL-09)                                                                   | 16                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11.b. Trees over Pervious, C/D (P-FIL-09)                                                                   | 12                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11.c. Trees over Impervious (P-FIL-09)                                                                      | 3.5                         |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |

TOTAL IMPERVIOUS COVER TREATED (ac) 0.00 AREA CHECK: OK.  
TOTAL MIXED OPEN TREATED (ac) 0.00 AREA CHECK: OK.  
TOTAL MANAGED TURF AREA TREATED (ac) 0.00 AREA CHECK: OK.  
TOTAL RUNOFF REDUCTION IN D.A. A (ft³) 0  
TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. A (lb/yr) 0.00  
TOTAL PHOSPHORUS REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 0.00  
TOTAL PHOSPHORUS REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 0.00  
TOTAL PHOSPHORUS REMAINING AFTER APPLYING RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 0.00  
SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS

Composite Loading N  
0.00  
0.00  
0.00  
0.00

| Nitrogen Removal Efficiency (%) | Nitrogen Load from Upstream Practices (lbs) | Untreated Nitrogen Load to Practice (lbs) | Nitrogen Removed By Practice (lbs) | Remaining Nitrogen Load (lbs) |
|---------------------------------|---------------------------------------------|-------------------------------------------|------------------------------------|-------------------------------|
| 1. Vegetated Roof (RR)          |                                             |                                           |                                    |                               |
| 0                               |                                             | 0.00                                      | 0.00                               | 0.00                          |
| 0                               |                                             | 0.00                                      | 0.00                               | 0.00                          |

|                               |      |      |      |      |
|-------------------------------|------|------|------|------|
| 2. Rooftop Disconnection (RR) |      |      |      |      |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 60                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                            | 0.00 | 0.00 | 0.00 | 0.00 |

|                            |      |      |      |      |
|----------------------------|------|------|------|------|
| 3. Permeable Pavement (RR) |      |      |      |      |
| 25                         | 0.00 | 0.00 | 0.00 | 0.00 |
| 25                         |      | 0.00 | 0.00 | 0.00 |

|                       |      |      |      |      |
|-----------------------|------|------|------|------|
| 4. Grass Channel (RR) |      |      |      |      |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |

|                   |      |      |      |      |
|-------------------|------|------|------|------|
| 5. Dry Swale (RR) |      |      |      |      |
| 25                | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                | 0.00 | 0.00 | 0.00 | 0.00 |

|                      |      |      |      |      |
|----------------------|------|------|------|------|
| 6. Bioretention (RR) |      |      |      |      |
| 40                   | 0.00 | 0.00 | 0.00 | 0.00 |
| 60                   | 0.00 | 0.00 | 0.00 | 0.00 |

|                      |      |      |      |      |
|----------------------|------|------|------|------|
| 7. Infiltration (RR) |      |      |      |      |
| 15                   | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                   | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 8. Extended Detention Pond (RR) |      |      |      |      |
| 10                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 10                              | 0.00 | 0.00 | 0.00 | 0.00 |

|                                        |      |      |      |      |
|----------------------------------------|------|------|------|------|
| 9. Sheetflow to Filter/Open Space (RR) |      |      |      |      |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |

|                                        |      |      |      |      |
|----------------------------------------|------|------|------|------|
| 10. Regenerative Stormwater Conveyance |      |      |      |      |
| 25                                     | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                                     | 0.00 | 0.00 | 0.00 | 0.00 |

|              |      |      |      |      |
|--------------|------|------|------|------|
| 11. Tree BMP |      |      |      |      |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |

TOTAL RUNOFF REDUCTION IN D.A. A (ft³) 0  
NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 0.00  
SEE WATER QUALITY COMPLIANCE TAB FOR SITE CALCULATIONS (Information Only)

|                                                  |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
|--------------------------------------------------|---|--|--|--|---|---|---|---|----|------|------|------|------|--|
| 12. Wet Swale (no RR)                            |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 12.a. Wet Swale #1 (P-CNV-03)                    | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 12.b. Wet Swale #2 (P-CNV-03)                    | 0 |  |  |  | 0 | 0 | 0 | 0 | 40 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 13. Filtering Practices (no RR)                  |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 13.a. Filtering Practice #1 (P-FIL-06)           | 0 |  |  |  | 0 | 0 | 0 | 0 | 60 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 13.b. Filtering Practice #2 (P-FIL-06)           | 0 |  |  |  | 0 | 0 | 0 | 0 | 65 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 14. Constructed Wetland (no RR)                  |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 14.a. Constructed Wetland #1 (P-BAS-01)          | 0 |  |  |  | 0 | 0 | 0 | 0 | 50 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 14.b. Constructed Wetland #2 (P-BAS-01)          | 0 |  |  |  | 0 | 0 | 0 | 0 | 75 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15. Wet Ponds (no RR)                            |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 15.a. Wet Pond #1 (P-BAS-02)                     | 0 |  |  |  | 0 | 0 | 0 | 0 | 50 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.b. Wet Pond #1 (Coastal Plain) (P-BAS-02)     | 0 |  |  |  | 0 | 0 | 0 | 0 | 45 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.c. Wet Pond #2 (P-BAS-02)                     | 0 |  |  |  | 0 | 0 | 0 | 0 | 75 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.d. Wet Pond #2 (Coastal Plain) (P-BAS-02)     | 0 |  |  |  | 0 | 0 | 0 | 0 | 65 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16. Manufactured Treatment Devices (no RR)       |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 16.a. Manufactured Treatment Device-Hydrodynamic | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16.b. Manufactured Treatment Device-Filtering    | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16.c. Manufactured Treatment Device-Generic      | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |

TOTAL IMPERVIOUS COVER TREATED (ac) 0.00 AREA CHECK: OK.  
TOTAL MIXED OPEN TREATED (ac) 0.00 AREA CHECK: OK.  
TOTAL MANAGED TURF AREA TREATED (ac) 0.00 AREA CHECK: OK.  
TOTAL PHOSPHORUS REMOVAL REQUIRED ON SITE (lb/yr) 0.67  
TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. A (lb/yr) 0.00  
TOTAL PHOSPHORUS REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 0.00  
TOTAL PHOSPHORUS REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 0.00  
TOTAL PHOSPHORUS LOAD REDUCTION ACHIEVED IN D.A. A (lb/yr) 0.00  
TOTAL PHOSPHORUS REMAINING AFTER APPLYING BMP LOAD REDUCTIONS IN D.A. A (lb/yr) 0.00  
SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS  
NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 0.00  
NITROGEN REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 0.00  
TOTAL NITROGEN REMOVED IN D.A. A (lb/yr) 0.00

|                                       |      |      |      |      |
|---------------------------------------|------|------|------|------|
| 12. Wet Swale (Coastal Plain) (no RR) |      |      |      |      |
| 25                                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                                    | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 13. Filtering Practices (no RR) |      |      |      |      |
| 30                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 45                              | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 14. Constructed Wetland (no RR) |      |      |      |      |
| 25                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 55                              | 0.00 | 0.00 | 0.00 | 0.00 |

Drainage Area B

Drainage Area B Land Cover (acres)

|                          | A Soils | B Soils | C Soils | D Soils | Totals | Land Cover Rv | Composite Loading P |
|--------------------------|---------|---------|---------|---------|--------|---------------|---------------------|
| Forest (acres)           |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Mixed Open (acres)       |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Managed Turf (acres)     |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Impervious Cover (acres) |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Total                    |         |         |         |         | 0.00   |               |                     |

CLEAR BMP AREAS

Total Phosphorus Available for Removal in D.A. B (lb/yr)  
Post Development Treatment Volume in D.A. B (ft³)

|      |
|------|
| 0.00 |
| 0    |

Stormwater Best Management Practices (RR = Runoff Reduction)

--Select from dropdown lists--

| Practice                                                                                                    | Runoff Reduction Credit (%) | Mixed Open Credit Area (acres) | Managed Turf Credit Area (acres) | Impervious Cover Credit Area (acres) | Volume from Upstream Practice (ft³) | Runoff Reduction (ft³) | Remaining Runoff Volume (ft³) | Total BMP Treatment Volume (ft³) | Phosphorus Removal Efficiency (%) | Phosphorus Load from Upstream Practices (lb) | Untreated Phosphorus Load to Practice (lb) | Phosphorus Removed By Practice (lb) | Remaining Phosphorus Load (lb) | Downstream Practice to be Employed |
|-------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------|----------------------------------|--------------------------------------|-------------------------------------|------------------------|-------------------------------|----------------------------------|-----------------------------------|----------------------------------------------|--------------------------------------------|-------------------------------------|--------------------------------|------------------------------------|
| 1. Vegetated Roof (RR)                                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 1.a. Vegetated Roof #1 (P-FIL-02)                                                                           | 45                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 0                                 |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 1.b. Vegetated Roof #2 (P-FIL-02)                                                                           | 60                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 0                                 |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2. Rooftop Disconnection (RR)                                                                               |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 2.a. Simple Disconnection to A/B Soils (P-FIL-01)                                                           | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.b. Simple Disconnection to C/D Soils (P-FIL-01)                                                           | 25                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.c. To Soil Amended Filter Path as per specifications (existing C/D soils) (P-FIL-08)                      | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.d. To Dry Well or French Drain #1, Micro-infiltration #1 (P-FIL-04)                                       | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.e. To Dry Well or French Drain #2, Micro-infiltration #2 (P-FIL-04)                                       | 90                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.f. To Rain Garden #1, Micro-Bioretenction #1 (P-FIL-05)                                                   | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.g. To Rain Garden #2, Micro-Bioretenction #2 (P-FIL-05)                                                   | 80                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 50                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.h. To Rainwater Harvesting (P-BAS-04)                                                                     | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.i. To Stormwater Planter, Urban Bioretenction (P-FIL-05)                                                  | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 3. Permeable Pavement (RR)                                                                                  |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 3.a. Permeable Pavement #1 (P-FIL-03)                                                                       | 45                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 3.b. Permeable Pavement #2 (P-FIL-03)                                                                       | 75                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 25                                |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4. Grass Channel (RR)                                                                                       |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 4.a. Grass Channel A/B Soils (P-CNV-01)                                                                     | 20                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4.b. Grass Channel C/D Soils (P-CNV-01)                                                                     | 10                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4.c. Grass Channel with Compost Amended Soils as per spec (P-FIL-08)                                        | 20                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 5. Dry Swale (RR)                                                                                           |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 5.a. Dry Swale #1 (P-CNV-02)                                                                                | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 20                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 5.b. Dry Swale #2 (P-CNV-02)                                                                                | 60                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 40                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 6. Bioretention (RR)                                                                                        |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 6.a. Bioretention #1 or Micro-Bioretenction #1 or Urban Bioretenction (P-FIL-05)                            | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 6.b. Bioretention #2 or Micro-Bioretenction #2 (P-FIL-05)                                                   | 80                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 50                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 7. Infiltration (RR)                                                                                        |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 7.a. Infiltration #1 (P-FIL-04)                                                                             | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 7.b. Infiltration #2 (P-FIL-04)                                                                             | 90                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 8. Extended Detention Pond (RR)                                                                             |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 8.a. ED #1 (P-BAS-03)                                                                                       | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 8.b. ED #2 (P-BAS-03)                                                                                       | 15                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9. Sheetflow to Filter/Open Space (RR)                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 9.a. Sheetflow to Conservation Area, A/B Soils (P-FIL-07)                                                   | 75                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9.b. Sheetflow to Conservation Area, C/D Soils (P-FIL-07)                                                   | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9.c. Sheetflow to Vegetated Filter Strip, A Soils or Compost Amended B/C/D Soils (Spec P-FIL-07 & P-FIL-08) | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 10. Regenerative Stormwater Conveyance                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 10.a. Regenerative Stormwater Conveyance (P-CNV-04)                                                         | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 20                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 10.b. Regenerative Stormwater Conveyance (P-CNV-04)                                                         | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 40                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11. Tree BMP                                                                                                |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 11.a. Trees over Pervious, A/B (P-FIL-09)                                                                   | 16                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11.b. Trees over Pervious, C/D (P-FIL-09)                                                                   | 12                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11.c. Trees over Impervious (P-FIL-09)                                                                      | 3.5                         |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |

TOTAL IMPERVIOUS COVER TREATED (ac) 0.00  
TOTAL MIXED OPEN TREATED (ac) 0.00  
TOTAL MANAGED TURF AREA TREATED (ac) 0.00  
TOTAL RUNOFF REDUCTION IN D.A. B (ft³) 0  
TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. B (lb/yr) 0.00  
TOTAL PHOSPHORUS REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. B (lb/yr) 0.00  
TOTAL PHOSPHORUS REMAINING AFTER APPLYING RUNOFF REDUCTION PRACTICES IN D.A. B (lb/yr) 0.00  
SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS

|                     |
|---------------------|
| Composite Loading N |
| 0.00                |
| 0.00                |
| 0.00                |
| 0.00                |

| Nitrogen Removal Efficiency (%) | Nitrogen Load from Upstream Practices (lbs) | Untreated Nitrogen Load to Practice (lbs) | Nitrogen Removed By Practice (lbs) | Remaining Nitrogen Load (lbs) |
|---------------------------------|---------------------------------------------|-------------------------------------------|------------------------------------|-------------------------------|
| 1. Vegetated Roof (RR)          |                                             |                                           |                                    |                               |
| 0                               |                                             | 0.00                                      | 0.00                               | 0.00                          |
| 0                               |                                             | 0.00                                      | 0.00                               | 0.00                          |

|                               |      |      |      |      |
|-------------------------------|------|------|------|------|
| 2. Rooftop Disconnection (RR) |      |      |      |      |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 60                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                            | 0.00 | 0.00 | 0.00 | 0.00 |

|                            |      |      |      |      |
|----------------------------|------|------|------|------|
| 3. Permeable Pavement (RR) |      |      |      |      |
| 25                         | 0.00 | 0.00 | 0.00 | 0.00 |
| 25                         |      | 0.00 | 0.00 | 0.00 |

|                       |      |      |      |      |
|-----------------------|------|------|------|------|
| 4. Grass Channel (RR) |      |      |      |      |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |

|                   |      |      |      |      |
|-------------------|------|------|------|------|
| 5. Dry Swale (RR) |      |      |      |      |
| 25                | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                | 0.00 | 0.00 | 0.00 | 0.00 |

|                      |      |      |      |      |
|----------------------|------|------|------|------|
| 6. Bioretention (RR) |      |      |      |      |
| 40                   | 0.00 | 0.00 | 0.00 | 0.00 |
| 60                   | 0.00 | 0.00 | 0.00 | 0.00 |

|                      |      |      |      |      |
|----------------------|------|------|------|------|
| 7. Infiltration (RR) |      |      |      |      |
| 15                   | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                   | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 8. Extended Detention Pond (RR) |      |      |      |      |
| 10                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 10                              | 0.00 | 0.00 | 0.00 | 0.00 |

|                                        |      |      |      |      |
|----------------------------------------|------|------|------|------|
| 9. Sheetflow to Filter/Open Space (RR) |      |      |      |      |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |

|                                        |      |      |      |      |
|----------------------------------------|------|------|------|------|
| 10. Regenerative Stormwater Conveyance |      |      |      |      |
| 25                                     | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                                     | 0.00 | 0.00 | 0.00 | 0.00 |

|              |      |      |      |      |
|--------------|------|------|------|------|
| 11. Tree BMP |      |      |      |      |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |

TOTAL RUNOFF REDUCTION IN D.A. B (ft³) 0  
NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. B (lb/yr) 0.00  
SEE WATER QUALITY COMPLIANCE TAB FOR SITE CALCULATIONS (Information Only)

|                                                   |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
|---------------------------------------------------|---|--|--|--|---|---|---|---|----|------|------|------|------|--|
| 12. Wet Swale (no RR)                             |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 12.a. Wet Swale #1 (P-CNV-03)                     | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 12.b. Wet Swale #2 (P-CNV-03)                     | 0 |  |  |  | 0 | 0 | 0 | 0 | 40 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 13. Filtering Practices (no RR)                   |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 13.a. Filtering Practice #1 (P-FIL-06)            | 0 |  |  |  | 0 | 0 | 0 | 0 | 60 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 13.b. Filtering Practice #2 (P-FIL-06)            | 0 |  |  |  | 0 | 0 | 0 | 0 | 65 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 14. Constructed Wetland (no RR)                   |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 14.a. Constructed Wetland #1 (P-BAS-01)           | 0 |  |  |  | 0 | 0 | 0 | 0 | 50 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 14.b. Constructed Wetland #2 (P-BAS-01)           | 0 |  |  |  | 0 | 0 | 0 | 0 | 75 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15. Wet Ponds (no RR)                             |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 15.a. Wet Pond #1 (P-BAS-02)                      | 0 |  |  |  | 0 | 0 | 0 | 0 | 50 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.b. Wet Pond #1 [Coastal Plain] (P-BAS-02)      | 0 |  |  |  | 0 | 0 | 0 | 0 | 45 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.c. Wet Pond #2 (P-BAS-02)                      | 0 |  |  |  | 0 | 0 | 0 | 0 | 75 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.d. Wet Pond #2 [Coastal Plain] (P-BAS-02)      | 0 |  |  |  | 0 | 0 | 0 | 0 | 65 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16. Manufactured Treatment Devices (no RR)        |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 16.a. Manufactured Treatment Device- Hydrodynamic | 0 |  |  |  | 0 | 0 | 0 | 0 |    | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16.b. Manufactured Treatment Device- Filtering    | 0 |  |  |  | 0 | 0 | 0 | 0 |    | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16.c. Manufactured Treatment Device- Generic      | 0 |  |  |  | 0 | 0 | 0 | 0 |    | 0.00 | 0.00 | 0.00 | 0.00 |  |

TOTAL IMPERVIOUS COVER TREATED (ac) 0.00  
TOTAL MIXED OPEN TREATED (ac) 0.00  
TOTAL MANAGED TURF AREA TREATED (ac) 0.00  
TOTAL PHOSPHORUS REMOVAL REQUIRED ON SITE (lb/yr) 0.67  
TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. B (lb/yr) 0.00  
TOTAL PHOSPHORUS REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. B (lb/yr) 0.00  
TOTAL PHOSPHORUS REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. B (lb/yr) 0.00  
TOTAL PHOSPHORUS LOAD REDUCTION ACHIEVED IN D.A. B (lb/yr) 0.00  
TOTAL PHOSPHORUS REMAINING AFTER APPLYING BMP LOAD REDUCTIONS IN D.A. B (lb/yr) 0.00  
SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS  
NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. B (lb/yr) 0.00  
NITROGEN REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. B (lb/yr) 0.00  
TOTAL NITROGEN REMOVED IN D.A. B (lb/yr) 0.00

|                                       |      |      |      |      |
|---------------------------------------|------|------|------|------|
| 12. Wet Swale (Coastal Plain) (no RR) |      |      |      |      |
| 25                                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                                    | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 13. Filtering Practices (no RR) |      |      |      |      |
| 30                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 45                              | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 14. Constructed Wetland (no RR) |      |      |      |      |
| 25                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 55                              | 0.00 | 0.00 | 0.00 | 0.00 |

| 15. Wet Ponds (no RR) |      |      |      |      |
|-----------------------|------|------|------|------|
| 30                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 30                    | 0.00 | 0.00 | 0.00 | 0.00 |

Drainage Area C

Drainage Area C Land Cover (acres)

|                          | A Soils | B Soils | C Soils | D Soils | Totals | Land Cover Rv | Composite Loading P |
|--------------------------|---------|---------|---------|---------|--------|---------------|---------------------|
| Forest (acres)           |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Mixed Open (acres)       |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Managed Turf (acres)     |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Impervious Cover (acres) |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Total                    |         |         |         |         | 0.00   |               |                     |

CLEAR BMP AREAS

Total Phosphorus Available for Removal in D.A. C (lb/yr)  
Post Development Treatment Volume in D.A. C (ft<sup>3</sup>)

|      |
|------|
| 0.00 |
| 0    |

Stormwater Best Management Practices (RR = Runoff Reduction)

--Select from dropdown lists--

| Practice                                                                                                    | Runoff Reduction Credit (%) | Mixed Open Credit Area (acres) | Managed Turf Credit Area (acres) | Impervious Cover Credit Area (acres) | Volume from Upstream Practice (ft <sup>3</sup> ) | Runoff Reduction (ft <sup>3</sup> ) | Remaining Runoff Volume (ft <sup>3</sup> ) | Total BMP Treatment Volume (ft <sup>3</sup> ) | Phosphorus Removal Efficiency (%) | Phosphorus Load from Upstream Practices (lb) | Untreated Phosphorus Load to Practice (lb) | Phosphorus Removed By Practice (lb) | Remaining Phosphorus Load (lb) | Downstream Practice to be Employed |
|-------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------|----------------------------------|--------------------------------------|--------------------------------------------------|-------------------------------------|--------------------------------------------|-----------------------------------------------|-----------------------------------|----------------------------------------------|--------------------------------------------|-------------------------------------|--------------------------------|------------------------------------|
| 1. Vegetated Roof (RR)                                                                                      |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 1.a. Vegetated Roof #1 (P-FIL-02)                                                                           | 45                          |                                |                                  |                                      |                                                  | 0                                   | 0                                          | 0                                             | 0                                 |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 1.b. Vegetated Roof #2 (P-FIL-02)                                                                           | 60                          |                                |                                  |                                      |                                                  | 0                                   | 0                                          | 0                                             | 0                                 |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2. Rooftop Disconnection (RR)                                                                               |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 2.a. Simple Disconnection to A/B Soils (P-FIL-01)                                                           | 50                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.b. Simple Disconnection to C/D Soils (P-FIL-01)                                                           | 25                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.c. To Soil Amended Filter Path as per specifications (existing C/D soils) (P-FIL-08)                      | 50                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.d. To Dry Well or French Drain #1, Micro-infiltration #1 (P-FIL-04)                                       | 50                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.e. To Dry Well or French Drain #2, Micro-infiltration #2 (P-FIL-04)                                       | 90                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.f. To Rain Garden #1, Micro-Bioretenction #1 (P-FIL-05)                                                   | 40                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.g. To Rain Garden #2, Micro-Bioretenction #2 (P-FIL-05)                                                   | 80                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 50                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.h. To Rainwater Harvesting (P-BAS-04)                                                                     | 0                           |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.i. To Stormwater Planter, Urban Bioretenction (P-FIL-05)                                                  | 40                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 3. Permeable Pavement (RR)                                                                                  |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 3.a. Permeable Pavement #1 (P-FIL-03)                                                                       | 45                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 3.b. Permeable Pavement #2 (P-FIL-03)                                                                       | 75                          |                                |                                  |                                      |                                                  | 0                                   | 0                                          | 0                                             | 25                                |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4. Grass Channel (RR)                                                                                       |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 4.a. Grass Channel A/B Soils (P-CNV-01)                                                                     | 20                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4.b. Grass Channel C/D Soils (P-CNV-01)                                                                     | 10                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4.c. Grass Channel with Compost Amended Soils as per specs (P-FIL-08)                                       | 20                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 5. Dry Swale (RR)                                                                                           |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 5.a. Dry Swale #1 (P-CNV-02)                                                                                | 40                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 20                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 5.b. Dry Swale #2 (P-CNV-02)                                                                                | 60                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 40                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 6. Bioretenction (RR)                                                                                       |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 6.a. Bioretenction #1 or Micro-Bioretenction #1 or Urban Bioretenction (P-FIL-05)                           | 40                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 6.b. Bioretenction #2 or Micro-Bioretenction #2 (P-FIL-05)                                                  | 80                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 50                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 7. Infiltration (RR)                                                                                        |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 7.a. Infiltration #1 (P-FIL-04)                                                                             | 50                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 7.b. Infiltration #2 (P-FIL-04)                                                                             | 90                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 8. Extended Detention Pond (RR)                                                                             |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 8.a. ED #1 (P-BAS-03)                                                                                       | 0                           |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 8.b. ED #2 (P-BAS-03)                                                                                       | 15                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9. Sheetflow to Filter/Open Space (RR)                                                                      |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 9.a. Sheetflow to Conservation Area, A/B Soils (P-FIL-07)                                                   | 75                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9.b. Sheetflow to Conservation Area, C/D Soils (P-FIL-07)                                                   | 50                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9.c. Sheetflow to Vegetated Filter Strip, A Soils or Compost Amended B/C/D Soils (Spec P-FIL-07 & P-FIL-08) | 50                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 10. Regenerative Stormwater Conveyance                                                                      |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 10.a. Regenerative Stormwater Conveyance (P-CNV-04)                                                         | 0                           |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 20                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 10.b. Regenerative Stormwater Conveyance (P-CNV-04)                                                         | 0                           |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 40                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11. Tree BMP                                                                                                |                             |                                |                                  |                                      |                                                  |                                     |                                            |                                               |                                   |                                              |                                            |                                     |                                |                                    |
| 11.a. Trees over Pervious, A/B (P-FIL-09)                                                                   | 16                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11.b. Trees over Pervious, C/D (P-FIL-09)                                                                   | 12                          |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11.c. Trees over Impervious (P-FIL-09)                                                                      | 3.5                         |                                |                                  |                                      | 0                                                | 0                                   | 0                                          | 0                                             | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |

TOTAL IMPERVIOUS COVER TREATED (ac) 0.00  
TOTAL MIXED OPEN TREATED (ac) 0.00  
TOTAL MANAGED TURF AREA TREATED (ac) 0.00  
TOTAL RUNOFF REDUCTION IN D.A. C (ft<sup>3</sup>) 0

TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. C (lb/yr) 0.00  
TOTAL PHOSPHORUS REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. C (lb/yr) 0.00  
TOTAL PHOSPHORUS REMAINING AFTER APPLYING RUNOFF REDUCTION PRACTICES IN D.A. C (lb/yr) 0.00

SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS

|                     |
|---------------------|
| Composite Loading N |
| 0.00                |
| 0.00                |
| 0.00                |
| 0.00                |

| Nitrogen Removal Efficiency (%) | Nitrogen Load from Upstream Practices (lbs) | Untreated Nitrogen Load to Practice (lbs) | Nitrogen Removed By Practice (lbs) | Remaining Nitrogen Load (lbs) |
|---------------------------------|---------------------------------------------|-------------------------------------------|------------------------------------|-------------------------------|
| 1. Vegetated Roof (RR)          |                                             |                                           |                                    |                               |
| 0                               |                                             | 0.00                                      | 0.00                               | 0.00                          |
| 0                               |                                             | 0.00                                      | 0.00                               | 0.00                          |

|                               |      |      |      |      |
|-------------------------------|------|------|------|------|
| 2. Rooftop Disconnection (RR) |      |      |      |      |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 60                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                            | 0.00 | 0.00 | 0.00 | 0.00 |

|                            |      |      |      |      |
|----------------------------|------|------|------|------|
| 3. Permeable Pavement (RR) |      |      |      |      |
| 25                         | 0.00 | 0.00 | 0.00 | 0.00 |
| 25                         |      | 0.00 | 0.00 | 0.00 |

|                       |      |      |      |      |
|-----------------------|------|------|------|------|
| 4. Grass Channel (RR) |      |      |      |      |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |

|                   |      |      |      |      |
|-------------------|------|------|------|------|
| 5. Dry Swale (RR) |      |      |      |      |
| 25                | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                | 0.00 | 0.00 | 0.00 | 0.00 |

|                       |      |      |      |      |
|-----------------------|------|------|------|------|
| 6. Bioretenction (RR) |      |      |      |      |
| 40                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 60                    | 0.00 | 0.00 | 0.00 | 0.00 |

|                      |      |      |      |      |
|----------------------|------|------|------|------|
| 7. Infiltration (RR) |      |      |      |      |
| 15                   | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                   | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 8. Extended Detention Pond (RR) |      |      |      |      |
| 10                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 10                              | 0.00 | 0.00 | 0.00 | 0.00 |

|                                        |      |      |      |      |
|----------------------------------------|------|------|------|------|
| 9. Sheetflow to Filter/Open Space (RR) |      |      |      |      |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |

|                                        |      |      |      |      |
|----------------------------------------|------|------|------|------|
| 10. Regenerative Stormwater Conveyance |      |      |      |      |
| 25                                     | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                                     | 0.00 | 0.00 | 0.00 | 0.00 |

|              |      |      |      |      |
|--------------|------|------|------|------|
| 11. Tree BMP |      |      |      |      |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |

|                                                                           |  |      |
|---------------------------------------------------------------------------|--|------|
| TOTAL RUNOFF REDUCTION IN D.A. C (ft <sup>3</sup> )                       |  | 0    |
| NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. C (lb/yr)        |  | 0.00 |
| SEE WATER QUALITY COMPLIANCE TAB FOR SITE CALCULATIONS (Information Only) |  |      |

|                                                   |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
|---------------------------------------------------|---|--|--|--|---|---|---|---|----|------|------|------|------|--|
| 12. Wet Swale (no RR)                             |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 12.a. Wet Swale #1 (P-CNV-03)                     | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 12.b. Wet Swale #2 (P-CNV-03)                     | 0 |  |  |  | 0 | 0 | 0 | 0 | 40 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 13. Filtering Practices (no RR)                   |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 13.a. Filtering Practice #1 (P-FIL-06)            | 0 |  |  |  | 0 | 0 | 0 | 0 | 60 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 13.b. Filtering Practice #2 (P-FIL-06)            | 0 |  |  |  | 0 | 0 | 0 | 0 | 65 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 14. Constructed Wetland (no RR)                   |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 14.a. Constructed Wetland #1 (P-BAS-01)           | 0 |  |  |  | 0 | 0 | 0 | 0 | 50 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 14.b. Constructed Wetland #2 (P-BAS-01)           | 0 |  |  |  | 0 | 0 | 0 | 0 | 75 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15. Wet Ponds (no RR)                             |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 15.a. Wet Pond #1 (P-BAS-02)                      | 0 |  |  |  | 0 | 0 | 0 | 0 | 50 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.b. Wet Pond #1 (Coastal Plain) (P-BAS-02)      | 0 |  |  |  | 0 | 0 | 0 | 0 | 45 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.c. Wet Pond #2 (P-BAS-02)                      | 0 |  |  |  | 0 | 0 | 0 | 0 | 75 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.d. Wet Pond #2 (Coastal Plain) (P-BAS-02)      | 0 |  |  |  | 0 | 0 | 0 | 0 | 65 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16. Manufactured Treatment Devices (no RR)        |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 16.a. Manufactured Treatment Device- Hydrodynamic | 0 |  |  |  | 0 | 0 | 0 | 0 |    | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16.b. Manufactured Treatment Device- Filtering    | 0 |  |  |  | 0 | 0 | 0 | 0 |    | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16.c. Manufactured Treatment Device- Generic      | 0 |  |  |  | 0 | 0 | 0 | 0 |    | 0.00 | 0.00 | 0.00 | 0.00 |  |

TOTAL IMPERVIOUS COVER TREATED (ac) 0.00  
TOTAL MIXED OPEN TREATED (ac) 0.00  
TOTAL MANAGED TURF AREA TREATED (ac) 0.00

TOTAL PHOSPHORUS REMOVAL REQUIRED ON SITE (lb/yr) 0.67

TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. C (lb/yr) 0.00  
TOTAL PHOSPHORUS REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. C (lb/yr) 0.00  
TOTAL PHOSPHORUS REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. C (lb/yr) 0.00  
TOTAL PHOSPHORUS LOAD REDUCTION ACHIEVED IN D.A. C (lb/yr) 0.00  
TOTAL PHOSPHORUS REMAINING AFTER APPLYING BMP LOAD REDUCTIONS IN D.A. C (lb/yr) 0.00

SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS

NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. C (lb/yr) 0.00  
NITROGEN REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. C (lb/yr) 0.00  
TOTAL NITROGEN REMOVED IN D.A. C (lb/yr) 0.00

|                                       |      |      |      |      |
|---------------------------------------|------|------|------|------|
| 12. Wet Swale (Coastal Plain) (no RR) |      |      |      |      |
| 25                                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                                    | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 13. Filtering Practices (no RR) |      |      |      |      |
| 30                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 45                              | 0.00 | 0.00 | 0.00 | 0.00 |

| 14. Constructed Wetland (no RR) |      |      |      |      |
|---------------------------------|------|------|------|------|
| 25                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 55                              | 0.00 | 0.00 | 0.00 | 0.00 |

Drainage Area D

| Drainage Area D Land Cover (acres) |         |         |         |         |        |               |                     |
|------------------------------------|---------|---------|---------|---------|--------|---------------|---------------------|
|                                    | A Soils | B Soils | C Soils | D Soils | Totals | Land Cover Rv | Composite Loading P |
| Forest (acres)                     |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Mixed Open (acres)                 |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Managed Turf (acres)               |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Impervious Cover (acres)           |         |         |         |         | 0.00   | 0.00          | 0.00                |
| Total                              |         |         |         |         | 0.00   |               |                     |

CLEAR BMP AREAS

|                                                          |      |
|----------------------------------------------------------|------|
| Total Phosphorus Available for Removal in D.A. D (lb/yr) | 0.00 |
| Post Development Treatment Volume in D.A. D (ft3)        | 0    |

Stormwater Best Management Practices (RR = Runoff Reduction)

| Practice                                                                                                    | Runoff Reduction Credit (%) | Mixed Open Credit Area (acres) | Managed Turf Credit Area (acres) | Impervious Cover Credit Area (acres) | Volume from Upstream Practice (ft³) | Runoff Reduction (ft³) | Remaining Runoff Volume (ft³) | Total BMP Treatment Volume (ft³) | Phosphorus Removal Efficiency (%) | Phosphorus Load from Upstream Practices (lb) | Untreated Phosphorus Load to Practice (lb) | Phosphorus Removed By Practice (lb) | Remaining Phosphorus Load (lb) | Downstream Practice to be Employed |
|-------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------|----------------------------------|--------------------------------------|-------------------------------------|------------------------|-------------------------------|----------------------------------|-----------------------------------|----------------------------------------------|--------------------------------------------|-------------------------------------|--------------------------------|------------------------------------|
| 1. Vegetated Roof (RR)                                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 1.a. Vegetated Roof #1 (P-FIL-02)                                                                           | 45                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 0                                 |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 1.b. Vegetated Roof #2 (P-FIL-02)                                                                           | 60                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 0                                 |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2. Rooftop Disconnection (RR)                                                                               |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 2.a. Simple Disconnection to A/B Soils (P-FIL-01)                                                           | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.b. Simple Disconnection to C/D Soils (P-FIL-01)                                                           | 25                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.c. To Soil Amended Filter Path as per specifications (existing C/D soils) (P-FIL-08)                      | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.d. To Dry Well or French Drain #1, Micro-Infiltration #1 (P-FIL-04)                                       | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.e. To Dry Well or French Drain #2, Micro-Infiltration #2 (P-FIL-04)                                       | 90                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.f. To Rain Garden #1, Micro-Bioretenction #1 (P-FIL-05)                                                   | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.g. To Rain Garden #2, Micro-Bioretenction #2 (P-FIL-05)                                                   | 80                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 50                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.h. To Rainwater Harvesting (P-BAS-04)                                                                     | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.i. To Stormwater Planter, Urban Bioretenction (P-FIL-05)                                                  | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 3. Permeable Pavement (RR)                                                                                  |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 3.a. Permeable Pavement #1 (P-FIL-03)                                                                       | 45                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 3.b. Permeable Pavement #2 (P-FIL-03)                                                                       | 75                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 25                                |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4. Grass Channel (RR)                                                                                       |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 4.a. Grass Channel A/B Soils (P-CNV-01)                                                                     | 20                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4.b. Grass Channel C/D Soils (P-CNV-01)                                                                     | 10                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4.c. Grass Channel with Compost Amended Soils as per spec (P-FIL-08)                                        | 20                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 5. Dry Swale (RR)                                                                                           |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 5.a. Dry Swale #1 (P-CNV-02)                                                                                | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 20                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 5.b. Dry Swale #2 (P-CNV-02)                                                                                | 60                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 40                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 6. Bioretention (RR)                                                                                        |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 6.a. Bioretention #1 or Micro-Bioretenction #1 or Urban Bioretention (P-FIL-05)                             | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 6.b. Bioretention #2 or Micro-Bioretenction #2 (P-FIL-05)                                                   | 80                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 50                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 7. Infiltration (RR)                                                                                        |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 7.a. Infiltration #1 (P-FIL-04)                                                                             | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 7.b. Infiltration #2 (P-FIL-04)                                                                             | 90                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 8. Extended Detention Pond (RR)                                                                             |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 8.a. ED #1 (P-BAS-03)                                                                                       | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 8.b. ED #2 (P-BAS-03)                                                                                       | 15                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9. Sheetflow to Filter/Open Space (RR)                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 9.a. Sheetflow to Conservation Area, A/B Soils (P-FIL-07)                                                   | 75                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9.b. Sheetflow to Conservation Area, C/D Soils (P-FIL-07)                                                   | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9.c. Sheetflow to Vegetated Filter Strip, A Soils or Compost Amended B/C/D Soils (Spec P-FIL-07 & P-FIL-08) | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 10. Regenerative Stormwater Conveyance                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 10.a. Regenerative Stormwater Conveyance (P-CNV-04)                                                         | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 20                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 10.b. Regenerative Stormwater Conveyance (P-CNV-04)                                                         | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 40                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11. Tree BMP                                                                                                |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 11.a. Trees over Pervious, A/B (P-FIL-09)                                                                   | 16                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11.b. Trees over Pervious, C/D (P-FIL-09)                                                                   | 12                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11.c. Trees over Impervious (P-FIL-09)                                                                      | 3.5                         |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |

|                                                                                        |      |                 |
|----------------------------------------------------------------------------------------|------|-----------------|
| TOTAL IMPERVIOUS COVER TREATED (ac)                                                    | 0.00 | AREA CHECK: OK. |
| TOTAL MIXED OPEN TREATED (ac)                                                          | 0.00 | AREA CHECK: OK. |
| TOTAL MANAGED TURF AREA TREATED (ac)                                                   | 0.00 | AREA CHECK: OK. |
| TOTAL RUNOFF REDUCTION IN D.A. D (ft3)                                                 | 0    |                 |
| TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. D (lb/yr)                               | 0.00 |                 |
| TOTAL PHOSPHORUS REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. D (lb/yr)             | 0.00 |                 |
| TOTAL PHOSPHORUS REMAINING AFTER APPLYING RUNOFF REDUCTION PRACTICES IN D.A. D (lb/yr) | 0.00 |                 |

SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS

|                     |
|---------------------|
| Composite Loading N |
| 0.00                |
| 0.00                |
| 0.00                |
| 0.00                |

| Nitrogen Removal Efficiency (%) | Nitrogen Load from Upstream Practices (lbs) | Untreated Nitrogen Load to Practice (lbs) | Nitrogen Removed By Practice (lbs) | Remaining Nitrogen Load (lbs) |
|---------------------------------|---------------------------------------------|-------------------------------------------|------------------------------------|-------------------------------|
| 1. Vegetated Roof (RR)          |                                             |                                           |                                    |                               |
| 0                               |                                             | 0.00                                      | 0.00                               | 0.00                          |
| 0                               |                                             | 0.00                                      | 0.00                               | 0.00                          |

|                               |      |      |      |      |
|-------------------------------|------|------|------|------|
| 2. Rooftop Disconnection (RR) |      |      |      |      |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 60                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                            | 0.00 | 0.00 | 0.00 | 0.00 |

|                            |      |      |      |      |
|----------------------------|------|------|------|------|
| 3. Permeable Pavement (RR) |      |      |      |      |
| 25                         | 0.00 | 0.00 | 0.00 | 0.00 |
| 25                         |      | 0.00 | 0.00 | 0.00 |

|                       |      |      |      |      |
|-----------------------|------|------|------|------|
| 4. Grass Channel (RR) |      |      |      |      |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |

|                   |      |      |      |      |
|-------------------|------|------|------|------|
| 5. Dry Swale (RR) |      |      |      |      |
| 25                | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                | 0.00 | 0.00 | 0.00 | 0.00 |

|                      |      |      |      |      |
|----------------------|------|------|------|------|
| 6. Bioretention (RR) |      |      |      |      |
| 40                   | 0.00 | 0.00 | 0.00 | 0.00 |
| 60                   | 0.00 | 0.00 | 0.00 | 0.00 |

|                      |      |      |      |      |
|----------------------|------|------|------|------|
| 7. Infiltration (RR) |      |      |      |      |
| 15                   | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                   | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 8. Extended Detention Pond (RR) |      |      |      |      |
| 10                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 10                              | 0.00 | 0.00 | 0.00 | 0.00 |

|                                        |      |      |      |      |
|----------------------------------------|------|------|------|------|
| 9. Sheetflow to Filter/Open Space (RR) |      |      |      |      |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |

|                                        |      |      |      |      |
|----------------------------------------|------|------|------|------|
| 10. Regenerative Stormwater Conveyance |      |      |      |      |
| 25                                     | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                                     | 0.00 | 0.00 | 0.00 | 0.00 |

|              |      |      |      |      |
|--------------|------|------|------|------|
| 11. Tree BMP |      |      |      |      |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |

|                                                                    |      |
|--------------------------------------------------------------------|------|
| TOTAL RUNOFF REDUCTION IN D.A. D (ft3)                             | 0    |
| NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. D (lb/yr) | 0.00 |

SEE WATER QUALITY COMPLIANCE TAB FOR SITE CALCULATIONS (Information Only)

|                                                  |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
|--------------------------------------------------|---|--|--|--|---|---|---|---|----|------|------|------|------|--|
| 12. Wet Swale (no RR)                            |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 12.a. Wet Swale #1 (P-CNV-03)                    | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 12.b. Wet Swale #2 (P-CNV-03)                    | 0 |  |  |  | 0 | 0 | 0 | 0 | 40 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 13. Filtering Practices (no RR)                  |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 13.a. Filtering Practice #1 (P-FIL-06)           | 0 |  |  |  | 0 | 0 | 0 | 0 | 60 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 13.b. Filtering Practice #2 (P-FIL-06)           | 0 |  |  |  | 0 | 0 | 0 | 0 | 65 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 14. Constructed Wetland (no RR)                  |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 14.a. Constructed Wetland #1 (P-BAS-01)          | 0 |  |  |  | 0 | 0 | 0 | 0 | 50 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 14.b. Constructed Wetland #2 (P-BAS-01)          | 0 |  |  |  | 0 | 0 | 0 | 0 | 75 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15. Wet Ponds (no RR)                            |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 15.a. Wet Pond #1 (P-BAS-02)                     | 0 |  |  |  | 0 | 0 | 0 | 0 | 50 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.b. Wet Pond #1 (Coastal Plain) (P-BAS-02)     | 0 |  |  |  | 0 | 0 | 0 | 0 | 45 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.c. Wet Pond #2 (P-BAS-02)                     | 0 |  |  |  | 0 | 0 | 0 | 0 | 75 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.d. Wet Pond #2 (Coastal Plain) (P-BAS-02)     | 0 |  |  |  | 0 | 0 | 0 | 0 | 65 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16. Manufactured Treatment Devices (no RR)       |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 16.a. Manufactured Treatment Device-Hydrodynamic | 0 |  |  |  | 0 | 0 | 0 | 0 |    | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16.b. Manufactured Treatment Device-Filtering    | 0 |  |  |  | 0 | 0 | 0 | 0 |    | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16.c. Manufactured Treatment Device-Generic      | 0 |  |  |  | 0 | 0 | 0 | 0 |    | 0.00 | 0.00 | 0.00 | 0.00 |  |

|                                                                                 |      |                 |
|---------------------------------------------------------------------------------|------|-----------------|
| TOTAL IMPERVIOUS COVER TREATED (ac)                                             | 0.00 | AREA CHECK: OK. |
| TOTAL MIXED OPEN TREATED (ac)                                                   | 0.00 | AREA CHECK: OK. |
| TOTAL MANAGED TURF AREA TREATED (ac)                                            | 0.00 | AREA CHECK: OK. |
| TOTAL PHOSPHORUS REMOVAL REQUIRED ON SITE (lb/yr)                               | 0.67 |                 |
| TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. D (lb/yr)                        | 0.00 |                 |
| TOTAL PHOSPHORUS REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. D (lb/yr)   | 0.00 |                 |
| TOTAL PHOSPHORUS REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. D (lb/yr)      | 0.00 |                 |
| TOTAL PHOSPHORUS LOAD REDUCTION ACHIEVED IN D.A. D (lb/yr)                      | 0.00 |                 |
| TOTAL PHOSPHORUS REMAINING AFTER APPLYING BMP LOAD REDUCTIONS IN D.A. D (lb/yr) | 0.00 |                 |

SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS

|                                                                       |      |
|-----------------------------------------------------------------------|------|
| NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. D (lb/yr)    | 0.00 |
| NITROGEN REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. D (lb/yr) | 0.00 |
| TOTAL NITROGEN REMOVED IN D.A. D (lb/yr)                              | 0.00 |

|                                       |      |      |      |      |
|---------------------------------------|------|------|------|------|
| 12. Wet Swale (Coastal Plain) (no RR) |      |      |      |      |
| 25                                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                                    | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 13. Filtering Practices (no RR) |      |      |      |      |
| 30                              | 0.00 | 0.00 | 0.00 | 0.00 |

Drainage Area E

| Drainage Area E Land Cover (acres) |         |         |         |         |        |               |
|------------------------------------|---------|---------|---------|---------|--------|---------------|
|                                    | A Soils | B Soils | C Soils | D Soils | Totals | Land Cover Rv |
| Forest (acres)                     |         |         |         |         | 0.00   | 0.00          |
| Mixed Open (acres)                 |         |         |         |         | 0.00   | 0.00          |
| Managed Turf (acres)               |         |         |         |         | 0.00   | 0.00          |
| Impervious Cover (acres)           |         |         |         |         | 0.00   | 0.00          |
| Total                              |         |         |         |         | 0.00   |               |

CLEAR BMP AREAS

|                                                          |      |
|----------------------------------------------------------|------|
| Total Phosphorus Available for Removal in D.A. E (lb/yr) | 0.00 |
| Post Development Treatment Volume in D.A. E (ft3)        | 0    |

Stormwater Best Management Practices (RR = Runoff Reduction)

| Practice                                                                                                    | Runoff Reduction Credit (%) | Mixed Open Credit Area (acres) | Managed Turf Credit Area (acres) | Impervious Cover Credit Area (acres) | Volume from Upstream Practice (ft³) | Runoff Reduction (ft³) | Remaining Runoff Volume (ft³) | Total BMP Treatment Volume (ft³) | Phosphorus Removal Efficiency (%) | Phosphorus Load from Upstream Practices (lb) | Untreated Phosphorus Load to Practice (lb) | Phosphorus Removed By Practice (lb) | Remaining Phosphorus Load (lb) | Downstream Practice to be Employed |
|-------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------|----------------------------------|--------------------------------------|-------------------------------------|------------------------|-------------------------------|----------------------------------|-----------------------------------|----------------------------------------------|--------------------------------------------|-------------------------------------|--------------------------------|------------------------------------|
| 1. Vegetated Roof (RR)                                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 1.a. Vegetated Roof #1 (P-FIL-02)                                                                           | 45                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 0                                 |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 1.b. Vegetated Roof #2 (P-FIL-02)                                                                           | 60                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 0                                 |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2. Rooftop Disconnection (RR)                                                                               |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 2.a. Simple Disconnection to A/B Soils (P-FIL-01)                                                           | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.b. Simple Disconnection to C/D Soils (P-FIL-01)                                                           | 25                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.c. To Soil Amended Filter Path as per specifications (existing C/D soils) (P-FIL-08)                      | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.d. To Dry Well or French Drain #1, Micro-Infiltration #1 (P-FIL-04)                                       | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.e. To Dry Well or French Drain #2, Micro-Infiltration #2 (P-FIL-04)                                       | 90                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.f. To Rain Garden #1, Micro-Bioretenction #1 (P-FIL-05)                                                   | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.g. To Rain Garden #2, Micro-Bioretenction #2 (P-FIL-05)                                                   | 80                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 50                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.h. To Rainwater Harvesting (P-BAS-04)                                                                     | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 2.i. To Stormwater Planter, Urban Bioretenction (P-FIL-05)                                                  | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 3. Permeable Pavement (RR)                                                                                  |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 3.a. Permeable Pavement #1 (P-FIL-03)                                                                       | 45                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 3.b. Permeable Pavement #2 (P-FIL-03)                                                                       | 75                          |                                |                                  |                                      |                                     | 0                      | 0                             | 0                                | 25                                |                                              | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4. Grass Channel (RR)                                                                                       |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 4.a. Grass Channel A/B Soils (P-CNV-01)                                                                     | 20                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4.b. Grass Channel C/D Soils (P-CNV-01)                                                                     | 10                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 4.c. Grass Channel with Compost Amended Soils as per spec (P-FIL-08)                                        | 20                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 5. Dry Swale (RR)                                                                                           |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 5.a. Dry Swale #1 (P-CNV-02)                                                                                | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 20                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 5.b. Dry Swale #2 (P-CNV-02)                                                                                | 60                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 40                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 6. Bioretention (RR)                                                                                        |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 6.a. Bioretention #1 or Micro-Bioretenction #1 or Urban Bioretention (P-FIL-05)                             | 40                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 6.b. Bioretention #2 or Micro-Bioretenction #2 (P-FIL-05)                                                   | 80                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 50                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 7. Infiltration (RR)                                                                                        |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 7.a. Infiltration #1 (P-FIL-04)                                                                             | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 7.b. Infiltration #2 (P-FIL-04)                                                                             | 90                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 25                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 8. Extended Detention Pond (RR)                                                                             |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 8.a. ED #1 (P-BAS-03)                                                                                       | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 8.b. ED #2 (P-BAS-03)                                                                                       | 15                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 15                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9. Sheetflow to Filter/Open Space (RR)                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 9.a. Sheetflow to Conservation Area, A/B Soils (P-FIL-07)                                                   | 75                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9.b. Sheetflow to Conservation Area, C/D Soils (P-FIL-07)                                                   | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 9.c. Sheetflow to Vegetated Filter Strip, A Soils or Compost Amended B/C/D Soils (Spec P-FIL-07 & P-FIL-08) | 50                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 10. Regenerative Stormwater Conveyance                                                                      |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 10.a. Regenerative Stormwater Conveyance (P-CNV-04)                                                         | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 20                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 10.b. Regenerative Stormwater Conveyance (P-CNV-04)                                                         | 0                           |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 40                                | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11. Tree BMP                                                                                                |                             |                                |                                  |                                      |                                     |                        |                               |                                  |                                   |                                              |                                            |                                     |                                |                                    |
| 11.a. Trees over Pervious, A/B (P-FIL-09)                                                                   | 16                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11.b. Trees over Pervious, C/D (P-FIL-09)                                                                   | 12                          |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |
| 11.c. Trees over Impervious (P-FIL-09)                                                                      | 3.5                         |                                |                                  |                                      | 0                                   | 0                      | 0                             | 0                                | 0                                 | 0.00                                         | 0.00                                       | 0.00                                | 0.00                           |                                    |

|                                                                                        |      |                 |
|----------------------------------------------------------------------------------------|------|-----------------|
| TOTAL IMPERVIOUS COVER TREATED (ac)                                                    | 0.00 | AREA CHECK: OK. |
| TOTAL MIXED OPEN TREATED (ac)                                                          | 0.00 | AREA CHECK: OK. |
| TOTAL MANAGED TURF AREA TREATED (ac)                                                   | 0.00 | AREA CHECK: OK. |
| TOTAL RUNOFF REDUCTION IN D.A. E (ft3)                                                 | 0    |                 |
| TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. E (lb/yr)                               | 0.00 |                 |
| TOTAL PHOSPHORUS REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. E (lb/yr)             | 0.00 |                 |
| TOTAL PHOSPHORUS REMAINING AFTER APPLYING RUNOFF REDUCTION PRACTICES IN D.A. E (lb/yr) | 0.00 |                 |
| SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS                      |      |                 |

|                     |
|---------------------|
| Composite Loading N |
| 0.00                |
| 0.00                |
| 0.00                |
| 0.00                |

| Nitrogen Removal Efficiency (%) | Nitrogen Load from Upstream Practices (lbs) | Untreated Nitrogen Load to Practice (lbs) | Nitrogen Removed By Practice (lbs) | Remaining Nitrogen Load (lbs) |
|---------------------------------|---------------------------------------------|-------------------------------------------|------------------------------------|-------------------------------|
| 1. Vegetated Roof (RR)          |                                             |                                           |                                    |                               |
| 0                               |                                             | 0.00                                      | 0.00                               | 0.00                          |
| 0                               |                                             | 0.00                                      | 0.00                               | 0.00                          |

|                               |      |      |      |      |
|-------------------------------|------|------|------|------|
| 2. Rooftop Disconnection (RR) |      |      |      |      |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 60                            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                             | 0.00 | 0.00 | 0.00 | 0.00 |
| 40                            | 0.00 | 0.00 | 0.00 | 0.00 |

|                            |      |      |      |      |
|----------------------------|------|------|------|------|
| 3. Permeable Pavement (RR) |      |      |      |      |
| 25                         | 0.00 | 0.00 | 0.00 | 0.00 |
| 25                         |      | 0.00 | 0.00 | 0.00 |

|                       |      |      |      |      |
|-----------------------|------|------|------|------|
| 4. Grass Channel (RR) |      |      |      |      |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 20                    | 0.00 | 0.00 | 0.00 | 0.00 |

|                   |      |      |      |      |
|-------------------|------|------|------|------|
| 5. Dry Swale (RR) |      |      |      |      |
| 25                | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                | 0.00 | 0.00 | 0.00 | 0.00 |

|                      |      |      |      |      |
|----------------------|------|------|------|------|
| 6. Bioretention (RR) |      |      |      |      |
| 40                   | 0.00 | 0.00 | 0.00 | 0.00 |
| 60                   | 0.00 | 0.00 | 0.00 | 0.00 |

|                      |      |      |      |      |
|----------------------|------|------|------|------|
| 7. Infiltration (RR) |      |      |      |      |
| 15                   | 0.00 | 0.00 | 0.00 | 0.00 |
| 15                   | 0.00 | 0.00 | 0.00 | 0.00 |

|                                 |      |      |      |      |
|---------------------------------|------|------|------|------|
| 8. Extended Detention Pond (RR) |      |      |      |      |
| 10                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 10                              | 0.00 | 0.00 | 0.00 | 0.00 |

|                                        |      |      |      |      |
|----------------------------------------|------|------|------|------|
| 9. Sheetflow to Filter/Open Space (RR) |      |      |      |      |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |
| 0                                      | 0.00 | 0.00 | 0.00 | 0.00 |

|                                        |      |      |      |      |
|----------------------------------------|------|------|------|------|
| 10. Regenerative Stormwater Conveyance |      |      |      |      |
| 25                                     | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                                     | 0.00 | 0.00 | 0.00 | 0.00 |

|              |      |      |      |      |
|--------------|------|------|------|------|
| 11. Tree BMP |      |      |      |      |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |
| 0            | 0.00 | 0.00 | 0.00 | 0.00 |

|                                                                    |      |
|--------------------------------------------------------------------|------|
| TOTAL RUNOFF REDUCTION IN D.A. E (ft3)                             | 0    |
| NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. E (lb/yr) | 0.00 |

SEE WATER QUALITY COMPLIANCE TAB FOR SITE CALCULATIONS (Information Only)

|                                                  |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
|--------------------------------------------------|---|--|--|--|---|---|---|---|----|------|------|------|------|--|
| 12. Wet Swale (no RR)                            |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 12.a. Wet Swale #1 (P-CNV-03)                    | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 12.b. Wet Swale #2 (P-CNV-03)                    | 0 |  |  |  | 0 | 0 | 0 | 0 | 40 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 13. Filtering Practices (no RR)                  |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 13.a. Filtering Practice #1 (P-FIL-06)           | 0 |  |  |  | 0 | 0 | 0 | 0 | 60 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 13.b. Filtering Practice #2 (P-FIL-06)           | 0 |  |  |  | 0 | 0 | 0 | 0 | 65 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 14. Constructed Wetland (no RR)                  |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 14.a. Constructed Wetland #1 (P-BAS-01)          | 0 |  |  |  | 0 | 0 | 0 | 0 | 50 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 14.b. Constructed Wetland #2 (P-BAS-01)          | 0 |  |  |  | 0 | 0 | 0 | 0 | 75 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15. Wet Ponds (no RR)                            |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 15.a. Wet Pond #1 (P-BAS-02)                     | 0 |  |  |  | 0 | 0 | 0 | 0 | 50 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.b. Wet Pond #1 (Coastal Plain) (P-BAS-02)     | 0 |  |  |  | 0 | 0 | 0 | 0 | 45 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.c. Wet Pond #2 (P-BAS-02)                     | 0 |  |  |  | 0 | 0 | 0 | 0 | 75 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 15.d. Wet Pond #2 (Coastal Plain) (P-BAS-02)     | 0 |  |  |  | 0 | 0 | 0 | 0 | 65 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16. Manufactured Treatment Devices (no RR)       |   |  |  |  |   |   |   |   |    |      |      |      |      |  |
| 16.a. Manufactured Treatment Device-Hydrodynamic | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16.b. Manufactured Treatment Device-Filtering    | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |
| 16.c. Manufactured Treatment Device-Generic      | 0 |  |  |  | 0 | 0 | 0 | 0 | 20 | 0.00 | 0.00 | 0.00 | 0.00 |  |

|                                                                                 |      |                 |
|---------------------------------------------------------------------------------|------|-----------------|
| TOTAL IMPERVIOUS COVER TREATED (ac)                                             | 0.00 | AREA CHECK: OK. |
| TOTAL MIXED OPEN TREATED (ac)                                                   | 0.00 | AREA CHECK: OK. |
| TOTAL MANAGED TURF AREA TREATED (ac)                                            | 0.00 | AREA CHECK: OK. |
| TOTAL PHOSPHORUS REMOVAL REQUIRED ON SITE (lb/yr)                               | 0.67 |                 |
| TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. E (lb/yr)                        | 0.00 |                 |
| TOTAL PHOSPHORUS REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. E (lb/yr)   | 0.00 |                 |
| TOTAL PHOSPHORUS REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. E (lb/yr)      | 0.00 |                 |
| TOTAL PHOSPHORUS LOAD REDUCTION ACHIEVED IN D.A. E (lb/yr)                      | 0.00 |                 |
| TOTAL PHOSPHORUS REMAINING AFTER APPLYING BMP LOAD REDUCTIONS IN D.A. E (lb/yr) | 0.00 |                 |
| SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS               |      |                 |
| NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. E (lb/yr)              | 0.00 |                 |
| NITROGEN REMOVED WITHOUT RUNOFF REDUCTION PRACTICES IN D.A. E (lb/yr)           | 0.00 |                 |
| TOTAL NITROGEN REMOVED IN D.A. E (lb/yr)                                        | 0.00 |                 |

|                                       |      |      |      |      |
|---------------------------------------|------|------|------|------|
| 12. Wet Swale (Coastal Plain) (no RR) |      |      |      |      |
| 25                                    | 0.00 | 0.00 | 0.00 | 0.00 |
| 35                                    | 0.00 | 0.00 | 0.00 | 0.00 |

| 13. Filtering Practices (no RR) |      |      |      |      |
|---------------------------------|------|------|------|------|
| 30                              | 0.00 | 0.00 | 0.00 | 0.00 |
| 45                              | 0.00 | 0.00 | 0.00 | 0.00 |

Site Results (Water Quality Compliance) VRRM 4.1, 2024

|                                |        |        |        |        |        |            |
|--------------------------------|--------|--------|--------|--------|--------|------------|
| Area Checks                    | D.A. A | D.A. B | D.A. C | D.A. D | D.A. E | AREA CHECK |
| FOREST (ac)                    | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | OK.        |
| MIXED OPEN AREA (ac)           | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | OK.        |
| MIXED OPEN AREA TREATED (ac)   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | OK.        |
| MANAGED TURF AREA (ac)         | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | OK.        |
| MANAGED TURF AREA TREATED (ac) | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | OK.        |
| IMPERVIOUS COVER (ac)          | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | OK.        |
| IMPERVIOUS COVER TREATED (ac)  | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | OK.        |
| AREA CHECK                     | OK.    | OK.    | OK.    | OK.    | OK.    |            |

|                                          |       |
|------------------------------------------|-------|
| Site Treatment Volume (ft <sup>3</sup> ) | 3,148 |
|------------------------------------------|-------|

Runoff Reduction Volume and TP By Drainage Area

|                                                     |        |        |        |        |        |       |
|-----------------------------------------------------|--------|--------|--------|--------|--------|-------|
|                                                     | D.A. A | D.A. B | D.A. C | D.A. D | D.A. E | TOTAL |
| RUNOFF REDUCTION VOLUME ACHIEVED (ft <sup>3</sup> ) | 0      | 0      | 0      | 0      | 0      | 0     |
| TP LOAD AVAILABLE FOR REMOVAL (lb/yr)               | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00  |
| TP LOAD REDUCTION ACHIEVED (lb/yr)                  | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00  |
| TP LOAD REMAINING (lb/yr)                           | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00  |

|                                          |      |      |      |      |      |      |
|------------------------------------------|------|------|------|------|------|------|
| NITROGEN LOAD REDUCTION ACHIEVED (lb/yr) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|------------------------------------------|------|------|------|------|------|------|

Total Phosphorus

|                                               |      |
|-----------------------------------------------|------|
| FINAL POST-DEVELOPMENT TP LOAD (lb/yr)        | 2.68 |
| TP LOAD REDUCTION REQUIRED (lb/yr)            | 0.67 |
| TP LOAD REDUCTION ACHIEVED (lb/yr)            | 0.00 |
| TP LOAD REMAINING (lb/yr):                    | 2.68 |
| REMAINING TP LOAD REDUCTION REQUIRED (lb/yr): | 0.67 |

Total Nitrogen (For Information Purposes)

|                                                  |       |
|--------------------------------------------------|-------|
| POST-DEVELOPMENT LOAD (lb/yr)                    | 12.27 |
| NITROGEN LOAD REDUCTION ACHIEVED (lb/yr)         | 0.00  |
| REMAINING POST-DEVELOPMENT NITROGEN LOAD (lb/yr) | 12.27 |

Runoff Volume and Curve Number Calculations,VRRM 4.1, 2024

Enter design storm rainfall depths (in):

1-year storm

2-year storm

10-year storm

0.00

0.00

0.00

Use NOAA Atlas 14 (<http://hdsc.nws.noaa.gov/hdsc/pfds/>)

**\*Notes (see below):**

[1] The curve numbers and runoff volumes computed in this spreadsheet for each drainage area are limited in their applicability for determining and demonstrating compliance with water quantity requirements. See VRRM User's Guide and Documentation for additional information.

[2] Runoff Volume (RV) for pre- and post-development drainage areas must be in volumetric units (e.g., acre-feet or cubic feet) when using the Energy Balance Equation. Runoff measured in watershed-inches and shown in the spreadsheet as RV(watershed-inch) can only be used in the Energy Balance Equation when the pre- and post-development drainage areas are equal. Otherwise RV(watershed-inch) must be multiplied by the drainage area.

[3] Adjusted CNs are based on runoff reduction volumes as calculated in D.A. tabs. An alternative CN adjustment calculation for Vegetated Roofs is included in BMP specification No. 5.

Drainage Area Curve Numbers and Runoff Depths\*

| Drainage Area A                                                               |              | A Soils      | B Soils      | C Soils       | D Soils | Total Area (acres): 0.00         |
|-------------------------------------------------------------------------------|--------------|--------------|--------------|---------------|---------|----------------------------------|
| Forest -- undisturbed, protected forest or reforested land                    | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00    |                                  |
|                                                                               | CN           | 30           | 55           | 70            | 77      | Runoff Reduction Volume (ft³): 0 |
| Mixed Open -- undisturbed/infrequently maintained grass or shrub land         | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00    |                                  |
|                                                                               | CN           | 34           | 59           | 72            | 79      |                                  |
| Managed Turf -- disturbed, graded for yards or other turf to be mowed/managed | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00    |                                  |
|                                                                               | CN           | 39           | 61           | 74            | 80      |                                  |
| Impervious Cover                                                              | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00    |                                  |
|                                                                               | CN           | 98           | 98           | 98            | 98      |                                  |
| CN(D.A. A)                                                                    |              |              |              |               |         | 0                                |
| RV <sub>Developed</sub> (watershed-inch) with no Runoff Reduction*            |              | 1-year storm | 2-year storm | 10-year storm |         |                                  |
| RV <sub>Developed</sub> (watershed-inch) with Runoff Reduction*               |              | 0.00         | 0.00         | 0.00          |         |                                  |
| Adjusted CN*                                                                  |              | 0            | 0            | 0             |         |                                  |
| *See Notes above                                                              |              |              |              |               |         |                                  |
| Drainage Area B                                                               |              | A Soils      | B Soils      | C Soils       | D Soils | Total Area (acres): 0.00         |
| Forest -- undisturbed, protected forest or reforested land                    | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00    |                                  |
|                                                                               | CN           | 30           | 55           | 70            | 77      | Runoff Reduction Volume (ft³): 0 |
| Mixed Open -- undisturbed/infrequently maintained grass or shrub land         | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00    |                                  |
|                                                                               | CN           | 34           | 59           | 72            | 79      |                                  |
| Managed Turf -- disturbed, graded for yards or other turf to be mowed/managed | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00    |                                  |
|                                                                               | CN           | 39           | 61           | 74            | 80      |                                  |
| Impervious Cover                                                              | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00    |                                  |
|                                                                               | CN           | 98           | 98           | 98            | 98      |                                  |
| CN(D.A. B)                                                                    |              |              |              |               |         | 0                                |
| RV <sub>Developed</sub> (watershed-inch) with no Runoff Reduction*            |              | 1-year storm | 2-year storm | 10-year storm |         |                                  |
| RV <sub>Developed</sub> (watershed-inch) with Runoff Reduction*               |              | 0.00         | 0.00         | 0.00          |         |                                  |
| Adjusted CN*                                                                  |              | 0            | 0            | 0             |         |                                  |

| Drainage Area C                                                               |              | A Soils      | B Soils      | C Soils       | D Soils                | Total Area (acres): 0.00                      |  |
|-------------------------------------------------------------------------------|--------------|--------------|--------------|---------------|------------------------|-----------------------------------------------|--|
| Forest -- undisturbed, protected forest or reforested land                    | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00                   | Runoff Reduction Volume (ft <sup>3</sup> ): 0 |  |
|                                                                               | CN           | 30           | 55           | 70            | 77                     |                                               |  |
| Mixed Open -- undisturbed/infrequently maintained grass or shrub land         | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00                   |                                               |  |
|                                                                               | CN           | 34           | 59           | 72            | 79                     |                                               |  |
| Managed Turf -- disturbed, graded for yards or other turf to be mowed/managed | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00                   |                                               |  |
|                                                                               | CN           | 39           | 61           | 74            | 80                     |                                               |  |
| Impervious Cover                                                              | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00                   |                                               |  |
|                                                                               | CN           | 98           | 98           | 98            | 98                     |                                               |  |
|                                                                               |              |              |              |               | CN <sub>(D.A. C)</sub> |                                               |  |
|                                                                               |              |              |              |               | 0                      |                                               |  |
| RV <sub>Developed</sub> (watershed-inch) with no Runoff Reduction*            |              | 1-year storm | 2-year storm | 10-year storm |                        |                                               |  |
| RV <sub>Developed</sub> (watershed-inch) with Runoff Reduction*               |              | 0.00         | 0.00         | 0.00          |                        |                                               |  |
| Adjusted CN*                                                                  |              | 0            | 0            | 0             |                        |                                               |  |

| Drainage Area D                                                               |              | A Soils             | B Soils             | C Soils              | D Soils | <b>Total Area (acres):</b> 0.00<br><b>Runoff Reduction Volume (ft<sup>3</sup>):</b> 0 |  |
|-------------------------------------------------------------------------------|--------------|---------------------|---------------------|----------------------|---------|---------------------------------------------------------------------------------------|--|
| Forest -- undisturbed, protected forest or reforested land                    | Area (acres) | 0.00                | 0.00                | 0.00                 | 0.00    |                                                                                       |  |
|                                                                               | CN           | 30                  | 55                  | 70                   | 77      |                                                                                       |  |
| Mixed Open -- undisturbed/infrequently maintained grass or shrub land         | Area (acres) | 0.00                | 0.00                | 0.00                 | 0.00    |                                                                                       |  |
|                                                                               | CN           | 34                  | 59                  | 72                   | 79      |                                                                                       |  |
| Managed Turf -- disturbed, graded for yards or other turf to be mowed/managed | Area (acres) | 0.00                | 0.00                | 0.00                 | 0.00    |                                                                                       |  |
|                                                                               | CN           | 39                  | 61                  | 74                   | 80      |                                                                                       |  |
| Impervious Cover                                                              | Area (acres) | 0.00                | 0.00                | 0.00                 | 0.00    |                                                                                       |  |
|                                                                               | CN           | 98                  | 98                  | 98                   | 98      |                                                                                       |  |
| <b>CN<sub>(D.A. D)</sub></b>                                                  |              |                     |                     |                      | 0       |                                                                                       |  |
| <b>RV<sub>Developed</sub> (watershed-inch) with no Runoff Reduction*</b>      |              | <b>1-year storm</b> | <b>2-year storm</b> | <b>10-year storm</b> |         |                                                                                       |  |
| <b>RV<sub>Developed</sub> (watershed-inch) with Runoff Reduction*</b>         |              |                     |                     |                      |         |                                                                                       |  |
| <b>Adjusted CN*</b>                                                           |              | <b>0</b>            | <b>0</b>            | <b>0</b>             |         |                                                                                       |  |

|                                                                               |              |              |              |               |                        |                                               |  |
|-------------------------------------------------------------------------------|--------------|--------------|--------------|---------------|------------------------|-----------------------------------------------|--|
| Drainage Area E                                                               |              | A Soils      | B Soils      | C Soils       | D Soils                | Total Area (acres): 0.00                      |  |
| Forest -- undisturbed, protected forest or reforested land                    | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00                   | Runoff Reduction Volume (ft <sup>3</sup> ): 0 |  |
|                                                                               | CN           | 30           | 55           | 70            | 77                     |                                               |  |
| Mixed Open -- undisturbed/infrequently maintained grass or shrub land         | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00                   |                                               |  |
|                                                                               | CN           | 34           | 59           | 72            | 79                     |                                               |  |
| Managed Turf -- disturbed, graded for yards or other turf to be mowed/managed | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00                   |                                               |  |
|                                                                               | CN           | 39           | 61           | 74            | 80                     |                                               |  |
| Impervious Cover                                                              | Area (acres) | 0.00         | 0.00         | 0.00          | 0.00                   |                                               |  |
|                                                                               | CN           | 98           | 98           | 98            | 98                     |                                               |  |
|                                                                               |              |              |              |               | CN <sub>(D.A. E)</sub> |                                               |  |
|                                                                               |              |              |              |               | 0                      |                                               |  |
| RV <sub>Developed</sub> (watershed-inch) with no Runoff Reduction*            |              | 1-year storm | 2-year storm | 10-year storm |                        |                                               |  |
| RV <sub>Developed</sub> (watershed-inch) with Runoff Reduction*               |              | 0.00         | 0.00         | 0.00          |                        |                                               |  |
| Adjusted CN*                                                                  |              | 0            | 0            | 0             |                        |                                               |  |





DEQ Virginia Runoff Reduction Method New Development Compliance Spreadsheet - Version 4.1

BMP Design Specifications List: 2024 Stds & Specs

Site Summary

Project Title: Sandy Creek (West) - Dan River (030101031004)  
Date: 05/28/2025

Site Land Cover Summary

|                          | A soils | B Soils | C Soils | D Soils | Totals | % of Total |
|--------------------------|---------|---------|---------|---------|--------|------------|
| Forest (acres)           | 0.00    | 0.00    | 0.00    | 0.00    | 0.00   | 0          |
| Mixed Open (acres)       | 0.00    | 7.42    | 0.00    | 0.34    | 7.76   | 100        |
| Managed Turf (acres)     | 0.00    | 0.00    | 0.00    | 0.00    | 0.00   | 0          |
| Impervious Cover (acres) | 0.00    | 0.00    | 0.00    | 0.00    | 0.00   | 0          |
|                          |         |         |         |         | 7.76   | 100        |

Site Tv and Land Cover Nutrient Loads

|                                     |       |
|-------------------------------------|-------|
| Site Rv                             | 0.11  |
| Treatment Volume (ft <sup>3</sup> ) | 3,148 |
| TP Load (lb/yr)                     | 2.68  |
| TN Load (lb/yr)                     | 12.27 |

|                                          |      |
|------------------------------------------|------|
| Total TP Load Reduction Required (lb/yr) | 0.67 |
|------------------------------------------|------|

Site Compliance Summary

|                                                  |      |
|--------------------------------------------------|------|
| Total Runoff Volume Reduction (ft <sup>3</sup> ) | 0    |
| Total TP Load Reduction Achieved (lb/yr)         | 0.00 |
| Total TN Load Reduction Achieved (lb/yr)         | 0.00 |
| Remaining Post Development TP Load (lb/yr)       | 2.68 |
| Remaining TP Load Reduction (lb/yr) Required     | 0.67 |

Drainage Area Summary

|                          | D.A. A | D.A. B | D.A. C | D.A. D | D.A. E | Total |
|--------------------------|--------|--------|--------|--------|--------|-------|
| Forest (acres)           | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00  |
| Mixed Open (acres)       | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00  |
| Managed Turf (acres)     | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00  |
| Impervious Cover (acres) | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00  |
| Total Area (acres)       | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00  |

## Constants

|                                |      |
|--------------------------------|------|
| Target Rainfall Event (inches) | 1.00 |
| Target TP Load (lb/acre/yr)    | 0.26 |

## Runoff Coefficients (Rv)

|                  | A Soils | B Soils | C Soils | D Soils |
|------------------|---------|---------|---------|---------|
| Forest           | 0.02    | 0.03    | 0.04    | 0.05    |
| Mixed Open       | 0.08    | 0.11    | 0.13    | 0.15    |
| Managed Turf     | 0.15    | 0.20    | 0.22    | 0.25    |
| Impervious Cover | 0.95    | 0.95    | 0.95    | 0.95    |

## Phosphorus Loading Rates (lb/acre/yr)

|                  | A Soils | B Soils | C Soils | D Soils |
|------------------|---------|---------|---------|---------|
| Forest           | 0.042   | 0.062   | 0.083   | 0.104   |
| Mixed Open       | 0.239   | 0.341   | 0.385   | 0.454   |
| Managed Turf     | 0.508   | 0.677   | 0.745   | 0.846   |
| Impervious Cover | 0.858   | 0.858   | 0.858   | 0.858   |

## Nitrogen Loading Rates (lb/acre/yr)

|                  | A Soils | B Soils | C Soils | D Soils |
|------------------|---------|---------|---------|---------|
| Forest           | 0.702   | 1.054   | 1.405   | 1.756   |
| Mixed Open       | 1.091   | 1.559   | 1.760   | 2.075   |
| Managed Turf     | 5.405   | 7.207   | 7.928   | 9.009   |
| Impervious Cover | 12.334  | 12.334  | 12.334  | 12.334  |

| Practice                         | Runoff<br>Reduction<br>Credit (%) | Phosphorus<br>Removal<br>Efficiency (%) | Nitrogen<br>Removal<br>Efficiency (%) |
|----------------------------------|-----------------------------------|-----------------------------------------|---------------------------------------|
| <b>1. Vegetated Roof (RR)</b>    |                                   |                                         |                                       |
| 1.a. Vegetated Roof #1 (Spec #5) | 45                                | 0                                       | 0                                     |

|                                                                                       |                 |    |    |
|---------------------------------------------------------------------------------------|-----------------|----|----|
| 1.b. Vegetated Roof #2 (Spec #5)                                                      | 60              | 0  | 0  |
| <b>2. Rooftop Disconnection (RR)</b>                                                  |                 |    |    |
| 2.a. Simple Disconnection to A/B Soils (Spec #1)                                      | 50              | 0  | 0  |
| 2.b. Simple Disconnection to C/D Soils (Spec #1)                                      | 25              | 0  | 0  |
| 2.c. To Soil Amended Filter Path as per specifications (existing C/D soils) (Spec #4) | 50              | 0  | 0  |
| 2.d. To Dry Well or French Drain #1, Micro-Infiltration #1 (Spec #8)                  | 50              | 25 | 15 |
| 2.e. To Dry Well or French Drain #2, Micro-Infiltration #2 (Spec #8)                  | 90              | 25 | 15 |
| 2.f. To Rain Garden #1, Micro-Bioretenction #1 (Spec #9)                              | 40              | 25 | 40 |
| 2.g. To Rain Garden #2, Micro-Bioretenction #2 (Spec #9)                              | 80              | 50 | 60 |
| 2.h. To Rainwater Harvesting (Spec #6)                                                | Enter on DA Tab | 0  | 0  |
| 2.i. To Stormwater Planter, Urban Bioretenction (Spec #9, Appendix A)                 | 40              | 25 | 40 |
| <b>3. Permeable Pavement (RR)</b>                                                     |                 |    |    |
| 3.a. Permeable Pavement #1 (Spec #7)                                                  | 45              | 25 | 25 |
| 3.b. Permeable Pavement #2 (Spec #7)                                                  | 75              | 25 | 25 |
| <b>4. Grass Channel (RR)</b>                                                          |                 |    |    |
| 4.a. Grass Channel A/B Soils (Spec #3)                                                | 20              | 15 | 20 |
| 4.b. Grass Channel C/D Soils (Spec #3)                                                | 10              | 15 | 20 |

|                                                                                                       |    |    |    |
|-------------------------------------------------------------------------------------------------------|----|----|----|
| 4.c. Grass Channel with Compost Amended<br>Soils as per specs (see Spec #4)                           | 20 | 15 | 20 |
| <b>5. Dry Swale (RR)</b>                                                                              |    |    |    |
| 5.a. Dry Swale #1 (Spec #10)                                                                          | 40 | 20 | 25 |
| 5.b. Dry Swale #2 (Spec #10)                                                                          | 60 | 40 | 35 |
| <b>6. Bioretention (RR)</b>                                                                           |    |    |    |
| 6.a. Bioretention #1 or Micro-Bioretention<br>#1 or Urban Bioretention (Spec #9)                      | 40 | 25 | 40 |
| 6.b. Bioretention #2 or<br>Micro-Bioretention #2 (Spec #9)                                            | 80 | 50 | 60 |
| <b>7. Infiltration (RR)</b>                                                                           |    |    |    |
| 7.a. Infiltration #1 (Spec #8)                                                                        | 50 | 25 | 15 |
| 7.b. Infiltration #2 (Spec #8)                                                                        | 90 | 25 | 15 |
| <b>8. Extended Detention Pond (RR)</b>                                                                |    |    |    |
| 8.a. ED #1 (Spec #15)                                                                                 | 0  | 15 | 10 |
| 8.b. ED #2 (Spec #15)                                                                                 | 15 | 15 | 10 |
| <b>9. Sheetflow to Filter/Open Space (RR)</b>                                                         |    |    |    |
| 9.a. Sheetflow to Conservation Area, A/B<br>Soils (Spec #2)                                           | 75 | 0  | 0  |
| 9.b. Sheetflow to Conservation Area, C/D<br>Soils (Spec #2)                                           | 50 | 0  | 0  |
| 9.c. Sheetflow to Vegetated Filter Strip, A<br>Soils or Compost Amended B/C/D Soils<br>(Spec #2 & #4) | 50 | 0  | 0  |

| 10. Regenerative Stormwater Conveyance (RR)         |     |    |    |
|-----------------------------------------------------|-----|----|----|
| 10.a. Regenerative Stormwater Conveyance (P-CNV-04) | 0   | 20 | 25 |
| 10.b. Regenerative Stormwater Conveyance (P-CNV-04) | 0   | 40 | 35 |
|                                                     |     |    |    |
| 11. Trees (RR)                                      |     |    |    |
| 11.a. Trees over Pervious, A/B (P-FIL-09)           | 16  | 0  | 0  |
| 11.b. Trees over Pervious, C/D (P-FIL-09)           | 12  | 0  | 0  |
| 11.c. Trees over Impervious (P-FIL-09)              | 3.5 | 0  | 0  |
|                                                     |     |    |    |
| 12. Wet Swale (no RR)                               |     |    |    |
| 12.a. Wet Swale #1 (Spec #11)                       | 0   | 20 | 25 |
| 12.b. Wet Swale #2 (Spec #11)                       | 0   | 40 | 35 |
|                                                     |     |    |    |
| 13. Filtering Practices (no RR)                     |     |    |    |
| 13.a. Filtering Practice #1 (Spec #12)              | 0   | 60 | 30 |
| 13.b. Filtering Practice #2 (Spec #12)              | 0   | 65 | 45 |
|                                                     |     |    |    |
| 14. Constructed Wetland (no RR)                     |     |    |    |
| 14.a. Constructed Wetland #1 (Spec #13)             | 0   | 50 | 25 |
| 14.b. Constructed Wetland #2 (Spec #13)             | 0   | 75 | 55 |
|                                                     |     |    |    |
| 15. Wet Ponds (no RR)                               |     |    |    |
| 15.a. Wet Pond #1 (Spec #14)                        | 0   | 50 | 30 |
| 15.b. Wet Pond #1 (Coastal Plain) (Spec #14)        | 0   | 45 | 20 |
| 15.c. Wet Pond #2 (Spec #14)                        | 0   | 75 | 40 |
| 15.d. Wet Pond #2 (Coastal Plain) (Spec #14)        | 0   | 65 | 30 |

| 16. Manufactured Treatment Devices (no RR)       |   |                 |                 |
|--------------------------------------------------|---|-----------------|-----------------|
| 16.a. Manufactured Treatment Device-Hydrodynamic | 0 | Enter on DA Tab | Enter on DA Tab |
| 16.b. Manufactured Treatment Device-Filtering    | 0 | Enter on DA Tab | Enter on DA Tab |
| 16.c. Manufactured Treatment Device-Generic      | 0 | Enter on DA Tab | Enter on DA Tab |

Curve Numbers (CN)

|              | A Soils | B Soils | C Soils | D Soils |
|--------------|---------|---------|---------|---------|
| Forest       | 30      | 55      | 70      | 77      |
| Mixed Open   | 34      | 59      | 72      | 79      |
| Managed Turf | 39      | 61      | 74      | 80      |
| Impervious   | 98      | 98      | 98      | 98      |









## **Version 2.8 - June 2014 - 2011 BMP Stds & Specs**

- 1 Fixed summary sheet - totals /percentage column fixed
- 2 Corrected nitrogen efficiency percentages
- 3 Corrected the Rv value in column J for managed turf
- 4 Checked and revised runoff reduction credit values assigned

## **Version 3.0 - 2011 and draft 2013 BMP Stds & Specs**

### *General*

- 1 Added error checks and user prompts to Site tab, DA tabs, and Runoff Volume and CN tab for data input errors.
- 2 Various format changes throughout the spreadsheet.
- 3 Combined 2011 and 2013 BMP spreadsheets into one spreadsheet with a user selection option included in Site tab (row 2).
- 4 User input cell color changed from cyan blue to green; calculation cells changed from mid-grey to light grey; and added final result cell i

### *Site tab*

- 5 Locked annual rainfall of 43 inches for use throughout Virginia since regulatory site based TP load limit is based on this value.
- 6 Corrected error in formula for summation of nitrogen removal from runoff reduction practices for each Drainage Area tab (cell V79).
- 7 Added button and shortcut (Ctrl+Shift+R) to clear user inputs from all worksheets.
- 8 Added shortcut (Ctrl+Shift+D) to clear land cover data from Site tab.
- 9 Added data entry instruction when user inputs blank (row 8).
- 10 Moved and revised TP load reduction requirement (now in blue) to columns A to H, rows 27-30.

### *D.A. tabs*

- 11 Added MTDs: Hydrodynamic, Filtering, Generic.
- 12 Added "Total BMP Treatment Volume (ft<sup>3</sup>)" column.
- 13 Rearranged previous Turf and Impervious input rows to adjacent cells in same row so each practice now located in one row.
- 14 Consolidated BMP Practice heading and added (RR or no RR label) to each practice to identify those with and without Runoff Reduction
- 15 Added " Total Phosphorus Available for Removal in D.A. \_ (lbs)".
- 16 Added button to clear BMP credit areas entered for each practice.
- 17 Added user prompts to assist with user-input Rainwater Harvesting runoff reduction credit, and MTDs.
- 18 Renamed Credit and Phosphorus/Nitrogen Efficiency column headers to Runoff Removal Credit and Phosphorus/Nitrogen Removal Ef
- 19 Removed "RR" from Column headings referring to runoff volume and TP load from upstream practices (which may be RR or non-RR p
- 20 Renamed "10. Wet Swale (Coastal Plain)" to "10. Wet Swale" in BMP heading in order to improve clarity. The practice is well suited for

- 21 Renamed "14. Manufactured BMPs" section heading to "14. Manufactured Treatment Device"s for consistency with Virginia BMP Clear
- 22 Added "Micro-Bioretenention #1" and "Micro-Bioretenention #2" to Bioretenention headings (6.a and 6.b on tab, respectively) from Spec 9.
- 23 Replaced zero values from all data entry cells with blank cells, blocked out calculation and data entry cells where input or calculations are

#### *Water Quality Compliance tab*

- 24 Optimized and reorganized for improved information output.
- 25 Added "Runoff Reduction Volume and TP By Drainage Area".
- 26 Made correction to site volume carried forward from Site tab. (08/22/2017)

#### *Runoff Volume and CN tab*

- 27 Reorganized and renamed Channel and Flood Protection tab to Runoff Volume and CN to more accurately reflect information provided
- 28 Added user notes regarding limitations of Runoff Volume and CN tab for water quantity calculations.
- 29 Renamed  $CN_{weighted}$  to  $CN_{(D.A. \times)}$  for the CNs based on soils and land cover types for each drainage area

#### *Summary tab*

- 30 Added "Print Preview" button.
- 31 Fixed runtime error in Summary tab update macro.
- 32 Added "BMP Treatment Volume", "TP Load from Upstream practice", "TP Removed" and "TP remaining" columns to Summary tab.
- 33 Optimized macro efficiency and eliminated screen updating/flashing during macros.
- 34 Corrected Summary tab macro -Turf missing routine missing "<>".
- 35 Added Error Summary Table to Summary tab (appears only if errors on Site tab or Drainage Area tabs are present)
- 36 Expanded and improved Runoff Coefficient and CN calculation section.
- 37 Macro glitch with MS Excel 2016 corrected. (08/22/2017)
- 38 Added Project Title and Date from Site tab. (8/22/2017)

### **Version 4.0 - 2023 (pre-release)**

#### *General*

- 1 Created a new tab called Constants and moved all constant values to that tab. Constants in all other tabs reference this new sheet.
- 2 Separated "Forest/Open Space" category into "Forest" and "Mixed Open" - See VRRM User Guide for additional details.
- 3 All nutrient calculations were updated to utilize loading rates instead of the SIMPLE Method used in previous versions of the spreadsheet.
- 4 The option for use of the 2011 Specifications was removed from the spreadsheet. Specifications updated with Virginia Stormwater Handbook

#### *Site tab*

- 5 Post-Development Requirements section and Nitrogen Loads section moved to just below the Land Cover table.
- 6 Constants table and Runoff Coefficients table removed. Values for target rainfall, total phosphorus, total nitrogen, and Pj removed from

- 7 Rows added to Land Cover, Post-Development Land Cover, and Land Cover Summary sections, for new land use classification Mixed Open.
- 8 Rows added to Land Cover and Total Cover Treated sections for new land use classification, Mixed Open. "Forest/Open Space" was renamed to "Forest".
- 9 Columns added after Land Cover Rv column for Composite Loading P and Composite Loading N. Values were calculated by multiplying each land cover total for a BMP type by the corresponding loading rate constant.
- 10 Untreated Phosphorus Load and Untreated Nitrogen Load were calculated by multiplying each land cover total for a BMP type by the corresponding loading rate constant.
- 11 Regenerative Stormwater Conveyance and Tree BMPs were integrated

*Water Quality Compliance tab*

- 12 Rows added for each Area Check table for Mixed Open area and Mixed Open area treated. "Forest/Open Space" was renamed to "Forest".

*Runoff Volume and CN tab*

- 13 Rows added for each Drainage Area table for Mixed Open. "Forest/Open Space" was renamed to "Forest".

*Summary tab*

- 14 Rows added for each Land Cover Summary table for Mixed Open. "Forest/Open Space" was renamed to "Forest".

**Version 4.1 - 2024**

**General**

- 1 Adjustments to loading rate constants based on updated model data
- 2 Adjustment to nutrient target constant based on newest guidance
- 3 Modifications to efficiency values for Trees and Regenerative Stormwater Conveyance (RSC) bmps
- 4 Note: RSC bmp efficiency values are still under review. Runoff reduction efficiency

in indigo.

on.

iciency for clarity.

practices).

but not limited to the Coastal Plain.

ringhouse.

are not applicable.

l.

et.  
ndbook (expected 2024) to be incorporated.

i spreadsheet entirely.

Open. Utilize DEQ guidance documents for definition of uses that qualify as mixed open category.