Farm Acreage Summary

Operator: Tommy Davis

Location: Accomack

| Landowner | Site | Latitude | Longitude | Field | Acre Total | eage Usable | Environmentally Sensitive Soils |
|--|---------------------------|--------------|--------------|-------|---------------|----------------|------------------------------------|
| Beverly Fletcher Seala Fletcher Kelly | F-5051 T-76210 | N37° 56' 02" | W75° 32' 91" | 1,2 | 11.3 | 11.3 | YES |
| Tommy Davis | F-4971 T-76827 | N37° 85' 50" | W75° 31' 39" | 3, 4 | 18.5 | 16 | YES |
| Tommy Davis | F-2876 T-7678 7 | N37° 85' 40" | W75° 31' 45" | 2 | 30.3 | 26.71 | YES |
| Tommy Davis | F-4971 T-76272 | N37° 85' 40" | W75° 31' 64" | 1 | 30.2 | 27.57 | YES |
| Tommy Davis | F-2876 T-78046 | N37° 59' 39" | W75° 31' 45" | 4, 7 | 24.3 | 22.01 | YES |
| Tommy Davis | F-3 T-7865 | N37° 62' 21" | W75° 31' 89" | 1 | 11.5 | 9.06 | YES |

| Beverly Fletcher | F-5051 T-7872 | N37° 55' 29" | W75° 34' 34" | 1 | 12.4 | 10.51 | YES |
|---------------------------------|-------------------------|--------------|--------------|--------------------------------------|-------|-------|-----|
| Beverly Fletcher | F-5051 T-7592 | N37° 55' 38" | W75° 34' 34" | 1, 2, 3, 4 | 16.1 | 9.16 | YES |
| Beverly Fletcher | F-5051 T-7534 | N37° 55' 76" | W75° 36' 66" | 1 | 42 | 34.94 | YES |
| Beverly Fletcher | F-5051 T-7532 | N37° 55' 26" | W75° 36' 15" | 1 | 36.2 | 34.74 | YES |
| Beverly Fletcher | F-5051 T-7531 | N37° 56' 11" | W75° 35' 52" | 1, 4-5, 9-12, 16, 18-20, 22-32 | 388.8 | 313.7 | YES |
| Beverly Fletcher Tommy Davis | F-5051 T-7528 | N37° 55' 88" | W75° 36'18" | 3-7 | 90 | 59.17 | YES |
| Ruth Fletcher | F-2121 T-7772 | N37° 55' 07" | W75° 35'09" | 1,2 | 17.6 | 15.82 | NO |
| Ruth Fletcher | F-1524 T-7476 | N37° 54' 95" | W75° 37'87" | 3-6 | 48.5 | 42.62 | YES |
| John Sharpley Beth Sharpley | F-1874 T-7307 | N37° 59' 29" | W75° 30'77" | 2, 3 | 51.5 | 47.81 | YES |

Total

829.2 681.12



United States Department of Agriculture Farm Service Agency

Farm: 5051 Tract: 76210 Accomack County

March 25, 2019

daimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.





Application Area

Road 10 ft Buffer - Ag Ditch Streams 35 ft Buffer Tract: 76210

Field 2: 2.5 11.3

Field 2: 2.5 11.3



Accomack County, Virginia

1 inch = 170 feet

Accomack County, Virginia

Legend


Tax Parcel 26-A-101

Operator: Tommy Davis

Owners: Beverly Fletcher 1/2 and Seala Fletcher Kelly 1/2

Map Printed from AccoMap http://accomack.mapsdirect.net/

200 400 600



Title: Farm 5051 Tract 76210 Field 1 and 2

DISCLAIMER: This drawing is neither a legally recorded map nor a survey and is not intended to be used as such. The information displayed is a compilation of records information, and data obtained from various sources, and Accomack County is not responsible for its accuracy or how current it may be.

VPA PERMIT APPLICATION FORM D: MUNICIPAL EFFLUENT AND BIOSOLIDS

| | PART D-VI: LAND A | PPLICATION AGREEN | MENT - BIOSOLIDS | S AND INDU | STDIAL DECIDINAL O | |
|--------|--|---|--|--|--|---------------------|
| | A. This land application agree here as "Landowner", and _ in effect until it is terminated Landowner in the event of a individual parcels identified it longer be authorized to receive the control of th | in writing by either party of sale of one or more parce on this agreement changes ive biosolids or industrial n | between referred to here as to the state of | he "Permittee" se parcels that all parcels cha iich ownership | referred to referred to referred to referred to referred to remain are retained by the remained by the remained remained by the remained remained referred to refe | Flatcher Kallyi, |
| | The Landowner is the owner agricultural, silvicultural or re documentation identifying ow | of record of the real prope clamation sites identified b ners, attached as Exhibit | erty located in According According to the According According to the Acco | mack Ce | ie tax map(s) with county | FORM |
| | Table 1.: Parcels author | ized to receive biosolid: | s, water treatment r | esiduals or o | ther industrial sludges | - |
| (Julio | Tax Parcel ID 26-14-10/ | Tax Parcel ID | Tax Parce | | Tax Parcel ID | - |
| | | | | | | |
| [| Additional parcels containing Land | And Foother Street | | | | |
| | Additional parcels containing Land A | Application Sites are identified or | Supplement A (check if a | pplicable) | The same of the sa | |
| | The La | ndowner is the sole own | | | | |
| | | | | | de hove been and | |
| | . Nouly the purchaser of | r transferee of the applica | on, the Landowner sh | all: | as have been applied | |
| | Notify the purchaser of than the date of the property of | operty transfer; and | bie public access and | d crop manage | ement restrictions no later | •: |
| | 2. Notify the Permittee of | f the sale within two weeks | following property to | anala. | | |
| | THE Landowner has no other | | | | The Lead | |
| | application or any part of this a | agreement becomes invalid | d or the information h | orgin centain | lable to the Permittee for | |
| | | | | | | |
| | inspections on the land identify | od chave but | and grant | s permission to | or DEO staff to conduct | |
| | | | and applicable to | such applicati | ion, | |
| | ☐ Yes ☐ No ☐ Yes | Edition residuals | od processing waste Yes | | strial sludges No | |
| | Printed name | Mailing Address | D. | Landowner S | | |
| | By: W. Sharenh It I | 27329 | Horsey Rd. | 201100VIIIei 3 | ignature | |
| | Title Owner | Phone No. 25 | 111 7 7 | - KD | 1 def | - |
| | * I certify that I have authority to | sign for the landowner as india- | 4-41 | 108. 1307 | any Mebets | |
| | * I certify that I have authority to * I certify that I am a responsible of municipality, state or federal agency | official [or officer] authorized to | act on behalf of the corn | or, Trustee or Pov | ver of attorney, etc. | |
| | | , etc. | | oration, partners | nip, proprietorship, LLC, | |
| P | ermittee: | | | | | |
| n p | nanner authorized by the VPA Pen lan prepared for each land applica | mittee, agrees to apply bioso mit Regulation and in amoun | lids and/or industrial res is not to exceed the rate | siduals on the La | andowner's land in the | |
| Т | he Permittee agrees to notify the I | and auto | addition will gr | u.1-104.2 of the | Code of Virginia. | |
| Γ | pecifically prior to any particular ap Printed name | | | de tue sonce o | f residuals to be applied. | 3 |
| | Kevin Taylor | I Manual Manuess | rin Hai V | Permittee- Author Signature | orized Representative | 1 |
| 7 | Title Complex Manager | Phone No. 2 | ille, VA 23442 | - | -n | |
| - | , manager | 1 | 7-824-3471 | 130 | 17/2 | |
| D- | DU 5/14/2040L | | | 1 | | |

Rev 6/11/2018b

| VIRGINIA POLLUTION ABATEMENT PERMIT APPLICATION: PARAGREEMENT | | |
|--|--|-------------------------------|
| Permittee: Tyson Foods County or City: | Accemaci | County |
| Permittee: Tyson Foods County or City: | Fletcher Kelly | 1/2 |
| Landowner Site Management Requirements: | | |
| I, the Landowner, I have received a DEQ Biosolids Fact Sheet that includes i governing the land application of biosolids, the components of biosolids and biosolids. | nformation regarding req proper handling and land | gulations d application of |

I have also been expressly advised by the Permittee that the site management requirements and site access restrictions identified below must be complied with after blosolids have been applied on my property in order to protect public health, and that I am responsible for the implementation of these practices.

I agree to implement the following site management practices at each site under my ownership following the land application of biosolids at the site:

 Notification Signs: I will not remove any signs posted by the Permittee for the purpose of identifying my field as a biosolids land application site, unless requested by the Permittee, until at least 30 days after land application at that site is completed.

2. Public Access

- Public access to land with a high potential for public exposure shall be restricted for at least one year following any application of biosolids.
- b. Public access to land with a low potential for public exposure shall be restricted for at least 30 days following any application of biosolids. No biosolids amended soil shall be excavated or removed from the site during this same period of time unless adequate provisions are made to prevent public exposure to soil, dusts or aerosols;
- c. Turf grown on land where biosolids are applied shall not be harvested for one year after application of biosolids when the harvested turf is placed on either land with a high potential for public exposure or a lawn, unless otherwise specified by DEQ.

3. Crop Restrictions:

- a. Food crops with harvested parts that touch the biosolids/soil mixture and are totally above the land surface shall not be harvested for 14 months after the application of biosolids.
- b. Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after the application of biosolids when the biosolids remain on the land surface for a time period of four (4) or more months prior to incorporation into the soil,
- c. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months when the biosolids remain on the land surface for a time period of less than four (4) months prior to incorporation.
- d. Other food crops and fiber crops shall not be harvested for 30 days after the application of biosolids;
- e. Feed crops shall not be harvested for 30 days after the application of biosolids (60 days if fed to lactating dairy animals).

4. Livestock Access Restrictions:

Following blosolids application to pasture or hayland sites:

- a. Meat producing livestock shall not be grazed for 30 days,
- Lactating dairy animals shall not be grazed for a minimum of 60 days.
- c. Other animals shall be restricted from grazing for 30 days;
- Supplemental commercial fertilizer or manure applications will be coordinated with the biosolids and industrial residuals applications such that the total crop needs for nutrients are not exceeded as identified in the nutrient management plan developed by a person certified in accordance with §10.1-104.2 of the Code of Virginia;
- Tobacco, because it has been shown to accumulate cadmium, should not be grown on the Landowner's land for three years following the application of biosolids or industrial residuals which bear cadmium equal to or exceeding 0.45 pounds/acre (0.5 kllograms/hectare).

Landowner's Signature

Date

Rev 6/11/2018b



VIRGINIA POLLUTION ABATEMENT PERMIT APPLICATION: PART D-VI LAND APPLICATION AGREEMENT

TILLOW Fronts

Dormittoo

Rev 6/11/2018b

Landowner Coordination Form

This form is used by the Permittee to identify properties (tax parcels) that are authorized to receive biosolids and/or industrial residuals, and each of the legal landowners of those tax parcels. A Land Application Agreement - Biosolids and Industrial Residuals form with original signature must be attached for each legal landowner identified below prior to land application at the identified parcels.

Submission of completed Form D VPA Permit Application Workbook, Tabs 14.a and/or 14.b, supersedes the need to complete this Landowner Coordination Form.

| County or City: Accoma CK | Count |
|---------------------------|---|
| Please Print | |
| Tax Parcel ID(s) | (Landowner signatures are not required on this page |
| | Landowner(s) |
| 26-A-101 | Beverly Flatcher 1/2 and Seala Flatcher Ve |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Page ___of__









Soil Map—Accomack County, Virginia (F-5051 T-76210)

MAP LEGEND

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons



Soil Map Unit Lines
Soil Map Unit Points



Blowout

Borrow Pit

Clay Spot

Closed Depression

nYn

Gravel Pit

Gravelly Spot

Ø L

Lava Flow

414

Marsh or swamp

Mine or Quarry

0

Miscellaneous Water
Perennial Water

0

Rock Outcrop

Sandy Spot

+

Saline Spot

1.1

Severely Eroded Spot

0

Sinkhole Slide or Slip

0

Sodic Spot

E3

Spoil Area Stony Spot

(3)

Very Stony Spot

Wet Spot

Other

Special Line Features

Water Features

Streams and Canals

Transportation

→ Rails

~

Interstate Highways

~

US Routes Major Roads

Local Roads

Background

Mary .

Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15.800.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Accomack County, Virginia Survey Area Data: Version 16, Jun 3, 2020

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 31, 2009—Sep 24, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

| Map Unit Symbol | Map Unit Name | Acres in AOI | Percent of AOI |
|-----------------------------|---|--------------|----------------|
| NmA | Nimmo sandy loam, 0 to 2 percent slopes | 12.4 | 100.0% |
| Totals for Area of Interest | | 12.4 | 100.0% |

Map Unit Description

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions in this report, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named, soils that are similar to the named components, and some minor components that differ in use and management from the major soils.

Most of the soils similar to the major components have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Some minor components, however, have properties and behavior characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. All the soils of a series have major horizons that are similar in composition, thickness, and arrangement. Soils of a given series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An undifferentiated group is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Additional information about the map units described in this report is available in other soil reports, which give properties of the soils and the limitations, capabilities, and potentials for many uses. Also, the narratives that accompany the soil reports define some of the properties included in the map unit descriptions.


Report—Map Unit Description

Accomack County, Virginia

NmA—Nimmo sandy loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 3yw9 Elevation: 10 to 100 feet



Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Nimmo and similar soils: 85 percent Minor components: 2 percent Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Nimmo

Setting

Landform: Terraces
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Marine sediments

Typical profile

H1 - 0 to 6 inches: sandy loam H2 - 6 to 32 inches: loam H3 - 32 to 85 inches: sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Poorly drained Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)

Depth to water table: About 0 to 12 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 5.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 4w

Hydrologic Soil Group: B/D Hydric soil rating: Yes

Minor Components

Polawana

Percent of map unit: 2 percent

Landform: Terraces Down-slope shape: Linear Across-slope shape: Linear



Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Accomack County, Virginia Survey Area Data: Version 16, Jun 3, 2020





United States Department of Agriculture Farm Service Agency

Farm: 4971 Tract: 76827 Accomack County

March 25, 2019

claimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.





Parcel Boundary Application Area

Ccupied Dwellings

Cocupied Dwellings 200 ft Buffer

Stream

Ag Ditch 10 ft Buffer Streams 35 ft Buffer

Roads

Road 10 ft Buffer

Farm: 4971, 2876 Tract: 76272, 76827, 76787

Accomack County, Virginia

1 inch = 378 feet

Total Field Acres:

Field 4: 12.95

Total Application Acres: Field 1: 27.57 Field 2: 26.71 Field 1: 30.2

Field 2: 30.3 Field 3: 5 Field 3: 3.05

Field 4: 13.5



Accomack County, Virginia


Legend

Tax Parcel 12-A-17

Operator: Tommy Davis

Owner: Thomas Davis or Cherron Davis

Map Printed from AccoMap http://accomack.mapsdirect.net/






Date: 9/9/2020

Title: Farm 4971 Tract 76827 Field 3 and 4


DISCLAIMER: This drawing is neither a legally recorded map nor a survey and is not intended to be used as such. The information displayed is a compilation of records, information, and data obtained from various sources, and Accomack County is not responsible for its accuracy or how current it may be.



USDA

Natural Resources Conservation Service

Web Soil Survey
National Cooperative Soil Survey



MAP LEGEND

Spoil Area

Stony Spot

Wet Spot

Other

Rails

US Routes

Major Roads

Local Roads

Aerial Photography

Water Features

Transportation

Background

Very Stony Spot

Special Line Features

Streams and Canals

Interstate Highways

Area of Interest (AOI)

Area of Interest (AOI)

Soils





Soil Map Unit Lines Soil Map Unit Points

Special Point Features

Blowout

Borrow Pit

Clay Spot

Closed Depression

Gravel Pit

Gravelly Spot

Landfill

Lava Flow

Marsh or swamp

Mine or Quarry Miscellaneous Water

Perennial Water

Rock Outcrop

Saline Spot

Sandy Spot

Severely Eroded Spot

Sinkhole

Slide or Slip

Sodic Spot

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15.800.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.


This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Accomack County, Virginia Survey Area Data: Version 16, Jun 3, 2020

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 31, 2009—Sep 24, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.



Map Unit Legend

| Map Unit Symbol | Map Unit Name | Acres in AOI | Percent of AOI |
|-----------------------------|---|--------------|----------------|
| BhB | Bojac loamy sand, 2 to 6 percent slopes | 4.6 | 24.0% |
| DrA | Dragston fine sandy loam, 0 to 2 percent slopes | 1.1 | 5.9% |
| MuA | Munden sandy loam, 0 to 2 percent slopes | 7.1 | 36.6% |
| NmA | Nimmo sandy loam, 0 to 2 percent slopes | 6.5 | 33.5% |
| Totals for Area of Interest | | 19.3 | 100.0% |



Map Unit Description

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions in this report, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named, soils that are similar to the named components, and some minor components that differ in use and management from the major soils.

Most of the soils similar to the major components have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Some minor components, however, have properties and behavior characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.



Soils that have profiles that are almost alike make up a *soil series*. All the soils of a series have major horizons that are similar in composition, thickness, and arrangement. Soils of a given series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An undifferentiated group is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Additional information about the map units described in this report is available in other soil reports, which give properties of the soils and the limitations, capabilities, and potentials for many uses. Also, the narratives that accompany the soil reports define some of the properties included in the map unit descriptions.

Report—Map Unit Description

Accomack County, Virginia

BhB—Bojac loamy sand, 2 to 6 percent slopes

Map Unit Setting

National map unit symbol: 3yvv Elevation: 10 to 250 feet



Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Bojac and similar soils: 90 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Bojac

Setting

Landform: Terraces

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine sediments

Typical profile

H1 - 0 to 7 inches: loamy sand H2 - 7 to 40 inches: loam H3 - 40 to 85 inches: sand

Properties and qualities

Slope: 2 to 6 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High

(1.98 to 5.95 in/hr)

Depth to water table: About 48 to 72 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 5.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: A Hydric soil rating: No

DrA-Dragston fine sandy loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 3yw0

Elevation: 0 to 20 feet


Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Dragston and similar soils: 90 percent



Minor components: 3 percent Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Dragston

Setting

Landform: Terraces
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Marine sediments

Typical profile

H1 - 0 to 6 inches: fine sandy loam

H2 - 6 to 40 inches: loam H3 - 40 to 85 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches Drainage class: Somewhat poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High

(1.98 to 5.95 in/hr)

Depth to water table: About 12 to 30 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Moderate (about 6.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2w

Hydrologic Soil Group: A/D Hydric soil rating: No

Minor Components

Arapahoe

Percent of map unit: 3 percent Landform: Depressions Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

MoD-Molena loamy sand, 6 to 35 percent slopes

Map Unit Setting


National map unit symbol: 3yw7

Elevation: 20 to 70 feet

Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Not prime farmland



Map Unit Composition

Molena and similar soils: 90 percent Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Molena

Setting

Landform: Terraces

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine sediments

Typical profile

H1 - 0 to 8 inches: loamy sand H2 - 8 to 45 inches: loamy sand H3 - 45 to 85 inches: sand

Properties and qualities

Slope: 6 to 35 percent

Depth to restrictive feature: More than 80 inches Drainage class: Somewhat excessively drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): High to

very high (1.98 to 19.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 4.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A Hydric soil rating: No

MuA-Munden sandy loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 3yw8

Elevation: 0 to 150 feet

Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F


Frost-free period: 200 to 220 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Munden and similar soils: 90 percent Minor components: 6 percent

Estimates are based on observations, descriptions, and transects of the mapunit.



Description of Munden

Setting

Landform: Terraces Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine sediments

Typical profile

H1 - 0 to 8 inches: sandy loam H2 - 8 to 40 inches: sandy loam H3 - 40 to 85 inches: loamy sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Moderately well drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 5.95 in/hr)

Depth to water table: About 18 to 30 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Moderate (about 6.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 2w

Hydrologic Soil Group: B Hydric soil rating: No

Minor Components

Nimmo

Percent of map unit: 6 percent Landform: Depressions Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

NmA—Nimmo sandy loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 3yw9 Elevation: 10 to 100 feet

Mean annual precipitation: 25 to 60 inches

Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Nimmo and similar soils: 85 percent



Minor components: 2 percent Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Nimmo

Setting

Landform: Terraces
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Marine sediments

Typical profile

H1 - 0 to 6 inches: sandy loam H2 - 6 to 32 inches: loam H3 - 32 to 85 inches: sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Poorly drained Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)

Depth to water table: About 0 to 12 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 5.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 4w

Hydrologic Soil Group: B/D Hydric soil rating: Yes

Minor Components

Polawana

Percent of map unit: 2 percent

Landform: Terraces
Down-slope shape: Linear
Across-slope shape: Linear
Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Accomack County, Virginia Survey Area Data: Version 16, Jun 3, 2020





USDA

United States Department of Agriculture Farm Service Agency

Farm: 2876 Tract: 76787 Accomack County

April 30, 2019

daimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



Accomack County, Virginia

Legend

Tax Parcel 12-A-17

Operator: Tommy Davis

Owner: Thomas Davis or Cherron Davis

Map Printed from AccoMap http://accomack.mapsdirect.net/







Date: 9/9/2020

Title: Farm 2876 Tract 76787 Field 2

DISCLAIMER: This drawing is neither a legally recorded map nor a survey and is not intended to be used as such. The information displayed is a compilation of records information, and data obtained from various sources, and Accomack County is not responsible for its accuracy or how current it may be.







Spoil Area

Stony Spot

Wet Spot

Other

Rails

US Routes

Major Roads

Local Roads

Aerial Photography

Water Features

Transportation

Background

Very Stony Spot

Special Line Features

Streams and Canals


Interstate Highways

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons



Soil Map Unit Points

Special Point Features

(o) Blowout

Borrow Pit

Clay Spot

Closed Depression

.. Gravelly Spot

Landfill

Lava Flow

Mine or Quarry

Miscellaneous Water

Rock Outcrop

Perennial Water

Sandy Spot

= Severely Eroded Spot

Sinkhole

Slide or Slip

Sodic Spot

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15.800.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Accomack County, Virginia Survey Area Data: Version 16, Jun 3, 2020

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 31, 2009—Sep 24, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.



Map Unit Legend

| Map Unit Symbol | Map Unit Name | Acres in AOI | Percent of AOI |
|-----------------------------|---|--------------|----------------|
| BhB | Bojac loamy sand, 2 to 6 percent slopes | 27.3 | 86.3% |
| DrA | Dragston fine sandy loam, 0 to 2 percent slopes | 3.0 | 9.4% |
| MoD | Molena loamy sand, 6 to 35 percent slopes | 1.3 | 4.3% |
| Totals for Area of Interest | 2 | 31.7 | 100.0% |



Map Unit Description

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions in this report, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named, soils that are similar to the named components, and some minor components that differ in use and management from the major soils.

Most of the soils similar to the major components have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Some minor components, however, have properties and behavior characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.



Soils that have profiles that are almost alike make up a *soil series*. All the soils of a series have major horizons that are similar in composition, thickness, and arrangement. Soils of a given series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An undifferentiated group is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous* areas. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Additional information about the map units described in this report is available in other soil reports, which give properties of the soils and the limitations, capabilities, and potentials for many uses. Also, the narratives that accompany the soil reports define some of the properties included in the map unit descriptions.

Report—Map Unit Description

Accomack County, Virginia

BhB—Bojac loamy sand, 2 to 6 percent slopes

Map Unit Setting

National map unit symbol: 3yvv Elevation: 10 to 250 feet



Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Bojac and similar soils: 90 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Bojac

Setting

Landform: Terraces

Down-slope shape: Convex

Across-slope shape: Convex

Parent material: Marine sediments

Typical profile

H1 - 0 to 7 inches: loamy sand H2 - 7 to 40 inches: loam H3 - 40 to 85 inches: sand

Properties and qualities

Slope: 2 to 6 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High

(1.98 to 5.95 in/hr)

Depth to water table: About 48 to 72 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 5.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: A Hydric soil rating: No

DrA—Dragston fine sandy loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 3yw0

Elevation: 0 to 20 feet


Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Dragston and similar soils: 90 percent



Minor components: 3 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Dragston

Setting

Landform: Terraces

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine sediments

Typical profile

H1 - 0 to 6 inches: fine sandy loam H2 - 6 to 40 inches: loam

H3 - 40 to 85 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Somewhat poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High

(1.98 to 5.95 in/hr)

Depth to water table: About 12 to 30 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Moderate (about 6.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2w

Hydrologic Soil Group: A/D Hydric soil rating: No

Minor Components

Arapahoe

Percent of map unit: 3 percent Landform: Depressions Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

MoD-Molena loamy sand, 6 to 35 percent slopes

Map Unit Setting


National map unit symbol: 3yw7

Elevation: 20 to 70 feet

Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Not prime farmland



Map Unit Composition

Molena and similar soils: 90 percent Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Molena

Setting

Landform: Terraces

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine sediments

Typical profile

H1 - 0 to 8 inches: loamy sand H2 - 8 to 45 inches: loamy sand H3 - 45 to 85 inches: sand

Properties and qualities

Slope: 6 to 35 percent

Depth to restrictive feature: More than 80 inches Drainage class: Somewhat excessively drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): High to

very high (1.98 to 19.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 4.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A Hydric soil rating: No

Data Source Information

Soil Survey Area: Accomack County, Virginia Survey Area Data: Version 16, Jun 3, 2020





United States Department of Agriculture Farm Service Agency

Farm: 4971 Tract: 76272 Accomack County

March 25, 2019

daimer: Wetland identifiers do not represent the size, shape or specific determination of me area. Refer to your original determination (CPA-028 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.





Parcel Boundary

Application Area

Cocupied Dwellings

Occupied Dwellings 200 ft Buffer

--- Stream

Ag Ditch 10 ft Buffer

Streams 35 ft Buffer

Roads

Road 10 ft Buffer

Farm: 4971, 2876 Tract: 76272, 76827, 76787

Accomack County, Virginia

1 inch = 378 feet

Total Application Acres: Field 1: 27.57 Total Field Acres:

Field 1: 30.2 Field 2: 30.3 Field 2: 26.71

Field 3: 3.05 Field 3: 5 Field 4: 13.5 Field 4: 12.95



Accomack County, Virginia


Legend


Tax Parcel 12-A-17

Operator: Tommy Davis

Owner: Thomas Davis or Cherron Davis


Map Printed from AccoMap http://accomack.mapsdirect.net/






Title: Farm 4971 Tract 76272 Field 1

DISCLAIMER: This drawing is neither a legally recorded map nor a survey and is not intended to be used as such. The information displayed is a compilation of records information, and data obtained from various sources, and Accomack County is not responsible for its accuracy or how current it may be.







Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons



Soil Map Unit Lines



Soil Map Unit Points

Special Point Features

(0)

Blowout Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot

Spoil Area



Stony Spot

Very Stony Spot



Wet Spot



Special Line Features

Water Features

Streams and Canals

Transportation



Interstate Highways



US Routes

Rails



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15.800.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Accomack County, Virginia Survey Area Data: Version 16, Jun 3, 2020


Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 31, 2009—Sep 24, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

| Map Unit Symbol | Map Unit Name | Acres in AOI | Percent of AOI |
|-----------------------------|---|--------------|----------------|
| BhB | Bojac loamy sand, 2 to 6 percent slopes | 21.7 | 72.4% |
| DrA | Dragston fine sandy loam, 0 to 2 percent slopes | 3.1 | 10.4% |
| MoD | Molena loamy sand, 6 to 35 percent slopes | 0.3 | 1.0% |
| MuA | Munden sandy loam, 0 to 2 percent slopes | 0.2 | 0.6% |
| NmA | Nimmo sandy loam, 0 to 2 percent slopes | 4.7 | 15.7% |
| Totals for Area of Interest | | 29.9 | 100.0% |



Map Unit Description

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions in this report, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named, soils that are similar to the named components, and some minor components that differ in use and management from the major soils.

Most of the soils similar to the major components have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Some minor components, however, have properties and behavior characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. All the soils of a series have major horizons that are similar in composition, thickness, and arrangement. Soils of a given series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An undifferentiated group is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Additional information about the map units described in this report is available in other soil reports, which give properties of the soils and the limitations, capabilities, and potentials for many uses. Also, the narratives that accompany the soil reports define some of the properties included in the map unit descriptions.

Report—Map Unit Description

Accomack County, Virginia

BhB—Bojac loamy sand, 2 to 6 percent slopes

Map Unit Setting

National map unit symbol: 3yvv Elevation: 10 to 250 feet



Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Bojac and similar soils: 90 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Bojac

Setting

Landform: Terraces

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine sediments

Typical profile

H1 - 0 to 7 inches: loamy sand H2 - 7 to 40 inches: loam H3 - 40 to 85 inches: sand

Properties and qualities

Slope: 2 to 6 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High

(1.98 to 5.95 in/hr)

Depth to water table: About 48 to 72 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 5.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: A Hydric soil rating: No

DrA-Dragston fine sandy loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 3yw0

Elevation: 0 to 20 feet

Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Dragston and similar soils: 90 percent



Minor components: 3 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Dragston

Setting

Landform: Terraces

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine sediments

Typical profile

H1 - 0 to 6 inches: fine sandy loam

H2 - 6 to 40 inches: loam
H3 - 40 to 85 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches Drainage class: Somewhat poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High

(1.98 to 5.95 in/hr)

Depth to water table: About 12 to 30 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Moderate (about 6.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2w

Hydrologic Soil Group: A/D Hydric soil rating: No

Minor Components

Arapahoe

Percent of map unit: 3 percent Landform: Depressions Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

MoD—Molena loamy sand, 6 to 35 percent slopes

Map Unit Setting


National map unit symbol: 3yw7

Elevation: 20 to 70 feet

Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Not prime farmland



Map Unit Composition

Molena and similar soils: 90 percent Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Molena

Setting

Landform: Terraces
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Marine sediments

Typical profile

H1 - 0 to 8 inches: loamy sand H2 - 8 to 45 inches: loamy sand H3 - 45 to 85 inches: sand

Properties and qualities

Slope: 6 to 35 percent

Depth to restrictive feature: More than 80 inches Drainage class: Somewhat excessively drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): High to very high (1.98 to 19.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 4.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A Hydric soil rating: No

MuA—Munden sandy loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 3yw8

Elevation: 0 to 150 feet

Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Munden and similar soils: 90 percent Minor components: 6 percent

Estimates are based on observations, descriptions, and transects of the mapunit.



Natural Resources

Conservation Service

Description of Munden

Setting

Landform: Terraces

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine sediments

Typical profile

H1 - 0 to 8 inches: sandy loam H2 - 8 to 40 inches: sandy loam H3 - 40 to 85 inches: loamy sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Moderately well drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 5.95 in/hr)

Depth to water table: About 18 to 30 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Moderate (about 6.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2w

Hydrologic Soil Group: B Hydric soil rating: No

Minor Components

Nimmo

Percent of map unit: 6 percent Landform: Depressions Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

NmA—Nimmo sandy loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 3yw9

Elevation: 10 to 100 feet

Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Nimmo and similar soils: 85 percent



Minor components: 2 percent Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Nimmo

Setting

Landform: Terraces
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Marine sediments

Typical profile

H1 - 0 to 6 inches: sandy loam H2 - 6 to 32 inches: loam H3 - 32 to 85 inches: sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Poorly drained Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)

Depth to water table: About 0 to 12 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 5.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 4w

Hydrologic Soil Group: B/D Hydric soil rating: Yes

Minor Components

Polawana

Percent of map unit: 2 percent Landform: Terraces Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Accomack County, Virginia Survey Area Data: Version 16, Jun 3, 2020



USDA

United States Department of Agriculture Farm Service Agency

October 03, 2019

Farm: 2876 Tract: 78046 Accomack County

Lisclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-028 and attached maps) for exact welland boundaries and determinations, or contact NRCS.



Occupied Dwellings 200 ft Buffer

Cocupied Dwellings Parcel Boundary

--- Stream

Application Area

Roads

Road 10 ft Buffer

Ag Ditch

Streams 35 ft Buffer

Farm: 2876 Tract: 78046

Accomack County, Virginia

1 inch = 222 feet

Field 4: 11.50

Field 7: 12.80

24.3

Total Application Acres: Field 4: 11.34

Field 7: 10.67

10.66



Accomack County, Virginia


Legend

Tax Parcel 12-A-17

Operator: Tommy Davis

Owner: Thomas Davis or Cherron Davis

Map Printed from AccoMap http://accomack.mapsdirect.net/





Date: 9/9/2020

Title: Farm 2876 Tract 76787 Field 4 and 7 fields outlined in red

DISCLAIMER: This drawing is neither a legally recorded map nor a survey and is not intended to be used as such. The information displayed is a compilation of records, information, and data obtained from various sources, and Accomack County is not responsible for its accuracy or how current it may be.

T 78046

.91 ZE .SL

0000027

37° 59 58" N

4206800

0072051

COSSOST

0019021

0099027

VOSN

M .91 ZE a5/

0009021

0025027

0013051

4204900

0081027

37° 59 22" N

Web Soil Survey National Cooperative Soil Survey



MAP LEGEND

Area of Interest (AOI)



Area of Interest (AOI)



Soil Map Unit Polygons



Soil Map Unit Lines



Soil Map Unit Points



(0)

Blowout



Borrow Pit Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Mine or Quarry

Miscellaneous Water

Perennial Water

Rock Outcrop

Saline Spot

Sandy Spot

Sodic Spot

Severely Eroded Spot Sinkhole

Slide or Slip

Spoil Area

Stony Spot

Very Stony Spot

Wet Spot

Other

Special Line Features

Water Features

Streams and Canals

Transportation

+++

Rails Interstate Highways

US Routes

Major Roads

Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15,800.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Accomack County, Virginia Survey Area Data: Version 16, Jun 3, 2020

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 31, 2009—Sep 24, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

| Map Unit Symbol | Map Unit Name | Acres in AOI | Percent of AOI |
|-----------------------------|--|--------------|----------------|
| AhA | Arapahoe mucky loam, 0 to 2 percent slopes, rarely flooded | 5.5 | 20.5% |
| BhB | Bojac loamy sand, 2 to 6 percent slopes | 0.9 | 3.4% |
| NmA | Nimmo sandy loam, 0 to 2 percent slopes | 20.2 | 76.1% |
| Totals for Area of Interest | | 26.6 | 100.0% |

Map Unit Description

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions in this report, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named, soils that are similar to the named components, and some minor components that differ in use and management from the major soils.

Most of the soils similar to the major components have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Some minor components, however, have properties and behavior characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.



Soils that have profiles that are almost alike make up a *soil series*. All the soils of a series have major horizons that are similar in composition, thickness, and arrangement. Soils of a given series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An undifferentiated group is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous* areas. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Additional information about the map units described in this report is available in other soil reports, which give properties of the soils and the limitations, capabilities, and potentials for many uses. Also, the narratives that accompany the soil reports define some of the properties included in the map unit descriptions.

Report—Map Unit Description

Accomack County, Virginia

BhB-Bojac loamy sand, 2 to 6 percent slopes

Map Unit Setting

National map unit symbol: 3yvv Elevation: 10 to 250 feet



Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Bojac and similar soils: 90 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Bojac

Setting

Landform: Terraces

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine sediments

Typical profile

H1 - 0 to 7 inches: loamy sand H2 - 7 to 40 inches: loam H3 - 40 to 85 inches: sand

Properties and qualities

Slope: 2 to 6 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High

(1.98 to 5.95 in/hr)

Depth to water table: About 48 to 72 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 5.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: A Hydric soil rating: No

DrA—Dragston fine sandy loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 3yw0

Elevation: 0 to 20 feet


Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Dragston and similar soils: 90 percent



Minor components: 3 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Dragston

Setting

Landform: Terraces
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Marine sediments

Typical profile

H1 - 0 to 6 inches: fine sandy loam

H2 - 6 to 40 inches: loam H3 - 40 to 85 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches Drainage class: Somewhat poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High

(1.98 to 5.95 in/hr)

Depth to water table: About 12 to 30 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Moderate (about 6.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2w

Hydrologic Soil Group: A/D Hydric soil rating: No

Minor Components

Arapahoe

Percent of map unit: 3 percent Landform: Depressions Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

MoD—Molena loamy sand, 6 to 35 percent slopes

Map Unit Setting


National map unit symbol: 3yw7

Elevation: 20 to 70 feet

Mean annual precipitation: 25 to 60 inches Mean annual air temperature: 57 to 61 degrees F

Frost-free period: 200 to 220 days

Farmland classification: Not prime farmland



Map Unit Composition

Molena and similar soils: 90 percent

Estimates are based on observations, descriptions, and transects of the mapunit

Description of Molena

Setting

Landform: Terraces

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine sediments

Typical profile

H1 - 0 to 8 inches: loamy sand H2 - 8 to 45 inches: loamy sand H3 - 45 to 85 inches: sand

Properties and qualities

Slope: 6 to 35 percent

Depth to restrictive feature: More than 80 inches Drainage class: Somewhat excessively drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): High to

very high (1.98 to 19.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water capacity: Low (about 4.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A Hydric soil rating: No

Data Source Information

Soil Survey Area: Accomack County, Virginia Survey Area Data: Version 16, Jun 3, 2020

