Mark G. Nitz P.E.
Chalk Point Generating Station
25100 Chalk Point Road
Aquasco, MD 20608
Mobile: 240-299-2096
Mark.Nitz@genon.com

October 26, 2020

Via email delivery only

Mr. Alex Wardle
Virginia Department of Environmental Quality (DEQ)
Northern Regional Office
13901 Crown Court
Woodbridge, VA 22193

Re: Quarterly CAP Implementation Monitoring Report
GenOn Potomac River Generating Station
1400 North Royal Street
Alexandria, VA 22314
PC#2013-3154

Dear Mr. Wardle:

GenOn Potomac River LLC (PRGS) is pleased to submit the Quarterly CAP Implementation Monitoring Report (CMR).

The following activities were conducted during the Third Quarter of 2020:

- Routine quarterly gauging, headspace monitoring, water quality measurements, and sampling of groundwater was conducted on August 10-12, 2020;
- Renewal of the National Parks Service Special use permit to access monitoring wells, effective November 1, 2020 through October 31, 2022;
- Monthly flow meter certification submittals to Alexandria Renew Enterprises (AlexRenew); and
- Quarterly submittal of a Self-Monitoring Report (SMR) to AlexRenew.

The system was turned off on September 29, 2019. No measureable LNAPL has been detected since system shutdown. Based on groundwater concentrations measured during the Third Quarter 2020, the system will remain off. Post-remedial monitoring will continue. Gauging of wells will remain on a quarterly basis.

If you have any questions or need additional information, please contact me at (301) 843-4439 or by email at Mark.Nitz@genon.com. For any technical questions, if you prefer, you can contact our consultants at GES directly.

Sincerely,

Mark G. Nitz, P.E.
Environmental Specialist

cc: J. Rodriguez, DOEE; K. Tran, City of Alexandria, VA; P. McCallum, NPS
GES File (PSID #837632)

GenOn Mid-Atlantic (GenMa)

Annual CAP Implementation Monitoring Report

Potomac River Generating Station

1400 North Royal Street

Alexandria, VA

PC #2013-3154

October 26, 2020

Third Quarter 2020 CAP Implementation Monitoring Report

Potomac River Generating Station
1400 North Royal Street
Alexandria, VA

Prepared for:
Mark G. Nitz, P.E.
GenOn Mid-Atlantic (GenMa)
25100 Chalk Point Road
Aquasco, MD 20608

Prepared by:
Groundwater & Environmental Services, Inc.
1350 Blair Drive, Suite A
Odenton, MD 21113
TEL: 800-220-3606
www.gesonline.com

GES Project:
0402919

Date:
October 26, 2020

Scott Andresini
Project Environmental Scientist

Dan Drennan, PE
Project Engineer

A. Ashley Bell
Senior Project Manager

Table of Contents

1 INTRODUCTION 1

1.1 SITE HISTORY 2

1.2 SURROUNDING PROPERTIES 4

2 SITE CHARACTERIZATION AND MONITORING ACTIVITIES 4

2.1 HEADSPACE VAPOR MONITORING 5

2.2 GROUNDWATER SAMPLING 5

2.3 GROUNDWATER ANALYTICAL FINDINGS 6

Background 9

DO 9

ORP 10

Alkalinity 10

pH 10

Nitrate 10

Nitrite 10

Manganese 10

Sulfate 11

Methane 11

2.4 BULKHEAD SEEP INSPECTION 11

3 REMEDIATION SYSTEM OPERATION 11

3.1 PERMIT SUMMARY 12

4 REMEDIAL STRATEGY EVALUATION & RECOMMENDATIONS 13

5 FUTURE ACTIVITIES (4th Quarter 2020) 13

Figures

Figure 1 – Site Location Map
Figure 2 – Site Layout Map
Figure 3 – Site Map
Figure 4 – Potentiometric Surface Shallow Zone Aquifer – August 10, 2020
Figure 5 – Potentiometric Surface Deep Zone Aquifer – August 10, 2020
Figure 6 – TPH-DRO Concentration Contours Shallow Zone Aquifer – Third Quarter 2020
Figure 7 – TPH-DRO Concentration Contours Deep Zone Aquifer – Third Quarter 2020
Figure 8 – pH Levels Shallow Zone Aquifer – Third Quarter 2020
Figure 9 – pH Levels Deep Zone Aquifer – Third Quarter 2020
Figure 10 – Sulfate Concentrations Shallow Zone Aquifer – Third Quarter 2020
Figure 11 – Sulfate Concentrations Deep Zone Aquifer – Third Quarter 2020

Tables

Table 1 – Well Construction Table
Table 2 – Groundwater Monitoring and Sampling Plan
Table 3 – Historical Groundwater Monitoring and Analytical Data Summary
Table 4 – Historical Groundwater Field Parameter Data Summary
Table 5 – Historical Groundwater Biostimulation Analytical Data Summary
Table 6 – Total Phase Extraction Operational Summary
Table 7 – Pump and Treat Operational Summary
Table 8 – Biosparge Operational Summary
Table 9 – Hydrocarbon Recovery Summary

Attachments

Attachment A – Concentration Trend Graphs
Attachment B – Monitored Natural Attenuation Data Trend Graphs
Attachment C – Laboratory Analytical Reports and Chain of Custody Documentation – August 10-12, 2020 Monitoring Event
Attachment D – Bulkhead Inspection Photographs
Attachment E – Remediation System Performance Graphs

1 INTRODUCTION

Groundwater & Environmental Services, Inc. (GES) has prepared this Third Quarter 2020 CAP Implementation Monitoring Report (CMR) on behalf of GenOn Mid-Atlantic (GenMa), documenting environmental monitoring and corrective action activities performed at the Potomac River Generating Station (PRGS), located at 1400 North Royal Street, Alexandria, VA (the site). Site activities were performed to address a subsurface petroleum release regulated by the Virginia Department of Environmental Quality (VDEQ) Northern Regional Office (NRO) under Pollution Complaint (PC) #2013-3154. The site is the location of a decommissioned power generating facility. A Site Location Map is provided as **Figure 1**; a Site Layout Map, depicting pertinent features of the site and adjacent areas, is provided as **Figure 2**; and a Site Map is provided as **Figure 3**.

Specifically, this summary report documents the following activities conducted during the 3rd Quarter 2020:

- The biosparge system remained off during the 3rd Quarter 2020;
- The pump and treat (P&T) system remained off during the 3rd Quarter 2020;
- The total phase extraction (TPE) system remained off during the 3rd Quarter 2020;
- Comprehensive gauging of all accessible site groundwater wells on August 10, 2020;
- Down-well water quality measurements recorded on August 10 - 12, 2020 of select site groundwater wells to monitor dissolved oxygen, pH, temperature, oxidation-reduction potential (ORP) and conductivity;
- Quarterly groundwater sampling on August 10 - 12, 2020, from select site groundwater wells for total petroleum hydrocarbons – diesel range organics (TPH-DRO), as well as from select wells for biological indicator parameters including Alkalinity (SM 2320B), Nitrate NO_3^- & Nitrite NO_2^- (EPA 353.2), Manganese (Mn^{2+}), Ferrous Iron Fe^{2+} (SM 3500-Fe B modified-199), Sulfate SO_4^{2-} (EPA 300.0) and Methane (RSKSOP-175 modified);
- Headspace vapor measurements recorded on August 10, 2020 from select site groundwater wells to monitor for the presence of volatile organic compounds (VOCs), oxygen, carbon dioxide, and methane;
- Renewal of the NPS Special Use Permit to access wells along the trail. The new permit is effective November 1, 2020 through October 30, 2022; and
- Quarterly submittal of Self-Monitoring Report (SMR) to Alexandria Renew Enterprise (AlexRenew).

1.1 Site History

The site was developed as a power generating facility in the 1940s. The first generating unit was constructed by 1949, and the last of the five units was brought online in 1954. The facility used Number 2 (No. 2) fuel oil to preheat its generating unit boilers and coal as its primary fuel to generate electricity. The No. 2 fuel oil was stored in two adjoining 25,000-gallon underground storage tanks (USTs) centrally located within the power plant complex, as shown on the Site Map provided as **Figure 3**. On October 1, 2012, the coal-fired power plant ceased operation.

The VDEQ opened PC #2013-3154 following the detection of petroleum hydrocarbons during closure activities associated with the two 25,000-gallon fuel oil USTs. The VDEQ requested that a Site Characterization Report (SCR) be prepared to characterize the extent of contamination at the site. URS Corporation (URS) submitted a Site Conceptual Model (SCM) on June 11, 2013, which included a discussion of the initial detection of petroleum hydrocarbons during the closures of the two No. 2 fuel oil USTs, as well as descriptions of the various subsurface utilities in the vicinity of the USTs.

The VDEQ subsequently requested the submittal of a Site Characterization Report Addendum (SCRA), as stated in a directive letter dated July 10, 2013. This SCRA was submitted on February 14, 2014, by URS and described the activities associated with a subsurface characterization of the site using laser-induced fluorescence (LIF), the advancement of soil borings for soil sampling at the site, and the installation of fourteen monitoring wells. The site history, recent field activities, laboratory analytical results, a preliminary risk assessment, and an assessment of remedial options were also discussed in the SCRA.

After review of the SCRA, on March 4, 2014, the VDEQ requested that a Corrective Action Plan (CAP) be developed for the site. GES and Geosyntec Consultants (Geosyntec), on September 5, 2014, submitted Part I of a CAP, (CAP-I) summarizing the site characterization data and evaluation; presenting an updated SCM based on this data; and providing a presentation, assessment, and evaluation of the viable remedial technologies that can be employed, consistent with the CAP requirements. Subsequently, Part II of the CAP (CAP-II) was submitted to the VDEQ on December 23, 2014. The CAP was approved by the VDEQ on March 17, 2015, and was assigned CAP tracking number 513.

During the 2nd Quarter 2015, GES initiated remediation system installation onsite with the install of eight total phase extraction (TPE), three standard compliance/delineation monitoring, and six air sparge wells from June 22, 2015 to July 8, 2015. On June 26, 2015, Product Recovery Management, Inc. (PRM) was chosen to construct the remediation system after winning the three-vendor bid system process for the system design and procurement packages. On October 15, 2015, the remediation system was delivered to the Site. GES selected Odyssey Environmental Services (Odyssey) to install the system's piping to the onsite TPE, pump and treat (P&T), and air sparge wells and began piping installs on September 28, 2015, which continued through October 2015. GES worked to obtain a Special Use Permit from the National Park Service (NPS) for offsite access and system install activities throughout the 2nd and 3rd Quarters 2015.

During the 4th Quarter 2015, power connections to the onsite system and aboveground piping and wellhead connections for 8 onsite air/biosparge wells, 11 TPE wells, and 5 P&T wells was completed. Pumps were installed in the P&T wells and the treated groundwater discharge line was connected to an AlexRenew sanitary sewer tie-in location. On November 12, 2015 a draft Special Use Permit was issued by NPS. GES sent a final permit package for groundwater discharge authorization to AlexRenew on November 20, 2015.

During the 1st Quarter 2016, all remaining installation tasks associated with the remediation system were completed, except for offsite installs on the NPS property. On January 13, 2016, AlexRenew issued an approval letter with special requirements for discharge. The onsite remediation system was started on March 14, 2016.

NPS authorized a final Special Use Permit on February 11, 2016 for planned field activities on the NPS property. Once GES obtained the NPS Special Use Permit, installation of the offsite remediation system and bulkhead wall seep sealing were initiated. CAP-II requirements to repair and seal the bulkhead wall seep were completed between April and June 2016. A total of 6 bulkhead wall seep areas, 17 rigging holes, and 3 outfall pipes in need of repair were identified within the steel bulkhead wall along the Potomac River. These areas were identified as locations with the potential for impacted groundwater to migrate into the Potomac River, and were therefore, sealed. On April 4, 2016, Odyssey and GES mobilized to the site to clear vegetation for the installation of seven new biosparge points (SP-09, SP-10, SP-11, SP-12, SP-13, SP-14, and SP-15) on NPS property. Remediation trenching, piping, well head modifications and tie-ins, and manifold connections were completed from April 13 through April 18, 2016, and the seven biosparge wells were brought online on May 3, 2016. GES worked on the agreement and implementation of the site restoration with the NPS from April 25 through May 17, 2016. On May 16, 2016 tree planting was initiated under GES supervision.

Because of the hydrocarbon reductions that had occurred and unfavorable conditions being created through the addition of dissolved oxygen, GES, on behalf of GenOn, requested and was granted a trial shutdown of the remediation system (TPE, P&T, and biosparge) during a stakeholder meeting on March 20. 2018. The system was officially shut down during the operations and maintenance (O&M) visit on March 29, 2018.

Due to observed rebound of hydrocarbon concentrations and the presence of LNAPL in TW-05, cycling of the P&T and TPE systems began on August 6, 2018 and September 21, 2018, respectively. The P&T system shut down on September 12, 2018 and could not be reactivated. The deep zone recovery wells (RW-05, RW-25, RW-51, and RW-14) were connected to the existing shallow zone TPE system between October 18, 2018 and November 1, 2018.

On October 10, 2018, a new NPS Special Use Permit, NCR-GWMP 6000-18-152, was granted to GenOn for continued monitoring on the NPS property adjacent to the site through October 31, 2020. The permit has once again been renewed with an effective date of November 1, 2020.

Cycling of the TPE system with shallow and deep recovery wells stopped on September 29, 2019 due to a lack of measureable LNAPL in any Site well, low hydrocarbon recovery by the TPE system, and generally declining TPH concentrations across the Site. Shutting down the TPE

system initiated a minimum two-year post-remedial monitoring period, beginning with the 4th Quarter 2019.

1.2 Surrounding Properties

The surrounding properties in the immediate vicinity of the site are primarily residential and commercial, with some buildings used as office space. To the north, south, and west, the site is bordered by a mixture of condominiums and office buildings. To the east, the site is bordered by the NPS Mt. Vernon Trail, beyond which lies the Potomac River.

2 SITE CHARACTERIZATION AND MONITORING ACTIVITIES

A Well Construction Table, included as **Table 1**, details well construction of monitored and sampled wells. The Groundwater Monitoring and Sampling Plan, included as **Table 2**, details the 3rd Quarter 2020 sampling of Site monitoring and recovery wells. The following site characterization and monitoring activities were conducted during the 3rd Quarter 2020:

- August 10, 2020:
    - Site-wide gauging and headspace vapor monitoring of select groundwater wells.
- August 10-12, 2020:
    - Gauging and groundwater sampling of accessible site groundwater wells in accordance with the Groundwater Monitoring and Sampling Plan.

An oil-water interface probe capable of measuring groundwater and LNAPL to 0.01 feet was used to gauge the site groundwater wells. During the 3rd Quarter 2020, accessible site groundwater wells were gauged during a comprehensive gauging event on August 10, 2020, in accordance with the Groundwater Monitoring and Sampling Plan. Historical and 3rd Quarter 2020 groundwater and LNAPL elevation data are presented in **Table 3** – Historical Groundwater Monitoring and Analytical Data Summary.

Site-wide gauging was conducted on August 10, 2020 in accordance with the tidal cycle of the Potomac River. On August 10, 2020, low tide at the site occurred at 9:49 am. Multiple personnel gauged the site wells as quickly as possible bracketing the river's low tide, with priority given to gauging of the deep wells as they are the ones affected by the tidal cycle. This approach minimized the impact of tidal influence on groundwater elevation data. During comprehensive gauging on August 10, 2020, measured groundwater depths ranged from 2.67 feet below ground surface (bgs) in MW-105 to 37.98 feet bgs in RW-1.

August 10, 2020 comprehensive gauging event data are presented as **Figure 4** and **Figure 5.** The shallow zone groundwater contour map shows flow is generally to the east towards the Potomac River. The deep zone groundwater contour map shows flow is generally to the east-northeast towards the Potomac River. The deep zone water levels were lower than average during the 3rd quarter event with many wells being dry. It is believed that this is due to significant dewatering activities observed at a nearby construction site. The calculated hydraulic gradient at

the site was approximately 0.05 feet per foot in both the shallow and deep zones during the 3rd Quarter 2020 monitoring event.

2.1 Headspace Vapor Monitoring

Monitoring well vapor headspace readings were collected at select groundwater wells on August 10, 2020 using a photoionization detector (PID) and a GEM 2000 landfill gas meter. The PID was fitted with a 10.6 electron volt bulb and was calibrated using a factory-supplied calibration gas standard (100 parts per million [ppm] isobutylene) prior to use.

To obtain reproducible and stable readings, a vapor monitoring well cap was inserted securely into the well, and the PID and landfill gas meter were used to record VOCs, oxygen, carbon dioxide, and methane concentrations. This arrangement allows for the withdrawal of air from the well through the PID and landfill gas meter pumps while minimizing the exchange of ambient air. The PID and landfill gas meter responses were recorded in the field book after the stabilization period.

Detailed PID and landfill gas meter response data are presented in **Table 4** – Historical Groundwater Field Parameters Data Summary.

2.2 Groundwater Sampling

On August 10 - 12, 2020, groundwater samples were collected from 16 groundwater monitoring/recovery wells (MW-01S, MW/RW-05, MW-08S, MW/RW-10S, MW-25S, MW-51S, MW/RW-72S, MW/RW-123S, RW-1, RW-05S, RW-25S, RW-28S, RW-116S, RW-117S, RW-118S, and RW-119S) and 7 temporary wells (TW-02, TW-03, TW-04, TW-05, TW-06, TW-07, and TW-14). Monitoring/recovery wells MW/RW-14, MW-16, MW/RW-25, MW-27, MW/RW-31, MW/RW-51, MW/RW-72, MW-106, MW-108, MW-121, MW-122, and temporary well TW-12S could not be sampled due to insufficient water.

During the 3rd Quarter 2020 sampling event, wells with sufficient water were sampled using low-flow sampling techniques in an attempt to normalize sample collection methods across the site (permanent wells and temporary wells) and to ensure that the sample results were indicative of groundwater concentrations only, without the contribution of any impacts adsorbed to suspended sediments. Three wells, RW-25S, RW-28S, RW-117S had less than two feet of water and a grab sample was collected. A grab sample was also collected from RW-1 because the water level in the well was too low for use of the pump. A grab sample was collected from TW-05, which was essentially dry. Due to limited sample volume, the sample had to be highly diluted by the laboratory. This sample is likely not representative of the aquifer conditions and the data has been rejected. In addition, four select wells (MW-01S, MW-08S, RW-05S, and TW-06) were also sampled using a three purge volume sampling method, as has been the sampling method used at the site for the permanent wells prior to the 1st Quarter 2019 sampling event. These additional samples were used for comparison to the low-flow sampling results. The groundwater monitoring and sampling plan used this quarter is presented in **Table 2**.

Each monitoring well was gauged prior to sampling, and gauging data are presented in **Table 3**. Prior to the collection of the low-flow groundwater samples, water was pumped from the well until

field parameters, temperature, pH, specific conductivity, dissolved oxygen, and oxidation-reduction potential stabilized.

Purge water was stored in drums onsite to be removed at a later date for treatment and disposal**.** Groundwater samples were collected directly into laboratory provided bottleware, packaged on ice in coolers, and transported under proper chain of custody to Eurofins Lancaster Laboratories (Eurofins) in Lancaster, PA. Samples were requested to be analyzed for the following:

- Quarterly parameters (select wells)
    - Total Petroleum Hydrocarbons – Diesel Range Organics (TPH-DRO)
- Biological indicator parameters (select wells)
    - Alkalinity
    - Nitrate (NO_3^-)
    - Nitrite (NO_2^-)
    - Manganese (Mn^{2+})
    - Ferrous Iron (Fe^{2+})
    - Sulfate (SO_4^{2-})
    - Methane

TPH-DRO analytical results are presented in the Historical Groundwater Monitoring and Analytical Data Summary included as **Table 3** and discussed further in **Section 2.3**. Concentration trend graphs are included as **Attachment A** and discussed further in **Section 2.3**. The analytical results for biological indicator parameters are presented in the Historical Groundwater Biostimulation Analytical Data Summary provided as **Table 5** and discussed further in **Section 2.3**. Trend graphs for the biostimulation data are included as **Attachment B**.

The complete laboratory reports and chain of custody documentation for the groundwater sampling event conducted in August 2020 are included in **Attachment C**.

2.3 Groundwater Analytical Findings

During the 3rd Quarter 2020, 23 monitoring, recovery and temporary wells were sampled for TPH-DRO during the quarterly groundwater sampling event in August. Historical BTEX, methyl tert-butyl ether (MTBE), tert-butyl alcohol, 1,2-dibromoethane, 1,2-dichloroethane, naphthalene, and TPH-GRO data are also presented for select wells in the Historical Groundwater Monitoring and Analytical Data Table (**Table 3**). Two TPH-DRO concentration maps representing shallow zone data and deep zone data, respectively, from the 3rd Quarter 2020 sampling event, are presented as **Figure 6** and **Figure 7**. Only data from the shallow zone show iso-contours, as all deep zone wells that were able to be sampled were all below the applicable cleanup standard. The results from the collection and analysis of groundwater samples during the 3rd Quarter 2020 are presented below:

- TPH-DRO was detected in all of the 16 groundwater monitoring wells sampled during the quarterly sampling event in August. The maximum detected concentration for samples collected by low-flow sampling was 27,000 micrograms per liter (µg/L) in well MW-51S.
- TPH-DRO was detected in four of the six temporary wells sampled (TW-04, TW-06, TW-07, and TW-14), with a maximum concentration collected by low-flow sampling of 3,200 µg/L in temporary well TW-06. Data from TW-05 is not considered here; as noted above, this data was rejected.
- TPH-DRO was detected in all four of the monitoring wells sampled by purge and grab due to water levels (RW-1, RW-25S, RW-28S, and RW-117S), with a maximum concentration of 14,000 µg/L.
- TPH-DRO was detected in all four wells (MW-01S, MW-08S, RW-05S, and TW-06) that were also sampled using a traditional purge and grab sampling method. The maximum concentration of TPH-DRO detected using the purge and grab method was 12,000 µg/L, in recovery well RW-05S. Concentrations of TPH-DRO were higher in three of the four samples collected using low flow than when sampled using the purge and grab method, as shown in the chart below; however, in some samples the concentration difference was negligible between the two methods. In MW-01S, the results were the same between both sampling methods.



Concentration trend graphs are presented in **Attachment A**, showing historical and current benzene, naphthalene, and TPH-DRO concentrations, depths to water, and depths to LNAPL for select monitoring, recovery, and temporary wells. TPH-DRO concentrations based on traditional purge and grab sampling are plotted separately from TPH-DRO concentrations obtained using low-flow sampling. Trends observed as of 3rd Quarter 2020 are presented below:

- TPH-DRO concentrations have an overall increasing trend in wells MW/RW-25, MW/RW-51, MW/RW-72, and RW-118S.

- TPH-DRO concentrations have an overall decreasing trend in wells MW-01S, MW-08S, MW/RW-05, MW/RW-10S, MW/RW-14, MW-25S, MW-27, MW/RW-31, RW-1, RW-05S, RW-25S, RW-28S, RW-30S, MW-106, RW-116S, MW/RW-123S, TW-04, TW-05, TW-06, and TW-07.
- TPH-DRO concentrations are relatively stable overall in wells MW-51S, MW/RW-72S, RW-117S, RW-119S, MW-121, MW-122, and TW-03. .
- In wells that have been sampled for naphthalene enough times to establish a trend, an overall decreasing trend is observed in wells MW-01S, MW/RW-05, MW-08S, MW/RW-10S, MW-25S, MW/RW-25, MW-27, MW/RW-31, MW/RW-72, MW/RW-72S, MW-106, MW-121, MW-122, TW-03, TW-04, TW-05, TW-06, and TW-07. An overall increasing trend is observed in well MW/RW-51.
- In wells that have been sampled for benzene enough times to establish a trend, an overall decreasing trend is observed in wells MW-01S, MW-08S, MW/RW-72S, MW/RW-72, TW-05, and TW-07. Wells MW/RW-05, MW/RW-10S, MW/RW-25, MW-25S, MW-27, MW/RW-31, MW/RW-51, MW-106, MW-121, MW-122, TW-03, TW-04, and TW-06 have a generally stable trend or low or non-detect concentrations. An overall increasing trend is observed in well MW/RW-05.

The low-flow data collected during the 3rd Quarter 2020 appear to be generally consistent with the purge and grab data collected historically. The low-flow values tend to follow the recent trends seen using purge and grab. On the samples where duplicates were collected using both methods, the low-flow data were usually slightly higher in concentration, although the difference between the two concentrations was negligible in some instances. In wells where much less water was observed than normal, especially wells that had to be grab sampled, some spikes in concentration were observed. This may reflect the effect of entrained sediment that entered the sample when the shallower than normal water column was agitated by sampling.

Biological indicator data and field parameters were collected from select wells within the shallow and deep zone aquifers in order to evaluate the natural attenuation potential of the aquifers and to determine the dominant terminal electron accepting process. A Historical Groundwater Field Parameters Data Summary is presented as **Table 4,** and a Historical Groundwater Biostimulation Analytical Data Summary is presented as **Table 5.** Monitored natural attenuation trend graphs are included as **Attachment B.**

The following chart details the anticipated changes in groundwater chemistry in order of reaction preference during various stages of biodegradation from aerobic to highly anaerobic conditions. Increased concentrations of alkalinity, nitrite, dissolved manganese, ferrous iron, and methane and decreased concentrations of oxidation-reduction potential (ORP), dissolved oxygen (DO), nitrate, and sulfate are indicators of anaerobic activity.

Time →
← Distance from Source

	Aerobic Respiration	Nitrate Reduction	Manganese Reduction	Ferric Iron Reduction	Sulfate Reduction	Methan-ogenesis
	Aerobic	Anaerobic				
Electron Acceptor	O_2	NO_3^-	Mn^{4+}	Fe^{3+} (solid)	SO_4^{2-}	CO_2
Metabolic By-Product	CO_2	N_2, CO_2	Mn^{2+}	Fe^{2+} (dissolved)	H_2S	CH_4 (methane)
Expected Relationship with High BTEX	$O_2 \downarrow$	$NO_3^- \downarrow$	$Mn^{2+} \uparrow$	$Fe^{2+} \uparrow$	$SO_4^{2-} \downarrow$	$CH_4 \uparrow$

The observed concentrations of DO, ORP, carbonate alkalinity, nitrate nitrogen, nitrite nitrogen, manganese, ferrous iron, sulfate as SO_4^{2-}, and methane generally indicate that due to system start-up in March 2016, site conditions within the dissolved hydrocarbon plume generally changed from anaerobic to aerobic. Following trial system shutdown in March 2018, site conditions began to revert to baseline or anaerobic conditions. Cycling of the total phase extraction system between September 2018 and September 2019 showed some increases in aerobic conditions, but not to the degree seen during full time operation of the complete system. The system has been completely shut down since September 2019. Based on a review of the biological indicator data and the field parameters, the following specific observations have been made:

Background

- The groundwater quality data from monitoring wells MW-112S (shallow zone aquifer) and MW-114 (deep zone aquifer) are considered to be representative of background conditions due to the historical relative absence of dissolved-phase hydrocarbons and aerobic conditions within these wells.

DO

- During the 3rd Quarter 2020, DO concentrations were considered anaerobic (< 1.0 mg/L) in 14 of the 15 shallow zone aquifer wells measured (MW-01S, MW-08S, MW/RW-10S, MW-25S, MW-51S, MW/RW-123S, RW-05S, RW-25S, RW-28S, RW-116S, RW-117S, RW-118S, RW-119S, and TW-14) and in 5 of the 6 deep zone wells measured (TW-02, TW-03, TW-04, TW-06, and TW-07).

ORP

- ORP values were positive in 3 of the 15 measured shallow zone aquifer wells (MW/RW-72S, RW-118S, and RW-119S) and in 5 of the 6 measured deep zone aquifer wells (RW-1, TW-03, TW-04, TW-06, and TW-07) during the quarterly groundwater monitoring event in August. Positive ORP values are indicative of aerobic conditions. A number of wells had increasing ORP values immediately following the system being turned off, although concentrations have begun to decrease in many wells since that time.

Alkalinity

- During the 3rd Quarter 2020, detected concentrations of alkalinity tended to increase in the shallow zone and in two of the three deep zone wells where it was measured. Alkalinity was not detected in 2 of the 23 wells where it was measured (MW/RW-72S and TW-03).

pH

- Measured pH in site wells was generally above 5.0 during the 3rd Quarter 2020, with only three wells having measured pH below 5.0 (MW/RW-72S, TW-03, and TW-04). Maps showing pH levels in the shallow and deep wells, respectively, are provided as **Figure 8** and **Figure 9**.

Nitrate

- Nitrate was not detected in any of the shallow zone aquifer wells or deep zone aquifer wells where it was measured.

Nitrite

- Nitrite, an intermediate in denitrification, had only low-level J flagged detections in three of the wells where it was measured (MW/RW-10S, MW/RW-72S, and TW-06). Based on the nitrate and nitrite data, nitrate reduction is not currently a mechanism of degradation at the site.

Manganese

- Concentrations of dissolved manganese are generally decreasing in both the shallow zone and deep zone wells, suggesting manganese reduction is not currently a significant mechanism of degradation.

Ferrous Iron

- Moderate increases in ferrous iron were observed in two shallow zone wells, although it decreased in the two deep zone wells where it was measured, suggesting that iron reduction is occurring in some parts of at least the shallow aquifer.

Sulfate

- Sulfate concentrations during the 3rd Quarter 2020 remained generally high in a number of wells in both the shallow and deep zones. Increasing concentrations of sulfate were observed in a subset of both the shallow and deep zone wells, with a significant spike measured in RW-28S. Other wells are beginning to decrease. The decreasing concentrations suggest sulfate reduction is contributing to anaerobic biodegradation in some deep zone aquifer wells at the site. As noted in previous reports, the predominance of sulfur in the system is likely associated with historical power plant operations. **Figures 10** and **11** show sulfate concentrations in shallow and deep zone wells, respectively.

Methane

- Methane concentrations across the site are generally lower than historical levels; however, increases in methane have been recently measured in wells MW-01S, MW/RW-14, MW/RW-51, and MW-122. Smaller increases have been measured in a number of other wells. Methanogenesis is likely playing a role in anaerobic degradation in some areas of the site, and with the system remaining off could become a dominant process in the degradation of the remaining hydrocarbons on site.

2.4 Bulkhead Seep Inspection

During the 3rd Quarter 2020 monitoring event, the bulkhead at the edge of the site along the shore of the Potomac River was inspected for seeps from a distance. No evidence of seeps was noted. The inspection was completed from the shore by TW-07 and south of MW-103, the closest locations to the bulkhead on land. This was completed near low tide so as to have the maximum amount of the bulkhead visible. Photographs from the inspection are presented in **Attachment D**.

3 REMEDIATION SYSTEM OPERATION

No part of the remediation system operated during the 3rd Quarter 2020. The remediation system consists of three separate systems: total phase extraction (TPE), pump and treat (P&T), and biosparge. The TPE system has been shut down since September 29, 2019. The P&T system has been shut down since September 12, 2018, while the biosparge system has been shut down since March 2, 2018. The reporting period for the 3rd Quarter 2020 was from July 1, 2020 to September 30, 2020. Activities of note completed during the 3rd Quarter 2020 included:

- Monthly emails were submitted to Alex Renew for the months of July and August indicating that there was no flow from the system; and
- The Quarterly Self-Monitoring Report (SMR) for the 3rd Quarter 2020 was submitted to AlexRenew by October 10, 2020.

The TPE was not operated during the reporting period. The cumulative groundwater flow, including flow data from before the initial trial system shutdown, is 888,325 gallons. A TPE

Operational Summary is included as **Table 6**, TPE recovery data are included in **Table 9**, system performance graphs are included in **Attachment E**.

The P&T system was not operated during the reporting period; it was deactivated on September 12, 2018. The cumulative groundwater recovery since initial system startup was 1,327,739 gallons. A P&T Operational Summary is included as **Table 7** and P&T recovery data are included in **Table 9.**

The biosparge system was not operated during the reporting period. A Biosparge Operational Summary is included as **Table 8.**

The total estimated hydrocarbon recovery to date is 3,302 lbs (451 gallons). This includes 199 lbs of dissolved-phase, 3,018 lbs of vapor-phase, and 85 lbs of liquid-phase. The liquid-phase recovery is inclusive of previously bailed LNAPL and recovery from the TPE and P&T systems. A Hydrocarbon Recovery Summary is included as **Table 9**.

Hydrocarbon Recovery:

Dissolved-Phase Hydrocarbons (Period/Cumulative): **0 lbs / 199 lbs**

Vapor-Phase Hydrocarbons (Period/Cumulative): **0 lbs / 3,018 lbs**

Liquid-Phase Hydrocarbons (Period/Cumulative): **0 lbs / 85 lbs**

Total Hydrocarbon Recovery (Period/Cumulative): **0 lbs / 3,302 lbs**

3.1 Permit Summary

Special Use Permit

Required for: Work along the NPS Trail

Issued by: National Parks Service

Status: Special Use Permit NCR-GWMP 6000-20-049 is effective 11/1/2018 – 10/31/2020. A newly approved permit will take effect on November 1, 2020.

Significant Industrial User Permit:

Required for: Sanitary sewer discharges less than 25,000 gallons per day with low risk of negatively impacting the sanitary sewer system.

Issued by: AlexRenew

Status: Final approval to discharge was granted on March 11, 2016. The permit was renewed, effective October 29, 2019. In accordance with the requirements of the new permit, SMR submittals will occur quarterly. Monthly flow meter certifications indicating that there was no flow are submitted by the 10th of each month, in months when an SMR is not submitted.

Air Permit	Not Required due to uncontrolled emissions less than 25 tons per year.

4 REMEDIAL STRATEGY EVALUATION & RECOMMENDATIONS

In the 3rd Quarter 2020, concentrations of TPH-DRO in MW/RW-10S, MW-51S, RW-05S, and RW-116S exceeded the remedial goal when sampled via low-flow with concentrations ranging from 16,000 to 27,000 µg/L. TPH-DRO concentrations in the wells located along the Potomac River are well below the goal of 15,000 µg/L TPH-DRO. It is believed that the observed increases in concentration are related to the lowered water levels. This greatly increased the likelihood that sediment was included in the sample and non-mobile soil bound TPH-DRO was included in the measurement.

Well MW/RW-72 exceeded the cleanup criteria for naphthalene, with a concentration of 14 µg/L, during the 2nd Quarter 2020. This was a slight decrease from the concentration of 17 µg/L measured in the 4th Quarter 2019. Since this well also exceeded the cleanup criteria for naphthalene in the 4th Quarter 2018, it was recommended that naphthalene be analyzed from this well on a quarterly basis to determine if concentrations remained above 10 µg/L year round. This was not completed during the 1st Quarter 2020, but began in the 2nd Quarter 2020. The well could not be sampled during the 3rd Quarter 2020 because it was dry.

Concentrations of all contaminants across the site are generally stable or decreasing, with limited exceptions. Measurable LNAPL has not been observed since August 2018. The lack of significant contaminant concentrations in the TW wells located along the Potomac River indicates that the current monitored natural attenuation remedy is protective of the receptor. It is not recommended at this time to turn the system back on. While in this period of monitored natural attenuation, the groundwater conditions will continue to be evaluated for indications of significant rebound in the groundwater concentrations or presence of LNAPL.

5 FUTURE ACTIVITIES (4th Quarter 2020)

- Quarterly groundwater sampling using low-flow sampling methods (with grab samples also collected from select wells);
- Submittal of the Annual CMR;
- Submittal of monthly emails to AlexRenew indicating no flow (in months when an SMR is not submitted); and
- Submittal of a quarterly SMR to AlexRenew.

Figures



Sources:
USGS 7.5 Minute Series Topographic Quadrangles
Alexandria



Site Location Map

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn	Designed	Approved	Date	Figure
GKS	DMC	AAB	4-17-18	1

N
W E
S

Scale In Feet (Approximate)
0 2,000

GES®
Groundwater & Environmental Services, Inc.

L:\Projects\NRG\PRGS\GIS\NRG_PRGS_SLM.mxd - Scale 1:24,000 - 4/17/2018 1:05:05 PM - GStewart - NAD 1983 StatePlane Virginia North FIPS 4501 Feet



L:\Projects\NRG\PRGS\GIS\NRG_PRGS_Site_Map.mxd - Scale 1:600 - 6/10/2020 3:44:40 PM - GStewart - NAD 1983 StatePlane Virginia North FIPS 4501 Feet

Site Layout Map

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn **GKS**
Designed **DMC**
Approved **AAB**

Date **6/10/20**
Figure **2**

Scale In Feet (Approximate)
0 50

Groundwater & Environmental Services, Inc.

L:\Projects\NRG\PRGS\GIS\NRG_PRGS_Site_Map.mxd - Scale 1:360 - 6/10/2020 3:43:43 PM - GStewart - NAD 1983 StatePlane Virginia North FIPS 4501 Feet

Site Map

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn	Date
GKS	**6/10/20**
Designed	Figure
DMC	**3**
Approved	
AAB	

Scale In Feet (Approximate)

Groundwater & Environmental Services, Inc.



Legend

- FORMER RAILWAY TRACK
- STORM WATER CATCH BASIN
- UTILITY MANHOLE
- SEEP LOCATION
- DEEP BIOSPARGE WELL
- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- DEEP TOTAL PHASE EXTRACTION WELL
- SHALLOW TOTAL PHASE EXTRACTION WELL
- ABANDONED MONITORING WELL
- APPROXIMATE SOIL BORING LOCATION
- GROUNDWATER CONTOUR (FT)
- DASHED WHERE INFERRED
- POTOMAC RIVER
- PROPERTY BOUNDARY
- (5.92) GROUNDWATER ELEVATION (FT)
- NG NOT GAUGED

Potentiometric Surface
Shallow Zone Aquifer - August 10, 2020

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn **JDB**
Designed **DMC**
Approved **AAB**
Date **10/21/20**
Figure **4**

Scale In Feet (Approximate)
0 50

Groundwater & Environmental Services, Inc.

L:\Projects\NRG\PRGS\GIS\NRG_PRGS_Shallow_GW_Contours_2020_3Q.mxd - Scale 1:593 - 10/21/2020 11:15:49 AM - jbarnard - NAD 1983 StatePlane Virginia North FIPS 4501 Feet

Legend

- FORMER RAILWAY TRACK
- STORM WATER CATCH BASIN
- UTILITY MANHOLE
- SEEP LOCATION
- DEEP BIOSPARGE WELL
- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- DEEP TOTAL PHASE EXTRACTION WELL
- SHALLOW TOTAL PHASE EXTRACTION WELL
- ABANDONED MONITORING WELL
- APPROXIMATE SOIL BORING LOCATION
- GROUNDWATER CONTOUR (FT)
- DASHED WHERE INFERRED
- POTOMAC RIVER
- PROPERTY BOUNDARY
- (5.54) GROUNDWATER ELEVATION (FT)
- NG NOT GAUGED

Potentiometric Surface
Deep Zone Aquifer - August 10, 2020

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn **JDB**
Designed **DMC**
Approved **AAB**
Date **10/21/20**
Figure **5**

Scale In Feet (Approximate)
0 50

Groundwater & Environmental Services, Inc.

L:\Projects\NRGPRGS\GIS\NRG_PRGS_Deep_GW_Contours20203Q.mxd - Scale 1:600 - 10/21/2020 10:16:07 AM - jbarnard - NAD 1983 StatePlane Virginia North FIPS 4501 Feet



Legend

- FORMER RAILWAY TRACK
- STORM WATER CATCH BASIN
- UTILITIY MANHOLE
- SEEP LOCATION
- DEEP BIOSPARGE WELL
- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- DEEP TOTAL PHASE EXTRACTION WELL
- SHALLOW TOTAL PHASE EXTRACTION WELL
- ABANDONED MONITORING WELL
- APPROXIMATE SOIL BORING LOCATION
- TPH-DRO CONCENTRATION CONTOUR (µg/L)
- DASHED WHERE INFERRED
- (1,000) TPH-DRO CONCENTRATION (µg/L)
- * WHERE BOTH LOW FLOW AND PURGE AND GRAB SAMPLING WAS CONDUCTED, THE LOW FLOW SAMPLING DATA IS USED

Note:
1) TPH-DRO: Total Petroleum Hydrocarbons - Diesel Range Organics

2) µg/L: Micrograms per liter

3) < : Analyte detected below the method detection limit

TPH-DRO Concentration Contours
Shallow Zone Aquifer - Third Quarter 2020

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn **JDB**
Designed **DMC**
Approved **AAB**
Date **10/21/20**
Figure **6**

Scale In Feet (Approximate)
0 50

Groundwater & Environmental Services, Inc.

L:\Projects\NRG\PRGS\GIS\NRG_PRGS_Shallow_TPHDRO_20203Q.mxd - Scale 1:600 - 10/21/2020 10:55:10 AM - jbarnard - NAD 1983 StatePlane Virginia North FIPS 4501 Feet



Legend

- FORMER RAILWAY TRACK
- STORM WATER CATCH BASIN
- UTILITIY MANHOLE
- SEEP LOCATION
- DEEP BIOSPARGE WELL
- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- DEEP TOTAL PHASE EXTRACTION WELL
- SHALLOW TOTAL PHASE EXTRACTION WELL
- ABANDONED MONITORING WELL
- APPROXIMATE SOIL BORING LOCATION
- (3,200) TPH-DRO CONCENTRATION (µg/L)
- (R) REJECTED DATA POINT

Notes:
1) TPH-DRO: Total Petroleum Hydrocarbons - Diesel Range Organics

2) µg/L: Micrograms per liter

3) < : Analyte detected below the method detection limit

4) Samples collected on 8/10/2020 & 8/11/2020

TPH-DRO Concentration Map
Deep Zone Aquifer - Third Quarter 2020

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn **JDB**
Designed **DMC**
Approved **AAB**

Date **10/22/20**
Figure **7**

Scale In Feet (Approximate)
0 50

Groundwater & Environmental Services, Inc.

L:\Projects\NRG\PRGS\GIS\NRG_PRGS_Deep_TPHDRO_20203Q.mxd - Scale 1:600 - 10/22/2020 10:27:37 AM - jbarnard - NAD 1983 StatePlane Virginia North FIPS 4501 Feet

Legend

- FORMER RAILWAY TRACK
- STORM WATER CATCH BASIN
- UTILITY MANHOLE
- SEEP LOCATION
- DEEP BIOSPARGE WELL
- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- DEEP PUMP & TREAT RECOVERY WELL
- SHALLOW TOTAL PHASE EXTRACTION WELL
- ABANDONED MONITORING WELL
- APPROXIMATE SOIL BORING LOCATION

pH OBSERVATIONS (S.U.)

- > 7.0
- 6.0 - 7.0
- 5.0 - 6.0
- 4.0 - 5.0
- < 4.0

(6.56) pH OBSERVATION (S.U.)

(NM) NOT MEASURED

Note:
S.U.: Standard Units

pH Levels Shallow Zone Aquifer
Third Quarter 2020

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn **JDB**
Designed **DMC**
Approved **AAB**
Date **10/6/20**
Figure **8**

Scale In Feet (Approximate)
0 50

Groundwater & Environmental Services, Inc.

L:\Projects\NRG\PRGS\GIS\NRG_PRGS_Shallow_pH_20203Q.mxd - Scale 1:600 - 10/6/2020 1:16:54 PM - jbarnard - NAD 1983 StatePlane Virginia North FIPS 4501 Feet

Legend

- FORMER RAILWAY TRACK
- STORM WATER CATCH BASIN
- UTILITY MANHOLE
- SEEP LOCATION
- DEEP BIOSPARGE WELL
- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- DEEP PUMP & TREAT RECOVERY WELL
- SHALLOW TOTAL PHASE EXTRACTION WELL
- ABANDONED MONITORING WELL
- APPROXIMATE SOIL BORING LOCATION

pH OBSERVATIONS (S.U.)

- > 7.0
- > 6.0 - 7.0
- 5.0 - 6.0
- 4.0 - 5.0
- < 4.0

(6.24) pH OBSERVATION (S.U.)

(NM) NOT MEASURED

Note:
S.U.: Standard Units

pH Levels Deep Zone Aquifer
Third Quarter 2020

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn **JDB**
Designed **DMC**
Approved **AAB**

Date **10/6/20**
Figure **9**

Scale In Feet (Approximate)
0 50

Groundwater & Environmental Services, Inc.

L:\Projects\NRG\PRGS\GIS\NRG_PRGS_Deep_pH_20203Q.mxd - Scale 1:600 - 10/6/2020 11:47:11 AM - jbarnard - NAD 1983 StatePlane Virginia North FIPS 4501 Feet

Legend

- FORMER RAILWAY TRACK
- STORM WATER CATCH BASIN
- UTILITY MANHOLE
- SEEP LOCATION
- DEEP BIOSPARGE WELL
- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- DEEP TOTAL PHASE EXTRACTION WELL
- SHALLOW TOTAL PHASE EXTRACTION WELL
- ABANDONED MONITORING WELL
- APPROXIMATE SOIL BORING LOCATION

SULFATE CONCENTRATION (mg/L)

- > 10,000
- 1,000 - 10,000
- 100 - 1,000
- 10 - 100
- < 10
- (530) SULFATE CONCENTRATION (mg/L)
- (NS) NOT SAMPLED

Note:
mg/L: Milligrams per liter

Sulfate Concentration Shallow Zone Aquifer - Third Quarter 2020

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn **JDB**
Designed **DMC**
Approved **-**
Date **10/7/20**
Figure **10**

Scale In Feet (Approximate)
0 50

Groundwater & Environmental Services, Inc.

L:\Projects\NRG\PRGS\GIS\NRG_PRGS_Shallow_Sulfate_20203Q.mxd - Scale 1:600 - 10/7/2020 4:06:17 PM - jbarnard - NAD 1983 StatePlane Virginia North FIPS 4501 Feet



Legend

- FORMER RAILWAY TRACK
- STORM WATER CATCH BASIN
- UTILITY MANHOLE
- SEEP LOCATION
- DEEP BIOSPARGE WELL
- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- DEEP TOTAL PHASE EXTRACTION WELL
- SHALLOW TOTAL PHASE EXTRACTION WELL
- ABANDONED MONITORING WELL
- APPROXIMATE SOIL BORING LOCATION

SULFATE CONCENTRATION (mg/L)

- > 10,000
- 1,000 - 10,000
- 100 - 1,000
- 10 - 100
- < 10

(160) SULFATE CONCENTRATION (mg/L)

(NS) NOT SAMPLED

Note:
mg/L: Milligrams per liter

Sulfate Concentration Deep Zone Aquifer - Third Quarter 2020

Former Potomac River Generating Station
1400 North Royal Street
Alexandria, Virginia

Drawn **JDB**
Designed **DMC**
Approved **-**

Date **10/7/20**
Figure **11**

Scale In Feet (Approximate)
0 50

Groundwater & Environmental Services, Inc.

L:\Projects\NRG\PRGS\GIS\NRG_PRGS_Deep_Sulfate_20203Q.mxd - Scale 1:600 - 10/7/2020 3:38:36 PM - jbarnard - NAD 1983 StatePlane Virginia North FIPS 4501 Feet

Tables

Table 1

WELL CONSTRUCTION TABLE

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Monitoring Well	Well type	Aquifer Zone Designation	Date Installed	Well Diameter (in)	Total Depth of Well from Ground Surface (ft)	Length of Casing (ft)	Length of Screen (ft)
MW-01S	MW	Shallow	7/29/2014	4	27	17	10
MW-05 / RW-05	P&T	Deep	8/1/2014	4	35	25	10
MW-08S	MW	Shallow	7/23/2014	4	25	15	10
MW-10S / RW-10S	TPE	Shallow	7/28/2014	4	27	17	10
MW-11	MW	Deep	7/24/2014	4	35	25	10
MW-14 / RW-14	P&T	Deep	7/29/2014	4	38.5	28.5	10
MW-15S	MW	Shallow	7/31/2014	4	26	16	10
MW-16S	MW	Shallow	8/13/2014	2	25	15	10
MW-16	MW	Deep	8/14/2014	2	36	26	10
MW-25S	MW	Shallow	8/5/2014	4	26	16	10
MW-25 / RW-25	P&T	Deep	7/24/2014	4	35	25	10
MW-27	MW	Deep	7/21/2014	4	35	25	10
MW-31 / RW-31	P&T	Deep	8/5/2014	4	36	26	10
MW-33	MW	Deep	8/5/2014	4	35	25	10
MW-51S	MW	Shallow	8/6/2014	4	25.5	15.5	10
MW-51 / RW-51	P&T	Deep	7/22/2014	4	37	27	10
MW-52	MW	Deep	8/14/2014	2	36	26	10
MW-70	MW	Deep	8/13/2014	2	36	26	10
MW-72S / RW-72S	TPE	Shallow	8/7/2014	4	25	15	10
MW-72 / RW-72	MW	Deep	7/30/2014	4	35	25	10
MW-100S	MW	Shallow	8/12/2014	2	24.5	14.5	10
MW-100	MW	Deep	8/12/2014	2	37.5	27.5	10
MW-102	MW	Deep	8/11/2014	2	37	27	10

Table 1

WELL CONSTRUCTION TABLE

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Monitoring Well	Well type	Aquifer Zone Designation	Date Installed	Well Diameter (in)	Total Depth of Well from Ground Surface (ft)	Length of Casing (ft)	Length of Screen (ft)
MW-103	MW	Shallow	7/23/2014	2	15	5	10
MW-104	MW	Shallow	7/24/2014	2	12	2	10
MW-105	MW	Shallow	7/24/2014	2	10	1	9
MW-106	MW	Deep	7/22/2014	2	10	3	7
MW-107	MW	Shallow	7/22/2014	2	11	3	8
MW-108	MW	Shallow	7/23/2014	2	10	4	6
MW-109S	MW	Shallow	8/20/2014	4	13.5	3.5	10
MW-109	MW	Deep	8/19/2014	4	24	14	10
MW-110S	MW	Shallow	8/20/2014	4	13	3	10
MW-110	MW	Deep	8/20/2014	4	24	14	10
MW-111	MW	Deep	8/18/2014	2	22	12	10
MW-112S	MW	Shallow	8/12/2014	4	13	3	10
MW-112	MW	Deep	8/12/2014	4	24	14	10
MW-113	MW	Deep	8/19/2014	2	23	13	10
MW-114	MW	Deep	8/21/2014	2	23	13	10
MW-121	MW	Deep	7/2/2015	4	37	27	10
MW-122	MW	Deep	6/24/2015	4	37	27	10
MW-123S / RW-123S	TPE	Shallow	7/7/2015	4	25	21	4
TW-02	MW	Deep	12/12/2013	1	24	14	10
TW-03	MW	Deep	12/12/2013	1	15	5	10
TW-04	MW	Deep	12/13/2013	1	15	5	10
TW-05	MW	Deep	12/13/2013	1	10	0	10
TW-06	MW	Deep	12/13/2013	1	15	5	10

Table 1

WELL CONSTRUCTION TABLE

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Monitoring Well	Well type	Aquifer Zone Designation	Date Installed	Well Diameter (in)	Total Depth of Well from Ground Surface (ft)	Length of Casing (ft)	Length of Screen (ft)
TW-07	MW	Deep	12/13/2013	1	15	5	10
TW-12S	MW	Shallow	12/18/2013	1	25	15	10
TW-14	MW	Shallow	1/15/2014	1	5.5	0.5	5
RW-1	MW	Deep	10/2/2014	4	41	26	15
RW-05S	TPE	Shallow	6/29/2015	4	26	21	5
RW-25S	TPE	Shallow	7/7/2015	4	25	20	5
RW-28S	TPE	Shallow	7/6/2015	4	27	22	5
RW-30S	TPE	Shallow	6/23/2015	4	29	24	5
RW-116S	TPE	Shallow	6/26/2015	4	26	21	5
RW-117S	TPE	Shallow	6/23/2015	4	25	20	5
RW-118S	TPE	Shallow	6/25/2015	4	25	20	5
RW-119S	TPE	Shallow	6/29/2015	4	26	21	5
SP-01	SP	Deep	10/2/2014	2	35	32	3
SP-02	SP	Deep	9/30/2014	2	36	33	3
SP-03	SP	Deep	6/30/2015	2	36	33	3
SP-04	SP	Deep	7/1/2015	2	36	33	3
SP-05	SP	Deep	7/8/2015	2	36	33	3
SP-06	SP	Deep	6/30/2015	2	36	33	3
SP-07	SP	Deep	6/25/2015	2	36	33	3
SP-08	SP	Deep	7/8/2015	2	36	33	3
SP-09	SP	Deep	4/12/2016	2	21	18	3
SP-10	SP	Deep	4/7/2016	2	24.5	21.5	3
SP-11	SP	Deep	4/11/2016	2	19.5	16.5	3

Table 1

WELL CONSTRUCTION TABLE

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Monitoring Well	Well type	Aquifer Zone Designation	Date Installed	Well Diameter (in)	Total Depth of Well from Ground Surface (ft)	Length of Casing (ft)	Length of Screen (ft)
SP-12	SP	Deep	4/13/2016	2	19	16	3
SP-13	SP	Deep	4/13/2016	2	19	16	3
SP-14	SP	Deep	4/8/2016	2	18	15	3
SP-15	SP	Deep	4/8/2016	2	15	12	3

Notes:

Field parameters include pH, specififc conductance, temperature, oxidation reduction potential (ORP), dissolved oxygen (DO), headspace carbon dioxide concentration, headspace volatile organic compound concentration, headspace oxygen concentration

Volatile organic compound (VOC) groundwater samples were analyzed for benzene, toluene, ethylbenzene, total xylenes, and naphthalene.

Biostimulation parameters include alkalinity, nitrate nitrogen, manganese, ferrous iron, sulfate as SO_4^{2-}, and methane.

- = Not available
ft = Feet
in = Inches
NA = Not applicable
MW = Monitoring Well
P&T = Pump & Treat Well
SP = Air Sparge Point
TPE = Total Phase Extraction Well
TPH-DRO = Total Petroleum Hydrocarbons - Diesel Range Organics
VDEQ = Virginia Department of Environmental Quality
DDOE = District Department of the Environment

Table 2

GROUNDWATER MONITORING AND SAMPLING PLAN

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

		Field Parameters								Laboratory Parameters									
Well ID	**Aquifer Zone**	**pH**	**Specific Conductance**	**Temperature**	**Oxidation Reduction Potential**	**Dissolved Oxygen**	**Headspace CO2 concentration**	**Headspace VOC concentration**	**Headspace O2**	**TPH-DRO C10-C28 (SW-846 8015B)**	**Alkalinity (SM 2320B)**	**Nitrate NO_3^{-1} & Nitrite NO^{-2}(EPA 353.2)**	**Manganese (Mn2+)**	**Ferrous Iron Fe^{2+} (SM 3500-Fe B modified-1997)**	**Sulfate SO_4^{2-} (EPA 300.0)**	**Methane (RSKSOP-175 modified)**	**Sample Method**	**Comments**
MW-01S	Shallow	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF, P&S	
MW-05 / RW-05	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-08S	Shallow									X							LF	
MW-10S / RW-10S	Shallow	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-11	Deep																NS	
MW-14 / RW-14	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-15S	Shallow																NS	
MW-16S	Shallow																NS	
MW-16	Deep	X								X							LF	
MW-25S	Shallow	X								X	X						LF	
MW-25 / RW-25	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF, P&S	
MW-27	Deep	X	X	X	X	X	X	X	X	X	X						LF	
MW-31 / RW-31	Deep									X							LF	
MW-33	Deep																NS	
MW-51S	Shallow	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-51 / RW-51	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF, P&S	
MW-52	Deep																NS	
MW-70	Deep																NS	
MW-72S /RW-72S	Shallow	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-72 / RW-72	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-100S	Shallow																NS	

Table 2

GROUNDWATER MONITORING AND SAMPLING PLAN

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

		Field Parameters								Laboratory Parameters								
Well ID	**Aquifer Zone**	**pH**	**Specific Conductance**	**Temperature**	**Oxidation Reduction Potential**	**Dissolved Oxygen**	**Headspace CO2 concentration**	**Headspace VOC concentration**	**Headspace O2**	**TPH-DRO C10-C28 (SW-846 8015B)**	**Alkalinity (SM 2320B)**	**Nitrate NO_3^{-1} & Nitrite NO^{-2}(EPA 353.2)**	**Manganese (Mn2+)**	**Ferrous Iron Fe^{2+} (SM 3500-Fe B modified-1997)**	**Sulfate SO_4^{2-} (EPA 300.0)**	**Methane (RSKSOP-175 modified)**	**Sample Method**	**Comments**
MW-100	Deep																NS	
MW-102	Deep																NS	
MW-103	Shallow																NS	
MW-104	Shallow																NS	
MW-105	Shallow																NS	
MW-106	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-107	Shallow																NS	
MW-108	Shallow									X							LF	
MW-109S	Shallow																P&S	basement wells (not sampled this quarter)
MW-109	Deep																P&S	
MW-110S	Shallow																P&S	
MW-110	Deep																P&S	
MW-111	Deep																P&S	
MW-112S	Shallow																P&S	
MW-112	Deep																P&S	
MW-113	Deep																P&S	
MW-114	Deep																P&S	
MW-121	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF, P&S	
MW-122	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-123S / RW-123S	Shallow	X	X	X	X	X	X	X	X	X	X				X		LF	
TW-02	Deep																NS	
TW-03	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
TW-04	Deep									X							LF	
TW-05	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
TW-06	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	

Table 2

GROUNDWATER MONITORING AND SAMPLING PLAN

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

		Field Parameters								Laboratory Parameters									
Well ID	**Aquifer Zone**	**pH**	**Specific Conductance**	**Temperature**	**Oxidation Reduction Potential**	**Dissolved Oxygen**	**Headspace CO2 concentration**	**Headspace VOC concentration**	**Headspace O2**	**TPH-DRO C10-C28 (SW-846 8015B)**	**Alkalinity (SM 2320B)**	**Nitrate NO_3^{-1} & Nitrite NO^{-2}(EPA 353.2)**	**Manganese (Mn2+)**	**Ferrous Iron Fe^{2+} (SM 3500-Fe B modified-1997)**	**Sulfate SO_4^{2-} (EPA 300.0)**	**Methane (RSKSOP-175 modified)**	**Sample Method**	**Comments**
TW-07	Deep	X	X	X	X	X	X	X	X	X	X				X		LF	
TW-12S	Shallow									X							LF	
TW-14	Shallow									X							LF	
RW-1	Deep	X	X	X	X	X	X	X	X	X	X				X		LF	
RW-05S	Shallow	X	X	X	X	X	X	X	X	X	X				X		LF, P&S	
RW-25S	Shallow	X	X	X	X	X	X	X	X	X	X				X		LF, P&S	
RW-28S	Shallow	X	X	X	X	X	X	X	X	X	X				X		LF	
RW-30S	Shallow	X	X	X	X	X	X	X	X	X							LF	
RW-116S	Shallow	X	X	X	X	X	X	X	X	X	X				X		LF	
RW-117S	Shallow	X	X	X	X	X	X	X	X	X	X						LF	
RW-118S	Shallow									X	X				X		LF	
RW-119S	Shallow									X	X				X		LF	

Notes:

Select annual samples were collected during the 4th quarter of 2015. Moving forward, annual sampling to be completed in the 4th quarter of a year.
** - Wells with LNAPL will only be sampled when no measurable LNAPL is observed.
Q - Quarterly sampling frequency
A - Annual sampling frequency
P&S - Purge and Sample
LF - Low Flow Sampling
NS - No Sampling Planned

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-01S	08/08/2014	30.78	22.67	-	-	-	26.58	8.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/11/2014	30.78	22.62	-	-	-	-	8.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/15/2014	30.78	22.60	-	-	-	-	8.18	-	-	-	-	-	-	-	-	-	-	-	-	2,670	
MW-01S	08/18/2014	30.78	22.88	-	-	-	-	7.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/25/2014	30.87	22.27	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/02/2014	30.87	22.28	-	-	-	-	8.59	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/15/2014	30.87	22.61	-	-	-	-	8.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/22/2014	30.87	22.75	-	-	-	-	8.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/24/2014	30.87	22.95	-	-	-	-	7.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/01/2014	30.87	22.94	-	-	-	26.59	7.93	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/10/2014	30.87	23.06	-	-	-	-	7.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/20/2014	30.87	23.53	-	-	-	26.58	7.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/22/2014	30.87	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23,000	
MW-01S	02/24/2015	30.87	25.89	25.74	0.15	-	26.65	5.11	15:24	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	02/26/2015	30.87	25.61	25.51	0.10	-	-	5.35	16:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	03/04/2015	30.87	25.63	25.52	0.11	-	-	5.34	14:21	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	03/11/2015	30.87	25.51	25.39	0.12	-	-	5.47	13:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	03/18/2015	30.87	25.14	25.03	0.11	-	-	5.83	11:19	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	03/26/2015	30.87	25.07	24.98	0.09	-	26.60	5.88	10:35	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	04/02/2015	30.87	25.06	24.96	0.10	-	26.60	5.90	11:33	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	04/08/2015	30.87	25.10	24.96	0.14	-	26.64	5.89	9:27	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	04/13/2015	30.87	24.92	24.83	0.09	-	-	6.03	10:35	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	04/23/2015	30.87	24.38	24.35	0.03	-	26.55	6.52	12:04	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	04/29/2015	30.87	24.38	24.34	0.04	-	26.60	6.53	14:29	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	05/04/2015	30.87	24.32	24.28	0.04	-	-	6.59	11:55	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	05/11/2015	30.87	24.37	24.31	0.06	-	-	6.55	10:55	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	05/21/2015	30.87	24.46	24.41	0.05	-	-	6.45	12:15	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	05/28/2015	30.87	24.65	24.54	0.11	-	26.55	6.32	11:50	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	06/02/2015	30.87	24.52	24.46	0.06	-	-	6.40	13:16	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	06/09/2015	30.87	24.12	24.10	0.02	-	-	6.77	10:43	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	06/16/2015	30.87	24.05	24.04	0.01	-	-	6.83	11:37	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	06/26/2015	30.87	23.72	-	-	-	26.50	7.15	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/01/2015	30.87	23.25	23.24	0.01	-	-	7.63	12:34	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	07/08/2015	30.87	22.93	22.93	TRACE	TRACE	-	7.94	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/13/2015	30.87	22.72	-	-	-	-	8.15	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/20/2015	30.87	22.40	-	-	-	-	8.47	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/28/2015	30.87	22.43	-	-	-	26.69	8.44	10:56	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-01S	08/04/2015	30.87	22.46	22.45	0.01	TRACE	26.56	8.42	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/11/2015	30.87	22.50	22.50	TRACE	TRACE	26.61	8.37	10:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/18/2015	30.87	22.63	-	-	-	-	8.24	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/24/2015	30.87	22.69	-	-	-	-	8.18	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/02/2015	30.87	22.90	22.88	0.02	TRACE	26.62	7.99	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/09/2015	30.87	22.96	22.95	0.01	-	26.60	7.92	11:17	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	09/17/2015	30.87	23.19	23.18	0.01	-	26.62	7.69	10:58	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	09/23/2015	30.87	23.07	23.06	0.01	TRACE	-	7.81	11:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/28/2015	30.87	23.10	23.10	TRACE	-	26.10	7.77	10:08	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	10/05/2015	30.87	23.09	23.09	TRACE	-	26.60	7.78	11:07	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	11/10/2015	30.87	23.59	-	-	-	-	7.28	13:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/01/2015	30.87	24.05	24.04	0.01	-	26.57	6.83	12:02	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	01/27/2016	30.87	23.98	23.98	TRACE	-	-	6.89	9:54	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	02/15/2016	30.87	23.54	-	-	-	-	7.33	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/14/2016	30.87	23.27	-	-	-	26.60	7.60	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/16/2016	30.87	23.16	-	-	-	26.60	7.71	12:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/21/2016	30.87	23.48	-	-	-	26.59	7.39	11:05	-	-	-	-	-	-	-	-	-	-	-	56,000	
MW-01S	05/23/2016	30.87	23.69	23.68	0.01	-	-	7.19	12:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	06/21/2016	30.87	22.93	-	-	-	-	7.94	11:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/21/2016	30.87	22.57	-	-	-	-	8.30	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/24/2016	30.87	22.96	-	-	-	26.67	7.91	11:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/25/2016	30.87	23.08	-	-	-	26.75	7.79	10:55	-	-	-	-	-	-	-	-	-	-	-	140,000	
MW-01S	11/28/2016	30.87	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	11/29/2016	30.87	25.61	25.48	0.13	0.02	26.58	5.37	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/22/2016	30.87	25.78	25.78	TRACE	TRACE	-	5.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/30/2017	30.87	23.57	-	-	-	-	7.30	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/21/2017	30.87	23.07	-	-	-	26.50	7.80	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/22/2017	30.87	23.27	-	-	-	-	7.60	9:43	-	-	-	-	-	-	-	-	-	-	-	720,000	Strong odor, oily bailer
MW-01S	03/28/2017	30.87	24.23	-	-	-	26.65	6.64	15:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/29/2017	32.69	26.13	-	-	-	27.90	6.56	12:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/18/2017	32.69	27.50	-	-	-	27.89	5.19	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/22/2017	32.69	24.07	-	-	-	24.87	8.62	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/24/2017	32.69	22.22	-	-	-	27.90	10.47	9:03	-	-	-	-	-	-	-	-	-	-	-	72,600	
MW-01S	06/22/2017	32.69	27.90	-	-	-	27.90	4.79	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/19/2017	32.69	27.62	-	-	-	27.87	5.07	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/21/2017	32.69	22.73	-	-	-	27.90	9.96	9:00	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-01S	08/28/2017	32.69	23.12	-	-	-	27.87	9.57	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/29/2017	32.69	23.17	-	-	-	-	9.52	10:20	-	-	-	-	-	-	-	-	<2.0	-	422	6,780	
MW-01S	09/05/2017	32.69	23.18	-	-	-	-	9.51	13:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/20/2017	32.69	23.70	-	-	-	-	8.99	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/03/2017	32.69	24.07	-	-	-	-	8.62	11:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/17/2017	32.69	24.06	-	-	-	-	8.63	11:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	11/02/2017	32.69	23.96	-	-	-	-	8.73	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	11/28/2017	32.69	23.99	-	-	-	27.90	8.70	13:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	11/29/2017	32.69	24.13	-	-	-	-	8.56	9:39	<0.5	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	3,760	3,760	
MW-01S	12/05/2017	32.69	24.07	-	-	-	-	8.62	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/19/2017	32.69	24.23	-	-	-	-	8.46	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/03/2018	32.69	24.88	-	-	-	-	7.81	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/26/2018	32.69	26.97	-	-	-	-	5.72	11:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/01/2018	32.69	25.48	-	-	-	-	7.21	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/20/2018	32.69	23.55	-	-	-	27.85	9.14	12:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/22/2018	32.69	23.66	-	-	-	-	9.03	9:47	-	-	-	-	-	-	-	-	-	-	248	6,230	
MW-01S	03/06/2018	32.69	23.58	-	-	-	-	9.11	11:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/29/2018	32.69	23.58	-	-	-	-	9.11	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/11/2018	32.69	23.84	-	-	-	-	8.85	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/23/2018	32.69	23.67	-	-	-	-	9.02	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/03/2018	32.69	23.71	-	-	-	-	8.98	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/03/2018	31.04	22.50	-	-	-	-	8.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/21/2018	31.04	22.26	-	-	-	26.67	8.78	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/24/2018	31.04	22.21	-	-	-	26.64	8.83	8:00	-	-	-	-	-	-	-	-	-	-	-	109,000	
MW-01S	06/12/2018	31.04	21.86	-	-	-	-	9.18	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	06/26/2018	31.04	21.71	-	-	-	26.49	9.33	9:29	-	-	-	-	-	-	-	-	-	-	69,200 B	96,300	
MW-01S	07/02/2018	31.04	21.71	-	-	-	-	9.33	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/17/2018	31.04	21.80	-	-	-	-	9.24	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/30/2018	31.04	20.31	-	-	-	-	10.73	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/09/2018	31.04	20.90	-	-	-	-	10.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/13/2018	31.04	20.95	-	-	-	26.63	10.09	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/14/2018	31.04	20.93	-	-	-	26.63	10.11	12:53	-	-	-	-	-	-	-	-	-	-	-	92,000	
MW-01S	09/04/2018	31.04	20.11	-	-	-	-	10.93	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/21/2018	31.04	20.06	-	-	-	26.54	10.98	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/25/2018	31.04	21.58	-	-	-	-	9.46	13:38	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW-01S	10/02/2018	31.04	22.24	-	-	-	28.42	8.80	9:35	-	-	-	-	-	-	-	-	-	-	-	-	See Notes

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-01S	10/25/2018	31.04	27.54	-	-	-	27.58	3.50	9:44	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW-01S	11/12/2018	32.40	25.14	-	-	-	35.15	7.26	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	11/13/2018	32.40	21.48	-	-	-	-	10.92	12:00	<0.2	<0.2	<0.2	<0.5	-	-	-	-	<4	-	-	4,100	
MW-01S	11/27/2018	32.40	20.94	-	-	-	-	11.46	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/11/2018	32.40	21.84	-	-	-	-	10.56	9:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/27/2018	32.40	21.77	-	-	-	-	10.63	9:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/10/2019	32.40	21.74	-	-	-	-	10.66	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/24/2019	32.40	27.47	-	-	-	-	4.93	13:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/11/2019	32.40	22.62	-	-	-	27.60	9.78	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/12/2019	31.04	21.84	-	-	-	-	9.20	9:45	-	-	-	-	-	-	-	-	-	-	-	840	
MW-01S	02/15/2019	32.40	22.62	-	-	-	-	9.78	9:15	-	-	-	-	-	-	-	-	-	-	-	1,900	Grab
MW-01S	02/21/2019	32.40	22.81	-	-	-	-	9.59	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/07/2019	32.40	22.10	-	-	-	-	10.30	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/19/2019	32.40	22.83	-	-	-	-	9.57	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/02/2019	32.40	22.53	-	-	-	-	9.87	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/22/2019	32.40	22.70	-	-	-	-	9.70	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/06/2019	32.40	22.91	-	-	-	-	9.49	8:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/20/2019	32.40	22.87	-	-	-	28.03	9.53	10:04	-	-	-	-	-	-	-	-	-	-	-	3,100	
MW-01S	05/20/2019	32.40	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,700	Grab
MW-01S	06/04/2019	32.40	22.95	-	-	-	-	9.45	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	06/18/2019	32.40	22.88	-	-	-	-	9.52	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/09/2019	32.40	22.33	-	-	-	-	10.07	8:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/23/2019	32.40	22.25	-	-	-	-	10.15	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/09/2019	32.40	22.27	-	-	-	-	10.13	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/19/2019	32.40	23.22	-	-	-	27.82	9.18	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/20/2019	31.04	22.46	-	-	-	26.65	8.58	12:43	-	-	-	-	-	-	-	-	-	-	-	1,300	
MW-01S	08/21/2019	32.40	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39,000	Grab
MW-01S	09/03/2019	32.40	23.45	-	-	-	-	8.95	8:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/17/2019	32.40	23.72	-	-	-	-	8.68	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/01/2019	32.40	24.10	-	-	-	-	8.30	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	11/18/2019	31.04	23.60	-	-	-	26.44	7.44	11:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	11/20/2019	31.04	23.66	-	-	-	-	7.38	13:20	<0.2	<0.2	<0.2	<0.8	-	-	-	-	<4	-	-	4,600	
MW-01S	11/21/2019	31.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,100	Grab
MW-01S	12/05/2019	31.04	24.20	-	-	-	-	6.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/14/2020	31.04	24.37	-	-	-	-	6.67	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/17/2020	31.04	24.45	-	-	-	26.65	6.59	11:36	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-01S	02/18/2020	31.04	24.48	-	-	-	-	6.56	9:20	-	-	-	-	-	-	-	-	-	-	-	2,100	
MW-01S	02/18/2020	31.04	-	-	-	-	-	-	14:45	-	-	-	-	-	-	-	-	-	-	-	5,100	Grab
MW-01S	03/10/2020	31.04	24.79	-	-	-	-	6.25	8:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/11/2020	31.04	24.70	-	-	-	26.86	6.34	10:28	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	1,700	
MW-01S	05/11/2020	31.04	-	-	-	-	-	-	14:20	-	-	-	-	-	-	-	-	-	-	-	5,500	Grab
MW-01S	08/10/2020	31.04	23.07	-	-	-	26.62	7.97	10:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/12/2020	31.04	23.44	-	-	-	-	7.60	8:25	-	-	-	-	-	-	-	-	-	-	-	2,300	
MW-01S	08/12/2020	31.04	-	-	-	-	-	-	12:40	-	-	-	-	-	-	-	-	-	-	-	2,300	Grab
MW-08S	07/24/2014	30.86	26.59	-	-	-	-	4.27	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	07/31/2014	30.86	22.08	-	-	-	24.35	8.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/08/2014	30.86	21.33	-	-	-	24.64	9.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/11/2014	30.86	21.42	-	-	-	-	9.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/15/2014	30.86	21.41	-	-	-	-	9.45	-	-	-	-	-	-	-	-	-	-	-	-	7,540	
MW-08S	08/18/2014	30.86	21.46	-	-	-	-	9.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/25/2014	30.86	21.49	-	-	-	-	9.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/02/2014	30.86	21.45	-	-	-	-	9.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/15/2014	30.86	21.58	-	-	-	-	9.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/22/2014	30.86	21.67	-	-	-	-	9.19	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/24/2014	30.86	21.68	-	-	-	-	9.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/01/2014	30.86	21.67	-	-	-	24.66	9.19	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/10/2014	30.86	21.71	-	-	-	-	9.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/13/2014	30.86	21.72	-	-	-	-	9.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/20/2014	30.86	21.80	-	-	-	24.65	9.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/22/2014	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52,000	
MW-08S	10/27/2014	30.86	21.88	-	-	-	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/07/2014	30.86	21.84	-	-	-	-	9.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/12/2014	30.86	21.94	-	-	-	-	8.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/21/2014	30.86	21.99	-	-	-	-	8.87	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/26/2014	30.86	22.01	-	-	-	-	8.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/05/2014	30.86	22.03	-	-	-	-	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/11/2014	30.86	22.03	-	-	-	-	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/16/2014	30.86	22.04	-	-	-	-	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/23/2014	30.86	22.07	-	-	-	-	8.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/30/2014	30.86	22.10	-	-	-	-	8.76	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	01/09/2015	30.86	22.12	-	-	-	-	8.74	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	01/16/2015	30.86	22.05	-	-	-	-	8.81	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-08S	01/19/2015	30.86	22.01	-	-	-	-	8.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	01/26/2015	30.86	22.08	-	-	-	-	8.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/03/2015	30.86	22.15	-	-	-	24.72	8.71	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/09/2015	30.86	22.14	-	-	-	-	8.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/18/2015	30.86	22.15	-	-	-	-	8.71	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/24/2015	30.86	22.15	-	-	-	24.64	8.71	15:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/26/2015	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22,000	
MW-08S	03/04/2015	30.86	21.34	-	-	-	-	9.52	14:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	03/11/2015	30.86	21.80	-	-	-	-	9.06	12:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	03/18/2015	30.86	21.88	-	-	-	-	8.98	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	03/26/2015	30.86	22.05	-	-	-	24.70	8.81	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	04/02/2015	30.86	22.03	-	-	-	24.60	8.83	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	04/08/2015	30.86	22.07	-	-	-	24.68	8.79	8:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	04/13/2015	30.86	22.08	-	-	-	-	8.78	10:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	04/23/2015	30.86	22.08	-	-	-	24.65	8.78	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	04/29/2015	30.86	22.09	-	-	-	24.60	8.77	14:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	05/04/2015	30.86	22.09	-	-	-	-	8.77	11:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	05/11/2015	30.86	22.10	-	-	-	24.70	8.76	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	05/12/2015	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27,000	
MW-08S	05/21/2015	30.86	22.05	-	-	-	24.65	8.81	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	05/28/2015	30.86	22.11	-	-	-	24.60	8.75	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	06/02/2015	30.86	22.06	-	-	-	-	8.80	13:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	06/09/2015	30.86	22.05	-	-	-	-	8.81	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	06/16/2015	30.86	22.05	-	-	-	-	8.81	11:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	06/26/2015	30.86	21.98	-	-	-	24.50	8.88	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	07/01/2015	30.86	22.02	-	-	-	-	8.84	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	07/08/2015	30.86	22.01	-	-	-	-	8.85	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	07/13/2015	30.86	21.95	-	-	-	-	8.91	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	07/20/2015	30.86	21.75	-	-	-	-	9.11	9:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	07/28/2015	30.86	21.08	-	-	-	24.75	9.78	11:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/04/2015	30.86	21.05	-	-	-	24.30	9.81	9:39	-	-	-	-	-	-	-	-	-	-	-	14,000	
MW-08S	08/11/2015	30.86	21.15	-	-	-	24.69	9.71	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/18/2015	30.86	21.24	-	-	-	-	9.62	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/24/2015	30.86	21.32	-	-	-	-	9.54	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/02/2015	30.86	21.32	-	-	-	24.66	9.54	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/09/2015	30.86	21.50	-	-	-	24.71	9.36	10:15	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-08S	09/17/2015	30.86	21.61	-	-	-	24.74	9.25	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/23/2015	30.86	21.63	-	-	-	-	9.23	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/28/2015	30.86	21.68	-	-	-	24.69	9.18	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/05/2015	30.86	21.75	-	-	-	24.70	9.11	9:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/10/2015	30.86	21.95	-	-	-	-	8.91	13:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/01/2015	30.86	22.00	-	-	-	24.66	8.86	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/02/2015	30.86	NR	-	-	-	-	-	-	61	<0.5	5.00	48	-	-	-	-	30	-	-	15,000	
MW-08S	01/27/2016	30.86	21.98	-	-	-	-	8.88	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/15/2016	30.86	21.83	-	-	-	-	9.03	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	03/14/2016	30.86	21.72	-	-	-	25.62	9.14	11:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	03/16/2016	30.86	21.72	-	-	-	24.65	9.14	12:42	-	-	-	-	-	-	-	-	-	-	-	20,000	
MW-08S	04/21/2016	30.86	22.21	-	-	-	24.65	8.65	12:11	-	-	-	-	-	-	-	-	-	-	-	11,000	
MW-08S	05/23/2016	30.86	25.03	-	-	-	25.48	5.83	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	05/24/2016	30.86	22.05	-	-	-	24.68	8.81	10:11	-	-	-	-	-	-	-	-	-	-	-	8,500	
MW-08S	06/21/2016	30.86	22.18	-	-	-	-	8.68	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	07/21/2016	30.86	21.20	-	-	-	-	9.66	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/24/2016	30.86	21.77	-	-	-	24.65	9.09	11:22	-	-	-	-	-	-	-	-	-	-	-	7,400	
MW-08S	11/28/2016	30.86	22.07	-	-	-	24.82	8.79	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/29/2016	30.86	22.07	-	-	-	24.75	8.79	9:36	6	<0.5	<0.5	0.7 J	-	-	-	-	2 J	-	-	12,000	
MW-08S	02/21/2017	30.86	22.43	-	-	-	24.70	8.43	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/22/2017	30.86	22.44	-	-	-	-	8.42	9:54	-	-	-	-	-	-	-	-	-	-	-	11,000	
MW-08S	05/22/2017	30.86	21.92	-	-	-	24.70	8.94	10:57	-	-	-	-	-	-	-	-	-	-	-	15,300	
MW-08S	08/28/2017	30.86	22.15	-	-	-	24.45	8.71	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/29/2017	30.86	21.40	-	-	-	24.70	9.46	10:53	-	-	-	-	-	-	-	-	<0.66	-	1,650	48,000	
MW-08S	11/28/2017	30.86	22.02	-	-	-	24.68	8.84	13:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/29/2017	30.86	22.07	-	-	-	24.73	8.79	11:02	2.4	<1.0	<1.0	<1.0	-	-	-	-	1.9 J	-	20,300	38,600	
MW-08S	02/20/2018	30.86	21.92	-	-	-	24.70	8.94	12:30	-	-	-	-	-	-	-	-	-	-	1,890	41,800	
MW-08S	05/21/2018	30.86	21.94	-	-	-	24.73	8.92	13:20	-	-	-	-	-	-	-	-	-	-	-	19,700	
MW-08S	08/13/2018	30.86	23.62	-	-	-	26.83	7.24	9:34	-	-	-	-	-	-	-	-	-	-	-	11,000	
MW-08S	11/12/2018	30.86	20.91	-	-	-	24.70	9.95	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/13/2018	30.86	20.83	-	-	-	24.70	10.03	9:46	1 J	<0.2	<0.2	<0.5	-	-	-	-	<4	-	-	6,100	
MW-08S	02/11/2019	30.86	21.10	-	-	-	24.74	9.76	10:35	-	-	-	-	-	-	-	-	-	-	-	3,900	
MW-08S	05/20/2019	30.86	21.32	-	-	-	-	9.54	9:45	-	-	-	-	-	-	-	-	-	-	-	5,600	
MW-08S	05/20/2019	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7,100	Grab
MW-08S	08/19/2019	30.86	21.37	-	-	-	25.35	9.49	9:51	-	-	-	-	-	-	-	-	-	-	-	5,000	
MW-08S	08/21/2019	30.86	21.32	-	-	-	24.68	9.54	9:25	-	-	-	-	-	-	-	-	-	-	-	5,800	Grab

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-08S	11/18/2019	30.86	21.90	-	-	-	24.67	8.96	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/21/2019	30.86	21.94	-	-	-	24.66	8.92	21:29	5 J	<2	<2	<8	-	-	-	-	<40	-	-	9,100	
MW-08S	11/22/2019	30.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9,900	Grab
MW-08S	02/17/2020	30.86	22.16	-	-	-	-	8.70	9:27	-	-	-	-	-	-	-	-	-	-	-	10,000	
MW-08S	02/17/2020	30.86	-	-	-	-	-	-	14:30	-	-	-	-	-	-	-	-	-	-	-	11,000	Grab
MW-08S	05/11/2020	30.86	21.97	-	-	-	-	8.89	10:12	7	0.3 J	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	10,000	
MW-08S	05/11/2020	30.86	-	-	-	-	-	-	14:00	-	-	-	-	-	-	-	-	-	-	-	10,000	Grab
MW-08S	08/10/2020	30.86	21.26	-	-	-	24.72	9.60	9:06	-	-	-	-	-	-	-	-	-	-	-	7,500	
MW-08S	08/10/2020	30.86	-	-	-	-	-	-	12:30	-	-	-	-	-	-	-	-	-	-	-	7,200	Grab
MW/RW-10S	08/08/2014	31.24	22.40	-	-	-	26.51	8.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/11/2014	31.24	22.41	-	-	-	-	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/15/2014	31.24	22.02	-	-	-	-	9.22	-	-	-	-	-	-	-	-	-	-	-	-	36,000	
MW/RW-10S	08/18/2014	31.24	22.03	-	-	-	-	9.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/25/2014	31.24	22.06	-	-	-	-	9.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/02/2014	31.24	22.11	-	-	-	-	9.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/15/2014	31.24	22.15	-	-	-	-	9.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/22/2014	31.24	22.18	-	-	-	-	9.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/24/2014	31.24	22.19	-	-	-	-	9.05	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-10S	10/01/2014	31.24	22.22	-	-	-	26.09	9.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/10/2014	31.24	22.18	22.18	TRACE	-	-	9.06	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	10/13/2014	31.24	22.21	-	-	-	-	9.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/20/2014	31.24	22.35	-	-	-	26.10	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/22/2014	31.24	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100,000	
MW/RW-10S	10/27/2014	31.24	22.32	-	-	-	-	8.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/07/2014	31.24	22.30	-	-	-	-	8.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/12/2014	31.24	22.32	-	-	-	-	8.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/21/2014	31.24	22.38	-	-	-	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/26/2014	31.24	22.35	-	-	-	-	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	12/05/2014	31.24	22.40	22.38	0.02	TRACE	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	12/11/2014	31.24	22.33	22.33	TRACE	-	-	8.91	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	12/16/2014	31.24	22.36	22.36	TRACE	-	-	8.88	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	12/23/2014	31.24	22.37	-	-	-	-	8.87	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	12/30/2014	31.24	22.42	22.42	TRACE	-	-	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	01/09/2015	31.24	22.44	22.43	0.01	TRACE	-	8.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/16/2015	31.24	22.41	22.40	0.01	TRACE	-	8.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/19/2015	31.24	22.43	22.42	0.01	TRACE	-	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-10S	01/26/2015	31.24	22.23	22.22	0.01	TRACE	-	9.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/03/2015	31.24	22.50	-	-	-	26.11	8.74	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/09/2015	31.24	22.43	22.42	0.01	-	-	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	02/18/2015	31.24	22.44	22.43	0.01	-	-	8.81	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	02/24/2015	31.24	22.50	22.49	0.01	-	26.11	8.75	15:44	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	03/04/2015	31.24	22.50	22.48	0.02	-	-	8.76	14:28	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	03/11/2015	31.24	22.51	22.48	0.03	-	-	8.76	12:54	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	03/18/2015	31.24	22.56	22.52	0.04	-	-	8.72	11:23	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	03/26/2015	31.24	22.53	22.50	0.03	-	26.10	8.74	11:27	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	04/02/2015	31.24	22.55	22.51	0.04	-	26.05	8.73	11:52	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	04/08/2015	31.24	22.53	22.52	0.01	-	26.10	8.72	9:05	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	04/13/2015	31.24	22.56	22.53	0.03	-	-	8.71	10:59	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	04/23/2015	31.24	22.53	22.51	0.02	-	26.05	8.73	12:22	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	04/29/2015	31.24	23.53	23.50	0.03	-	26.00	7.74	14:43	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	05/04/2015	31.24	22.57	22.54	0.03	-	-	8.70	11:59	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	05/11/2015	31.24	22.86	22.84	0.02	-	26.10	8.40	10:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	05/21/2015	31.24	22.59	22.56	0.03	-	-	8.68	12:46	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	05/28/2015	31.24	22.60	22.56	0.04	-	26.00	8.68	12:01	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	06/02/2015	31.24	22.60	22.56	0.04	-	-	8.68	13:20	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	06/09/2015	31.24	22.54	22.53	0.01	-	-	8.71	10:40	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	06/19/2015	31.24	22.54	22.53	0.01	-	-	8.71	11:34	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	06/26/2015	31.24	22.61	22.54	0.07	-	26.00	8.69	11:26	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	07/01/2015	31.24	22.58	22.52	0.06	-	-	8.71	12:26	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	07/08/2015	31.24	22.54	22.49	0.05	TRACE	-	8.74	11:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/13/2015	31.24	21.96	-	-	-	-	9.28	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/20/2015	31.24	21.48	-	-	-	-	9.76	9:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/28/2015	31.24	21.36	-	-	-	26.11	9.88	10:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/05/2015	31.24	21.51	21.42	0.09	-	-	9.81	9:24	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	08/11/2015	31.24	21.49	21.49	TRACE	TRACE	26.15	9.75	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/18/2015	31.24	21.76	21.59	0.17	0.02	-	9.63	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/24/2015	31.24	21.80	21.68	0.12	0.01	-	9.55	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/02/2015	31.24	21.95	21.81	0.14	0.01	26.10	9.41	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/09/2015	31.24	22.05	21.91	0.14	0.02	26.11	9.31	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/17/2015	31.24	22.10	22.00	0.10	TRACE	-	9.23	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/23/2015	31.24	22.06	22.02	0.04	TRACE	-	9.22	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/28/2015	31.24	22.14	22.07	0.07	TRACE	26.10	9.16	10:00	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-10S	10/05/2015	31.24	22.12	-	-	-	26.10	9.12	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/10/2015	31.24	24.00	24.00	TRACE	-	-	7.24	13:25	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	12/01/2015	33.02	24.10	-	-	-	27.85	8.92	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/27/2016	33.02	24.18	24.18	TRACE	-	-	8.84	10:52	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	02/15/2016	33.02	24.37	24.36	0.01	-	-	8.66	10:35	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	03/14/2016	33.02	24.07	-	-	-	27.87	8.95	12:50	-	-	-	-	-	-	-	-	-	-	-	29,000	
MW/RW-10S	04/21/2016	33.02	25.99	25.95	0.04	-	-	7.07	11:27	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	05/23/2016	33.02	25.55	-	-	-	27.90	7.47	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/24/2016	33.02	25.57	-	-	-	27.89	7.45	10:00	-	-	-	-	-	-	-	-	-	-	-	270,000	
MW/RW-10S	06/21/2016	33.02	25.62	-	-	-	-	7.40	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/21/2016	33.02	25.57	-	-	-	-	7.45	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/24/2016	33.02	25.61	-	-	-	27.80	7.41	11:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/25/2016	33.02	24.97	-	-	-	-	8.05	11:55	-	-	-	-	-	-	-	-	-	-	-	25,000	
MW/RW-10S	09/22/2016	33.02	25.68	-	-	-	27.89	7.34	12:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/20/2016	33.02	25.68	-	-	-	-	7.34	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/28/2016	33.02	25.68	-	-	-	-	7.34	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/29/2016	33.02	25.71	-	-	-	27.95	7.31	-	<3	<3	<3	<3	-	-	-	-	<5	-	-	240,000	
MW/RW-10S	12/22/2016	33.02	25.66	-	-	-	27.72	7.36	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/30/2017	33.02	25.61	-	-	-	27.97	7.41	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/21/2017	33.02	25.55	-	-	-	26.94	7.47	10:09	-	-	-	-	-	-	-	-	-	-	-	1,200,000	
MW/RW-10S	03/29/2017	32.11	25.55	-	-	-	26.97	6.56	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	04/18/2017	32.11	25.77	-	-	-	27.10	6.34	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/22/2017	32.11	25.81	-	-	-	27.00	6.30	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/23/2017	32.11	24.84	-	-	-	27.00	7.27	12:15	-	-	-	-	-	-	-	-	-	-	-	474,000	
MW/RW-10S	06/22/2017	32.11	26.02	-	-	-	27.05	6.09	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/21/2017	32.11	22.82	-	-	-	26.86	9.29	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/28/2017	32.11	22.85	-	-	-	27.00	9.26	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/29/2017	32.11	22.88	-	-	-	-	9.23	12:45	-	-	-	-	-	-	-	-	<2.0	-	2,400	54,300	
MW/RW-10S	09/05/2017	32.11	22.87	-	-	-	-	9.24	14:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/20/2017	32.11	22.95	-	-	-	-	9.16	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/03/2017	32.11	23.05	-	-	-	-	9.06	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/17/2017	32.11	23.10	-	-	-	-	9.01	11:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/02/2017	32.11	23.20	-	-	-	-	8.91	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/28/2017	32.11	23.19	-	-	-	26.98	8.92	14:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/30/2017	32.11	23.12	-	-	-	26.38	8.99	9:21	<0.50	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	48,400	48,900	
MW/RW-10S	12/05/2017	32.11	23.20	-	-	-	-	8.91	10:08	-	-	-	-	-	-	-	-	-	-	-	-	

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-10S	12/19/2017	32.11	23.24	-	-	-	-	8.87	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/03/2018	32.11	23.25	-	-	-	-	8.86	12:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/26/2018	32.11	23.33	-	-	-	-	8.78	11:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/01/2018	32.11	23.27	-	-	-	-	8.84	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/20/2018	32.11	DRY	-	-	-	-	-	12:09	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW/RW-10S	02/21/2018	32.11	23.22	-	-	-	26.98	8.89	10:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/22/2018	32.11	23.25	-	-	-	27.96	8.86	12:32	-	-	-	-	-	-	-	-	-	-	9,350	62,100	
MW/RW-10S	03/06/2018	32.11	23.15	-	-	-	-	8.96	11:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	03/29/2018	32.11	23.15	-	-	-	-	8.96	9:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	04/11/2018	32.11	23.17	-	-	-	-	8.94	8:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	04/23/2018	32.11	23.13	-	-	-	-	8.98	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/03/2018	32.11	23.12	-	-	-	-	8.99	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/03/2018	31.24	22.25	-	-	-	-	8.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/21/2018	31.24	22.26	-	-	-	26.10	8.98	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/24/2018	31.24	22.21	-	-	-	26.15	9.03	8:12	-	-	-	-	-	-	-	-	-	-	-	520,000	
MW/RW-10S	06/12/2018	31.24	22.20	-	-	-	-	9.04	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	06/26/2018	31.24	22.05	-	-	-	26.10	9.19	9:49	-	-	-	-	-	-	-	-	-	-	28,100 B	103,000	
MW/RW-10S	07/02/2018	31.24	22.07	-	-	-	-	9.17	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/17/2018	31.24	22.06	-	-	-	-	9.18	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/30/2018	31.24	21.51	-	-	-	-	9.73	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/09/2018	31.24	21.44	-	-	-	-	9.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/13/2018	31.24	21.37	-	-	-	26.03	9.87	11:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/14/2018	31.24	21.33	-	-	-	27.95	9.91	10:35	-	-	-	-	-	-	-	-	-	-	-	77,000	
MW/RW-10S	09/04/2018	31.24	21.22	-	-	-	-	10.02	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/21/2018	31.24	20.75	-	-	-	26.10	10.49	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/25/2018	31.24	25.01	-	-	-	-	-	13:31	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW/RW-10S	10/02/2018	31.24	22.26	-	-	-	27.57	-	10:10	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW/RW-10S	10/24/2018	31.24	26.75	-	-	-	27.22	-	9:53	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW/RW-10S	11/12/2018	32.82	23.02	-	-	-	-	9.80	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/13/2018	32.82	22.26	-	-	-	-	10.56	14:00	<0.2	<0.2	<0.2	<0.5	-	-	-	-	<4	-	-	12,000	
MW/RW-10S	11/27/2018	32.82	22.32	-	-	-	-	10.50	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	12/11/2018	32.82	22.48	-	-	-	-	10.34	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	12/27/2018	32.82	22.37	-	-	-	-	10.45	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/10/2019	32.82	22.57	-	-	-	-	10.25	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/24/2019	32.82	26.50	-	-	-	-	6.32	13:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/11/2019	32.82	22.91	-	-	-	27.50	9.91	12:05	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-10S	02/15/2019	32.82	22.94	-	-	-	-	9.88	8:55	-	-	-	-	-	-	-	-	-	-	-	11,000	
MW/RW-10S	02/21/2019	32.82	22.86	-	-	-	-	9.96	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	03/07/2019	32.82	24.84	-	-	-	29.48	7.98	9:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	03/19/2019	32.82	24.37	-	-	-	-	8.45	9:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	04/02/2019	32.82	24.07	-	-	-	-	8.75	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	04/22/2019	32.82	24.35	-	-	-	-	8.47	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/06/2019	32.82	23.30	-	-	-	-	9.52	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/20/2019	32.82	24.42	-	-	-	-	8.40	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/22/2019	32.82	23.02	-	-	-	-	9.80	12:58	-	-	-	-	-	-	-	-	-	-	-	12,000	
MW/RW-10S	06/04/2019	32.82	24.49	-	-	-	-	8.33	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	06/18/2019	32.82	24.53	-	-	-	-	8.29	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/09/2019	32.82	24.01	-	-	-	-	8.81	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/23/2019	32.82	23.80	-	-	-	-	9.02	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/09/2019	32.82	23.02	-	-	-	-	9.80	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/19/2019	32.82	22.94	-	-	-	27.27	9.88	11:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/21/2019	31.24	21.95	-	-	-	26.68	9.29	11:39	-	-	-	-	-	-	-	-	-	-	-	11,000	
MW/RW-10S	09/03/2019	32.82	24.57	-	-	-	-	8.25	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/17/2019	32.82	24.80	-	-	-	-	8.02	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/01/2019	32.82	25.28	-	-	-	-	7.54	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/18/2019	31.24	22.35	-	-	-	26.11	8.89	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/21/2019	31.24	22.38	-	-	-	26.09	8.86	11:05	<2	<2	<2	<8	-	-	-	-	<40	-	-	26,000	
MW/RW-10S	12/05/2019	31.24	22.38	-	-	-	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/14/2020	31.24	22.47	-	-	-	-	8.77	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/17/2020	31.24	22.52	-	-	-	26.17	8.72	12:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/19/2020	31.24	22.58	-	-	-	-	8.66	14:36	-	-	-	-	-	-	-	-	-	-	-	18,000	
MW/RW-10S	03/10/2020	31.24	22.53	-	-	-	-	8.71	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/11/2020	31.24	22.45	-	-	-	26.28	8.79	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/14/2020	31.24	22.48	-	-	-	-	8.76	8:44	<1	<1	<1	<3	<1	-	<2	<10	-	-	-	17,000	
MW/RW-10S	08/10/2020	31.24	22.05	-	-	-	26.09	9.19	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/12/2020	31.24	22.04	-	-	-	-	9.20	10:25	-	-	-	-	-	-	-	-	-	-	-	26,000	
MW-11	07/25/2014	30.85	26.90	-	-	-	33.40	3.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/08/2014	30.85	26.76	-	-	-	34.00	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/11/2014	30.85	26.57	-	-	-	-	4.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/15/2014	30.85	27.15	-	-	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-11	08/16/2014	30.85	26.81	-	-	-	34.00	4.04	-	-	-	-	-	-	-	-	-	-	-	-	423	
MW-11	08/18/2014	30.85	26.77	-	-	-	-	4.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/25/2014	30.85	26.43	-	-	-	-	4.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/02/2014	30.85	26.83	-	-	-	-	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/15/2014	30.85	26.75	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/22/2014	30.85	26.64	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/24/2014	30.85	27.08	-	-	-	-	3.77	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/01/2014	30.85	26.87	-	-	-	34.02	3.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/13/2014	30.85	26.86	-	-	-	-	3.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/20/2014	30.85	26.96	-	-	-	33.99	3.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/22/2014	30.85	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	840	
MW-11	02/24/2015	30.85	27.03	-	-	-	-	3.82	13:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	02/26/2015	30.85	27.07	-	-	-	34.00	3.78	10:18	-	-	-	-	-	-	-	-	-	-	-	920	
MW-11	03/04/2015	30.85	26.95	-	-	-	-	3.90	14:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/11/2015	30.85	26.58	-	-	-	-	4.27	12:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/18/2015	30.85	26.74	-	-	-	-	4.11	10:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/26/2015	30.85	26.56	-	-	-	33.90	4.29	11:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/02/2015	30.85	26.69	-	-	-	33.90	4.16	11:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/08/2015	30.85	27.00	-	-	-	33.82	3.85	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/13/2015	30.85	26.88	-	-	-	-	3.97	10:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/23/2015	30.85	26.40	-	-	-	33.85	4.45	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/29/2015	30.85	26.56	-	-	-	33.80	4.29	14:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/04/2015	30.85	26.39	-	-	-	-	4.46	11:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/11/2015	30.85	26.35	-	-	-	33.80	4.50	15:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/12/2015	30.85	NR	-	-	-	-	-	-	2	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	-	-	900	
MW-11	05/21/2015	30.85	26.88	-	-	-	33.90	3.97	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/28/2015	30.85	26.83	-	-	-	33.80	4.02	11:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/02/2015	30.85	26.50	-	-	-	-	4.35	12:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/09/2015	30.85	26.23	-	-	-	-	4.62	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/16/2015	30.85	26.28	-	-	-	-	4.57	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/26/2015	30.85	26.22	-	-	-	33.80	4.63	10:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/01/2015	30.85	25.73	-	-	-	-	5.12	12:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/04/2015	30.85	25.94	-	-	-	33.86	4.91	12:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/05/2015	30.85	26.31	-	-	-	33.84	4.54	8:46	-	-	-	-	-	-	-	-	-	-	-	5,300	
MW-11	09/28/2015	30.85	25.92	25.90	0.02	-	33.92	4.95	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/05/2015	30.85	25.72	-	-	-	33.92	5.13	9:29	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-11	11/10/2015	30.85	26.35	-	-	-	-	4.50	13:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	12/01/2015	30.85	26.48	-	-	-	33.92	4.37	13:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	12/02/2015	30.85	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,000	
MW-11	01/27/2016	30.85	26.68	-	-	-	-	4.17	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	02/15/2016	30.85	27.03	-	-	-	-	3.82	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/14/2016	30.85	26.63	-	-	-	34.06	4.22	8:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/21/2016	30.85	26.97	-	-	-	-	3.88	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/23/2016	30.85	27.68	-	-	-	32.83	3.17	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/21/2016	30.85	26.03	-	-	-	-	4.82	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/21/2016	30.85	25.75	-	-	-	-	5.10	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/24/2016	30.85	25.35	-	-	-	30.69	5.50	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/28/2016	30.85	26.25	-	-	-	-	4.60	8:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/29/2016	30.85	26.53	-	-	-	29.60	4.32	9:43	-	-	-	-	-	-	-	-	-	-	-	770	
MW-11	02/21/2017	30.85	26.25	-	-	-	29.40	4.60	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/22/2017	30.85	26.88	-	-	-	-	3.97	12:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/28/2017	30.85	DRY	-	-	-	29.21	-	9:40	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	09/05/2017	30.85	DRY	-	-	-	29.03	-	14:00	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	09/20/2017	30.85	DRY	-	-	-	29.03	-	10:34	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	10/03/2017	30.85	DRY	-	-	-	29.03	-	11:10	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	10/17/2017	30.85	DRY	-	-	-	29.03	-	11:53	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	11/02/2017	30.85	DRY	-	-	-	29.03	-	11:15	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	11/28/2017	30.85	DRY	-	-	-	29.03	-	11:17	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	12/05/2017	30.85	DRY	-	-	-	29.03	-	10:05	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	01/03/2018	30.85	DRY	-	-	-	29.03	-	12:00	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	01/26/2018	30.85	DRY	-	-	-	29.03	-	11:08	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	02/01/2018	30.85	DRY	-	-	-	29.03	-	10:20	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-11	02/20/2018	30.85	28.20	-	-	-	29.11	2.65	10:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/06/2018	30.85	27.58	-	-	-	-	3.27	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/29/2018	30.85	26.98	-	-	-	-	3.87	9:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/11/2018	30.85	27.36	-	-	-	-	3.49	8:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/23/2018	30.85	27.23	-	-	-	-	3.62	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/03/2018	30.85	27.18	-	-	-	-	3.67	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/21/2018	30.85	26.28	-	-	-	29.21	4.57	14:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/12/2018	30.85	25.95	-	-	-	-	4.90	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/26/2018	30.85	26.17	-	-	-	29.03	4.68	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/02/2018	30.85	26.12	-	-	-	-	4.73	10:28	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-11	07/17/2018	30.85	26.10	-	-	-	-	4.75	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/30/2018	30.85	25.16	-	-	-	-	5.69	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/09/2018	30.85	24.95	-	-	-	-	5.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/13/2018	30.85	27.79	-	-	-	31.37	3.06	11:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/04/2018	30.85	24.82	-	-	-	-	6.03	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/25/2018	30.85	24.13	-	-	-	-	6.72	13:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/02/2018	30.85	24.24	-	-	-	-	6.61	12:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/24/2018	30.85	25.79	-	-	-	-	5.06	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/12/2018	30.85	24.75	-	-	-	-	6.10	13:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/13/2018	30.85	24.52	-	-	-	28.52	6.33	10:35	-	-	-	-	-	-	-	-	-	-	-	7,300	
MW-11	11/27/2018	30.85	24.27	-	-	-	-	6.58	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	12/11/2018	30.85	25.02	-	-	-	-	5.83	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	12/27/2018	30.85	24.87	-	-	-	-	5.98	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	01/10/2019	30.85	25.19	-	-	-	-	5.66	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	01/24/2019	30.85	24.95	-	-	-	-	5.90	9:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	02/11/2019	30.85	25.09	-	-	-	29.81	5.76	13:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	02/21/2019	30.85	24.87	-	-	-	30.03	5.98	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/07/2019	30.85	25.08	-	-	-	-	5.77	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/19/2019	30.85	25.12	-	-	-	-	5.73	13:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/02/2019	30.85	25.01	-	-	-	-	5.84	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/22/2019	30.85	25.15	-	-	-	-	5.70	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/06/2019	30.85	25.07	-	-	-	-	5.78	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/20/2019	30.85	24.80	-	-	-	30.17	6.05	10:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/04/2019	30.85	25.27	-	-	-	-	5.58	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/18/2019	30.85	25.28	-	-	-	-	5.57	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/09/2019	30.85	24.92	-	-	-	-	5.93	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/23/2019	30.85	25.07	-	-	-	-	5.78	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/09/2019	30.85	25.19	-	-	-	-	5.66	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/19/2019	30.85	25.20	-	-	-	29.83	5.65	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/03/2019	30.85	25.29	-	-	-	-	5.56	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/17/2019	30.85	25.86	-	-	-	-	4.99	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/01/2019	30.85	26.07	-	-	-	-	4.78	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/18/2019	30.85	25.89	-	-	-	29.07	4.96	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/21/2019	30.85	26.48	-	-	-	29.17	4.37	14:15	-	-	-	-	-	-	-	-	-	-	-	5,000	
MW-11	12/05/2019	30.85	26.45	-	-	-	-	4.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	01/14/2020	30.85	26.68	-	-	-	-	4.17	11:43	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-11	02/17/2020	30.85	26.34	-	-	-	28.82	4.51	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/10/2020	30.85	26.47	-	-	-	-	4.38	9:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/11/2020	30.85	26.82	-	-	-	-	4.03	12:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/10/2020	30.85	DRY	-	-	-	29.04	-	9:12	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW/RW-14	07/31/2014	31.22	28.04	-	-	-	38.15	3.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/08/2014	31.22	28.21	-	-	-	38.14	3.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/11/2014	31.22	27.81	-	-	-	-	3.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/15/2014	31.22	27.43	-	-	-	-	3.79	-	-	-	-	-	-	-	-	-	-	-	-	305	
MW/RW-14	08/18/2014	31.22	27.17	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/25/2014	31.22	26.83	-	-	-	-	4.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	09/02/2014	31.22	27.25	-	-	-	-	3.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	09/15/2014	31.22	27.15	-	-	-	-	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	09/22/2014	31.22	27.04	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/01/2014	31.22	27.23	-	-	-	37.28	3.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/13/2014	31.22	27.25	27.25	TRACE	-	-	3.97	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-14	10/20/2014	31.22	27.32	-	-	-	37.30	3.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/22/2014	31.22	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,100	
MW/RW-14	02/24/2015	31.22	27.42	-	-	-	37.31	3.80	13:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/25/2015	31.22	27.46	-	-	-	37.31	3.76	10:47	-	-	-	-	-	-	-	-	-	-	-	6,000	
MW/RW-14	03/04/2015	31.22	27.39	-	-	-	-	3.83	14:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/11/2015	31.22	26.94	-	-	-	-	4.28	12:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/18/2015	31.22	27.13	-	-	-	-	4.09	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/26/2015	31.22	26.92	-	-	-	37.30	4.30	11:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/02/2015	31.22	27.04	-	-	-	37.25	4.18	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/08/2015	31.22	27.30	-	-	-	37.21	3.92	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/13/2015	31.22	27.30	-	-	-	-	3.92	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/23/2015	31.22	26.72	-	-	-	37.25	4.50	11:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/29/2015	31.22	26.94	-	-	-	37.25	4.28	14:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/04/2015	31.22	26.77	-	-	-	-	4.45	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/11/2015	31.22	26.71	-	-	-	37.37	4.51	14:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/12/2015	31.22	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,500	
MW/RW-14	05/21/2015	31.22	26.93	-	-	-	37.33	4.29	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/28/2015	31.22	27.25	-	-	-	37.25	3.97	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/02/2015	31.22	26.92	-	-	-	-	4.30	12:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/09/2015	31.22	26.67	-	-	-	-	4.55	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/16/2015	31.22	26.73	-	-	-	-	4.49	11:15	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-14	06/26/2015	31.22	26.65	-	-	-	37.30	4.57	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/01/2015	31.22	26.12	-	-	-	-	5.10	12:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/04/2015	31.22	26.26	-	-	-	37.28	4.96	12:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/05/2015	31.22	26.75	-	-	-	37.27	4.47	8:50	-	-	-	-	-	-	-	-	-	-	-	7,300	Sheen
MW/RW-14	12/01/2015	31.22	26.88	-	-	-	37.30	4.34	13:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	12/02/2015	31.22	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,600	
MW/RW-14	03/14/2016	31.22	26.93	-	-	-	37.30	4.29	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/15/2016	31.22	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28,000	
MW/RW-14	04/21/2016	31.22	28.05	27.42	0.63	0.75	-	3.72	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/05/2016	31.22	29.03	28.20	0.83	-	-	2.92	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/23/2016	31.22	26.82	26.81	0.01	-	-	4.41	11:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/21/2016	31.22	28.18	27.77	0.41	0.06	-	3.40	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/21/2016	31.22	28.85	27.90	0.95	0.44	-	3.20	11:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/04/2016	31.33	28.32	27.75	0.57	0.00	-	3.51	12:00	-	-	-	-	-	-	-	-	-	-	-	-	installed pump & lines & started
MW/RW-14	08/24/2016	31.33	30.32	-	-	-	-	1.01	10:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	08/25/2016	31.33	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15,000	pump in well
MW/RW-14	09/22/2016	31.33	31.30	-	-	-	-	0.03	13:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	10/20/2016	31.33	31.22	-	-	-	-	0.11	11:14	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	11/28/2016	31.33	30.87	-	-	-	-	0.46	10:12	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	11/29/2016	31.33	27.47	-	-	-	-	3.86	12:25	-	-	-	-	-	-	-	-	-	-	-	110,000	pump in well
MW/RW-14	12/22/2016	31.33	30.25	-	-	-	-	1.08	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	01/30/2017	31.33	27.67	-	-	-	-	3.66	12:16	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	02/21/2017	31.33	30.20	-	-	-	-	1.13	12:40	-	-	-	-	-	-	-	-	-	-	-	5,600	pump in well
MW/RW-14	03/29/2017	31.33	31.35	-	-	-	-	-0.02	12:27	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	04/18/2017	31.33	31.35	-	-	-	-	-0.02	12:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	05/18/2017	31.33	31.40	-	-	-	-	-0.07	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	05/22/2017	31.33	27.11	-	-	-	-	4.22	12:57	-	-	-	-	-	-	-	-	-	-	-	1,390	pump in well
MW/RW-14	06/22/2017	31.33	31.45	-	-	-	-	-0.12	12:08	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	07/06/2017	31.33	31.10	-	-	-	-	0.23	13:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	08/21/2017	31.33	32.20	-	-	-	-	-0.87	9:48	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	08/28/2017	31.33	32.20	-	-	-	-	-0.87	9:15	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	08/31/2017	31.33	32.50	-	-	-	36.48	-1.17	9:15	-	-	-	-	-	-	-	-	-	-	-	7,380	pump in well
MW/RW-14	09/20/2017	31.33	32.18	-	-	-	-	-0.85	10:25	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	10/17/2017	31.33	31.40	-	-	-	-	-0.07	11:47	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	11/28/2017	31.33	31.47	-	-	-	-	-0.14	11:40	-	-	-	-	-	-	-	-	-	-	-	-	pump in well

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-14	11/30/2017	31.33	NR	-	-	-	-	-	11:00	-	-	-	-	-	-	-	-	-	-	218	1,000	pump in well
MW/RW-14	01/26/2018	31.33	31.35	-	-	-	-	-0.02	12:45	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	02/20/2018	31.33	31.42	-	-	-	-	-0.09	11:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	02/21/2018	31.33	-	-	-	-	-	-	14:30	-	-	-	-	-	-	-	-	-	-	-	<83	pump in well
MW/RW-14	03/06/2018	31.33	27.5	-	-	-	-	3.83	12:23	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	03/29/2018	31.33	27.22	-	-	-	-	4.11	9:31	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	04/11/2018	31.33	27.75	-	-	-	-	3.58	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/23/2018	31.33	27.73	-	-	-	-	3.60	9:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/03/2018	31.33	27.6	-	-	-	-	3.73	9:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/24/2018	31.33	26.62	-	-	-	36.53	4.71	8:15	-	-	-	-	-	-	-	-	-	-	-	16,500	
MW/RW-14	06/12/2018	31.33	26.4	-	-	-	-	4.93	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/26/2018	31.33	26.55	-	-	-	36.52	4.78	9:59	-	-	-	-	-	-	-	-	-	-	6,720 B	41,700	
MW/RW-14	07/02/2018	31.33	26.69	-	-	-	-	4.64	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/17/2018	31.33	26.75	-	-	-	-	4.58	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/30/2018	31.33	26.27	-	-	-	39.54	5.06	10:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/09/2018	31.33	26.38	-	-	-	-	4.95	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	08/13/2018	31.33	26.3	-	-	-	-	5.03	12:26	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	08/15/2018	31.33	30.89	-	-	-	-	0.44	9:35	-	-	-	-	-	-	-	-	-	-	-	67 J	pump in well
MW/RW-14	09/04/2018	31.33	26.60	-	-	-	-	4.73	10:25	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	09/25/2018	31.33	25.53	-	-	-	-	5.80	13:18	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	10/02/2018	31.33	25.76	-	-	-	-	5.57	12:04	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	10/24/2018	31.33	26.59	-	-	-	-	4.74	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	11/12/2018	32.92	27.20	-	-	-	-	5.72	13:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	11/13/2018	32.92	26.93	-	-	-	-	5.99	13:30	-	-	-	-	-	-	-	-	-	-	-	3,300	
MW/RW-14	11/27/2018	32.92	26.55	-	-	-	-	6.37	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	12/11/2018	32.92	27.4	-	-	-	-	5.52	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	12/27/2018	32.92	27.22	-	-	-	-	5.70	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	01/10/2019	32.92	28.12	-	-	-	-	4.80	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	01/24/2019	32.92	27.42	-	-	-	-	5.50	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/11/2019	32.92	27.93	-	-	-	-	4.99	12:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/13/2019	32.92	27.67	-	-	-	-	5.25	9:22	-	-	-	-	-	-	-	-	-	-	-	2,800	
MW/RW-14	02/21/2019	32.92	26.98	-	-	-	-	5.94	10:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/07/2019	32.92	29.02	-	-	-	29.40	3.90	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/19/2019	32.92	28.90	-	-	-	-	4.02	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/02/2019	32.92	29.05	-	-	-	-	3.87	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/22/2019	32.92	28.94	-	-	-	-	3.98	9:20	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-14	05/06/2019	32.92	27.07	-	-	-	-	5.85	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/20/2019	32.92	26.85	-	-	-	38.02	6.07	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/22/2019	32.92	29.00	-	-	-	-	3.92	13:10	-	-	-	-	-	-	-	-	-	-	-	1,300	
MW/RW-14	06/04/2019	32.92	28.99	-	-	-	-	3.93	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/18/2019	32.92	28.86	-	-	-	-	4.06	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/09/2019	32.92	28.67	-	-	-	-	4.25	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/23/2019	32.92	28.93	-	-	-	-	3.99	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/09/2019	32.92	27.48	-	-	-	-	5.44	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/19/2019	32.92	27.38	-	-	-	39.79	5.54	11:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/20/2019	31.33	26.45	-	-	-	37.34	4.88	10:14	-	-	-	-	-	-	-	-	-	-	-	830	
MW/RW-14	09/03/2019	32.92	29.20	-	-	-	-	3.72	9:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	09/17/2019	32.92	29.25	-	-	-	-	3.67	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/01/2019	32.92	29.10	-	-	-	-	3.82	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	11/18/2019	31.33	26.28	26.28	TRACE	-	37.27	5.05	12:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	11/19/2019	31.33	26.26	-	-	-	-	5.07	10:13	-	-	-	-	-	-	-	-	-	-	-	3,600	
MW/RW-14	12/05/2019	31.33	27.05	-	-	-	-	4.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	01/14/2020	31.33	26.94	-	-	-	-	4.39	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/17/2020	31.33	27.06	-	-	-	31..49	4.27	10:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/19/2020	31.33	27.07	-	-	-	-	4.26	12:10	-	-	-	-	-	-	-	-	-	-	-	2,500	
MW/RW-14	03/10/2020	31.33	26.84	-	-	-	-	4.49	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/11/2020	31.33	27.28	-	-	-	36.57	4.05	13:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/14/2020	31.33	28.10	-	-	-	-	3.23	11:17	<0.2	0.5 J	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	3,800	
MW/RW-14	08/10/2020	31.33	DRY	-	-	-	36.93	-	9:38	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-15S	08/08/2014	31.03	26.11	-	-	-	26.20	4.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/11/2014	31.03	26.11	-	-	-	-	4.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/15/2014	31.03	24.00	-	-	-	-	7.03	-	-	-	-	-	-	-	-	-	-	-	-	909	
MW-15S	08/18/2014	31.03	24.67	-	-	-	-	6.36	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/25/2014	31.03	24.82	-	-	-	-	6.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	09/02/2014	31.03	24.82	-	-	-	-	6.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	09/15/2014	31.03	24.96	-	-	-	-	6.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	09/22/2014	31.03	25.06	-	-	-	-	5.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	10/01/2014	31.03	25.20	-	-	-	25.88	5.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	10/13/2014	31.03	26.37	-	-	-	-	4.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	10/20/2014	31.03	25.45	-	-	-	25.90	5.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	10/22/2014	31.03	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,800	
MW-15S	02/26/2015	31.03	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,800	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-15S	05/11/2015	31.03	25.33	-	-	-	26.00	5.70	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	05/12/2015	31.03	25.35	-	-	-	-	5.68	12:10	-	-	-	-	-	-	-	-	-	-	-	1,800	
MW-15S	08/04/2015	31.03	22.16	-	-	-	25.90	8.87	9:47	-	-	-	-	-	-	-	-	-	-	-	5,900	
MW-15S	12/01/2015	31.03	25.46	-	-	-	25.88	5.57	11:03	-	-	-	-	-	-	-	-	-	-	-	4,200	
MW-15S	03/14/2016	31.03	25.58	-	-	-	26.00	5.45	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	05/23/2016	31.03	25.29	-	-	-	26.00	5.74	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	07/21/2016	31.03	25.44	-	-	-	-	5.59	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/24/2016	31.03	22.07	-	-	-	25.86	8.96	12:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	11/28/2016	31.03	25.15	-	-	-	26.70	5.88	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	11/29/2016	31.03	25.14	-	-	-	25.94	5.89	9:47	-	-	-	-	-	-	-	-	-	-	-	160	
MW-15S	02/21/2017	31.03	25.45	-	-	-	25.90	5.58	11:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	05/22/2017	31.03	24.60	-	-	-	25.90	6.43	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/28/2017	31.03	25.45	-	-	-	25.91	5.58	11:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/29/2017	31.03	25.33	-	-	-	25.96	5.70	13:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	11/28/2017	31.03	25.47	-	-	-	25.60	5.56	14:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	11/30/2017	31.03	25.40	-	-	-	25.93	5.63	9:50	-	-	-	-	-	-	-	-	-	-	-	1,750	
MW-15S	02/20/2018	31.03	21.60	-	-	-	25.90	9.43	12:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	05/21/2018	31.03	23.57	-	-	-	25.95	7.46	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	05/22/2018	31.03	23.41	-	-	-	25.95	7.62	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/13/2018	31.03	23.99	-	-	-	27.92	7.04	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	11/12/2018	31.03	21.28	-	-	-	25.90	9.75	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	11/13/2018	31.03	20.62	-	-	-	25.90	10.41	9:42	-	-	-	-	-	-	-	-	-	-	-	360	
MW-15S	02/11/2019	31.03	21.59	-	-	-	25.94	9.44	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	05/20/2019	31.03	22.00	-	-	-	26.52	9.03	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/19/2019	31.03	21.72	-	-	-	26.81	9.31	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	11/18/2019	31.03	23.49	-	-	-	26.18	7.54	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	11/22/2019	31.03	23.59	-	-	-	25.92	7.44	9:43	-	-	-	-	-	-	-	-	-	-	-	160	
MW-15S	02/17/2020	31.03	25.02	-	-	-	25.88	6.01	11:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	05/11/2020	31.03	24.18	-	-	-	25.91	6.85	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/10/2020	31.03	25.11	-	-	-	25.89	5.92	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16S	08/15/2014	31.03	24.13	-	-	-	24.61	6.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16S	08/16/2014	31.03	24.12	-	-	-	24.48	6.91	-	-	-	-	-	-	-	-	-	-	-	-	1,720	
MW-16S	08/18/2014	31.03	24.13	-	-	-	-	6.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16S	08/25/2014	31.03	24.24	-	-	-	-	6.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16S	09/02/2014	31.03	DRY	-	-	-	24.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	09/15/2014	31.03	DRY	-	-	-	24.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-16S	09/22/2014	31.03	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	10/01/2014	31.03	DRY	-	-	-	24.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	10/10/2014	31.03	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	10/20/2014	31.03	DRY	-	-	-	24.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	02/24/2015	31.03	DRY	-	-	-	24.70	-	15:36	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	05/11/2015	31.03	DRY	-	-	-	24.70	-	10:15	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	08/04/2015	31.03	22.63	-	-	-	24.62	8.40	9:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16S	09/09/2015	31.03	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	
MW-16S	12/01/2015	31.03	DRY	-	-	-	24.64	-	11:07	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	03/14/2016	31.03	DRY	-	-	-	24.70	-	8:45	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	05/23/2016	31.03	DRY	-	-	-	24.82	-	11:15	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	08/24/2016	31.03	DRY	-	-	-	24.65	-	12:18	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	11/28/2016	31.03	DRY	-	-	-	24.68	-	8:21	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	02/21/2017	31.03	DRY	-	-	-	24.67	-	11:10	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	05/22/2017	31.03	DRY	-	-	-	24.55	-	11:10	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	08/28/2017	31.03	DRY	-	-	-	24.69	-	11:05	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	11/28/2017	31.03	DRY	-	-	-	24.62	-	11:33	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	02/20/2018	31.03	DRY	-	-	-	25.87	-	10:40	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	05/21/2018	31.03	DRY	-	-	-	24.68	-	11:37	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	08/13/2018	31.03	DRY	-	-	-	25.29	-	10:00	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	11/12/2018	31.03	21.21	-	-	-	24.62	9.82	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16S	02/11/2019	31.03	21.73	-	-	-	24.82	9.30	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16S	05/20/2019	31.03	21.86	-	-	-	24.87	9.17	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16S	08/19/2019	31.03	21.89	-	-	-	24.81	9.14	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16S	11/18/2019	31.03	DRY	-	-	-	24.69	-	10:20	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	02/17/2020	31.03	DRY	-	-	-	24.68	-	11:03	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	05/11/2020	31.03	DRY	-	-	-	24.69	-	9:53	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16S	08/10/2020	31.03	DRY	-	-	-	24.68	-	10:41	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-16	08/15/2014	30.97	26.78	-	-	-	35.74	4.19	-	-	-	-	-	-	-	-	-	-	-	-	<300	
MW-16	08/18/2014	30.97	26.73	-	-	-	-	4.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	08/25/2014	30.97	26.55	-	-	-	-	4.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	09/02/2014	30.97	26.91	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	09/15/2014	30.97	26.76	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	09/22/2014	30.97	26.80	-	-	-	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	10/01/2014	30.97	26.95	-	-	-	35.53	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	10/10/2014	30.97	26.85	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-16	10/20/2014	30.97	27.19	-	-	-	35.61	3.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	10/22/2014	30.97	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.02	<20	-	<45	
MW-16	02/24/2015	30.97	27.25	-	-	-	35.61	3.72	13:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	02/25/2015	30.97	27.23	-	-	-	35.62	3.74	11:14	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.03	<20	-	<45	
MW-16	05/11/2015	30.97	26.43	-	-	-	35.60	4.54	14:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	05/12/2015	30.97	26.90	-	-	-	-	4.07	9:52	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	<20	-	<45	
MW-16	08/04/2015	30.97	24.75	-	-	-	35.55	6.22	12:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	08/05/2015	30.97	25.04	-	-	-	35.53	5.93	9:51	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-16	12/01/2015	30.97	26.55	-	-	-	27.90	4.42	13:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	03/14/2016	30.97	26.67	-	-	-	35.55	4.30	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	05/23/2016	30.97	26.65	-	-	-	35.82	4.32	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	08/24/2016	30.97	26.75	-	-	-	35.55	4.22	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	11/28/2016	30.97	27.24	-	-	-	35.49	3.73	8:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	11/29/2016	30.97	27.05	-	-	-	35.80	3.92	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	<1	-	-	<45	
MW-16	02/21/2017	30.97	27.73	-	-	-	35.63	3.24	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	02/22/2017	30.97	27.39	-	-	-	-	3.58	10:00	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-16	05/22/2017	30.97	26.64	-	-	-	-	4.33	12:51	-	-	-	-	-	-	-	-	-	-	-	<64	
MW-16	08/28/2017	30.97	31.87	-	-	-	35.05	-0.90	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	08/30/2017	30.97	31.69	-	-	-	35.57	-0.72	12:44	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-16	11/28/2017	30.97	29.93	-	-	-	35.59	1.04	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	11/30/2017	30.97	29.85	-	-	-	35.59	1.12	10:15	<0.50	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	-	103	
MW-16	02/20/2018	30.97	27.86	-	-	-	36.16	3.11	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	02/20/2018	30.97	27.91	-	-	-	35.55	3.06	13:28	-	-	-	-	-	-	-	-	-	-	-	103	
MW-16	05/21/2018	30.97	26.17	-	-	-	35.69	4.80	14:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	05/22/2018	30.97	26.41	-	-	-	35.60	4.56	9:48	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-16	08/13/2018	30.97	24.17	-	-	-	35.55	6.80	11:40	-	-	-	-	-	-	-	-	-	-	-	66 J	
MW-16	11/12/2018	30.97	21.92	-	-	-	35.38	9.05	12:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	11/14/2018	30.97	22.02	-	-	-	35.57	8.95	9:30	<0.2	<0.2	<0.2	<0.5	-	-	-	-	<4	-	-	230	
MW-16	02/11/2019	30.97	22.24	-	-	-	35.60	8.73	12:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	02/13/2019	30.97	22.07	-	-	-	34.78	8.90	13:29	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-16	05/20/2019	30.97	22.29	-	-	-	35.85	8.68	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	05/21/2019	30.97	22.37	-	-	-	35.54	8.60	9:32	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-16	08/19/2019	30.97	22.26	-	-	-	36.08	8.71	11:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	08/20/2019	30.97	22.31	-	-	-	34.88	8.66	9:02	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-16	11/18/2019	30.97	25.03	-	-	-	35.23	5.94	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	11/22/2019	30.97	25.06	-	-	-	35.51	5.91	8:55	<0.2	<0.2	<0.2	<0.8	-	-	-	-	<4	-	-	<53	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-16	02/17/2020	30.97	25.15	-	-	-	35.49	5.82	11:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	02/18/2020	30.97	25.08	-	-	-	-	5.89	9:20	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-16	05/11/2020	30.97	25.28	-	-	-	35.48	5.69	13:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	05/13/2020	30.97	25.81	-	-	-	-	5.16	21:26	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	<53	
MW-16	08/10/2020	30.97	DRY	-	-	-	35.49	-	9:07	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-25S	08/08/2014	31.07	23.64	-	-	-	25.80	7.43	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/11/2014	31.07	22.35	-	-	-	-	8.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/15/2014	31.07	21.94	-	-	-	-	9.13	-	-	-	-	-	-	-	-	-	-	-	-	49,000	
MW-25S	08/18/2014	31.07	21.95	-	-	-	-	9.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/25/2014	31.07	21.98	-	-	-	-	9.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/02/2014	31.07	21.99	-	-	-	-	9.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/15/2014	31.07	22.04	-	-	-	-	9.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/22/2014	31.07	22.50	-	-	-	-	8.57	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/24/2014	31.07	22.12	22.12	TRACE	-	-	8.95	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	10/01/2014	31.07	22.07	-	-	-	25.47	9.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/10/2014	31.07	22.09	22.09	TRACE	-	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	10/13/2014	31.07	22.13	22.11	0.02	TRACE	-	8.96	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/20/2014	31.07	22.19	22.18	0.01	TRACE	-	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/27/2014	31.07	22.10	22.09	0.01	TRACE	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/27/2014	31.07	22.10	22.09	0.01	TRACE	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/07/2014	31.07	22.08	22.07	0.01	TRACE	-	9.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/12/2014	31.07	22.28	22.10	0.18	0.06	-	8.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/21/2014	31.07	22.43	22.18	0.25	0.09	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/26/2014	31.07	22.37	22.17	0.20	0.06	-	8.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/05/2014	31.07	22.57	22.20	0.37	-	25.50	8.82	-	-	-	-	-	-	-	-	-	-	-	-	840,000	HIT event
MW-25S	12/11/2014	31.07	22.22	22.21	0.01	TRACE	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/16/2014	31.07	22.38	22.11	0.27	0.03	-	8.93	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/23/2014	31.07	22.43	22.13	0.30	0.05	-	8.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/30/2014	31.07	22.50	22.20	0.30	0.04	-	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/09/2015	31.07	22.49	22.19	0.30	-	-	8.84	-	-	-	-	-	-	-	-	-	-	-	-	2,200,000	HIT event
MW-25S	01/16/2015	31.07	22.60	22.48	0.12	0.01	-	8.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/19/2015	31.07	22.34	22.25	0.09	0.01	-	8.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/26/2015	31.07	22.30	22.16	0.14	0.02	-	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/03/2015	31.07	22.25	-	-	-	25.50	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/09/2015	31.07	22.31	22.14	0.17	-	-	8.91	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	02/18/2015	31.07	22.37	22.18	0.19	-	-	8.87	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-25S	02/24/2015	31.07	22.59	22.28	0.31	-	-	8.75	14:03	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	03/04/2015	31.07	22.48	22.30	0.18	-	-	8.75	14:31	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	03/11/2015	31.07	22.50	22.30	0.20	-	-	8.75	13:04	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	03/18/2015	31.07	22.46	22.23	0.23	-	-	8.81	11:26	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	03/26/2015	31.07	22.35	22.17	0.18	-	25.50	8.88	11:59	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	04/02/2015	31.07	22.40	22.18	0.22	-	25.45	8.86	12:06	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	04/08/2015	31.07	22.40	22.08	0.32	-	25.47	8.95	9:15	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	04/13/2015	31.07	22.50	22.22	0.28	-	-	8.82	11:03	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	04/23/2015	31.07	22.39	22.16	0.23	-	25.50	8.88	12:25	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	04/29/2015	31.07	22.35	22.12	0.23	-	25.50	8.92	14:48	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	05/04/2015	31.07	22.47	22.19	0.28	-	-	8.85	12:04	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	05/11/2015	31.07	22.45	22.20	0.25	-	-	8.84	11:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	05/21/2015	31.07	22.40	22.23	0.17	-	-	8.82	12:53	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	05/28/2015	31.07	22.60	22.27	0.33	-	25.50	8.76	12:06	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	06/02/2015	31.07	22.53	22.25	0.28	-	-	8.79	13:24	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	06/09/2015	31.07	22.38	22.16	0.22	-	-	8.88	10:46	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	06/16/2015	31.07	22.37	22.13	0.24	-	-	8.91	11:40	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	06/26/2015	31.07	22.35	22.12	0.23	-	25.40	8.92	11:28	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	07/01/2015	31.07	22.23	22.04	0.19	-	-	9.01	12:18	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	07/08/2015	31.07	22.08	21.88	0.20	0.04	-	9.17	12:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/13/2015	31.07	21.89	21.74	0.15	-	-	9.31	9:48	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW-25S	07/20/2015	31.07	21.37	21.33	0.04	TRACE	-	9.74	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/28/2015	31.07	21.20	-	-	-	25.49	9.87	12:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/04/2015	31.07	21.28	21.24	TRACE	TRACE	-	9.79	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/11/2015	31.07	21.37	21.36	0.01	0.01	25.49	9.71	11:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/18/2015	31.07	21.51	21.46	0.05	TRACE	-	9.60	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/24/2015	31.07	21.60	21.54	0.06	TRACE	-	9.52	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/02/2015	31.07	21.76	21.69	0.07	0.01	25.47	9.37	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/09/2015	31.07	21.81	21.77	0.04	0.01	25.49	9.30	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/17/2015	31.07	21.92	21.89	0.03	0.01	25.52	9.18	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/23/2015	31.07	21.92	21.89	0.03	TRACE	-	9.18	11:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/28/2015	31.07	21.96	21.92	0.04	TRACE	25.48	9.15	9:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/05/2015	31.07	22.01	21.98	0.03	TRACE	25.51	9.09	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/10/2015	31.07	22.09	22.06	0.03	TRACE	-	9.01	13:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/01/2015	31.07	22.19	22.16	0.03	-	25.43	8.91	12:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	01/27/2016	31.07	22.10	22.08	0.02	-	-	8.99	10:56	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-25S	02/15/2016	31.07	22.10	22.07	0.03	TRACE	-	9.00	10:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	03/14/2016	31.07	22.02	-	-	-	25.50	9.05	9:20	-	-	-	-	-	-	-	-	-	-	-	-	strong product odor
MW-25S	04/21/2016	31.07	22.38	22.35	0.03	TRACE	-	8.72	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/23/2016	31.07	22.16	22.14	0.02	TRACE	-	8.93	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	06/21/2016	31.07	22.17	22.13	0.04	TRACE	-	8.94	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/21/2016	31.07	22.02	-	-	-	-	9.05	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/24/2016	31.07	22.07	-	-	-	25.65	9.00	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/25/2016	31.07	22.16	-	-	-	25.52	8.91	11:15	-	-	-	-	-	-	-	-	-	-	-	24,000	
MW-25S	11/28/2016	31.07	22.48	-	-	-	25.49	8.59	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/29/2016	31.07	22.51	-	-	-	25.51	8.56	-	3	<0.5	4	2	-	-	-	-	9	-	-	1,200,000	Sheen
MW-25S	02/21/2017	31.07	23.62	23.60	0.02	TRACE	25.41	7.47	11:14	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	03/28/2017	31.07	23.83	-	-	-	25.43	7.24	15:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	03/29/2017	33.28	25.35	-	-	-	25.57	7.93	12:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/18/2017	33.28	27.08	-	-	-	27.17	6.20	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/22/2017	33.28	23.67	-	-	-	27.16	9.61	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/23/2017	33.28	22.03	-	-	-	27.20	11.25	13:10	-	-	-	-	-	-	-	-	-	-	-	42,500	
MW-25S	06/22/2017	33.28	27.05	-	-	-	27.19	6.23	11:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/19/2017	33.28	27.08	-	-	-	27.15	6.20	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/21/2017	33.28	23.56	-	-	-	27.32	9.72	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/28/2017	33.28	23.70	-	-	-	27.35	9.58	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/31/2017	33.28	23.68	-	-	-	27.34	9.60	9:23	-	-	-	-	-	-	-	-	-	-	1,640	32,200	
MW-25S	09/05/2017	33.28	23.63	-	-	-	-	9.65	13:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/20/2017	33.28	23.74	-	-	-	-	9.54	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/03/2017	33.28	23.88	-	-	-	-	9.40	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/17/2017	33.28	23.92	-	-	-	-	9.36	11:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/02/2017	33.28	23.98	-	-	-	-	9.30	11:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/28/2017	33.28	24.00	-	-	-	27.28	9.28	14:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/29/2017	33.28	24.00	-	-	-	27.33	9.28	13:27	<0.50	<1.0	<1.0	<1.0	-	-	-	-	1.3 J	-	55,900	56,500	
MW-25S	12/05/2017	33.28	DRY	-	-	-	24.02	-	10:12	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-25S	12/19/2017	33.28	24.13	-	-	-	-	9.15	10:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/18/2018	33.28	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	834	34,600	
MW-25S	01/18/2018	33.28	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27,500	30,300	
MW-25S	01/18/2018	33.28	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,670	34,200	
MW-25S	01/03/2018	33.28	24.25	-	-	-	-	9.03	12:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/26/2018	33.28	24.55	-	-	-	-	8.73	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/01/2018	33.28	24.43	-	-	-	-	8.85	10:26	-	-	-	-	-	-	-	-	-	-	-	-	

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-25S	02/20/2018	33.28	24.10	-	-	-	27.24	9.18	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/21/2018	33.28	24.08	-	-	-	27.35	9.20	14:45	-	-	-	-	-	-	-	-	-	-	4,660	36,000	
MW-25S	03/06/2018	33.28	23.95	-	-	-	-	9.33	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	03/29/2018	33.28	23.88	-	-	-	-	9.40	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/11/2018	33.28	24.02	-	-	-	-	9.26	9:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/23/2018	33.28	23.88	-	-	-	-	9.40	9:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/03/2018	33.28	23.85	-	-	-	-	9.43	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/03/2018	31.22	22.08	-	-	-	-	9.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/21/2018	31.22	21.81	-	-	-	25.44	9.41	9:58	-	-	-	-	-	-	-	-	-	-	-	64,100	
MW-25S	06/12/2018	31.22	21.91	-	-	-	-	9.31	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	06/26/2018	31.22	21.84	-	-	-	25.43	9.38	10:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/02/2018	31.22	21.85	-	-	-	-	9.37	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/17/2018	31.22	21.89	-	-	-	-	9.33	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/30/2018	31.22	21.33	-	-	-	-	9.89	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/09/2018	31.22	21.27	-	-	-	-	9.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/13/2018	31.22	21.20	-	-	-	25.46	10.02	11:54	-	-	-	-	-	-	-	-	-	-	-	34,000	
MW-25S	09/04/2018	31.22	20.88	-	-	-	-	10.34	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/25/2018	31.22	24.76	-	-	-	-	-	13:24	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW-25S	10/02/2018	31.22	22.05	-	-	-	26.87	-	10:25	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW-25S	10/24/2018	31.22	26.70	-	-	-	27.02	-	9:56	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW-25S	11/12/2018	32.44	22.34	-	-	-	-	10.10	9:47	<0.2	0.3 J	<0.2	<0.5	-	-	-	-	<4	-	-	11,000	
MW-25S	11/27/2018	32.44	22.57	-	-	-	-	9.87	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/11/2018	32.44	22.32	-	-	-	-	10.12	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/27/2018	32.44	22.17	-	-	-	-	10.27	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/10/2019	32.44	22.27	-	-	-	-	10.17	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/24/2019	32.44	26.60	-	-	-	-	5.84	14:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/11/2019	32.44	22.46	-	-	-	-	9.98	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/12/2019	32.44	22.41	-	-	-	-	10.03	13:00	-	-	-	-	-	-	-	-	-	-	-	5,200	
MW-25S	02/21/2019	32.44	OBST	-	-	-	-	-	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	03/07/2019	32.44	22.44	-	-	-	-	10.00	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	03/19/2019	32.44	22.69	-	-	-	-	9.75	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/02/2019	32.44	22.40	-	-	-	-	10.04	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/22/2019	32.44	22.65	-	-	-	-	9.79	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/06/2019	32.44	22.86	-	-	-	-	9.58	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/20/2019	32.44	22.73	-	-	-	26.82	9.71	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/22/2019	32.44	22.68	-	-	-	-	9.76	12:14	-	-	-	-	-	-	-	-	-	-	-	6,300	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-25S	06/04/2019	32.44	23.15	-	-	-	-	9.29	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	06/18/2019	32.44	23.19	-	-	-	-	9.25	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/09/2019	32.44	22.81	-	-	-	-	9.63	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/23/2019	32.44	22.33	-	-	-	-	10.11	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/09/2019	32.44	22.48	-	-	-	-	9.96	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/19/2019	32.44	22.76	-	-	-	26.68	9.68	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/20/2019	31.22	21.79	-	-	-	25.87	9.43	11:15	-	-	-	-	-	-	-	-	-	-	-	8,400	
MW-25S	09/03/2019	32.44	23.24	-	-	-	-	9.20	9:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/17/2019	32.44	23.37	-	-	-	-	9.07	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/01/2019	32.44	23.48	-	-	-	-	8.96	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/18/2019	31.22	22.18	-	-	-	25.49	9.04	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/19/2019	31.22	22.18	-	-	-	25.49	9.04	11:24	0.8 J	<0.2	0.3 J	<0.8	-	-	-	-	<4	-	-	13,000	
MW-25S	12/05/2019	31.22	22.29	-	-	-	-	8.93	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/14/2020	31.22	22.31	-	-	-	-	8.91	11:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/17/2020	31.22	22.27	-	-	-	25.49	8.95	11:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/19/2020	31.22	22.30	-	-	-	-	8.92	10:00	-	-	-	-	-	-	-	-	-	-	-	13,000	
MW-25S	03/10/2020	31.22	22.37	-	-	-	-	8.85	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/11/2020	31.22	22.04	-	-	-	25.49	9.18	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/14/2020	31.22	22.08	-	-	-	-	9.14	10:15	1 J	<1	<1	<3	<1	-	<2	<10	-	-	-	14,000	
MW-25S	08/10/2020	31.22	21.81	-	-	-	25.52	9.41	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/11/2020	31.22	21.82	-	-	-	-	9.31	11:55	-	-	-	-	-	-	-	-	-	-	-	10,000	
MW/RW-25	08/08/2014	31.13	27.97	27.60	0.37	0.08	36.69	3.48	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/11/2014	31.13	27.61	27.37	0.24	NA	-	3.73	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducer installed for pump test
MW/RW-25	08/13/2014	31.13	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,280	
MW/RW-25	08/15/2014	31.13	28.11	28.05	0.06	NA	-	3.07	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducer installed for pump test
MW/RW-25	08/16/2014	31.13	27.81	27.75	0.06	NA	-	3.37	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducer installed for pump test
MW/RW-25	08/18/2014	31.13	27.94	27.71	0.23	NA	-	3.39	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducer installed for pump test
MW/RW-25	08/25/2014	31.13	26.89	26.74	0.15	0.05	-	4.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/02/2014	31.13	27.77	27.03	0.74	0.50	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/15/2014	31.13	27.69	26.87	0.82	NR	-	4.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/19/2014	31.13	28.10	26.95	1.15	0.93	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/22/2014	31.13	27.53	26.91	0.62	0.38	-	4.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/24/2014	31.13	27.73	27.23	0.50	NR	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-25	10/01/2014	31.13	27.47	27.02	0.45	0.19	35.90	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	10/10/2014	31.13	27.65	26.91	0.74	0.50	-	4.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	10/13/2014	31.13	27.60	27.03	0.57	NR	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	10/20/2014	31.13	27.49	27.19	0.30	0.13	-	3.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	10/27/2014	31.13	27.87	27.25	0.62	NR	-	3.80	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	11/07/2014	31.13	27.53	27.08	0.45	0.19	-	4.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	11/12/2014	31.13	27.50	27.07	0.43	0.19	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	11/21/2014	31.13	28.53	27.81	0.72	0.16	-	3.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	11/26/2014	31.13	27.70	27.23	0.47	0.19	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	12/05/2014	31.13	27.63	27.15	0.48	-	35.87	3.92	-	-	-	-	-	-	-	-	-	-	-	-	50,000	HIT event
MW/RW-25	12/11/2014	31.13	27.31	26.98	0.33	0.06	-	4.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	12/16/2014	31.13	27.27	27.04	0.23	0.03	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	12/23/2014	31.13	27.20	26.95	0.25	0.04	-	4.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	12/30/2014	31.13	28.02	27.33	0.69	0.28	-	3.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	01/09/2015	31.13	27.80	27.38	0.42	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	56,000	HIT event
MW/RW-25	01/16/2015	31.13	27.24	27.16	0.08	0.00	-	3.96	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	01/19/2015	31.13	27.28	26.97	0.31	0.06	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	01/26/2015	31.13	27.27	26.98	0.29	0.05	-	4.11	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	02/03/2015	31.13	28.10	27.52	0.58	-	35.86	3.54	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	02/09/2015	31.13	27.43	27.06	0.37	-	-	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	02/18/2015	31.13	27.63	27.24	0.39	-	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	02/24/2015	31.13	27.68	27.18	0.50	-	-	3.89	14:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	03/04/2015	31.13	27.85	27.19	0.66	-	-	3.86	14:35	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	03/11/2015	31.13	27.27	26.76	0.51	-	-	4.31	13:08	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	03/18/2015	31.13	27.63	26.93	0.70	-	-	4.11	11:30	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	03/26/2015	31.13	27.31	26.70	0.61	-	35.90	4.36	12:03	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	04/02/2015	31.13	27.60	26.85	0.75	-	35.80	4.19	12:09	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	04/08/2015	31.13	28.00	27.15	0.85	-	35.90	3.88	9:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	04/13/2015	31.13	27.98	27.05	0.93	-	-	3.97	11:06	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	04/23/2015	31.13	27.21	26.47	0.74	-	35.90	4.57	12:28	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	04/29/2015	31.13	27.50	26.67	0.83	-	35.90	4.36	14:52	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	05/04/2015	31.13	27.37	26.57	0.80	-	-	4.46	12:08	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	05/11/2015	31.13	27.50	27.43	0.07	-	-	3.69	15:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	05/13/2015	31.13	28.31	27.19	1.12	1.50	-	3.80	12:53	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	05/21/2015	31.13	26.85	26.82	0.03	-	-	4.31	12:50	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	05/28/2015	31.13	27.55	27.09	0.46	-	35.80	3.98	12:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-25	06/02/2015	31.13	27.10	26.74	0.36	-	-	4.35	13:28	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	06/09/2015	31.13	26.91	26.46	0.45	-	-	4.62	10:50	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	06/16/2015	31.13	26.86	26.56	0.30	-	-	4.53	11:43	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	06/26/2015	31.13	26.91	26.48	0.43	-	35.80	4.60	11:31	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	07/01/2015	31.13	26.43	25.98	0.45	-	-	5.10	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/08/2015	31.13	26.63	26.13	0.50	0.25	-	4.94	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/13/2015	31.13	26.13	25.89	0.24	-	-	5.21	9:50	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	07/20/2015	31.13	26.23	26.23	TRACE	TRACE	-	4.90	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/28/2015	31.13	26.37	26.23	0.14	TRACE	36.00	4.88	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/04/2015	31.13	26.27	26.20	0.07	0.02	-	4.92	12:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/11/2015	31.13	26.05	25.90	0.15	0.03	35.88	5.21	11:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/18/2015	31.13	26.52	26.42	0.10	0.01	-	4.70	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/24/2015	31.13	26.55	26.33	0.22	0.02	-	4.77	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/02/2015	31.13	26.80	26.62	0.18	0.02	35.92	4.49	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/09/2015	31.13	26.51	26.45	0.06	0.02	35.93	4.67	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/17/2015	31.13	26.73	26.53	0.20	0.04	35.95	4.58	10:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/23/2015	31.13	26.82	26.63	0.19	0.02	-	4.48	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/28/2015	31.13	26.34	26.31	0.03	0.01	35.89	4.82	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	10/05/2015	31.13	26.21	26.06	0.15	0.05	35.87	5.05	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	11/10/2015	31.13	26.05	26.02	0.03	-	-	5.11	13:31	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	12/01/2015	30.52	26.19	26.06	0.13	-	-	4.44	13:54	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	01/27/2016	30.52	26.68	26.38	0.30	-	-	4.10	11:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	02/15/2016	30.52	26.88	26.59	0.29	-	-	3.89	10:39	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	03/14/2016	30.52	26.42	26.27	0.15	-	-	4.23	10:30	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	03/30/2016	30.52	32.73	-	-	-	-	-2.21	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	04/21/2016	30.52	32.76	-	-	-	-	-2.24	10:18	-	-	-	-	-	-	-	-	-	-	-	5,800	pump in well
MW/RW-25	05/23/2016	30.52	32.81	-	-	-	33.70	-2.29	11:39	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	05/24/2016	30.52	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,900	pump in well
MW/RW-25	06/21/2016	30.52	32.76	-	-	-	-	-2.24	10:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	07/21/2016	30.52	32.75	-	-	-	-	-2.23	11:12	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/24/2016	30.52	30.20	-	-	-	-	0.32	10:40	-	-	-	-	-	-	-	-	-	-	-	4,600	pump in well
MW/RW-25	09/22/2016	30.52	32.70	-	-	-	-	-2.18	13:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	10/20/2016	30.52	32.85	-	-	-	-	-2.33	11:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	11/28/2016	30.52	32.65	-	-	-	-	-2.13	9:30	<0.5	<0.5	<0.5	<0.5	-	-	-	-	<1	-	-	250	pump in well
MW/RW-25	12/22/2016	30.52	32.83	-	-	-	-	-2.31	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	01/30/2017	30.52	26.83	-	-	-	-	3.69	12:11	-	-	-	-	-	-	-	-	-	-	-	-	pump in well

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-25	02/21/2017	30.52	32.85	-	-	-	-	-2.33	12:44	-	-	-	-	-	-	-	-	-	-	-	220	pump in well
MW/RW-25	03/29/2017	31.16	32.87	-	-	-	-	-1.71	12:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	04/18/2017	31.16	32.85	-	-	-	-	-1.69	11:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	05/18/2017	31.16	32.85	-	-	-	-	-1.69	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	05/22/2017	31.16	26.60	-	-	-	-	4.56	13:09	-	-	-	-	-	-	-	-	-	-	-	685	pump in well
MW/RW-25	06/22/2017	31.16	32.90	-	-	-	-	-1.74	12:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	07/06/2017	31.16	32.62	-	-	-	-	-1.46	12:38	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	07/19/2017	31.16	32.25	-	-	-	-	-1.09	12:01	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/21/2017	31.16	32.95	-	-	-	-	-1.79	9:36	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/28/2017	31.16	32.12	-	-	-	-	-0.96	9:40	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/31/2017	31.16	31.91	-	-	-	35.14	-0.75	9:50	-	-	-	-	-	-	-	-	-	-	-	20,000	pump in well
MW/RW-25	09/20/2017	31.16	32.95	-	-	-	-	-1.79	10:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	10/17/2017	31.16	NR	-	-	-	32.40	-	11:42	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	11/28/2017	31.16	NR	-	-	-	26.28	-	12:36	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	11/30/2017	31.16	NR	-	-	-	-	-	11:45	<0.50	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	153	162	pump in well
MW/RW-25	01/26/2018	31.16	32.90	-	-	-	-	-1.74	12:40	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	02/20/2018	31.16	27.70	-	-	-	-	3.46	10:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	02/22/2018	31.16	32.85	-	-	-	-	-1.69	10:10	-	-	-	-	-	-	-	-	-	-	<83	258	pump in well
MW/RW-25	03/06/2018	31.16	26.77	-	-	-	-	4.39	12:19	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	03/29/2018	31.16	26.43	-	-	-	-	4.73	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	04/11/2018	31.16	26.97	-	-	-	-	4.19	9:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	04/23/2018	31.16	26.95	-	-	-	-	4.21	9:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	05/03/2018	31.16	26.77	-	-	-	-	4.39	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	05/21/2018	31.16	25.81	-	-	-	35.21	5.35	14:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	05/22/2018	31.16	25.87	-	-	-	35.15	5.29	9:55	-	-	-	-	-	-	-	-	-	-	-	20,600	
MW/RW-25	06/12/2018	31.16	25.74	-	-	-	-	5.42	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	06/26/2018	31.16	25.79	-	-	-	35.00	5.37	10:09	-	-	-	-	-	-	-	-	-	-	963 B	8,260	
MW/RW-25	07/02/2018	31.16	25.99	-	-	-	-	5.17	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/17/2018	31.16	26.07	-	-	-	-	5.09	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/30/2018	31.16	25.60	-	-	-	-	5.56	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/09/2018	31.16	26.43	-	-	-	-	4.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/13/2018	31.16	25.53	-	-	-	35.12	5.63	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/14/2018	31.16	25.72	-	-	-	37.64	5.44	9:29	-	-	-	-	-	-	-	-	-	-	-	180,000	
MW/RW-25	09/04/2018	31.16	25.62	-	-	-	-	5.54	10:12	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	09/25/2018	31.16	24.79	-	-	-	-	6.37	13:22	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	10/02/2018	31.16	24.96	-	-	-	-	6.20	12:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-25	10/24/2018	31.16	27.02	-	-	-	-	4.14	9:57	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW/RW-25	11/12/2018	32.75	25.96	-	-	-	-	6.79	13:09	<0.2	<0.2	<0.2	<0.5	-	-	-	-	<4	-	-	2,500	
MW/RW-25	11/27/2018	32.75	25.27	-	-	-	-	7.48	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	12/11/2018	32.75	26.02	-	-	-	-	6.73	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	12/27/2018	32.75	26.05	-	-	-	-	6.70	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	01/10/2019	32.75	26.49	-	-	-	-	6.26	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	01/24/2019	32.75	27.05	-	-	-	-	5.70	14:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	02/11/2019	32.75	26.13	-	-	-	35.40	6.62	13:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	02/12/2019	32.75	26.13	-	-	-	-	6.62	11:35	-	-	-	-	-	-	-	-	-	-	-	4,200	
MW/RW-25	02/15/2019	32.75	25.96	-	-	-	-	6.79	9:28	-	-	-	-	-	-	-	-	-	-	-	5,900	Grab
MW/RW-25	02/21/2019	32.75	25.87	-	-	-	-	6.88	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	03/07/2019	32.75	26.13	-	-	-	-	6.62	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	03/19/2019	32.75	26.18	-	-	-	-	6.57	9:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	04/02/2019	32.75	26.25	-	-	-	-	6.50	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	04/22/2019	34.00	27.40	-	-	-	-	6.60	9:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	05/06/2019	32.75	25.97	-	-	-	-	6.78	9:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	05/20/2019	32.75	25.84	-	-	-	36.34	6.91	10:37	-	-	-	-	-	-	-	-	-	-	-	3,500	
MW/RW-25	05/20/2019	32.75	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	210,000	Grab
MW/RW-25	06/04/2019	34.00	27.58	-	-	-	-	6.42	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	06/18/2019	34.00	27.47	-	-	-	-	6.53	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/09/2019	34.00	27.28	-	-	-	-	6.72	9:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/23/2019	34.00	27.42	-	-	-	-	6.58	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/09/2019	34.00	26.35	-	-	-	-	7.65	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/19/2019	34.00	26.41	-	-	-	36.56	7.59	11:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/20/2019	32.75	25.65	-	-	-	35.65	7.10	12:25	-	-	-	-	-	-	-	-	-	-	-	3,100	
MW/RW-25	08/21/2019	34.00	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31,000	Grab
MW/RW-25	09/03/2019	34.00	27.69	-	-	-	-	6.31	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/17/2019	34.00	27.77	-	-	-	-	6.23	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	10/01/2019	34.00	27.61	-	-	-	-	6.39	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	11/18/2019	32.75	25.53	-	-	-	34.80	7.22	12:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	11/19/2019	32.75	25.43	-	-	-	34.77	7.32	12:14	0.3 J	<0.2	<0.2	<0.8	-	-	-	-	<4	-	-	5,400	
MW/RW-25	11/22/2019	32.75	25.83	-	-	-	-	6.92	8:48	-	-	-	-	-	-	-	-	-	-	-	330,000	Grab
MW/RW-25	12/05/2019	32.75	26.19	-	-	-	-	6.56	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	01/14/2020	32.75	26.37	-	-	-	-	6.38	11:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	02/17/2020	32.75	26.32	-	-	-	34.81	6.43	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	02/19/2020	32.75	26.26	-	-	-	-	6.49	10:55	-	-	-	-	-	-	-	-	-	-	-	5,700	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-25	02/19/2020	32.75	-	-	-	-	-	-	13:35	-	-	-	-	-	-	-	-	-	-	-	21,000	Grab
MW/RW-25	03/10/2020	32.75	26.14	-	-	-	-	6.61	9:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	05/11/2020	32.75	26.61	-	-	-	34.74	6.14	13:27	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	5,400	
MW/RW-25	05/12/2020	32.75	-	-	-	-	-	-	10:10	-	-	-	-	-	-	-	-	-	-	-	53,000	Grab
MW/RW-25	08/10/2020	32.75	DRY	-	-	-	34.79	-	9:45	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-27	07/24/2014	31.44	27.59	-	-	-	-	3.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/31/2014	31.44	27.58	-	-	-	34.47	3.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/08/2014	31.44	27.69	-	-	-	34.46	3.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/11/2014	31.44	27.33	-	-	-	-	4.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/15/2014	31.44	27.90	-	-	-	-	3.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/16/2014	31.44	27.65	-	-	-	34.48	3.79	-	-	-	-	-	-	-	-	-	-	-	-	1,490	
MW-27	08/18/2014	31.44	27.62	-	-	-	-	3.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/25/2014	31.44	27.09	-	-	-	-	4.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/02/2014	31.44	27.52	-	-	-	-	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/15/2014	31.44	27.38	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/22/2014	31.44	27.24	-	-	-	-	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	10/01/2014	31.44	27.44	-	-	-	34.27	4.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	10/10/2014	31.44	27.24	-	-	-	-	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	10/20/2014	31.44	27.59	-	-	-	34.13	3.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	10/23/2014	31.44	NR	-	-	-	-	-	-	0.5	<0.5	2	2	<0.5	2	<0.5	<0.5	6	100	-	1,900	
MW-27	10/27/2014	31.44	27.66	-	-	-	-	3.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/07/2014	31.44	27.43	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/12/2014	31.44	27.43	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/21/2014	31.44	28.23	-	-	-	-	3.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/26/2014	31.44	27.64	-	-	-	-	3.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/05/2014	31.44	27.50	-	-	-	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/11/2014	31.44	27.38	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/16/2014	31.44	27.34	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/23/2014	31.44	27.22	-	-	-	-	4.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/30/2014	31.44	27.80	-	-	-	-	3.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	01/09/2015	31.44	27.59	-	-	-	-	3.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	01/16/2015	31.44	27.46	-	-	-	-	3.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	01/19/2015	31.44	27.38	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	01/26/2015	31.44	27.40	-	-	-	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/03/2015	31.44	28.01	-	-	-	34.05	3.43	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/09/2015	31.44	27.43	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-27	02/18/2015	31.44	27.52	-	-	-	-	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/24/2015	31.44	26.61	-	-	-	-	4.83	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/25/2015	31.44	27.45	-	-	-	34.06	3.99	13:38	<0.5	<0.5	1	0.5	<0.5	<2	<0.5	<0.5	8.3	120	-	1,700	
MW-27	03/04/2015	31.44	27.63	-	-	-	-	3.81	13:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	03/11/2015	31.44	27.11	-	-	-	-	4.33	12:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	03/18/2015	31.44	27.36	-	-	-	-	4.08	10:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	03/26/2015	31.44	27.20	-	-	-	34.00	4.24	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	04/02/2015	31.44	27.28	-	-	-	34.05	4.16	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	04/08/2015	31.44	27.55	-	-	-	34.04	3.89	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	04/13/2015	31.44	27.53	-	-	-	-	3.91	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	04/23/2015	31.44	26.92	-	-	-	34.05	4.52	11:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	04/29/2015	31.44	27.18	-	-	-	34.05	4.26	13:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/04/2015	31.44	26.96	-	-	-	-	4.48	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/11/2015	31.44	26.86	-	-	-	34.04	4.58	15:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/13/2015	31.44	27.55	-	-	-	-	3.89	9:52	<0.5	<0.5	2	1	<0.5	2 J	<0.5	<0.5	30	260	-	19,000	
MW-27	05/21/2015	31.44	27.12	-	-	-	34.12	4.32	12:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/28/2015	31.44	27.51	-	-	-	34.00	3.93	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	06/02/2015	31.44	27.11	-	-	-	-	4.33	12:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	06/09/2015	31.44	26.92	-	-	-	-	4.52	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	06/16/2015	31.44	26.86	-	-	-	-	4.58	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	06/26/2015	31.44	26.87	-	-	-	34.00	4.57	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/01/2015	31.44	26.38	-	-	-	-	5.06	11:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/08/2015	31.44	26.64	-	-	-	-	4.80	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/13/2015	31.44	26.19	-	-	-	-	5.25	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/20/2015	31.44	26.51	-	-	-	-	4.93	8:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/28/2015	31.44	26.55	-	-	-	34.13	4.89	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/04/2015	31.44	26.58	-	-	-	34.05	4.86	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/05/2015	31.44	27.06	27.06	TRACE	TRACE	34.07	4.38	8:16	-	-	-	-	-	-	-	-	-	-	-	2,100	
MW-27	08/11/2015	31.44	26.16	26.16	TRACE	TRACE	34.03	5.28	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/18/2015	31.44	26.77	-	-	-	-	4.67	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/24/2015	31.44	26.75	-	-	-	-	4.69	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/02/2015	31.44	27.09	27.09	TRACE	TRACE	34.08	4.35	9:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/09/2015	31.44	26.82	26.82	TRACE	TRACE	34.05	4.62	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/17/2015	31.44	27.16	-	-	-	34.08	4.28	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/23/2015	31.44	27.03	-	-	-	-	4.41	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/28/2015	31.44	26.52	-	-	-	34.09	4.92	9:42	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-27	10/05/2015	31.44	26.39	-	-	-	34.05	5.05	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/10/2015	31.44	26.97	-	-	-	-	4.47	12:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/01/2015	31.44	26.98	-	-	-	33.35	4.46	13:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/03/2015	31.44	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	1.00 J	-	-	1,700	
MW-27	01/27/2016	31.44	27.28	-	-	-	-	4.16	10:14	-	-	-	-	-	-	-	-	-	-	-	-	Sheen
MW-27	02/15/2016	31.44	27.64	-	-	-	-	3.80	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	03/14/2016	31.44	27.32	-	-	-	34.03	4.12	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	03/15/2016	31.44	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33,000	
MW-27	04/21/2016	31.44	27.85	-	-	-	33.80	3.59	10:30	-	-	-	-	-	-	-	-	-	-	-	8,400	Sheen
MW-27	05/23/2016	31.44	26.84	-	-	-	33.70	4.60	11:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/25/2016	31.44	28.07	-	-	-	33.81	3.37	-	-	-	-	-	-	-	-	-	-	-	-	18,000	
MW-27	06/21/2016	31.44	27.63	-	-	-	-	3.81	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/21/2016	31.44	27.53	-	-	-	-	3.91	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/24/2016	31.44	27.59	-	-	-	33.50	3.85	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/25/2016	31.44	27.62	-	-	-	33.60	3.82	11:10	-	-	-	-	-	-	-	-	-	-	-	3,100	
MW-27	09/22/2016	31.44	26.96	-	-	-	-	4.48	14:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/28/2016	31.44	27.84	-	-	-	34.40	3.60	8:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/29/2016	31.44	27.31	-	-	-	33.58	4.13	13:00	<0.5	<0.5	<0.5	<0.5	-	-	-	-	<1	-	-	880	
MW-27	02/21/2017	31.44	28.25	-	-	-	33.78	3.19	12:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/22/2017	31.44	27.94	-	-	-	33.78	3.50	13:00	-	-	-	-	-	-	-	-	-	-	-	940	
MW-27	05/22/2017	31.44	27.18	-	-	-	33.71	4.26	13:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/23/2017	31.44	27.39	-	-	-	33.75	4.05	13:50	-	-	-	-	-	-	-	-	-	-	-	3,130	
MW-27	08/28/2017	31.44	33.15	-	-	-	33.63	-1.71	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/30/2017	31.44	32.96	-	-	-	33.64	-1.52	15:03	-	-	-	-	-	-	-	-	-	-	-	11,900	
MW-27	11/28/2017	31.44	31.39	-	-	-	32.45	0.05	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/29/2017	31.44	31.02	-	-	-	33.68	0.42	11:20	<0.50	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	-	782	
MW-27	02/20/2018	31.44	28.62	-	-	-	35.53	2.82	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/21/2018	31.44	28.77	-	-	-	33.75	2.67	11:52	-	-	-	-	-	-	-	-	-	-	-	13,400	
MW-27	05/21/2018	31.44	26.60	-	-	-	33.70	4.84	13:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/24/2018	31.44	26.71	-	-	-	33.67	4.73	8:25	-	-	-	-	-	-	-	-	-	-	-	4,440	
MW-27	08/13/2018	31.44	26.46	-	-	-	33.71	4.98	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/14/2018	31.44	26.66	-	-	-	33.70	4.78	10:04	-	-	-	-	-	-	-	-	-	-	-	2,300	
MW-27	11/12/2018	31.44	26.37	-	-	-	33.78	5.07	13:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/14/2018	31.44	26.83	-	-	-	33.78	4.61	9:48	<0.2	<0.2	<0.2	<0.5	-	-	-	-	<4	-	-	1,600	
MW-27	02/11/2019	31.44	26.50	-	-	-	33.79	4.94	13:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/14/2019	31.44	26.51	-	-	-	34.31	4.93	9:20	-	-	-	-	-	-	-	-	-	-	-	420	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-27	05/20/2019	31.44	25.99	-	-	-	34.78	5.45	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/21/2019	31.44	26.36	-	-	-	33.74	5.08	12:20	-	-	-	-	-	-	-	-	-	-	-	630	
MW-27	08/19/2019	31.44	26.50	-	-	-	33.78	4.94	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/20/2019	31.44	26.64	-	-	-	-	4.80	10:50	-	-	-	-	-	-	-	-	-	-	-	670	
MW-27	11/18/2019	31.44	26.45	-	-	-	33.69	4.99	12:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/21/2019	31.44	27.27	-	-	-	-	4.17	12:30	<0.2	<0.2	<0.2	<0.8	-	-	-	-	<4	-	-	1,100	
MW-27	02/17/2020	31.44	27.23	-	-	-	-	4.21	10:51	-	-	-	-	-	-	-	-	-	-	-	910	
MW-27	05/11/2020	31.44	27.52	-	-	-	33.71	3.92	13:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/12/2020	31.44	28.36	-	-	-	-	3.08	12:20	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	1,100	
MW-27	08/10/2020	31.44	DRY	-	-	-	33.65	-	9:50	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-30S	08/08/2014	30.67	23.31	-	-	-	25.28	7.36	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	08/11/2014	30.67	23.33	-	-	-	-	7.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	08/15/2014	30.67	24.84	-	-	-	-	5.83	-	-	-	-	-	-	-	-	-	-	-	-	7,040	
MW-30S	08/18/2014	30.67	24.84	-	-	-	-	5.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	08/25/2014	30.67	24.79	-	-	-	-	5.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	09/02/2014	30.67	24.83	-	-	-	-	5.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	09/15/2014	30.67	24.85	-	-	-	-	5.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	09/22/2014	30.67	24.88	-	-	-	-	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	10/01/2014	30.67	24.88	-	-	-	25.28	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	10/10/2014	30.67	24.87	-	-	-	-	5.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	10/20/2014	30.67	24.77	-	-	-	25.29	5.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	10/23/2014	30.67	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	3	<0.5	<0.5	-	25	-	2,900	
MW-30S	10/27/2014	30.67	24.78	-	-	-	-	5.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	11/07/2014	30.67	24.85	-	-	-	-	5.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	11/12/2014	30.67	24.87	-	-	-	-	5.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	11/21/2014	30.67	24.94	-	-	-	-	5.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	11/26/2014	30.67	24.93	-	-	-	-	5.74	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	12/05/2014	30.67	24.92	-	-	-	-	5.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	12/11/2014	30.67	24.72	-	-	-	-	5.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	12/16/2014	30.67	24.74	-	-	-	-	5.93	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	12/23/2014	30.67	24.70	-	-	-	-	5.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	12/30/2014	30.67	24.68	-	-	-	-	5.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	01/09/2015	30.67	24.66	-	-	-	-	6.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	01/16/2015	30.67	24.62	-	-	-	-	6.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	01/19/2015	30.67	24.60	-	-	-	-	6.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	01/26/2015	30.67	24.48	-	-	-	-	6.19	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-30S	02/03/2015	30.67	24.56	-	-	-	25.34	6.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	02/09/2015	30.67	24.57	-	-	-	-	6.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	02/18/2015	30.67	24.63	-	-	-	-	6.04	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	02/24/2015	30.67	24.24	-	-	-	25.31	6.43	15:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	02/25/2015	30.67	24.10	-	-	-	25.31	6.57	13:10	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	3.9	22	-	3,500	
MW-30S	03/04/2015	30.67	24.20	-	-	-	-	6.47	14:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	03/11/2015	30.67	24.20	-	-	-	-	6.47	12:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	03/18/2015	30.67	24.22	-	-	-	-	6.45	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	03/26/2015	30.67	24.32	-	-	-	25.30	6.35	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	04/02/2015	30.67	24.27	-	-	-	25.30	6.40	11:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	04/08/2015	30.67	24.30	-	-	-	25.29	6.37	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	04/13/2015	30.67	24.31	-	-	-	-	6.36	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	04/23/2015	30.67	DRY	-	-	-	25.28	DRY	11:23	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-30S	04/29/2015	30.67	24.27	-	-	-	25.25	6.40	13:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	05/04/2015	30.67	24.32	-	-	-	-	6.35	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	05/11/2015	30.67	24.41	-	-	-	25.20	6.26	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	05/13/2015	30.67	24.41	-	-	-	-	6.26	9:50	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	<20	-	3,200	
MW-30S	05/21/2015	30.67	24.68	-	-	-	25.15	5.99	12:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	05/28/2015	30.67	24.67	-	-	-	25.28	6.00	11:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	06/02/2015	30.67	24.55	-	-	-	-	6.12	12:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	06/09/2015	30.67	24.30	-	-	-	-	6.37	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	06/16/2015	30.67	24.33	-	-	-	-	6.34	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	06/22/2015	Destroyed during overdrilling activities; replaced with RW-30S																				
MW/RW-31	08/08/2014	31.23	27.31	-	-	-	36.35	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/11/2014	31.23	26.88	-	-	-	-	4.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/15/2014	31.23	27.00	-	-	-	-	4.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/16/2014	31.23	26.92	-	-	-	35.00	4.31	-	-	-	-	-	-	-	-	-	-	-	-	27,200	
MW/RW-31	08/18/2014	31.23	27.11	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/25/2014	31.23	26.90	-	-	-	-	4.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/02/2014	31.23	27.31	-	-	-	-	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/15/2014	31.23	27.18	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/22/2014	31.23	27.05	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/01/2014	31.23	27.21	-	-	-	35.50	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/10/2014	31.23	27.02	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/20/2014	31.23	27.40	-	-	-	35.50	3.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/23/2014	31.23	NR	-	-	-	-	-	-	<0.5	<0.5	0.6	0.6	<0.5	<2	<0.5	<0.5	4	140	-	7,200	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-31	10/27/2014	31.23	27.43	-	-	-	-	3.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/07/2014	31.23	24.23	-	-	-	-	7.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/12/2014	31.23	27.18	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/21/2014	31.23	28.03	-	-	-	-	3.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/26/2014	31.23	27.39	-	-	-	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/05/2014	31.23	27.33	-	-	-	-	3.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/11/2014	31.23	27.14	-	-	-	-	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/16/2014	31.23	27.15	-	-	-	-	4.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/23/2014	31.23	27.02	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/30/2014	31.23	27.61	-	-	-	-	3.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/09/2015	31.23	27.42	-	-	-	-	3.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/16/2015	31.23	27.26	-	-	-	-	3.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/19/2015	31.23	27.20	-	-	-	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/26/2015	31.23	27.18	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/03/2015	31.23	27.81	-	-	-	35.49	3.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/09/2015	31.23	27.18	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/18/2015	31.23	27.34	-	-	-	-	3.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/24/2015	31.23	27.27	-	-	-	-	3.96	13:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/25/2015	31.23	27.50	-	-	-	35.52	3.73	10:28	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	2.7	97	-	1,800	
MW/RW-31	03/04/2015	31.23	27.45	-	-	-	-	3.78	14:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	03/11/2015	31.23	26.78	-	-	-	-	4.45	12:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	03/18/2015	31.23	27.13	-	-	-	-	4.10	10:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	03/26/2015	31.23	26.99	-	-	-	35.50	4.24	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	04/02/2015	31.23	27.04	-	-	-	35.45	4.19	11:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	04/08/2015	31.23	27.27	-	-	-	35.42	3.96	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	04/13/2015	31.23	27.35	-	-	-	-	3.88	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	04/23/2015	31.23	26.67	-	-	-	35.45	4.56	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	04/29/2015	31.23	26.97	-	-	-	35.40	4.26	13:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/04/2015	31.23	26.75	-	-	-	-	4.48	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/11/2015	31.23	26.65	-	-	-	35.40	4.58	14:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/13/2015	31.23	27.35	-	-	-	-	3.88	9:47	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	3 J	120	-	14,000	
MW/RW-31	05/21/2015	31.23	26.87	-	-	-	35.50	4.36	12:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/28/2015	31.23	27.31	-	-	-	35.40	3.92	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	06/02/2015	31.23	26.87	-	-	-	-	4.36	12:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	06/09/2015	31.23	26.71	-	-	-	-	4.52	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	06/16/2015	31.23	26.68	-	-	-	-	4.55	11:11	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-31	06/26/2015	31.23	26.58	-	-	-	35.20	4.65	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	07/01/2015	31.23	26.02	-	-	-	-	5.21	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	07/08/2015	31.23	26.26	-	-	-	-	4.97	10:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	07/13/2015	31.23	25.88	-	-	-	-	5.35	9:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	07/20/2015	31.23	26.22	-	-	-	-	5.01	8:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	07/28/2015	31.23	26.31	-	-	-	35.56	4.92	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/04/2015	31.23	29.82	-	-	-	35.42	1.41	12:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/05/2015	31.23	26.78	-	-	-	35.47	4.45	8:22	-	-	-	-	-	-	-	-	-	-	-	2,400	
MW/RW-31	08/11/2015	31.23	25.93	-	-	-	35.43	5.30	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/18/2015	31.23	26.56	-	-	-	-	4.67	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/24/2015	31.23	26.55	-	-	-	-	4.68	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/02/2015	31.23	26.87	-	-	-	35.42	4.36	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/09/2015	31.23	26.61	-	-	-	35.47	4.62	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/17/2015	31.23	26.96	-	-	-	35.50	4.27	10:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/23/2015	31.23	26.82	-	-	-	-	4.41	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/28/2015	31.23	26.29	-	-	-	35.44	4.94	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/05/2015	31.23	26.11	-	-	-	35.42	5.12	9:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/10/2015	31.23	26.61	-	-	-	-	4.62	12:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/01/2015	31.23	26.27	-	-	-	-	4.96	13:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/03/2015	31.23	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,200	
MW/RW-31	01/27/2016	31.23	26.24	-	-	-	-	4.99	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/15/2016	31.23	27.21	-	-	-	-	4.02	9:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	03/14/2016	31.23	26.76	-	-	-	-	4.47	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	03/15/2016	31.23	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11,000	
MW/RW-31	03/30/2016	31.42	32.98	-	-	-	-	-1.56	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	04/21/2016	31.42	33.03	-	-	-	-	-1.61	10:27	-	-	-	-	-	-	-	-	-	-	-	440	pump in well
MW/RW-31	05/23/2016	31.42	NR	-	-	-	-	-	11:13	-	-	-	-	-	-	-	-	-	-	-	-	Pump Obstruction during gauging
MW/RW-31	05/24/2016	31.42	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,200	pump in well
MW/RW-31	06/21/2016	31.42	33.05	-	-	-	-	-1.63	10:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	07/21/2016	31.42	33.05	-	-	-	-	-1.63	9:48	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	08/24/2016	31.42	27.31	-	-	-	-	4.11	10:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	08/25/2016	31.42	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	830	pump in well
MW/RW-31	09/22/2016	31.42	27.60	-	-	-	-	3.82	13:15	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	10/20/2016	31.42	31.47	-	-	-	-	-0.05	10:54	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	11/28/2016	31.42	30.92	-	-	-	-	0.50	8:41	-	-	-	-	-	-	-	-	-	-	-	120	pump in well

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-31	12/22/2016	31.42	31.20	-	-	-	-	0.22	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	01/30/2017	31.42	27.74	-	-	-	-	3.68	12:21	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	02/21/2017	31.42	31.60	-	-	-	-	-0.18	12:36	-	-	-	-	-	-	-	-	-	-	-	580	pump in well
MW/RW-31	03/29/2017	31.42	31.40	-	-	-	-	0.02	12:43	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	04/18/2017	31.42	31.52	-	-	-	-	-0.10	11:57	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	05/18/2017	31.42	31.60	-	-	-	-	-0.18	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	05/22/2017	31.42	26.76	-	-	-	-	4.66	10:55	-	-	-	-	-	-	-	-	-	-	-	655	pump in well
MW/RW-31	06/22/2017	31.42	31.10	-	-	-	-	0.32	11:47	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	07/06/2017	31.42	31.12	-	-	-	-	0.30	12:55	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	07/19/2017	31.42	31.45	-	-	-	-	-0.03	11:35	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	08/21/2017	31.42	31.30	-	-	-	-	0.12	9:24	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	08/28/2017	31.42	31.05	-	-	-	31.05	0.37	9:41	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	08/31/2017	31.42	33.02	-	-	-	33.73	-1.60	9:05	-	-	-	-	-	-	-	-	-	-	-	3,770	pump in well
MW/RW-31	09/20/2017	31.42	31.42	-	-	-	-	0.00	10:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	10/17/2017	31.42	31.05	-	-	-	-	0.37	11:22	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	11/28/2017	31.42	NR	-	-	-	29.40	-	11:30	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	11/30/2017	31.42	NR	-	-	-	-	-	11:00	-	-	-	-	-	-	-	-	-	-	-	167	pump in well
MW/RW-31	12/05/2017	31.42	31.70	-	-	-	29.20	-0.28	12:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	01/26/2018	31.42	OBST	-	-	-	29.95	-	12:30	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	02/20/2018	31.42	OBST	-	-	-	28.65	-	11:15	-	-	-	-	-	-	-	-	-	-	-	180	pump in well
MW/RW-31	03/06/2018	31.42	27.27	-	-	-	-	4.15	12:27	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	03/29/2018	31.42	26.68	-	-	-	-	4.74	10:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	04/11/2018	31.42	27.73	-	-	-	-	3.69	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	04/23/2018	31.42	27.53	-	-	-	-	3.89	8:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/03/2018	31.42	27.35	-	-	-	-	4.07	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/21/2018	31.42	25.83	-	-	-	33.72	5.59	13:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/22/2018	31.42	25.96	-	-	-	33.72	5.46	9:36	-	-	-	-	-	-	-	-	-	-	-	1,010	
MW/RW-31	06/12/2018	31.42	25.60	-	-	-	-	5.82	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	06/26/2018	31.42	26.33	-	-	-	33.65	5.09	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	07/02/2018	31.42	26.53	-	-	-	-	4.89	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	07/17/2018	31.42	26.70	-	-	-	-	4.72	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	07/30/2018	31.42	25.89	-	-	-	-	5.53	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/09/2018	31.42	25.98	-	-	-	-	5.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/13/2018	31.42	25.36	-	-	-	36.34	6.06	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/14/2018	31.42	25.55	-	-	-	33.70	5.87	9:58	-	-	-	-	-	-	-	-	-	-	-	320	
MW/RW-31	09/04/2018	31.42	25.53	-	-	-	-	5.89	10:33	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-31	09/25/2018	31.42	24.77	-	-	-	-	6.65	13:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/02/2018	31.42	24.66	-	-	-	-	6.76	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/24/2018	31.42	25.89	-	-	-	-	5.53	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/12/2018	31.42	24.46	-	-	-	33.75	6.96	13:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/14/2018	31.42	24.39	-	-	-	33.75	7.03	9:44	-	-	-	-	-	-	-	-	-	-	-	240	
MW/RW-31	11/27/2018	31.42	23.94	-	-	-	-	7.48	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/11/2018	31.42	24.96	-	-	-	-	6.46	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/27/2018	31.42	24.78	-	-	-	-	6.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/10/2019	31.42	24.82	-	-	-	-	6.60	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/24/2019	31.42	23.50	-	-	-	-	7.92	8:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/11/2019	31.42	24.88	-	-	-	34.28	6.54	13:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/14/2019	31.42	24.99	-	-	-	33.69	6.43	11:55	-	-	-	-	-	-	-	-	-	-	-	120	
MW/RW-31	02/21/2019	31.42	23.98	-	-	-	34.25	7.44	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	03/07/2019	31.42	24.77	-	-	-	-	6.65	11:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	03/19/2019	31.42	24.83	-	-	-	-	6.59	13:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	04/02/2019	31.42	24.85	-	-	-	-	6.57	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	04/22/2019	31.42	24.67	-	-	-	-	6.75	11:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/06/2019	31.42	24.59	-	-	-	-	6.83	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/20/2019	31.42	24.57	-	-	-	34.54	6.85	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/21/2019	31.42	24.78	-	-	-	-	6.64	9:25	-	-	-	-	-	-	-	-	-	-	-	320	
MW/RW-31	06/04/2019	31.42	25.17	-	-	-	-	6.25	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	06/18/2019	31.42	24.67	-	-	-	-	6.75	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	07/09/2019	31.42	25.07	-	-	-	-	6.35	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	07/23/2019	31.42	25.13	-	-	-	-	6.29	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/09/2019	31.42	25.48	-	-	-	-	5.94	12:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/19/2019	31.42	25.59	-	-	-	33.68	5.83	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/20/2019	31.42	25.63	-	-	-	-	5.79	8:57	-	-	-	-	-	-	-	-	-	-	-	240	
MW/RW-31	09/03/2019	31.42	25.92	-	-	-	-	5.50	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/17/2019	31.42	26.25	-	-	-	-	5.17	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/01/2019	31.42	26.33	-	-	-	-	5.09	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/18/2019	31.42	26.14	-	-	-	33.53	5.28	12:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/21/2019	31.42	26.50	-	-	-	-	4.92	11:47	-	-	-	-	-	-	-	-	-	-	-	260	
MW/RW-31	12/05/2019	31.42	26.16	-	-	-	-	5.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/14/2020	31.42	26.28	-	-	-	-	5.14	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/17/2020	31.42	25.95	-	-	-	33.63	5.47	10:46	-	-	-	-	-	-	-	-	-	-	-	190	
MW/RW-31	03/10/2020	31.42	26.41	-	-	-	-	5.01	9:44	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-31	05/11/2020	31.42	26.35	-	-	-	33.65	5.07	13:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	05/12/2020	31.42	27.30	-	-	-	-	4.12	9:30	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	400	
MW/RW-31	08/10/2020	31.42	DRY	-	-	-	33.47	-	9:53	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-33	08/08/2014	30.88	27.91	-	-	-	35.41	2.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/11/2014	30.88	27.41	-	-	-	-	3.47	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/15/2014	30.88	26.98	-	-	-	34.45	3.90	-	-	-	-	-	-	-	-	-	-	-	-	440	
MW-33	08/18/2014	30.88	26.76	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/25/2014	30.88	26.47	-	-	-	-	4.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	09/02/2014	30.88	26.87	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	09/15/2014	30.88	26.73	-	-	-	-	4.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	09/22/2014	30.88	26.59	-	-	-	-	4.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	10/01/2014	30.88	26.79	-	-	-	34.47	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	10/10/2014	30.88	26.60	-	-	-	-	4.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	10/20/2014	30.88	26.96	-	-	-	34.47	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	10/23/2014	30.88	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.02	<20	-	<45	
MW-33	02/24/2015	30.88	26.99	-	-	-	-	3.89	13:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	02/25/2015	30.88	27.03	-	-	-	34.45	3.85	10:08	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.03	<20	-	<45	
MW-33	05/11/2015	30.88	26.22	-	-	-	34.40	4.66	14:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	05/13/2015	30.88	26.90	-	-	-	34.40	3.98	9:45	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.1	<20	-	<45	
MW-33	08/04/2015	30.88	25.91	-	-	-	34.39	4.97	12:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/05/2015	30.88	26.43	-	-	-	34.42	4.45	8:26	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-33	12/01/2015	30.88	26.37	-	-	-	34.40	4.51	13:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	12/03/2015	30.88	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-33	03/14/2016	30.88	26.59	-	-	-	34.46	4.29	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	05/23/2016	30.88	26.58	-	-	-	34.40	4.30	10:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/24/2016	30.88	26.80	-	-	-	34.40	4.08	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/28/2016	30.88	27.11	-	-	-	34.36	3.77	8:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/29/2016	30.88	26.87	-	-	-	34.40	4.01	11:15	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-33	02/21/2017	30.88	27.42	-	-	-	34.50	3.46	12:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	05/22/2017	30.88	26.30	-	-	-	34.40	4.58	13:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/28/2017	30.88	32.85	-	-	-	34.42	-1.97	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/30/2017	30.88	32.54	-	-	-	34.45	-1.66	14:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/28/2017	30.88	30.31	-	-	-	34.41	0.57	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/29/2017	30.88	30.17	-	-	-	34.47	0.71	11:34	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-33	02/20/2018	30.88	27.65	-	-	-	36.16	3.23	10:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	05/21/2018	30.88	25.86	-	-	-	-	5.02	13:50	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-33	08/13/2018	30.88	27.60	-	-	-	37.01	3.28	12:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/12/2018	30.88	25.33	-	-	-	-	5.55	13:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/14/2018	30.88	25.76	-	-	-	34.43	5.12	9:35	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-33	02/11/2019	30.88	25.73	-	-	-	35.08	5.15	13:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	05/20/2019	30.88	25.14	-	-	-	35.44	5.74	10:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/19/2019	30.88	25.64	-	-	-	34.40	5.24	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/18/2019	30.88	25.76	-	-	-	34.41	5.12	12:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/21/2019	30.88	26.58	-	-	-	-	4.30	10:50	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-33	02/17/2020	30.88	26.48	-	-	-	34.38	4.40	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	05/11/2020	30.88	26.84	-	-	-	-	4.04	13:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/10/2020	30.88	DRY	-	-	-	34.35	-	9:59	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-51S	08/08/2014	30.81	21.15	-	-	-	25.27	9.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/11/2014	30.81	21.27	-	-	-	-	9.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/15/2014	30.81	21.17	-	-	-	25.30	9.64	-	-	-	-	-	-	-	-	-	-	-	-	1,590	
MW-51S	08/18/2014	30.81	21.23	-	-	-	-	9.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/25/2014	30.81	21.34	-	-	-	-	9.47	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/02/2014	30.81	21.38	-	-	-	-	9.43	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/15/2014	30.81	21.46	-	-	-	-	9.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/22/2014	30.81	21.48	-	-	-	-	9.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/24/2014	30.81	21.49	-	-	-	-	9.32	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/01/2014	30.81	21.32	21.32	TRACE	-	25.30	9.49	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-51S	10/10/2014	30.81	21.53	-	-	-	-	9.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/13/2014	30.81	21.52	-	-	-	-	9.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/20/2014	30.81	21.58	-	-	-	25.33	9.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/22/2014	30.81	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8,400	
MW-51S	10/27/2014	30.81	21.64	-	-	-	-	9.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/07/2014	30.81	21.53	-	-	-	-	9.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/12/2014	30.81	21.66	-	-	-	-	9.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/21/2014	30.81	21.73	-	-	-	-	9.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/05/2014	30.81	21.64	-	-	-	-	9.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/11/2014	30.81	21.72	-	-	-	-	9.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/16/2014	30.81	21.78	-	-	-	-	9.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/23/2014	30.81	21.83	-	-	-	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/30/2014	30.81	21.87	-	-	-	-	8.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	01/09/2015	30.81	21.89	-	-	-	-	8.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	01/16/2015	30.81	21.80	-	-	-	-	9.01	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-51S	01/19/2015	30.81	21.87	-	-	-	-	8.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	01/26/2015	30.81	21.82	-	-	-	-	8.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/03/2015	30.81	22.00	-	-	-	25.21	8.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/09/2015	30.81	21.92	-	-	-	-	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/18/2015	30.81	21.92	-	-	-	-	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/24/2015	30.81	21.96	-	-	-	25.33	8.85	16:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/26/2015	30.81	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7,100	
MW-51S	03/11/2015	30.81	21.67	-	-	-	-	9.14	12:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	03/18/2015	30.81	21.71	-	-	-	-	9.10	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	03/26/2015	30.81	21.76	-	-	-	25.30	9.05	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	04/02/2015	30.81	21.80	-	-	-	25.30	9.01	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	04/08/2015	30.81	21.75	-	-	-	25.19	9.06	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	04/13/2015	30.81	21.87	-	-	-	-	8.94	10:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	04/23/2015	30.81	21.89	-	-	-	25.25	8.92	11:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	04/29/2015	30.81	21.88	-	-	-	25.25	8.93	14:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/04/2015	30.81	21.89	-	-	-	-	8.92	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/11/2015	30.81	21.93	-	-	-	24.50	8.88	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/13/2015	30.81	21.95	-	-	-	-	8.86	10:00	-	-	-	-	-	-	-	-	-	-	-	17,000	
MW-51S	05/21/2015	30.81	21.68	-	-	-	25.35	9.13	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/28/2015	30.81	21.93	-	-	-	25.30	8.88	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	06/09/2015	30.81	21.85	-	-	-	-	8.96	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	06/16/2015	30.81	21.79	-	-	-	-	9.02	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	06/26/2015	30.81	21.62	-	-	-	-	9.19	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/08/2015	30.81	21.33	-	-	-	-	9.48	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/13/2015	30.81	21.62	-	-	-	-	9.19	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/20/2015	30.81	21.57	-	-	-	-	9.24	9:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/28/2015	30.81	21.37	-	-	-	25.35	9.44	11:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/04/2015	30.81	21.21	-	-	-	25.30	9.60	12:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/05/2015	30.81	21.25	-	-	-	25.30	9.56	9:12	-	-	-	-	-	-	-	-	-	-	-	11,000	
MW-51S	08/11/2015	30.81	21.28	-	-	-	25.31	9.53	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/18/2015	30.81	21.22	-	-	-	-	9.59	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/24/2015	30.81	21.27	-	-	-	-	9.54	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/02/2015	30.81	21.35	-	-	-	25.30	9.46	9:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/09/2015	30.81	21.42	-	-	-	25.32	9.39	10:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/17/2015	30.81	21.52	-	-	-	25.43	9.29	10:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/23/2015	30.81	21.48	-	-	-	-	9.33	10:53	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-51S	09/28/2015	30.81	21.56	-	-	-	25.30	9.25	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/05/2015	30.81	21.55	-	-	-	25.61	9.26	9:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/10/2015	30.81	21.67	-	-	-	-	9.14	13:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/01/2015	30.81	21.80	-	-	-	25.30	9.01	10:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/02/2015	30.81	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14,000	
MW-51S	01/27/2016	30.81	21.95	-	-	-	-	8.86	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/15/2016	30.81	21.31	-	-	-	-	9.50	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	03/14/2016	30.81	21.23	-	-	-	25.30	9.58	12:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	03/15/2016	30.81	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67,000	
MW-51S	04/21/2016	30.81	22.04	-	-	-	25.30	8.77	10:58	-	-	-	-	-	-	-	-	-	-	-	27,000	
MW-51S	05/23/2016	30.81	21.93	-	-	-	25.21	8.88	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/24/2016	30.81	21.77	-	-	-	25.28	9.04	10:08	-	-	-	-	-	-	-	-	-	-	-	11,000	
MW-51S	06/21/2016	30.81	22.20	-	-	-	-	8.61	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/21/2016	30.81	21.27	-	-	-	-	9.54	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/24/2016	30.81	21.89	-	-	-	25.30	8.92	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/25/2016	30.81	21.60	-	-	-	25.45	9.21	11:05	-	-	-	-	-	-	-	-	-	-	-	15,000	
MW-51S	11/28/2016	30.81	22.23	-	-	-	25.25	8.58	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/29/2016	30.81	22.37	-	-	-	25.35	8.44	9:51	-	-	-	-	-	-	-	-	-	-	-	19,000	
MW-51S	02/21/2017	30.81	22.51	-	-	-	25.30	8.30	11:25	9	<0.5	12	3	-	-	-	-	1 J	-	-	68,000	
MW-51S	03/28/2017	30.81	23.00	-	-	-	25.38	7.81	15:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	03/29/2017	32.99	25.53	-	-	-	26.93	7.46	12:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	04/18/2017	32.99	26.83	-	-	-	26.92	6.16	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/22/2017	32.99	23.05	-	-	-	26.90	9.94	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/24/2017	32.99	21.37	-	-	-	26.92	11.62	9:12	-	-	-	-	-	-	-	-	-	-	-	36,000	
MW-51S	06/22/2017	32.99	26.82	-	-	-	27.67	6.17	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/19/2017	32.99	26.83	-	-	-	27.07	6.16	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/21/2017	32.99	22.67	-	-	-	27.22	10.32	9:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/28/2017	32.99	22.90	-	-	-	27.25	10.09	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/29/2017	32.99	22.91	-	-	-	-	10.08	11:40	-	-	-	-	-	-	-	-	<2.0	-	448	25,600	
MW-51S	09/20/2017	32.99	23.12	-	-	-	-	9.87	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/17/2017	32.99	23.47	-	-	-	-	9.52	11:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/28/2017	32.99	23.61	-	-	-	27.18	9.38	13:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/29/2017	32.99	23.68	-	-	-	27.15	9.31	11:59	-	-	-	-	-	-	-	-	-	-	15200	17,200	
MW-51S	01/18/2018	32.99	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	422	12,400	
MW-51S	01/18/2018	32.99	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10,500	12,800	
MW-51S	01/18/2018	32.99	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,130	12,800	

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-51S	01/26/2018	32.99	24.73	-	-	-	-	8.26	11:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/20/2018	32.99	23.33	-	-	-	27.17	9.66	12:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/22/2018	32.99	23.36	-	-	-	27.22	9.63	11:19	-	-	-	-	-	-	-	-	-	-	313	20,600	
MW-51S	03/06/2018	32.99	23.35	-	-	-	-	9.64	11:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	03/29/2018	32.99	23.32	-	-	-	-	9.67	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	04/11/2018	32.99	23.46	-	-	-	-	9.53	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	04/23/2018	32.99	23.42	-	-	-	-	9.57	9:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/03/2018	32.99	23.40	-	-	-	-	9.59	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/03/2018	31.00	21.63	-	-	-	-	9.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/21/2018	31.00	21.60	-	-	-	25.37	9.40	9:49	-	-	-	-	-	-	-	-	-	-	-	12,100	
MW-51S	05/24/2018	31.00	21.52	-	-	-	-	9.48	8:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	06/12/2018	31.00	21.42	-	-	-	-	9.58	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	06/26/2018	31.00	21.29	-	-	-	25.29	9.71	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/02/2018	31.00	21.37	-	-	-	-	9.63	10:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/17/2018	31.00	21.42	-	-	-	-	9.58	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/30/2018	31.00	20.41	-	-	-	-	10.59	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/09/2018	31.00	20.73	-	-	-	-	10.27	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/13/2018	31.00	20.78	-	-	-	25.40	10.22	12:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/15/2018	31.00	20.73	-	-	-	26.96	10.27	10:14	-	-	-	-	-	-	-	-	-	-	-	25,000	
MW-51S	09/04/2018	31.00	20.27	-	-	-	-	10.73	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/25/2018	31.00	20.46	-	-	-	-	10.54	13:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/02/2018	31.00	20.55	-	-	-	25.38	10.45	11:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/09/2018	31.00	20.66	-	-	-	25.35	10.34	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/25/2018	31.00	27.18	-	-	-	27.54	-	9:47	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW-51S	11/12/2018	32.98	22.28	-	-	-	-	10.70	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/13/2018	32.98	22.19	-	-	-	-	10.79	12:35	-	-	-	-	-	-	-	-	-	-	-	6,600	
MW-51S	11/27/2018	32.98	21.90	-	-	-	-	11.08	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/11/2018	32.98	22.46	-	-	-	-	10.52	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/27/2018	32.98	22.23	-	-	-	-	10.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	01/10/2019	32.98	22.44	-	-	-	-	10.54	9:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	01/24/2019	32.98	22.30	-	-	-	-	10.68	13:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/11/2019	32.98	22.60	-	-	-	OBST	10.38	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/14/2019	31.00	21.28	-	-	-	-	9.72	14:00	-	-	-	-	-	-	-	-	-	-	-	2,100	
MW-51S	02/21/2019	32.98	22.73	-	-	-	-	10.25	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	03/07/2019	32.98	22.58	-	-	-	-	10.40	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	03/19/2019	32.98	23.10	-	-	-	-	9.88	9:09	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-51S	04/02/2019	32.98	22.67	-	-	-	-	10.31	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	04/22/2019	32.98	22.85	-	-	-	-	10.13	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/06/2019	32.98	23.08	-	-	-	-	9.90	9:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/20/2019	32.98	22.87	-	-	-	27.17	10.11	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/22/2019	32.98	22.91	-	-	-	-	10.07	9:23	-	-	-	-	-	-	-	-	-	-	-	5,200	
MW-51S	06/04/2019	32.98	22.99	-	-	-	-	9.99	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	06/18/2019	32.98	22.97	-	-	-	-	10.01	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/09/2019	32.98	22.58	-	-	-	-	10.40	8:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	07/23/2019	32.98	22.42	-	-	-	-	10.56	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/09/2019	32.98	22.57	-	-	-	-	10.41	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/19/2019	32.98	22.81	-	-	-	24.83	10.17	11:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/21/2019	31.00	21.56	-	-	-	25.76	9.44	10:05	-	-	-	-	-	-	-	-	-	-	-	7,300	
MW-51S	09/03/2019	32.98	23.40	-	-	-	-	9.58	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/17/2019	32.98	23.53	-	-	-	-	9.45	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/01/2019	32.98	23.72	-	-	-	-	9.26	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/18/2019	31.00	21.80	-	-	-	24.98	9.20	10:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/20/2019	31.00	21.75	-	-	-	25.35	9.25	12:50	-	-	-	-	-	-	-	-	-	-	-	4,800	
MW-51S	12/05/2019	31.00	22.00	-	-	-	-	9.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	01/14/2020	31.00	22.20	-	-	-	-	8.80	12:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/17/2020	31.00	22.24	-	-	-	25.35	8.76	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/18/2020	31.00	22.29	-	-	-	-	8.71	13:00	-	-	-	-	-	-	-	-	-	-	-	7,400	
MW-51S	03/10/2020	31.00	22.33	-	-	-	-	8.67	9:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/11/2020	31.00	21.95	-	-	-	25.31	9.05	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	05/13/2020	31.00	21.96	-	-	-	-	9.04	9:04	2 J	<1	<1	<3	<1	-	<2	<10	-	-	-	9,000	
MW-51S	08/10/2020	31.00	20.90	-	-	-	25.53	10.10	11:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/12/2020	31.00	21.03	-	-	-	-	9.97	9:25	-	-	-	-	-	-	-	-	-	-	-	27,000	
MW/RW-51	07/25/2014	30.97	27.25	-	-	-	35.95	3.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/08/2014	30.97	27.00	27.00	TRACE	-	36.48	3.97	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	08/11/2014	30.97	26.70	-	-	-	-	4.27	-	-	-	-	-	-	-	-	-	-	-	-	1,180	
MW/RW-51	08/13/2014	30.97	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,650	
MW/RW-51	08/15/2014	30.97	27.30	-	-	-	-	3.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/16/2014	30.97	26.99	26.99	TRACE	-	34.65	3.98	-	-	-	-	-	-	-	-	-	-	-	-	281,000	LNAPL NMB
MW/RW-51	08/18/2014	30.97	26.94	26.94	TRACE	-	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	08/25/2014	30.97	26.59	26.59	TRACE	-	-	4.38	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	09/02/2014	30.97	26.93	26.93	TRACE	-	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	09/15/2014	30.97	26.88	26.85	0.03	TRACE	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-51	09/22/2014	30.97	26.83	26.80	0.03	TRACE	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	09/24/2014	30.97	27.19	27.15	0.04	-	-	3.82	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	10/01/2014	30.97	26.93	26.93	TRACE	-	36.15	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	10/10/2014	30.97	26.84	26.81	0.03	-	-	4.16	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	10/13/2014	30.97	27.01	26.94	0.07	-	-	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	10/20/2014	30.97	27.05	27.03	0.02	TRACE	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	10/27/2014	30.97	27.16	27.12	0.04	TRACE	-	3.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/07/2014	30.97	27.11	27.07	0.04	TRACE	-	3.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/12/2014	30.97	26.92	26.90	0.02	TRACE	-	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/21/2014	30.97	27.57	27.50	0.07	TRACE	-	3.46	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/26/2014	30.97	27.20	27.17	0.03	TRACE	-	3.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/05/2014	30.97	26.98	26.96	0.02	TRACE	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/11/2014	30.97	26.88	26.87	0.01	TRACE	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/16/2014	30.97	26.83	26.80	0.03	TRACE	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/23/2014	30.97	26.83	26.83	TRACE	TRACE	-	4.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/30/2014	30.97	27.28	27.22	0.06	TRACE	-	3.74	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/09/2015	30.97	27.20	27.15	0.05	TRACE	-	3.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/16/2015	30.97	26.95	26.91	0.04	TRACE	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/19/2015	30.97	26.88	26.83	0.05	TRACE	-	4.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/26/2015	30.97	26.98	26.92	0.06	TRACE	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	02/03/2015	30.97	27.52	27.45	0.07	-	36.15	3.51	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	02/09/2015	30.97	26.93	26.91	0.02	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	02/18/2015	30.97	27.07	27.02	0.05	-	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	02/24/2015	30.97	27.07	27.06	0.01	TRACE	-	3.91	13:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	03/04/2015	30.97	27.24	27.17	0.07	-	-	3.79	14:25	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	03/11/2015	30.97	26.68	26.65	0.03	-	-	4.32	12:51	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	03/18/2015	30.97	26.94	26.84	0.10	-	-	4.12	11:11	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	03/26/2015	30.97	26.74	26.60	0.14	-	36.10	4.35	11:50	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	04/02/2015	30.97	27.78	27.75	0.03	-	36.05	3.22	11:46	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	04/08/2015	30.97	27.15	27.02	0.13	-	36.11	3.93	9:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	04/13/2015	30.97	27.09	26.98	0.11	-	-	3.98	10:47	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	04/23/2015	30.97	26.42	26.35	0.07	-	36.05	4.61	12:17	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	04/29/2015	30.97	26.71	26.60	0.11	-	36.00	4.36	14:39	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	05/04/2015	30.97	26.54	26.48	0.06	-	-	4.48	11:46	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	05/11/2015	30.97	26.44	26.40	0.04	-	-	4.57	15:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	05/13/2015	30.97	27.31	27.10	0.21	0.03	-	3.84	12:35	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-51	05/21/2015	30.97	26.74	26.71	0.03	-	-	4.26	12:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	05/28/2015	30.97	27.10	26.95	0.15	-	36.05	4.00	11:58	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	06/02/2015	30.97	26.85	26.82	0.03	-	-	4.15	13:07	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	06/09/2015	30.97	26.75	26.72	0.03	-	-	4.25	10:37	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	06/16/2015	30.97	26.57	26.54	0.03	-	-	4.43	11:30	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	06/26/2015	30.97	26.44	26.31	0.13	-	36.00	4.64	11:23	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	07/01/2015	30.97	25.86	25.85	0.01	-	-	5.12	12:30	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	07/08/2015	30.97	26.28	26.05	0.23	0.05	-	4.89	11:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	07/13/2015	30.97	26.03	25.90	0.13	-	-	5.05	9:46	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-51	07/20/2015	30.97	25.97	25.92	0.05	TRACE	-	5.04	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	07/28/2015	30.97	26.16	26.10	0.06	TRACE	36.18	4.86	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/04/2015	30.97	26.11	26.02	0.09	0.01	-	4.94	12:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/11/2015	30.97	25.78	25.70	0.08	0.01	36.14	5.26	11:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/18/2015	30.97	27.29	27.23	0.06	TRACE	-	3.73	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/24/2015	30.97	26.18	26.16	0.02	TRACE	-	4.81	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	09/02/2015	30.97	26.42	26.40	0.02	0.01	36.10	4.57	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	09/09/2015	30.97	26.35	26.27	0.08	0.02	36.12	4.69	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	09/17/2015	30.97	26.61	-	-	-	36.14	4.36	10:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	09/23/2015	30.97	26.49	26.47	0.02	TRACE	-	4.50	11:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	09/28/2015	30.97	26.00	26.00	TRACE	-	36.10	4.97	10:01	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	10/05/2015	30.97	26.67	-	-	-	36.15	4.30	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/10/2015	30.97	26.52	26.48	0.04	-	-	4.49	13:42	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	12/01/2015	30.97	26.57	26.55	0.02	-	-	4.42	13:53	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	01/27/2016	31.62	26.86	26.73	0.13	-	-	4.87	10:48	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	02/15/2016	31.62	27.22	27.14	0.08	-	-	4.47	10:23	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	03/14/2016	31.62	26.72	26.63	0.09	-	-	4.98	10:25	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	03/30/2016	31.62	33.60	-	-	-	-	-1.98	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	04/21/2016	31.62	33.00	-	-	-	-	-1.38	10:13	-	-	-	-	-	-	-	-	-	-	-	2,900	pump in well
MW/RW-51	05/23/2016	31.62	33.31	-	-	-	34.52	-1.69	11:30	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	05/24/2016	31.62	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	780	pump in well
MW/RW-51	06/21/2016	31.62	33.00	-	-	-	-	-1.38	11:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	07/21/2016	31.62	33.70	-	-	-	-	-2.08	11:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/24/2016	31.62	32.95	-	-	-	-	-1.33	11:03	-	-	-	-	-	-	-	-	-	-	-	350	pump in well
MW/RW-51	09/22/2016	31.62	33.35	-	-	-	-	-1.73	13:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	10/20/2016	31.62	32.92	-	-	-	-	-1.30	11:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	11/28/2016	31.62	30.64	-	-	-	-	0.98	9:19	<0.5	<0.5	<0.5	<0.5	-	-	-	-	<1	-	-	110	pump in well

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-51	12/22/2016	31.62	31.35	-	-	-	-	0.27	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	01/30/2017	31.62	27.30	-	-	-	-	4.32	11:56	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	02/21/2017	31.62	33.80	-	-	-	-	-2.18	12:49	-	-	-	-	-	-	-	-	-	-	-	410	pump in well
MW/RW-51	03/29/2017	31.62	32.55	-	-	-	-	-0.93	12:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	04/18/2017	31.62	33.45	-	-	-	-	-1.83	12:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	05/18/2017	31.62	33.80	-	-	-	-	-2.18	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	05/22/2017	31.62	26.79	-	-	-	-	4.83	13:11	-	-	-	-	-	-	-	-	-	-	-	1,140	pump in well
MW/RW-51	06/22/2017	31.62	33.80	-	-	-	-	-2.18	12:35	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	07/06/2017	31.62	33.50	-	-	-	-	-1.88	13:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	07/19/2017	31.62	33.80	-	-	-	-	-2.18	12:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/21/2017	31.62	33.80	-	-	-	-	-2.18	9:12	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/28/2017	31.62	32.65	-	-	-	-	-1.03	9:35	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/31/2017	31.62	32.42	-	-	-	36.18	-0.80	9:31	-	-	-	-	-	-	-	-	-	-	-	2,500	pump in well
MW/RW-51	09/20/2017	31.62	33.80	-	-	-	-	-2.18	9:40	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	10/17/2017	31.62	33.80	-	-	-	-	-2.18	11:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	11/28/2017	31.62	33.76	-	-	-	34.20	-2.14	12:39	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	11/30/2017	31.62	NR	-	-	-	-	-	11:20	<0.50	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	-	149	pump in well
MW/RW-51	01/26/2018	31.62	33.45	-	-	-	-	-1.83	12:35	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	02/20/2018	31.62	33.80	-	-	-	-	-2.18	10:45	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	02/21/2018	31.62	-	-	-	-	-	-	14:10	-	-	-	-	-	-	-	-	-	-	-	<83	pump in well
MW/RW-51	03/06/2018	31.62	27.30	-	-	-	-	4.32	12:15	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	03/29/2018	31.62	26.92	-	-	-	-	4.70	9:47	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	04/11/2018	31.62	27.57	-	-	-	-	4.05	11:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	04/23/2018	31.62	27.42	-	-	-	-	4.20	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	05/03/2018	31.62	27.28	-	-	-	-	4.34	9:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	05/21/2018	31.62	26.38	-	-	-	36.18	5.24	14:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	05/22/2018	31.62	26.32	-	-	-	36.10	5.30	10:03	-	-	-	-	-	-	-	-	-	-	-	19,500	
MW/RW-51	06/12/2018	31.62	26.27	-	-	-	-	5.35	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	06/26/2018	31.62	26.21	-	-	-	36.47	5.41	9:47	-	-	-	-	-	-	-	-	-	-	4,930 B	32,400	
MW/RW-51	07/02/2018	31.62	26.28	-	-	-	-	5.34	10:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	07/17/2018	31.62	26.51	-	-	-	-	5.11	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	07/30/2018	31.62	26.14	-	-	-	38.55	5.48	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/09/2018	31.62	26.02	-	-	-	-	5.60	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/13/2018	31.62	26.07	-	-	-	-	5.55	12:24	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/15/2018	31.62	31.12	-	-	-	-	0.50	10:00	-	-	-	-	-	-	-	-	-	-	-	460	pump in well
MW/RW-51	09/04/2018	31.62	26.12	-	-	-	-	5.50	9:46	-	-	-	-	-	-	-	-	-	-	-	-	pump in well

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-51	09/25/2018	31.62	25.33	-	-	-	-	6.29	13:29	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	10/02/2018	31.62	25.57	-	-	-	-	6.05	11:48	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	10/24/2018	31.62	26.44	-	-	-	-	5.18	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/12/2018	32.87	27.10	-	-	-	-	5.77	13:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/13/2018	32.87	26.85	-	-	-	-	6.02	10:10	2	<0.2	2	0.9 J	-	-	-	-	11	-	-	28,000	
MW/RW-51	11/27/2018	32.87	26.47	-	-	-	-	6.40	9:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/11/2018	32.87	27.02	-	-	-	-	5.85	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/27/2018	32.87	27.09	-	-	-	-	5.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/10/2019	32.87	27.76	-	-	-	-	5.11	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/24/2019	32.87	29.02	-	-	-	-	3.85	13:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	02/11/2019	32.87	27.17	-	-	-	37.12	5.70	13:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	02/14/2019	31.62	26.05	-	-	-	-	5.57	12:52	-	-	-	-	-	-	-	-	-	-	-	1,600	
MW/RW-51	02/15/2019	32.87	27.07	-	-	-	-	5.80	9:22	-	-	-	-	-	-	-	-	-	-	-	21,000	Grab
MW/RW-51	02/21/2019	32.87	26.79	-	-	-	-	6.08	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	03/07/2019	32.87	28.08	-	-	-	38.05	4.79	9:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	03/19/2019	32.87	28.03	-	-	-	-	4.84	9:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	04/02/2019	32.87	28.12	-	-	-	-	4.75	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	04/22/2019	32.87	27.83	-	-	-	-	5.04	9:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	05/06/2019	32.87	26.74	-	-	-	-	6.13	9:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	05/20/2019	32.87	26.94	-	-	-	38.05	5.93	11:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	05/22/2019	32.87	27.50	-	-	-	-	5.37	10:03	-	-	-	-	-	-	-	-	-	-	-	2,600	
MW/RW-51	05/23/2019	31.62	26.04	-	-	-	35.90	5.58	9:04	-	-	-	-	-	-	-	-	-	-	-	680	Grab
MW/RW-51	06/04/2019	32.87	28.30	-	-	-	-	4.57	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	06/18/2019	32.87	28.16	-	-	-	-	4.71	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	07/09/2019	32.87	27.92	-	-	-	-	4.95	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	07/23/2019	32.87	28.12	-	-	-	-	4.75	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/09/2019	31.62	26.13	-	-	-	-	5.49	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/19/2019	31.62	26.07	-	-	-	35.95	5.55	12:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/21/2019	31.62	26.37	-	-	-	36.66	5.25	9:03	-	-	-	-	-	-	-	-	-	-	-	730	
MW/RW-51	08/21/2019	31.62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1500	Grab
MW/RW-51	09/03/2019	32.87	28.38	-	-	-	-	4.49	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	09/17/2019	32.87	28.35	-	-	-	-	4.52	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	10/01/2019	32.87	28.33	-	-	-	-	4.54	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/18/2019	31.62	25.98	-	-	-	35.93	5.64	12:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/20/2019	31.62	26.22	-	-	-	35.94	5.40	13:47	0.4 J	<0.2	<0.2	<0.8	-	-	-	-	<4	-	-	2,000	
MW/RW-51	11/22/2019	31.62	26.24	-	-	-	-	5.38	8:45	-	-	-	-	-	-	-	-	-	-	-	3,200	Grab

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-51	12/05/2019	31.62	26.75	-	-	-	-	4.87	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/14/2020	31.62	26.79	-	-	-	-	4.83	12:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	02/17/2020	31.62	26.73	-	-	-	35.87	4.89	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	02/18/2020	31.62	26.64	-	-	-	-	4.98	11:45	-	-	-	-	-	-	-	-	-	-	-	1,700	
MW/RW-51	02/18/2020	31.62	-	-	-	-	-	-	14:35	-	-	-	-	-	-	-	-	-	-	-	11,000	Grab
MW/RW-51	03/10/2020	31.62	26.60	-	-	-	-	5.02	9:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	05/11/2020	31.62	27.08	-	-	-	35.04	4.54	12:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	05/13/2020	31.62	27.94	-	-	-	-	3.68	10:10	0.6 J	<0.2	1	0.5 J	<0.2	-	<0.3	<2	5 J	-	-	5,500	
MW/RW-51	05/13/2020	31.62	-	-	-	-	-	-	13:30	-	-	-	-	-	-	-	-	-	-	-	60,000	Grab
MW/RW-51	08/10/2020	31.62	DRY	-	-	-	35.92	-	9:34	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-52	08/15/2014	30.17	28.11	-	-	-	35.78	2.06	-	-	-	-	-	-	-	-	-	-	-	-	<600	
MW-52	08/18/2014	30.17	26.07	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	08/25/2014	30.17	25.76	-	-	-	-	4.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	09/02/2014	30.17	26.15	-	-	-	-	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	09/15/2014	30.17	25.99	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	09/22/2014	30.17	26.00	-	-	-	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	10/01/2014	30.17	26.03	-	-	-	35.65	4.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	10/10/2014	30.17	26.07	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	10/20/2014	30.17	26.24	-	-	-	35.64	3.93	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	10/22/2014	30.17	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	120	
MW-52	05/11/2015	30.17	25.81	-	-	-	35.65	4.36	14:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	05/12/2015	30.17	26.10	-	-	-	-	4.07	9:50	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-52	08/04/2015	30.17	25.21	-	-	-	35.55	4.96	12:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	08/05/2015	30.17	25.68	-	-	-	35.49	4.49	9:47	-	-	-	-	-	-	-	-	-	-	-	110	
MW-52	12/01/2015	30.17	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Manhole flooded
MW-52	03/14/2016	30.17	26.61	-	-	-	35.30	3.56	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	05/23/2016	30.17	26.29	-	-	-	35.22	3.88	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	08/24/2016	30.17	26.38	-	-	-	35.30	3.79	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	11/28/2016	30.17	26.62	-	-	-	35.24	3.55	8:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	02/21/2017	30.17	26.78	-	-	-	35.27	3.39	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	05/22/2017	30.17	24.98	-	-	-	-	5.19	13:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	08/28/2017	30.17	30.97	-	-	-	35.04	-0.80	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	11/28/2017	30.17	28.97	-	-	-	35.03	1.20	12:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	02/20/2018	30.17	27.05	-	-	-	35.69	3.12	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	05/21/2018	30.17	25.39	-	-	-	35.15	4.78	14:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	08/13/2018	30.17	25.06	-	-	-	35.73	5.11	12:03	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-52	11/12/2018	30.17	25.01	-	-	-	35.03	5.16	12:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	02/11/2019	30.17	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Manhole flooded
MW-52	05/20/2019	30.17	24.62	-	-	-	35.30	5.55	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	08/19/2019	30.17	25.09	-	-	-	35.58	5.08	11:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	11/18/2019	30.17	25.28	-	-	-	34.98	4.89	12:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	02/17/2020	30.17	26.01	-	-	-	34.92	4.16	11:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	05/11/2020	30.17	26.06	-	-	-	34.96	4.11	13:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-52	08/10/2020	30.17	DRY	-	-	-	35.33	-	9:05	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-70	08/15/2014	30.86	26.63	-	-	-	34.95	4.23	-	-	-	-	-	-	-	-	-	-	-	-	<153	
MW-70	08/18/2014	30.86	26.61	-	-	-	-	4.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	08/25/2014	30.86	26.25	-	-	-	-	4.61	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	09/02/2014	30.86	26.68	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	09/15/2014	30.86	26.63	-	-	-	-	4.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	09/22/2014	30.86	26.47	-	-	-	-	4.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	10/01/2014	30.86	26.66	-	-	-	34.88	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	10/10/2014	30.86	26.57	-	-	-	-	4.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	10/20/2014	30.86	26.79	-	-	-	34.90	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	10/21/2014	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-70	02/24/2015	30.86	26.62	-	-	-	-	4.24	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	02/26/2015	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,200	
MW-70	05/11/2015	30.86	26.02	-	-	-	35.15	4.84	14:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	05/12/2015	30.86	26.21	-	-	-	-	4.65	14:05	-	-	-	-	-	-	-	-	-	-	-	100	
MW-70	08/04/2015	30.86	25.73	-	-	-	35.16	5.13	12:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	08/05/2015	30.86	26.10	-	-	-	35.05	4.76	9:55	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-70	12/01/2015	30.86	26.23	-	-	-	35.05	4.63	13:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	03/14/2016	30.86	26.45	-	-	-	35.11	4.41	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	05/23/2016	30.86	26.71	-	-	-	35.05	4.15	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	08/24/2016	30.86	26.64	-	-	-	35.05	4.22	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	11/28/2016	30.86	26.91	-	-	-	35.04	3.95	8:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	02/21/2017	30.86	27.08	-	-	-	35.13	3.78	12:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	05/22/2017	30.86	25.92	-	-	-	33.05	4.94	12:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	08/28/2017	30.86	32.22	-	-	-	35.05	-1.36	9:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	11/28/2017	30.86	29.64	-	-	-	35.09	1.22	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	02/20/2018	30.86	27.01	-	-	-	35.78	3.85	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	05/21/2018	30.86	25.25	-	-	-	35.19	5.61	13:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	08/13/2018	30.86	25.11	-	-	-	35.91	5.75	12:39	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-70	11/12/2018	30.86	25.08	-	-	-	35.12	5.78	12:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	02/11/2019	30.86	25.17	-	-	-	35.48	5.69	13:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	05/20/2019	30.86	24.58	-	-	-	35.53	6.28	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	08/19/2019	30.86	25.15	-	-	-	35.93	5.71	12:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	11/18/2019	30.86	25.32	-	-	-	35.09	5.54	12:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	02/17/2020	30.86	25.50	-	-	-	35.03	5.36	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	05/11/2020	30.86	26.01	-	-	-	35.10	4.85	12:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	08/10/2020	30.86	33.06	-	-	-	35.07	-2.20	9:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/08/2014	30.63	23.33	-	-	-	25.30	7.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/11/2014	30.63	22.85	-	-	-	-	7.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/15/2014	30.63	21.35	-	-	-	23.90	9.28	-	-	-	-	-	-	-	-	-	-	-	-	5,980	
MW/RW-72S	08/18/2014	30.63	21.34	-	-	-	-	9.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/25/2014	30.63	21.41	-	-	-	-	9.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	09/02/2014	30.63	21.45	-	-	-	-	9.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	09/15/2014	30.63	21.54	-	-	-	-	9.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	09/22/2014	30.63	21.56	-	-	-	-	9.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	10/01/2014	30.63	21.63	-	-	-	23.90	9.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	10/10/2014	30.63	21.69	-	-	-	-	8.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	10/20/2014	30.63	21.73	-	-	-	23.88	8.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	10/22/2014	30.63	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,300	
MW/RW-72S	10/27/2014	30.63	21.80	-	-	-	-	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	11/07/2014	30.63	21.83	-	-	-	-	8.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	11/12/2014	30.63	21.88	-	-	-	-	8.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	11/21/2014	30.63	22.04	-	-	-	-	8.59	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	11/26/2014	30.63	22.10	-	-	-	-	8.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	12/05/2014	30.63	22.23	-	-	-	-	8.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	12/11/2014	30.63	22.11	-	-	-	-	8.52	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	12/16/2014	30.63	22.00	-	-	-	-	8.63	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	12/23/2014	30.63	21.99	-	-	-	-	8.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	12/30/2014	30.63	21.98	-	-	-	-	8.65	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	01/09/2015	30.63	21.94	-	-	-	-	8.69	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	01/16/2015	30.63	21.93	-	-	-	-	8.70	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	01/19/2015	30.63	21.88	-	-	-	-	8.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	01/26/2015	30.63	21.78	-	-	-	-	8.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	02/03/2015	30.63	21.79	-	-	-	23.93	8.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	02/09/2015	30.63	21.77	-	-	-	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-72S	02/18/2015	30.63	21.85	-	-	-	-	8.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	02/24/2015	30.63	21.90	-	-	-	23.89	8.73	15:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	02/25/2015	30.63	21.87	-	-	-	23.75	8.76	14:10	-	-	-	-	-	-	-	-	-	-	-	3,400	
MW/RW-72S	03/04/2015	30.63	21.79	-	-	-	-	8.84	13:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	03/11/2015	30.63	21.75	-	-	-	-	8.88	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	03/18/2015	30.63	21.70	-	-	-	-	8.93	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	03/26/2015	30.63	21.73	-	-	-	23.90	8.90	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	04/02/2015	30.63	21.78	-	-	-	23.90	8.85	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	04/08/2015	30.63	21.82	-	-	-	23.87	8.81	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	04/13/2015	30.63	21.86	-	-	-	-	8.77	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	04/23/2015	30.63	21.86	-	-	-	23.87	8.77	11:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	04/29/2015	30.63	21.85	-	-	-	23.85	8.78	13:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/04/2015	30.63	21.84	-	-	-	-	8.79	11:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/11/2015	30.63	21.91	-	-	-	23.90	8.72	10:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/13/2015	30.63	21.90	-	-	-	-	8.73	9:57	13	<0.5	24	<0.5	<0.5	<2	<0.5	<0.5	16.00	-	-	4,000	
MW/RW-72S	05/21/2015	30.63	21.88	-	-	-	23.90	8.75	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/28/2015	30.63	22.04	-	-	-	23.90	8.59	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	06/02/2015	30.63	22.03	-	-	-	-	8.60	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	06/09/2015	30.63	21.67	-	-	-	-	8.96	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	06/16/2015	30.63	21.68	-	-	-	-	8.95	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	06/26/2015	30.63	21.55	-	-	-	23.80	9.08	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	07/01/2015	30.63	21.38	-	-	-	-	9.25	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/04/2015	30.63	21.55	-	-	-	23.90	9.08	12:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/05/2015	30.63	21.51	-	-	-	23.90	9.12	9:25	-	-	-	-	-	-	-	-	-	-	-	3,700	
MW/RW-72S	12/01/2015	30.63	24.65	-	-	-	26.17	5.98	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	12/03/2015	30.63	NR	-	-	-	-	-	-	8	<0.5	15	<0.5	-	-	-	-	2.00 J	-	-	2,100	
MW/RW-72S	03/14/2016	30.63	23.71	-	-	-	26.02	6.92	12:25	-	-	-	-	-	-	-	-	-	-	-	8,200	
MW/RW-72S	05/23/2016	30.63	25.75	-	-	-	-	4.88	11:43	-	-	-	-	-	-	-	-	-	-	-	-	Obstruction during gauging
MW/RW-72S	05/25/2016	30.63	24.22	-	-	-	25.85	6.41	-	-	-	-	-	-	-	-	-	-	-	-	3,800	
MW/RW-72S	06/21/2016	30.63	26.04	-	-	-	-	4.59	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	07/21/2016	30.63	26.02	-	-	-	-	4.61	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/24/2016	30.63	25.60	-	-	-	26.15	5.03	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/25/2016	30.63	23.95	-	-	-	-	6.68	13:00	-	-	-	-	-	-	-	-	-	-	-	5,300	
MW/RW-72S	09/22/2016	30.63	26.07	-	-	-	26.13	4.56	12:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	10/20/2016	30.63	26.02	-	-	-	-	4.61	11:02	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-72S	11/28/2016	30.63	DRY	-	-	-	25.79	-	9:59	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW/RW-72S	11/29/2016	30.63	26.04	-	-	-	26.10	4.59	13:30	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW/RW-72S	12/07/2016	30.63	26.07	-	-	-	26.13	4.56	12:26	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW/RW-72S	12/22/2016	30.63	DRY	-	-	-	26.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW/RW-72S	01/30/2017	30.63	26.06	-	-	-	26.23	4.57	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	02/21/2017	30.63	26.01	-	-	-	26.19	4.62	10:22	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW/RW-72S	02/22/2017	30.63	26.03	-	-	-	26.19	4.60	-	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW/RW-72S	03/29/2017	30.63	22.90	-	-	-	23.83	7.73	12:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/22/2017	30.63	21.23	-	-	-	21.23	9.40	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/23/2017	30.63	21.30	-	-	-	23.90	9.33	13:00	-	-	-	-	-	-	-	-	-	-	-	55,500	
MW/RW-72S	08/28/2017	30.63	21.29	-	-	-	23.98	9.34	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/30/2017	30.63	21.22	-	-	-	23.93	9.41	12:53	-	-	-	-	-	-	-	-	<0.66	-	4,870	15,800	
MW/RW-72S	11/28/2017	30.63	21.57	-	-	-	23.91	9.06	14:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	11/30/2017	30.63	21.69	-	-	-	23.92	8.94	9:25	<0.50	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	8,070	9,100	
MW/RW-72S	02/20/2018	30.63	21.22	-	-	-	23.92	9.41	12:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	02/21/2018	30.63	21.25	-	-	-	23.83	9.38	9:35	-	-	-	-	-	-	-	-	-	-	6,050	26,900	
MW/RW-72S	05/21/2018	30.63	20.45	-	-	-	23.94	10.18	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/24/2018	30.63	20.72	-	-	-	23.96	9.91	8:21	-	-	-	-	-	-	-	-	-	-	-	13,700	
MW/RW-72S	08/13/2018	30.63	20.76	-	-	-	23.89	9.87	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/14/2018	30.63	20.73	-	-	-	23.97	9.90	10:10	-	-	-	-	-	-	-	-	-	-	-	4,500	
MW/RW-72S	11/12/2018	30.63	20.60	-	-	-	23.90	10.03	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	11/14/2018	30.63	20.46	-	-	-	23.90	10.17	9:51	<0.2	<0.2	<0.2	<0.5	-	-	-	-	<4	-	-	3,500	
MW/RW-72S	02/11/2019	30.63	21.18	-	-	-	23.98	9.45	12:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	02/14/2019	30.63	21.20	-	-	-	-	9.43	10:40	-	-	-	-	-	-	-	-	-	-	-	1,600	
MW/RW-72S	05/20/2019	30.63	21.05	-	-	-	24.58	9.58	10:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/22/2019	30.63	21.18	-	-	-	23.85	9.45	10:30	-	-	-	-	-	-	-	-	-	-	-	1,900	
MW/RW-72S	08/19/2019	30.63	21.42	-	-	-	23.92	9.21	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/22/2019	30.63	21.48	-	-	-	24.32	9.15	10:46	-	-	-	-	-	-	-	-	-	-	-	1,700	
MW/RW-72S	11/18/2019	30.63	22.20	-	-	-	23.85	8.43	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	11/19/2019	30.63	22.18	-	-	-	23.91	8.45	13:22	<0.2	<0.2	<0.2	<0.8	-	-	-	-	<4	-	-	3,300	
MW/RW-72S	02/17/2020	30.63	21.77	-	-	-	23.91	8.86	10:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	02/18/2020	30.63	21.75	-	-	-	-	8.88	12:15	-	-	-	-	-	-	-	-	-	-	-	2,000	
MW/RW-72S	05/11/2020	30.63	21.10	-	-	-	23.91	9.53	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/13/2020	30.63	21.18	-	-	-	-	9.45	9:25	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	1,900	
MW/RW-72S	08/10/2020	30.63	21.59	-	-	-	23.90	9.04	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/12/2020	30.63	21.60	-	-	-	-	9.03	11:30	-	-	-	-	-	-	-	-	-	-	-	1,500	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-72	08/08/2014	31.06	26.97	-	-	-	34.55	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	08/11/2014	31.06	26.85	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	<300	
MW/RW-72	08/13/2014	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,100	
MW/RW-72	08/15/2014	31.06	27.43	-	-	-	-	3.63	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	08/16/2014	31.06	27.05	-	-	-	34.43	4.01	-	-	-	-	-	-	-	-	-	-	-	-	1,340	
MW/RW-72	08/18/2014	31.06	27.00	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	08/25/2014	31.06	26.66	-	-	-	-	4.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	09/02/2014	31.06	27.11	-	-	-	-	3.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	09/15/2014	31.06	27.02	-	-	-	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	09/22/2014	31.06	26.88	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	10/01/2014	31.06	27.10	-	-	-	34.48	3.96	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	10/10/2014	31.06	26.94	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	10/20/2014	31.06	27.19	-	-	-	34.43	3.87	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	10/22/2014	31.06	NR	-	-	-	-	-	-	41	<0.5	1	66	0.6	2	<0.5	<0.5	61	480	-	2,000	
MW/RW-72	10/27/2014	31.06	27.34	-	-	-	-	3.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	11/07/2014	31.06	27.04	-	-	-	-	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	11/12/2014	31.06	27.12	-	-	-	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	11/21/2014	31.06	27.82	-	-	-	-	3.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	11/26/2014	31.06	27.36	-	-	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	12/05/2014	31.06	27.01	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	12/11/2014	31.06	27.03	-	-	-	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	12/16/2014	31.06	26.91	-	-	-	-	4.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	12/23/2014	31.06	26.89	-	-	-	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	12/30/2014	31.06	27.36	-	-	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	01/09/2015	31.06	27.27	-	-	-	-	3.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	01/16/2015	31.06	27.03	-	-	-	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	01/19/2015	31.06	26.98	-	-	-	-	4.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	01/26/2015	31.06	26.96	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	02/03/2015	31.06	27.65	-	-	-	34.19	3.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	02/09/2015	31.06	27.14	-	-	-	-	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	02/18/2015	31.06	27.11	-	-	-	-	3.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	02/24/2015	31.06	27.27	-	-	-	-	3.79	13:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	02/25/2015	31.06	27.33	-	-	-	34.28	3.73	9:50	8	<0.5	<0.5	3	<0.5	<2	<0.5	<0.5	<0.03	65	-	590	
MW/RW-72	03/04/2015	31.06	27.17	-	-	-	-	3.89	13:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	03/11/2015	31.06	26.98	-	-	-	-	4.08	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	03/18/2015	31.06	26.94	-	-	-	-	4.12	10:38	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-72	03/26/2015	31.06	26.78	-	-	-	34.10	4.28	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	04/02/2015	31.06	26.86	-	-	-	34.15	4.20	10:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	04/08/2015	31.06	27.20	-	-	-	33.98	3.86	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	04/13/2015	31.06	27.11	-	-	-	-	3.95	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	04/23/2015	31.06	26.61	-	-	-	34.13	4.45	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	04/29/2015	31.06	26.76	-	-	-	33.95	4.30	14:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	05/04/2015	31.06	26.60	-	-	-	-	4.46	11:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	05/11/2015	31.06	26.55	-	-	-	33.90	4.51	14:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	05/13/2015	31.06	27.12	-	-	-	-	3.94	9:55	13	<0.5	<0.5	6	<0.5	<2	<0.5	<0.5	13.00	120	-	630	
MW/RW-72	05/21/2015	31.06	26.81	-	-	-	34.04	4.25	11:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	05/28/2015	31.06	27.05	-	-	-	34.00	4.01	11:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	06/02/2015	31.06	26.68	-	-	-	-	4.38	12:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	06/09/2015	31.06	26.46	-	-	-	-	4.60	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	06/16/2015	31.06	26.48	-	-	-	-	4.58	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	06/26/2015	31.06	26.42	-	-	-	34.00	4.64	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	07/01/2015	31.06	25.91	-	-	-	-	5.15	11:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	08/04/2015	31.06	26.19	-	-	-	34.14	4.87	12:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	08/05/2015	31.06	26.61	-	-	-	34.26	4.45	9:22	-	-	-	-	-	-	-	-	-	-	-	3,900	
MW/RW-72	12/01/2015	31.06	26.68	-	-	-	-	4.38	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	12/03/2015	31.06	NR	-	-	-	-	-	-	20	<0.5	29	100	-	-	-	-	26	-	-	960	
MW/RW-72	03/14/2016	31.06	26.87	-	-	-	-	4.19	9:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-72	03/15/2016	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,200	pump in well
MW/RW-72	03/30/2016	31.06	31.47	-	-	-	-	-0.41	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-72	04/21/2016	31.06	31.45	-	-	-	-	-0.39	10:22	-	-	-	-	-	-	-	-	-	-	-	350	pump in well
MW/RW-72	05/23/2016	31.06	31.50	-	-	-	-	-0.44	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-72	05/24/2016	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360	pump in well
MW/RW-72	06/21/2016	31.06	31.50	-	-	-	-	-0.44	10:21	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-72	07/21/2016	31.06	31.51	-	-	-	-	-0.45	10:01	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-72	08/04/2016	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Uninstalled pump to use in MW-14 due to increasing LNAPL levels in MW-14
MW/RW-72	08/24/2016	31.06	27.21	-	-	-	33.00	3.85	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	08/25/2016	31.06	27.42	-	-	-	33.18	3.64	11:06	-	-	-	-	-	-	-	-	-	-	-	330	
MW/RW-72	09/22/2016	31.06	26.54	-	-	-	-	4.52	14:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	11/28/2016	31.06	26.36	-	-	-	33.69	4.70	8:50	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-72	11/29/2016	31.06	26.72	-	-	-	33.07	4.34	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	<1	-	-	160	
MW/RW-72	02/21/2017	31.06	27.88	-	-	-	33.03	3.18	12:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	02/22/2017	31.06	27.65	-	-	-	33.03	3.41	12:50	-	-	-	-	-	-	-	-	-	-	-	150	
MW/RW-72	05/22/2017	31.03	26.79	-	-	-	33.10	4.24	13:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	05/23/2017	31.03	26.83	-	-	-	33.15	4.20	13:30	-	-	-	-	-	-	-	-	-	-	-	2,410	
MW/RW-72	08/28/2017	31.03	32.62	-	-	-	33.02	-1.59	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	08/30/2017	31.03	32.51	-	-	-	33.10	-1.48	12:56	-	-	-	-	-	-	-	-	-	-	-	2,080	
MW/RW-72	11/28/2017	31.03	30.61	-	-	-	35.23	0.42	11:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	11/29/2017	31.03	30.42	-	-	-	33.08	0.61	11:16	<0.50	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	-	642	
MW/RW-72	02/20/2018	31.03	28.94	-	-	-	35.36	2.09	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	02/21/2018	31.03	29.49	-	-	-	33.10	1.54	9:40	-	-	-	-	-	-	-	-	-	-	-	537	
MW/RW-72	05/21/2018	31.03	28.78	-	-	-	33.28	2.25	14:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	05/24/2018	31.03	26.22	-	-	-	33.10	4.81	8:18	-	-	-	-	-	-	-	-	-	-	-	4,430	
MW/RW-72	08/13/2018	31.03	26.06	-	-	-	33.06	4.97	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	08/14/2018	31.03	26.22	-	-	-	33.10	4.81	10:07	-	-	-	-	-	-	-	-	-	-	-	3,100	
MW/RW-72	11/12/2018	31.03	25.93	-	-	-	33.18	5.10	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	11/14/2018	31.03	26.30	-	-	-	33.18	4.73	9:54	0.3 J	<0.2	0.7 J	8	-	-	-	-	12	-	-	2,600	
MW/RW-72	02/11/2019	31.03	26.19	-	-	-	33.37	4.84	13:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	02/14/2019	31.03	25.98	-	-	-	-	5.05	9:25	-	-	-	-	-	-	-	-	-	-	-	1,200	
MW/RW-72	05/20/2019	31.03	25.55	-	-	-	34.13	5.48	10:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	05/21/2019	31.03	25.93	-	-	-	33.11	5.10	13:20	-	-	-	-	-	-	-	-	-	-	-	2,100	
MW/RW-72	08/19/2019	31.03	26.11	-	-	-	33.10	4.92	11:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	08/22/2019	31.03	26.35	-	-	-	34.00	4.68	9:50	-	-	-	-	-	-	-	-	-	-	-	2,300	
MW/RW-72	11/18/2019	31.03	26.11	-	-	-	32.99	4.92	12:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	11/19/2019	31.03	25.91	-	-	-	33.10	5.12	14:23	0.5 J	<0.2	2.00	7	-	-	-	-	17	-	-	1,500	
MW/RW-72	02/17/2020	31.03	26.78	-	-	-	33.02	4.25	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	02/18/2020	31.03	26.64	-	-	-	-	4.39	10:51	-	-	-	-	-	-	-	-	-	-	-	890	
MW/RW-72	05/11/2020	31.03	27.14	-	-	-	33.08	3.89	13:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72	05/13/2020	31.03	28.07	-	-	-	-	2.96	10:42	0.4 J	<0.2	2	6	<0.2	-	<0.3	<2	14	-	-	1,400	
MW/RW-72	08/10/2020	31.03	DRY	-	-	-	33.01	-	9:43	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-100S	08/15/2014	31.06	21.32	-	-	-	24.22	9.74	-	-	-	-	-	-	-	-	-	-	-	-	<300	
MW-100S	08/18/2014	31.06	21.28	-	-	-	-	9.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	08/25/2014	31.06	21.31	-	-	-	-	9.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	09/02/2014	31.06	21.39	-	-	-	-	9.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	09/15/2014	31.06	21.39	-	-	-	-	9.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	09/22/2014	31.06	21.52	-	-	-	-	9.54	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-100S	10/01/2014	31.06	21.62	-	-	-	24.16	9.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	10/10/2014	31.06	21.61	-	-	-	-	9.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	10/20/2014	31.06	21.67	-	-	-	24.17	9.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	10/21/2014	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-100S	02/24/2015	31.06	21.75	-	-	-	24.18	9.31	15:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	02/26/2015	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	690	
MW-100S	05/11/2015	31.06	21.55	-	-	-	24.20	9.51	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	05/12/2015	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-100S	08/04/2015	31.06	20.66	-	-	-	24.15	10.40	12:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	08/05/2015	31.06	20.70	-	-	-	24.15	10.36	10:03	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-100S	12/01/2015	31.06	21.57	-	-	-	24.16	9.49	11:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	03/14/2016	31.06	21.41	-	-	-	24.20	9.65	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	05/23/2016	31.06	21.33	-	-	-	24.31	9.73	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	08/24/2016	31.06	21.11	-	-	-	24.24	9.95	11:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	11/28/2016	31.06	21.73	-	-	-	24.16	9.33	9:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	11/29/2016	31.06	21.72	-	-	-	24.15	9.34	9:30	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-100S	02/21/2017	31.06	21.68	-	-	-	24.17	9.38	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	05/22/2017	31.03	21.06	-	-	-	24.21	9.97	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	08/28/2017	31.03	20.57	-	-	-	24.12	10.46	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	08/30/2017	31.03	20.70	-	-	-	24.20	10.33	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	11/28/2017	31.03	21.42	-	-	-	24.72	9.61	12:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	11/30/2017	31.03	21.45	-	-	-	24.22	9.58	9:30	-	-	-	-	-	-	-	-	-	-	-	192	
MW-100S	02/20/2018	31.03	21.21	-	-	-	24.18	9.82	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	05/21/2018	31.03	20.97	-	-	-	24.20	10.06	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	05/22/2018	31.03	20.98	-	-	-	24.20	10.05	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	08/13/2018	31.03	DRY	-	-	-	24.81	-	11:06	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-100S	11/12/2018	31.03	20.10	-	-	-	24.15	10.93	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	11/14/2018	31.03	19.71	-	-	-	24.18	11.32	9:55	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-100S	02/11/2019	31.03	20.41	-	-	-	24.27	10.62	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	05/20/2019	31.03	20.74	-	-	-	24.34	10.29	10:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	08/19/2019	31.03	24.57	-	-	-	26.94	6.46	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	11/18/2019	31.03	20.97	-	-	-	24.18	10.06	11:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	11/20/2019	31.03	21.01	-	-	-	24.18	10.02	9:26	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-100S	02/17/2020	31.03	20.95	-	-	-	24.18	10.08	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	05/11/2020	31.03	21.02	-	-	-	24.17	10.01	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100S	08/10/2020	31.03	21.14	-	-	-	24.19	9.89	10:22	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-100	08/15/2014	30.78	26.80	-	-	-	36.90	3.98	-	-	-	-	-	-	-	-	-	-	-	-	<152	
MW-100	08/18/2014	30.78	26.66	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/25/2014	30.78	26.26	-	-	-	-	4.52	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	09/02/2014	30.78	26.70	-	-	-	-	4.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	09/15/2014	30.78	26.65	-	-	-	-	4.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	09/22/2014	30.78	26.48	-	-	-	-	4.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	10/01/2014	30.78	26.69	-	-	-	36.68	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	10/10/2014	30.78	26.60	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	10/20/2014	30.78	26.86	-	-	-	36.58	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	10/21/2014	30.78	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	
MW-100	02/24/2015	30.78	26.88	-	-	-	36.61	3.90	13:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	02/25/2015	30.78	26.87	-	-	-	36.62	3.91	11:32	-	-	-	-	-	-	-	-	-	-	-	300	
MW-100	05/11/2015	30.78	26.17	-	-	-	36.60	4.61	14:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/12/2015	30.78	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-100	08/04/2015	30.78	25.80	-	-	-	36.80	4.98	12:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/05/2015	30.78	26.22	-	-	-	36.61	4.56	9:59	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-100	12/01/2015	30.78	26.25	-	-	-	36.35	4.53	13:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	03/14/2016	30.78	26.54	-	-	-	36.46	4.24	9:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/23/2016	30.78	26.74	-	-	-	36.69	4.04	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/24/2016	30.78	26.72	-	-	-	36.42	4.06	11:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/28/2016	30.78	26.87	-	-	-	27.44	3.91	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/29/2016	30.78	26.66	-	-	-	36.39	4.12	9:35	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-100	02/21/2017	30.78	27.35	-	-	-	36.30	3.43	12:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/22/2017	30.78	26.34	-	-	-	36.40	4.44	12:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/28/2017	30.78	33.02	-	-	-	36.23	-2.24	9:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/30/2017	30.78	32.94	-	-	-	36.28	-2.16	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/28/2017	30.78	29.98	-	-	-	36.28	0.80	12:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/30/2017	30.78	29.99	-	-	-	36.25	0.79	9:34	-	-	-	-	-	-	-	-	-	-	-	98.5	
MW-100	02/20/2018	30.78	27.79	-	-	-	37.12	2.99	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/21/2018	30.78	26.25	-	-	-	36.20	4.53	13:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/13/2018	30.78	25.91	-	-	-	37.19	4.87	12:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/12/2018	30.78	25.70	-	-	-	36.23	5.08	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/14/2018	30.78	26.39	-	-	-	36.25	4.39	10:05	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-100	02/11/2019	30.78	25.92	-	-	-	36.30	4.86	13:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/20/2019	30.78	25.35	-	-	-	37.64	5.43	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/19/2019	30.78	25.78	-	-	-	36.89	5.00	12:16	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-100	11/18/2019	30.78	25.69	-	-	-	36.18	5.09	12:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/20/2019	30.78	26.06	-	-	-	-	4.72	10:28	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-100	02/17/2020	30.78	26.40	-	-	-	36.19	4.38	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/11/2020	30.78	27.20	-	-	-	-	3.58	12:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/10/2020	30.78	DRY	-	-	-	36.07	-	9:25	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-102	08/15/2014	29.72	29.91	-	-	-	36.64	-0.19	-	-	-	-	-	-	-	-	-	-	-	-	<1,500	
MW-102	08/18/2014	29.72	29.81	-	-	-	-	-0.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/25/2014	29.72	28.40	-	-	-	-	1.32	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	09/02/2014	29.72	27.23	-	-	-	-	2.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	09/15/2014	29.72	24.97	-	-	-	-	4.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	09/22/2014	29.72	24.83	-	-	-	-	4.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	10/01/2014	29.72	24.73	-	-	-	36.45	4.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	10/10/2014	29.72	24.66	-	-	-	-	5.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	10/20/2014	29.72	24.78	-	-	-	36.44	4.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	10/21/2014	29.72	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-102	05/11/2015	29.72	24.44	-	-	-	36.40	5.28	15:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	05/12/2015	29.72	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-102	08/04/2015	29.72	23.39	-	-	-	36.43	6.33	12:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/05/2015	29.72	23.50	-	-	-	36.42	6.22	10:14	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-102	12/01/2015	29.72	22.61	-	-	-	31.80	7.11	13:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	03/14/2016	29.72	24.11	-	-	-	36.41	5.61	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	05/23/2016	29.72	23.33	-	-	-	36.40	6.39	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/24/2016	29.72	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	VO
MW-102	11/28/2016	29.72	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	VO
MW-102	02/21/2017	29.72	25.22	-	-	-	36.43	4.50	11:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	05/22/2017	29.72	23.65	-	-	-	36.46	6.07	13:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/28/2017	29.72	27.11	-	-	-	36.40	2.61	11:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/30/2017	29.72	27.20	-	-	-	36.48	2.52	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	11/28/2017	29.72	26.29	-	-	-	36.42	3.43	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	02/20/2018	29.72	25.01	-	-	-	37.08	4.71	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	05/21/2018	29.72	21.20	-	-	-	25.89	8.52	13:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/13/2018	29.72	22.51	-	-	-	36.99	7.21	12:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	11/12/2018	29.72	22.88	-	-	-	36.43	6.84	12:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	02/11/2019	29.72	23.59	-	-	-	36.72	6.13	13:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	05/20/2019	29.72	22.54	-	-	-	37.14	7.18	11:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/19/2019	29.72	23.52	-	-	-	37.02	6.20	12:11	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-102	11/18/2019	29.72	23.68	-	-	-	36.38	6.04	12:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	02/17/2020	29.72	22.61	-	-	-	36.41	7.11	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	05/11/2020	29.72	23.21	-	-	-	36.38	6.51	12:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/10/2020	29.72	32.11	-	-	-	36.64	-2.39	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	07/24/2014	11.07	7.87	-	-	-	-	3.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/08/2014	11.07	4.61	-	-	-	15.06	6.46	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/11/2014	11.07	4.63	-	-	-	-	6.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/15/2014	11.07	4.26	-	-	-	14.95	6.81	-	-	-	-	-	-	-	-	-	-	-	-	479	
MW-103	08/18/2014	11.07	4.48	-	-	-	-	6.59	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/25/2014	11.07	4.45	-	-	-	-	6.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	09/02/2014	11.07	4.50	-	-	-	-	6.57	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	09/15/2014	11.07	4.63	-	-	-	-	6.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	09/22/2014	11.07	4.76	-	-	-	-	6.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	10/01/2014	11.07	4.85	-	-	-	14.88	6.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	10/10/2014	11.07	4.93	-	-	-	-	6.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	10/20/2014	11.07	4.70	-	-	-	14.88	6.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	10/21/2014	11.07	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.02	26	-	54	
MW-103	02/24/2015	11.07	5.02	-	-	-	-	6.05	15:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	02/26/2015	11.07	5.21	-	-	-	14.90	5.86	11:53	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.03	<20	-	<45	
MW-103	05/11/2015	11.07	4.67	-	-	-	14.88	6.40	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	05/12/2015	11.07	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	22 J	-	<45	
MW-103	08/04/2015	11.07	3.69	-	-	-	14.88	7.38	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/05/2015	11.07	3.71	-	-	-	14.87	7.36	10:20	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-103	12/01/2015	11.07	9.70	-	-	-	-	1.37	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	03/14/2016	11.07	4.15	-	-	-	14.89	6.92	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	05/23/2016	11.07	4.01	-	-	-	14.80	7.06	11:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/24/2016	11.07	4.26	-	-	-	14.98	6.81	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	11/28/2016	11.07	5.15	-	-	-	15.05	5.92	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	02/21/2017	11.07	5.34	-	-	-	14.89	5.73	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	05/22/2017	11.07	4.26	-	-	-	14.90	6.81	11:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/28/2017	11.07	3.90	-	-	-	14.90	7.17	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/30/2017	11.07	3.93	-	-	-	14.92	7.14	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	11/28/2017	11.07	4.50	-	-	-	14.91	6.57	13:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	02/20/2018	11.07	3.99	-	-	-	-	7.08	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	05/21/2018	11.07	2.97	-	-	-	-	8.10	11:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/13/2018	11.07	3.01	-	-	-	15.10	8.06	10:42	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-103	11/12/2018	11.07	3.41	-	-	-	14.88	7.66	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	02/11/2019	11.07	4.06	-	-	-	14.84	7.01	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	05/20/2019	11.07	3.67	-	-	-	14.42	7.40	9:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/19/2019	11.07	4.42	-	-	-	15.07	6.65	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	11/18/2019	11.07	4.84	-	-	-	14.87	6.23	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	02/17/2020	11.07	4.10	-	-	-	14.87	6.97	9:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	05/11/2020	11.07	4.04	-	-	-	14.88	7.03	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/10/2020	11.07	4.45	-	-	-	14.87	6.62	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	07/24/2014	12.00	5.24	-	-	-	-	6.76	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/08/2014	12.00	4.28	-	-	-	12.05	7.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/11/2014	12.00	4.40	-	-	-	-	7.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/15/2014	12.00	3.95	-	-	-	12.20	8.05	-	-	-	-	-	-	-	-	-	-	-	-	1,630	
MW-104	08/18/2014	12.00	4.22	-	-	-	-	7.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/25/2014	12.00	4.29	-	-	-	-	7.71	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	09/02/2014	12.00	4.38	-	-	-	-	7.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	09/15/2014	12.00	4.52	-	-	-	-	7.48	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	09/22/2014	12.00	4.73	-	-	-	-	7.27	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	10/01/2014	12.00	4.73	-	-	-	11.98	7.27	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	10/10/2014	12.00	4.77	-	-	-	-	7.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	10/20/2014	12.00	3.98	-	-	-	12.07	8.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	10/21/2014	12.00	NR	-	-	-	-	-	-	<0.5	<0.5	0.7	2	<0.5	<2	<0.5	<0.5	1	59	-	150	
MW-104	02/24/2015	12.00	5.43	-	-	-	-	6.57	15:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	02/26/2015	12.00	5.70	-	-	-	12.00	6.30	12:07	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.03	<20	-	<45	
MW-104	05/11/2015	12.00	4.51	-	-	-	12.10	7.49	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	05/12/2015	12.00	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	<20	-	<45	
MW-104	08/04/2015	12.00	3.82	-	-	-	12.00	8.18	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/05/2015	12.00	3.85	-	-	-	12.50	8.15	10:23	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-104	12/01/2015	12.00	4.29	-	-	-	12.05	7.71	11:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	03/14/2016	12.00	3.80	-	-	-	11.99	8.20	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	05/23/2016	12.00	3.72	-	-	-	12.00	8.28	11:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/24/2016	12.00	4.17	-	-	-	12.12	7.83	11:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	11/28/2016	12.00	5.13	-	-	-	12.15	6.87	11:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	02/21/2017	12.00	5.07	-	-	-	12.05	6.93	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	05/22/2017	12.00	4.21	-	-	-	12.08	7.79	11:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/28/2017	12.00	4.52	-	-	-	12.00	7.48	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/30/2017	12.00	3.53	-	-	-	12.08	8.47	10:16	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-104	11/28/2017	12.00	4.70	-	-	-	12.06	7.30	13:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	02/20/2018	12.00	3.79	-	-	-	12.02	8.21	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	05/21/2018	12.00	3.03	-	-	-	-	8.97	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/13/2018	12.00	2.75	-	-	-	-	9.25	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	11/12/2018	12.00	7.51	-	-	-	11.90	4.49	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	02/11/2019	12.00	3.74	-	-	-	11.94	8.26	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	05/20/2019	12.00	3.48	-	-	-	11.73	8.52	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/19/2019	12.00	4.13	-	-	-	11.76	7.87	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	11/18/2019	12.00	4.57	-	-	-	11.58	7.43	10:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	02/17/2020	12.00	3.74	-	-	-	12.01	8.26	9:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	05/11/2020	12.00	3.74	-	-	-	11.93	8.26	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-104	08/10/2020	12.00	4.29	-	-	-	11.59	7.71	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	07/24/2014	10.94	2.34	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	08/08/2014	10.94	2.15	-	-	-	10.06	8.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	08/11/2014	10.94	2.39	-	-	-	-	8.55	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	08/15/2014	10.94	1.67	-	-	-	9.95	9.27	-	-	-	-	-	-	-	-	-	-	-	-	<1,500	
MW-105	08/18/2014	10.94	2.06	-	-	-	-	8.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	08/25/2014	10.94	2.25	-	-	-	-	8.69	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	09/02/2014	10.94	2.24	-	-	-	-	8.70	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	09/15/2014	10.94	2.32	-	-	-	-	8.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	09/22/2014	10.94	2.71	-	-	-	-	8.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	10/01/2014	10.94	2.57	-	-	-	9.88	8.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	10/10/2014	10.94	2.70	-	-	-	-	8.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	10/20/2014	10.94	1.70	-	-	-	9.93	9.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	10/21/2014	10.94	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.06	<20	-	<45	
MW-105	05/11/2015	10.94	2.40	-	-	-	9.70	8.54	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	05/12/2015	10.94	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	<20	-	<45	
MW-105	08/04/2015	10.94	1.65	-	-	-	9.62	9.29	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	08/05/2015	10.94	1.67	-	-	-	9.60	9.27	10:26	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-105	12/01/2015	10.94	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Manhole flooded
MW-105	03/14/2016	10.94	0.30	-	-	-	9.24	10.64	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	05/23/2016	10.94	0.91	-	-	-	9.50	10.03	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	08/24/2016	10.94	1.70	-	-	-	9.22	9.24	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	11/28/2016	10.94	3.00	-	-	-	9.19	7.94	11:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	02/21/2017	10.94	3.11	-	-	-	9.16	7.83	10:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	05/22/2017	10.94	0.10	-	-	-	9.20	10.84	11:48	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-105	08/28/2017	10.94	1.32	-	-	-	9.14	9.62	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	08/30/2017	10.94	0.95	-	-	-	9.03	9.99	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	11/28/2017	10.94	2.45	-	-	-	9.09	8.49	12:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	02/20/2018	10.94	1.46	-	-	-	8.94	9.48	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	05/21/2018	10.94	0.70	-	-	-	-	10.24	11:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	08/13/2018	10.94	0.33	-	-	-	9.09	10.61	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	11/12/2018	10.94	0.28	-	-	-	-	10.66	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	02/11/2019	10.94	NR	-	-	-	-	-	10:26	-	-	-	-	-	-	-	-	-	-	-	-	Manhole flooded
MW-105	05/20/2019	10.94	0.91	-	-	-	8.84	10.03	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	08/19/2019	10.94	1.73	-	-	-	8.65	9.21	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	11/18/2019	10.94	2.43	-	-	-	8.78	8.51	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	02/17/2020	10.94	1.67	-	-	-	8.89	9.27	9:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	05/11/2020	10.94	2.00	-	-	-	8.91	8.94	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-105	08/10/2020	10.94	2.67	-	-	-	8.88	8.27	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/08/2014	11.12	8.30	-	-	-	10.27	2.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/11/2014	11.12	8.27	-	-	-	-	2.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/15/2014	11.12	7.63	-	-	-	9.88	3.49	-	-	-	-	-	-	-	-	-	-	-	-	89,200	
MW-106	08/18/2014	11.12	7.58	-	-	-	-	3.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/25/2014	11.12	7.52	-	-	-	-	3.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	09/02/2014	11.12	7.79	-	-	-	-	3.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	09/15/2014	11.12	7.90	-	-	-	-	3.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	09/22/2014	11.12	7.87	-	-	-	-	3.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	10/01/2014	11.12	7.93	-	-	-	9.88	3.19	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	10/10/2014	11.12	7.71	-	-	-	-	3.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	10/13/2014	11.12	7.92	-	-	-	-	3.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	10/20/2014	11.12	7.86	-	-	-	9.88	3.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	10/22/2014	11.12	NR	-	-	-	-	-	-	<0.5	<0.5	1	<0.5	<0.5	<2	<0.5	<0.5	23	230	-	2,000	
MW-106	10/27/2014	11.12	7.77	-	-	-	-	3.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/07/2014	11.12	7.83	-	-	-	-	3.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/12/2014	11.12	7.88	-	-	-	-	3.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/21/2014	11.12	8.23	-	-	-	-	2.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/26/2014	11.12	8.03	-	-	-	-	3.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	12/05/2014	11.12	7.21	-	-	-	-	3.91	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	12/11/2014	11.12	6.95	-	-	-	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	12/16/2014	11.12	7.18	-	-	-	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	12/23/2014	11.12	7.31	-	-	-	-	3.81	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-106	12/30/2014	11.12	6.97	-	-	-	-	4.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	01/09/2015	11.12	7.34	-	-	-	-	3.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	01/16/2015	11.12	6.88	-	-	-	-	4.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	01/19/2015	11.12	6.77	-	-	-	-	4.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	01/26/2015	11.12	5.79	-	-	-	-	5.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/03/2015	11.12	7.24	-	-	-	9.90	3.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/09/2015	11.12	7.42	-	-	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/18/2015	11.12	7.63	-	-	-	-	3.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/24/2015	11.12	7.76	-	-	-	9.84	3.36	13:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/25/2015	11.12	7.80	-	-	-	9.79	3.32	10:20	<0.5	<0.5	2	<0.5	<0.5	<2	<0.5	<0.5	4.1	130	-	9,500	
MW-106	03/04/2015	11.12	7.57	-	-	-	-	3.55	13:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	03/11/2015	11.12	5.17	-	-	-	-	5.95	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	03/18/2015	11.12	6.39	-	-	-	-	4.73	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	03/26/2015	11.12	7.02	-	-	-	9.90	4.10	11:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/02/2015	11.12	7.15	-	-	-	9.85	3.97	10:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/08/2015	11.12	7.55	-	-	-	9.87	3.57	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/13/2015	11.12	7.63	-	-	-	-	3.49	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/23/2015	11.12	6.70	-	-	-	9.85	4.42	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/29/2015	11.12	7.15	-	-	-	9.85	3.97	13:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/04/2015	11.12	7.23	-	-	-	-	3.89	11:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/11/2015	11.12	7.43	-	-	-	9.85	3.69	14:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/12/2015	11.12	7.50	-	-	-	-	3.62	10:35	<0.5	<0.5	5	<0.5	<0.5	<2	<0.5	<0.5	2 J	75	-	7,800	
MW-106	05/28/2015	11.12	7.81	-	-	-	9.80	3.31	11:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	06/02/2015	11.12	6.66	-	-	-	-	4.46	12:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	06/09/2015	11.12	6.37	-	-	-	-	4.75	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	06/16/2015	11.12	7.21	-	-	-	-	3.91	11:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	06/26/2015	11.12	6.27	-	-	-	9.90	4.85	9:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	07/01/2015	11.12	4.77	-	-	-	-	6.35	11:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/04/2015	11.12	7.42	-	-	-	9.86	3.70	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/05/2015	11.12	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,300	
MW-106	12/01/2015	11.12	7.65	-	-	-	9.85	3.47	13:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	12/03/2015	11.12	NR	-	-	-	-	-	-	<0.5	<0.5	1	<0.5	-	-	-	-	<1	-	-	3,300	
MW-106	03/14/2016	11.12	7.33	-	-	-	9.84	3.79	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	03/15/2016	11.12	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,900	
MW-106	04/21/2016	11.12	7.85	-	-	-	9.80	3.27	9:42	-	-	-	-	-	-	-	-	-	-	-	2,000	
MW-106	05/05/2016	11.12	6.97	-	-	-	-	4.15	12:17	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-106	05/23/2016	11.12	6.52	-	-	-	9.80	4.60	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/24/2016	11.12	6.26	-	-	-	9.60	4.86	13:00	-	-	-	-	-	-	-	-	-	-	-	1,100	
MW-106	06/21/2016	11.12	7.90	-	-	-	-	3.22	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	07/21/2016	11.12	7.63	-	-	-	-	3.49	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/24/2016	11.12	7.90	-	-	-	9.60	3.22	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/25/2016	11.12	7.80	-	-	-	-	3.32	14:15	-	-	-	-	-	-	-	-	-	-	-	1,800	
MW-106	09/22/2016	11.12	7.87	-	-	-	-	3.25	14:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/28/2016	11.12	8.51	-	-	-	9.50	2.61	8:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/29/2016	11.12	8.15	-	-	-	9.45	2.97	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	<1	-	-	8,800	
MW-106	02/21/2017	11.12	DRY	-	-	-	9.50	-	12:25	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-106	02/22/2017	11.12	7.94	-	-	-	9.50	3.18	11:49	-	-	-	-	-	-	-	-	-	-	-	670	Very muddy
MW-106	05/22/2017	11.12	6.81	-	-	-	8.98	4.31	13:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/23/2017	11.12	6.86	-	-	-	8.89	4.26	13:40	-	-	-	-	-	-	-	-	-	-	-	414	
MW-106	08/28/2017	11.12	DRY	-	-	-	8.73	-	10:00	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-106	11/28/2017	11.12	DRY	-	-	-	8.80	-	10:47	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-106	02/20/2018	11.12	6.90	-	-	-	8.79	4.22	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/21/2018	11.12	6.98	-	-	-	8.79	4.14	11:20	-	-	-	-	-	-	-	-	-	-	-	560	
MW-106	05/21/2018	11.12	4.15	-	-	-	8.81	6.97	14:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/24/2018	11.12	4.55	-	-	-	8.81	6.57	8:30	-	-	-	-	-	-	-	-	-	-	-	422	
MW-106	08/13/2018	11.12	6.23	-	-	-	8.80	4.89	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/14/2018	11.12	6.25	-	-	-	8.80	4.87	12:23	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-106	11/12/2018	11.12	5.22	-	-	-	7.81	5.90	12:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/14/2018	11.12	4.72	-	-	-	8.80	6.40	11:45	<0.2	<0.2	<0.2	<0.5	-	-	-	-	<4	-	-	<53	
MW-106	02/11/2019	11.12	6.44	-	-	-	8.92	4.68	12:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/14/2019	11.12	5.51	-	-	-	8.89	5.61	12:55	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-106	05/20/2019	11.12	5.62	-	-	-	8.89	5.50	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/22/2019	11.12	6.23	-	-	-	8.92	4.89	9:30	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-106	08/19/2019	11.12	7.18	-	-	-	9.80	3.94	11:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/22/2019	11.12	7.30	-	-	-	8.90	3.82	11:45	-	-	-	-	-	-	-	-	-	-	-	750	
MW-106	11/18/2019	11.12	6.73	-	-	-	8.90	4.39	13:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/20/2019	11.12	6.75	-	-	-	8.93	4.37	11:36	0.40	<0.2	<0.2	<0.8	-	-	-	-	<4	-	-	710	
MW-106	02/17/2020	11.12	5.80	-	-	-	8.90	5.32	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/18/2020	11.12	5.83	-	-	-	-	5.29	13:45	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-106	05/11/2020	11.12	6.43	-	-	-	8.90	4.69	12:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/14/2020	11.12	7.17	-	-	-	-	3.95	11:48	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	<53	
MW-106	08/10/2020	11.12	DRY	-	-	-	8.82	-	9:53	-	-	-	-	-	-	-	-	-	-	-	-	DRY

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-107	08/08/2014	15.74	10.62	-	-	-	11.57	5.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/11/2014	15.74	9.02	-	-	-	-	6.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/15/2014	15.74	8.94	-	-	-	-	6.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/16/2014	15.74	8.93	-	-	-	11.57	6.81	-	-	-	-	-	-	-	-	-	-	-	-	8,540	
MW-107	08/18/2014	15.74	8.89	-	-	-	-	6.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/25/2014	15.74	8.38	-	-	-	-	7.36	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	09/02/2014	15.74	8.43	-	-	-	-	7.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	09/15/2014	15.74	9.39	-	-	-	-	6.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	09/22/2014	15.74	9.92	-	-	-	-	5.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	10/01/2014	15.74	10.32	-	-	-	11.03	5.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	10/10/2014	15.74	10.53	-	-	-	-	5.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	10/13/2014	15.74	10.67	-	-	-	-	5.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	10/20/2014	15.74	8.43	-	-	-	11.04	7.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	10/22/2014	15.74	NR	-	-	-	-	-	-	<0.5	<0.5	2	2	<0.5	<2	<0.5	<0.5	0.9	49	-	840	
MW-107	10/27/2014	15.74	7.97	-	-	-	-	7.77	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/07/2014	15.74	8.32	-	-	-	-	7.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/12/2014	15.74	8.63	-	-	-	-	7.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/21/2014	15.74	9.38	-	-	-	-	6.36	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/26/2014	15.74	8.93	-	-	-	-	6.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	12/05/2014	15.74	7.47	-	-	-	-	8.27	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	12/11/2014	15.74	7.43	-	-	-	-	8.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	12/16/2014	15.74	8.28	-	-	-	-	7.46	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	12/23/2014	15.74	8.35	-	-	-	-	7.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	12/30/2014	15.74	8.20	-	-	-	-	7.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	01/09/2015	15.74	8.03	-	-	-	-	7.71	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	01/16/2015	15.74	7.68	-	-	-	-	8.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	01/19/2015	15.74	6.76	-	-	-	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	01/26/2015	15.74	5.84	-	-	-	-	9.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	02/03/2015	15.74	8.63	-	-	-	11.04	7.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	02/09/2015	15.74	8.73	-	-	-	-	7.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	02/18/2015	15.74	9.21	-	-	-	-	6.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	02/24/2015	15.74	9.78	-	-	-	11.00	5.96	13:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	02/25/2015	15.74	9.64	-	-	-	11.00	6.10	11:40	1	<0.5	0.7	0.7	<0.5	<2	<0.5	<0.5	-	37	-	480	
MW-107	03/04/2015	15.74	9.48	-	-	-	-	6.26	13:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	03/11/2015	15.74	4.08	-	-	-	-	11.66	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	03/18/2015	15.74	7.44	-	-	-	-	8.30	10:45	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-107	03/26/2015	15.74	8.98	-	-	-	11.00	6.76	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	04/02/2015	15.74	8.63	-	-	-	11.00	7.11	10:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	04/08/2015	15.74	9.00	-	-	-	11.00	6.74	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	04/13/2015	15.74	9.06	-	-	-	-	6.68	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	04/23/2015	15.74	7.18	-	-	-	11.00	8.56	11:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	04/29/2015	15.74	9.14	-	-	-	11.00	6.60	13:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/04/2015	15.74	9.03	-	-	-	-	6.71	11:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/11/2015	15.74	9.19	-	-	-	11.00	6.55	14:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/12/2015	15.74	9.25	-	-	-	-	6.49	10:37	<0.5	<0.5	2	3	<0.5	<2	<0.5	<0.5	5.00	40 J	-	150	
MW-107	05/21/2015	15.74	9.21	-	-	-	11.00	6.53	11:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/28/2015	15.74	9.27	-	-	-	11.00	6.47	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	06/02/2015	15.74	3.95	-	-	-	-	11.79	12:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	06/09/2015	15.74	6.78	-	-	-	-	8.96	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	06/16/2015	15.74	9.05	-	-	-	-	6.69	10:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	06/26/2015	15.74	6.86	-	-	-	11.00	8.88	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	07/01/2015	15.74	4.03	-	-	-	-	11.71	11:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/04/2015	15.74	9.40	-	-	-	11.00	6.34	12:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/05/2015	15.74	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	280	
MW-107	12/01/2015	15.74	8.80	-	-	-	11.01	6.94	13:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	12/03/2015	15.74	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	730	
MW-107	03/14/2016	15.74	8.09	-	-	-	11.03	7.65	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/23/2016	15.74	7.29	-	-	-	10.90	8.45	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/24/2016	15.74	DRY	-	-	-	11.02	-	9:30	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-107	11/28/2016	15.74	DRY	-	-	-	11.00	-	8:27	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-107	12/07/2016	15.74	DRY	-	-	-	11.00	-	12:18	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-107	02/21/2017	15.74	DRY	-	-	-	11.00	-	12:28	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-107	02/22/2017	15.74	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-107	05/22/2017	15.74	7.42	-	-	-	11.02	8.32	11:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/28/2017	15.74	9.95	-	-	-	10.96	5.79	10:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/28/2017	15.74	9.96	-	-	-	11.02	5.78	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/30/2017	15.74	10.66	-	-	-	10.93	5.08	10:35	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-107	02/20/2018	15.74	8.08	-	-	-	11.01	7.66	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/21/2018	15.74	6.19	-	-	-	10.98	9.55	14:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/13/2018	15.74	6.23	-	-	-	11.03	9.51	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/12/2018	15.74	7.17	-	-	-	10.98	8.57	12:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/14/2018	15.74	5.97	-	-	-	11.10	9.77	11:46	-	-	-	-	-	-	-	-	-	-	-	400	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-107	02/11/2019	15.74	9.80	-	-	-	11.07	5.94	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/20/2019	15.74	8.34	-	-	-	11.05	7.40	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/19/2019	15.74	10.58	-	-	-	11.04	5.16	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/18/2019	15.74	10.60	-	-	-	11.05	5.14	13:03	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-107	02/17/2020	15.74	8.24	-	-	-	11.02	7.50	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/11/2020	15.74	8.38	-	-	-	11.04	7.36	12:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/10/2020	15.74	8.37	-	-	-	11.02	7.37	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-108	08/08/2014	15.61	DRY	-	-	-	9.49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/11/2014	15.61	DRY	-	-	-	9.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/15/2014	15.61	9.01	-	-	-	9.22	6.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-108	08/18/2014	15.61	9.07	-	-	-	-	6.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-108	08/25/2014	15.61	DRY	-	-	-	9.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	09/02/2014	15.61	DRY	-	-	-	9.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	09/15/2014	15.61	DRY	-	-	-	9.22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	09/22/2014	15.61	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	10/01/2014	15.61	DRY	-	-	-	10.48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	10/10/2014	15.61	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	10/20/2014	15.61	DRY	-	-	-	10.48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	05/11/2015	15.61	DRY	-	-	-	9.20	-	14:47	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	05/12/2015	15.61	DRY	-	-	-	-	-	10:40	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/04/2015	15.61	DRY	-	-	-	9.21	-	12:27	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	12/01/2015	15.61	DRY	-	-	-	9.21	-	13:49	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	03/14/2016	15.61	DRY	-	-	-	9.22	-	9:18	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	05/23/2016	15.61	8.37	-	-	-	9.20	7.24	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-108	05/25/2016	15.61	8.34	-	-	-	9.20	7.27	12:13	-	-	-	-	-	-	-	-	-	-	-	51 J	
MW-108	08/24/2016	15.61	DRY	-	-	-	9.23	-	9:32	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/25/2016	15.61	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	11/28/2016	15.61	9.07	-	-	-	9.25	6.54	8:29	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-108	12/07/2016	15.61	DRY	-	-	-	9.24	-	12:21	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	02/21/2017	15.61	DRY	-	-	-	9.21	-	12:33	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	02/22/2017	15.61	9.19	-	-	-	9.22	6.42	11:52	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-108	05/22/2017	15.61	DRY	-	-	-	9.21	-	11:31	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	05/23/2017	15.61	DRY	-	-	-	9.20	-	13:45	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/28/2017	15.61	9.09	-	-	-	9.20	6.52	10:05	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-108	11/28/2017	15.61	DRY	-	-	-	9.25	-	10:53	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	02/20/2018	15.61	9.05	-	-	-	9.25	6.56	10:04	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-108	05/21/2018	15.61	6.02	-	-	-	9.23	9.59	14:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-108	05/22/2018	15.61	6.94	-	-	-	9.23	8.67	14:10	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-108	08/13/2018	15.61	9.20	-	-	-	9.23	6.41	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-108	08/14/2018	15.61	9.02	-	-	-	9.23	6.59	12:20	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-108	11/12/2018	15.61	7.78	-	-	-	9.20	7.83	12:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-108	11/14/2018	15.61	6.41	-	-	-	9.21	9.20	11:48	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-108	02/11/2019	15.61	DRY	-	-	-	9.24	-	10:37	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	02/15/2019	15.61	8.50	-	-	-	-	7.11	10:35	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-108	05/20/2019	15.61	9.17	-	-	-	9..23	6.44	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-108	08/19/2019	15.61	DRY	-	-	-	9.27	-	10:11	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	11/18/2019	15.61	DRY	-	-	-	9.23	-	13:00	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	02/17/2020	15.61	8.91	-	-	-	9.23	6.70	10:31	-	-	-	-	-	-	-	-	-	-	-	<53	Grab
MW-108	05/11/2020	15.61	DRY	-	-	-	9.25	-	12:41	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/10/2020	15.61	DRY	-	-	-	9.22	-	10:01	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-109S	08/21/2014	19.27	10.08	-	-	-	13.35	9.19	13:50	-	-	-	-	-	-	-	-	-	-	-	7,500	
MW-109S	09/15/2014	19.27	10.19	-	-	-	-	9.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	09/22/2014	19.27	10.24	-	-	-	-	9.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	10/01/2014	19.27	10.33	-	-	-	13.20	8.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	10/10/2014	19.27	10.47	-	-	-	-	8.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	10/13/2014	19.27	10.58	-	-	-	-	8.69	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	10/20/2014	19.27	10.67	-	-	-	13.20	8.60	-	-	-	-	-	-	-	-	-	-	-	-	12,000	
MW-109S	10/27/2014	19.27	10.83	-	-	-	-	8.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/07/2014	19.27	10.76	-	-	-	-	8.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/12/2014	19.27	10.85	-	-	-	-	8.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/21/2014	19.27	11.04	-	-	-	-	8.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/26/2014	19.27	11.02	-	-	-	-	8.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	02/24/2015	19.27	11.43	-	-	-	13.06	7.84	13:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	02/26/2015	19.27	11.36	-	-	-	13.06	7.91	10:40	-	-	-	-	-	-	-	-	-	-	-	1,800	
MW-109S	05/11/2015	19.27	11.31	-	-	-	13.20	7.96	15:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	05/12/2015	19.27	11.28	-	-	-	13.20	7.99	10:00	<0.5	<0.5	<0.5	<0.5	<0.5	4 J	<0.5	<0.5	<1	-	-	180	
MW-109S	05/21/2015	19.27	11.40	-	-	-	13.06	7.87	12:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/28/2016	19.27	10.97	-	-	-	13.25	8.30	9:25	-	-	-	-	-	-	-	-	-	-	-	2,300	
MW-109S	11/28/2017	19.27	11.52	-	-	-	13.24	7.75	12:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/29/2017	19.27	11.50	-	-	-	13.25	7.77	10:03	-	-	-	-	-	-	-	-	-	-	184	351	
MW-109S	11/12/2018	19.27	9.15	-	-	-	13.28	10.12	12:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/13/2018	19.27	9.08	-	-	-	13.28	10.19	10:47	-	-	-	-	-	-	-	-	-	-	-	1,300	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-109S	11/18/2019	19.27	10.25	-	-	-	12.24	9.02	12:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/19/2019	19.27	10.28	-	-	-	-	8.99	14:35	-	-	-	-	-	-	-	-	-	-	-	2,500	
MW-109	08/21/2014	19.16	14.82	-	-	-	22.40	4.34	13:55	-	-	-	-	-	-	-	-	-	-	-	<600	
MW-109	08/25/2014	19.16	14.59	-	-	-	-	4.57	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	09/15/2014	19.16	14.98	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	09/22/2014	19.16	14.88	-	-	-	-	4.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	10/01/2014	19.16	15.07	-	-	-	22.79	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	10/10/2014	19.16	14.96	-	-	-	-	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	10/13/2014	19.16	15.09	-	-	-	-	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	10/20/2014	19.16	15.22	-	-	-	22.72	3.94	-	-	-	-	-	-	-	-	-	-	-	-	200	
MW-109	10/27/2014	19.16	15.27	-	-	-	-	3.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/07/2014	19.16	15.07	-	-	-	-	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/12/2014	19.16	15.13	-	-	-	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/21/2014	19.16	15.81	-	-	-	-	3.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/26/2014	19.16	15.33	-	-	-	-	3.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	02/24/2015	19.16	15.25	-	-	-	22.80	3.91	13:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	02/26/2015	19.16	15.25	-	-	-	22.80	3.91	10:44	-	-	-	-	-	-	-	-	-	-	-	100	
MW-109	05/11/2015	19.16	14.61	-	-	-	22.84	4.55	15:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	05/12/2015	19.16	14.77	-	-	-	22.84	4.39	9:57	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-109	05/21/2015	19.16	15.23	-	-	-	22.80	3.93	12:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/28/2016	19.16	16.95	-	-	-	22.24	2.21	9:29	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-109	11/28/2017	19.16	18.70	-	-	-	22.54	0.46	12:25	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-109	11/12/2018	19.16	14.27	-	-	-	22.67	4.89	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/13/2018	19.16	13.84	-	-	-	22.67	5.32	10:50	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-109	11/18/2019	19.16	14.30	-	-	-	22.70	4.86	12:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/19/2019	19.16	14.23	-	-	-	-	4.93	13:55	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-110S	08/25/2014	19.13	10.05	-	-	-	12.70	9.08	-	-	-	-	-	-	-	-	-	-	-	-	6,630	
MW-110S	09/15/2014	19.13	10.23	-	-	-	-	8.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	09/22/2014	19.13	10.28	-	-	-	-	8.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	10/01/2014	19.13	10.33	-	-	-	12.65	8.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	10/10/2014	19.13	10.41	-	-	-	-	8.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	10/20/2014	19.13	10.45	-	-	-	12.66	8.68	-	-	-	-	-	-	-	-	-	-	-	-	8,500	
MW-110S	10/27/2014	19.13	10.48	-	-	-	-	8.65	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/07/2014	19.13	10.50	-	-	-	-	8.63	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/12/2014	19.13	10.53	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/21/2014	19.13	10.60	-	-	-	-	8.53	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-110S	11/26/2014	19.13	10.60	-	-	-	-	8.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	02/24/2015	19.13	11.53	-	-	-	12.67	7.60	13:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	02/26/2015	19.13	11.59	-	-	-	12.67	7.54	10:33	-	-	-	-	-	-	-	-	-	-	-	6,700	
MW-110S	05/11/2015	19.13	12.24	-	-	-	12.65	6.89	14:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	05/12/2015	19.13	12.24	-	-	-	12.65	6.89	9:47	-	-	-	-	-	-	-	-	-	-	-	2,300	
MW-110S	05/21/2015	19.13	11.55	-	-	-	12.67	7.58	12:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/28/2016	19.13	11.98	-	-	-	12.70	7.15	9:19	-	-	-	-	-	-	-	-	-	-	-	5,900	
MW-110S	11/28/2017	19.13	12.27	-	-	-	12.70	6.86	12:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/29/2017	19.13	12.28	-	-	-	12.70	6.85	9:59	-	-	-	-	-	-	-	-	-	-	44,400	-	Insufficient GW Vol. to analyze for TPH-DRO
MW-110S	11/12/2018	19.13	9.17	-	-	-	12.70	9.96	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/13/2018	19.13	9.13	-	-	-	12.70	10.00	10:41	-	-	-	-	-	-	-	-	-	-	-	460	
MW-110S	11/18/2019	19.13	10.32	-	-	-	12.70	8.81	12:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/20/2019	19.13	10.35	-	-	-	-	8.78	10:10	-	-	-	-	-	-	-	-	-	-	-	720	
MW-110	08/25/2014	19.51	14.70	-	-	-	24.40	4.81	-	-	-	-	-	-	-	-	-	-	-	-	<153	
MW-110	09/15/2014	19.51	15.11	-	-	-	-	4.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	09/22/2014	19.51	14.98	-	-	-	-	4.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	10/01/2014	19.51	15.18	-	-	-	23.33	4.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	10/10/2014	19.51	15.07	-	-	-	-	4.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	10/20/2014	19.51	14.35	-	-	-	23.34	5.16	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-110	10/27/2014	19.51	14.39	-	-	-	-	5.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	11/07/2014	19.51	15.18	-	-	-	-	4.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	11/12/2014	19.51	15.25	-	-	-	-	4.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	11/21/2014	19.51	15.97	-	-	-	-	3.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	11/26/2014	19.51	15.45	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	02/24/2015	19.51	15.38	-	-	-	23.36	4.13	13:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	02/26/2015	19.51	15.38	-	-	-	23.36	4.13	10:36	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-110	05/11/2015	19.51	14.74	-	-	-	23.42	4.77	14:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	05/12/2015	19.51	14.91	-	-	-	23.42	4.60	9:44	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-110	05/21/2015	19.51	15.40	-	-	-	23.36	4.11	12:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	11/28/2016	19.51	15.67	-	-	-	23.52	3.84	9:22	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-110	11/28/2017	19.51	18.32	-	-	-	23.48	1.19	12:28	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-110	11/12/2018	19.51	13.85	-	-	-	23.60	5.66	12:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	11/13/2018	19.51	13.58	-	-	-	23.60	5.93	10:44	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-110	11/18/2019	19.51	14.16	-	-	-	23.47	5.35	12:38	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-110	11/20/2019	19.51	14.38	-	-	-	-	5.13	9:25	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-111	08/21/2014	19.17	14.80	-	-	-	22.00	4.37	14:47	-	-	-	-	-	-	-	-	-	-	-	<600	
MW-111	10/10/2014	19.17	14.97	-	-	-	-	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-111	10/20/2014	19.17	14.25	-	-	-	21.97	4.92	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-111	02/24/2015	19.17	15.30	-	-	-	21.96	3.87	13:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-111	02/26/2015	19.17	15.28	-	-	-	21.96	3.89	10:25	-	-	-	-	-	-	-	-	-	-	-	260	
MW-111	05/11/2015	19.17	14.66	-	-	-	21.87	4.51	14:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-111	05/12/2015	19.17	14.78	-	-	-	21.87	4.39	9:41	-	-	-	-	-	-	-	-	-	-	-	150	
MW-111	11/28/2016	19.17	15.57	-	-	-	21.62	3.60	9:08	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-111	11/28/2017	19.17	18.15	-	-	-	21.65	1.02	12:17	-	-	-	-	-	-	-	-	-	-	-	251	
MW-111	11/12/2018	19.17	12.84	-	-	-	21.60	6.33	12:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-111	11/13/2018	19.17	12.60	-	-	-	21.60	6.57	10:38	-	-	-	-	-	-	-	-	-	-	-	110	
MW-111	11/18/2019	19.17	13.82	-	-	-	21.55	5.35	12:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-111	11/19/2019	19.17	13.80	-	-	-	-	5.37	11:30	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-112S	08/15/2014	19.22	10.31	-	-	-	12.40	8.91	-	-	-	-	-	-	-	-	-	-	-	-	<1,500	
MW-112S	08/18/2014	19.22	10.22	-	-	-	12.45	9.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	08/25/2014	19.22	10.29	-	-	-	-	8.93	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	09/15/2014	19.22	10.43	-	-	-	-	8.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	09/22/2014	19.22	10.56	-	-	-	-	8.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	10/01/2014	19.22	10.58	-	-	-	12.46	8.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	10/10/2014	19.22	10.64	-	-	-	-	8.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	10/20/2014	19.22	10.75	-	-	-	12.47	8.47	-	-	-	-	-	-	-	-	-	-	-	-	380	
MW-112S	02/24/2015	19.22	11.30	-	-	-	12.48	7.92	13:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	02/26/2015	19.22	11.34	-	-	-	12.48	7.88	10:19	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112S	05/11/2015	19.22	11.21	-	-	-	12.44	8.01	15:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	05/12/2015	19.22	11.21	-	-	-	12.44	8.01	9:54	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112S	11/28/2016	19.22	11.05	-	-	-	12.50	8.17	9:15	-	-	-	-	-	-	-	-	-	-	-	73 J	
MW-112S	11/28/2017	19.22	11.37	-	-	-	12.48	7.85	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	11/29/2017	19.22	11.37	-	-	-	12.35	7.85	9:55	-	-	-	-	-	-	-	-	-	-	172	209	
MW-112S	11/12/2018	19.22	9.20	-	-	-	12.50	10.02	12:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	11/13/2018	19.22	9.15	-	-	-	12.50	10.07	10:53	-	-	-	-	-	-	-	-	-	-	-	1,600	
MW-112S	11/18/2019	19.22	10.31	-	-	-	12.45	8.91	12:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	11/19/2019	19.22	10.35	-	-	-	-	8.87	13:00	-	-	-	-	-	-	-	-	-	-	-	3,100	
MW-112	08/15/2014	19.08	15.11	-	-	-	22.55	3.97	-	-	-	-	-	-	-	-	-	-	-	-	<1,500	
MW-112	08/18/2014	19.08	14.43	-	-	-	22.31	4.65	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	08/25/2014	19.08	14.53	-	-	-	-	4.55	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-112	09/02/2014	19.08	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No Access to Gauge
MW-112	09/15/2014	19.08	14.85	-	-	-	-	4.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	09/22/2014	19.08	14.77	-	-	-	-	4.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	10/01/2014	19.08	14.92	-	-	-	22.83	4.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	10/10/2014	19.08	14.87	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	10/20/2014	19.08	15.15	-	-	-	22.83	3.93	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112	02/24/2015	19.08	15.19	-	-	-	22.75	3.89	13:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	02/26/2015	19.08	15.15	-	-	-	22.75	3.93	10:22	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112	05/11/2015	19.08	14.52	-	-	-	22.83	4.56	14:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	05/12/2015	19.08	14.64	-	-	-	22.83	4.44	9:51	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112	11/28/2016	19.08	15.50	-	-	-	22.85	3.58	9:12	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112	11/28/2017	19.08	18.09	-	-	-	22.85	0.99	12:20	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-112	11/12/2018	19.08	13.72	-	-	-	22.85	5.36	12:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	11/13/2018	19.08	13.48	-	-	-	22.85	5.60	10:56	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-112	11/18/2019	19.08	14.00	-	-	-	22.82	5.08	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	11/19/2019	19.08	13.92	-	-	-	-	5.16	12:12	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-113	08/25/2014	19.11	14.49	-	-	-	-	4.62	-	-	-	-	-	-	-	-	-	-	-	-	<600	
MW-113	09/15/2014	19.11	14.96	-	-	-	-	4.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	09/22/2014	19.11	14.83	-	-	-	-	4.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	10/01/2014	19.11	15.04	-	-	-	22.95	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	10/10/2014	19.11	14.84	-	-	-	-	4.27	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	10/20/2014	19.11	15.20	-	-	-	22.95	3.91	-	-	-	-	-	-	-	-	-	-	-	-	61	
MW-113	02/24/2015	19.11	15.24	-	-	-	22.95	3.87	13:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	02/26/2015	19.11	15.27	-	-	-	22.95	3.84	10:29	-	-	-	-	-	-	-	-	-	-	-	90	
MW-113	05/11/2015	19.11	14.58	-	-	-	22.77	4.53	14:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	05/12/2015	19.11	14.81	-	-	-	22.77	4.30	9:38	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-113	11/28/2016	19.11	15.54	-	-	-	22.83	3.57	9:04	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-113	11/28/2017	19.11	18.14	-	-	-	22.82	0.97	12:14	-	-	-	-	-	-	-	-	-	-	-	1,050	
MW-113	11/12/2018	19.11	11.20	-	-	-	22.82	7.91	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	11/13/2018	19.11	10.98	-	-	-	22.82	8.13	10:35	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-113	11/18/2019	19.11	12.96	-	-	-	22.80	6.15	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	11/19/2019	19.11	12.93	-	-	-	-	6.18	10:51	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-114	08/25/2014	19.26	14.62	-	-	-	22.78	4.64	-	-	-	-	-	-	-	-	-	-	-	-	<600	
MW-114	09/15/2014	19.26	14.89	-	-	-	-	4.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	09/22/2014	19.26	14.87	-	-	-	-	4.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	10/01/2014	19.26	14.96	-	-	-	22.77	4.30	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-114	10/10/2014	19.26	15.01	-	-	-	-	4.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	10/20/2014	19.26	15.29	-	-	-	22.77	3.97	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-114	02/24/2015	19.26	15.25	-	-	-	22.77	4.01	13:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	02/26/2015	19.26	15.10	-	-	-	22.77	4.16	10:15	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-114	05/11/2015	19.26	14.52	-	-	-	22.75	4.74	14:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	05/12/2015	19.26	14.51	-	-	-	22.75	4.75	9:35	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-114	11/28/2016	19.26	15.62	-	-	-	22.80	3.64	9:00	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-114	11/28/2017	19.26	17.98	-	-	-	22.77	1.28	12:10	-	-	-	-	-	-	-	-	-	-	-	130	
MW-114	11/12/2018	19.26	13.02	-	-	-	22.78	6.24	12:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	11/13/2018	19.26	12.71	-	-	-	22.78	6.55	11:00	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-114	11/18/2019	19.26	13.75	-	-	-	22.73	5.51	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	11/19/2019	19.26	13.75	-	-	-	-	5.51	10:01	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-121	07/08/2015	31.43	26.52	-	-	-	-	4.91	11:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	07/13/2015	31.43	26.14	-	-	-	36.93	5.29	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	07/20/2015	31.43	26.37	-	-	-	-	5.06	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	07/28/2015	31.43	26.53	-	-	-	37.06	4.90	11:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/04/2015	31.43	25.91	-	-	-	36.33	5.52	12:22	-	-	-	-	-	-	-	-	-	-	-	9,400	
MW-121	08/11/2015	31.43	25.58	-	-	-	36.31	5.85	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/18/2015	31.43	26.12	-	-	-	-	5.31	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/24/2015	31.43	26.02	-	-	-	-	5.41	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/02/2015	31.43	26.38	-	-	-	36.31	5.05	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/09/2015	31.43	26.11	-	-	-	36.29	5.32	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/17/2015	31.43	26.51	-	-	-	36.41	4.92	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/23/2015	31.43	26.32	-	-	-	-	5.11	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/28/2015	31.43	26.18	-	-	-	36.25	5.25	9:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	10/05/2015	31.43	26.02	-	-	-	36.25	5.41	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/10/2015	31.43	26.62	-	-	-	-	4.81	13:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	12/01/2015	31.43	26.48	-	-	-	36.20	4.95	13:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	12/02/2015	31.43	NR	-	-	-	-	-	-	2.00	<0.5	8.00	<0.5	-	-	-	-	41.00	-	-	4,500	
MW-121	01/27/2016	31.43	26.58	-	-	-	-	4.85	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	02/15/2016	31.43	27.11	-	-	-	-	4.32	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	03/14/2016	31.43	26.57	-	-	-	36.28	4.86	8:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	03/15/2016	31.43	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,500	
MW-121	04/21/2016	31.43	30.48	-	-	-	-	0.95	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	05/23/2016	31.43	27.26	-	-	-	37.06	4.17	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	05/25/2016	31.43	29.73	-	-	-	36.60	1.70	-	-	-	-	-	-	-	-	-	-	-	-	12,000	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-121	06/21/2016	31.43	29.17	-	-	-	-	2.26	11:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	07/21/2016	31.43	29.57	-	-	-	-	1.86	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/24/2016	31.43	27.56	-	-	-	36.39	3.87	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/25/2016	31.43	26.90	-	-	-	36.35	4.53	11:02	-	-	-	-	-	-	-	-	-	-	-	2,400	
MW-121	09/22/2016	31.43	28.52	-	-	-	-	2.91	14:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/28/2016	31.43	28.13	-	-	-	37.35	3.30	8:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/29/2016	31.43	28.75	-	-	-	36.36	2.68	9:33	<0.5	<0.5	0.9 J	<0.5	-	-	-	-	11	-	-	3,400	
MW-121	02/21/2017	31.43	27.87	-	-	-	36.37	3.56	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	02/22/2017	31.43	29.66	-	-	-	-	1.77	9:49	-	-	-	-	-	-	-	-	-	-	-	720,000	
MW-121	03/07/2017	31.43	29.10	-	-	-	36.35	2.33	11:13	-	-	-	-	-	-	-	-	<1	-	-	21,000	
MW-121	05/22/2017	31.43	26.60	-	-	-	-	4.83	13:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	05/24/2017	31.43	26.17	-	-	-	36.35	5.26	9:55	0.38	<1	0.81	<1	-	-	-	-	12.50	-	-	57,100	
MW-121	08/28/2017	31.43	32.50	-	-	-	36.35	-1.07	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/29/2017	31.43	32.40	-	-	-	36.35	-0.97	10:56	-	-	-	-	-	-	-	-	<0.66	-	5,030	4,600	
MW-121	11/28/2017	31.43	30.61	-	-	-	38.47	0.82	10:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/29/2017	31.43	30.32	-	-	-	36.34	1.11	10:58	<0.50	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	18,400	15,900	
MW-121	02/20/2018	31.43	28.30	-	-	-	38.21	3.13	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	02/22/2018	31.43	28.65	-	-	-	36.40	2.78	9:10	-	-	-	-	-	-	-	-	-	-	2,860	3,180	
MW-121	05/24/2018	31.43	26.23	-	-	-	36.35	5.20	8:06	-	-	-	-	-	-	-	-	-	-	-	51,400	
MW-121	06/26/2018	31.43	26.22	-	-	-	36.27	5.21	9:32	-	-	-	-	-	-	-	-	-	-	1,700 B	32,200	
MW-121	08/13/2018	31.43	25.92	-	-	-	36.40	5.51	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/15/2018	31.43	27.62	-	-	-	38.92	3.81	10:51	-	-	-	-	-	-	-	-	-	-	-	44,000	
MW-121	11/12/2018	31.43	25.82	-	-	-	36.38	5.61	12:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/14/2018	31.43	26.23	-	-	-	36.38	5.20	10:27	<0.2	<0.2	<0.2	<0.5	-	-	-	-	<4	-	-	7,900	
MW-121	02/11/2019	31.43	25.99	-	-	-	37.55	5.44	13:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	02/13/2019	31.43	25.67	-	-	-	-	5.76	9:15	-	-	-	-	-	-	-	-	-	-	-	12,000	
MW-121	02/15/2019	31.43	25.67	-	-	-	36.37	5.76	9:00	-	-	-	-	-	-	-	-	-	-	-	3,700	Grab
MW-121	05/20/2019	31.43	25.41	-	-	-	37.39	6.02	11:05	-	-	-	-	-	-	-	-	-	-	-	13,000	
MW-121	05/20/2019	31.43	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23,000	Grab
MW-121	08/19/2019	31.43	25.87	-	-	-	37.73	5.56	12:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/19/2019	31.43	25.85	-	-	-	-	5.58	12:47	-	-	-	-	-	-	-	-	-	-	-	9,700	
MW-121	08/21/2019	31.43	26.11	-	-	-	36.35	5.32	9:20	-	-	-	-	-	-	-	-	-	-	-	3,100	Grab
MW-121	11/18/2019	31.43	25.88	-	-	-	36.34	5.55	12:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/20/2019	31.43	26.22	-	-	-	-	5.21	11:05	<0.2	<0.2	<0.2	<0.8	-	-	-	-	6 J	-	-	15,000	
MW-121	11/21/2019	31.43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33,000	Grab
MW-121	02/17/2020	31.43	26.61	-	-	-	36.86	4.82	10:24	-	-	-	-	-	-	-	-	-	-	-	11,000	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-121	02/17/2020	31.43	-	-	-	-	-	-	14:15	-	-	-	-	-	-	-	-	-	-	-	28,000	Grab
MW-121	05/11/2020	31.43	27.01	-	-	-	-	4.42	13:10	<0.2	0.6 J	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	17,000	
MW-121	05/12/2020	31.43	-	-	-	-	-	-	10:00	-	-	-	-	-	-		-	-	-	-	27,000	Grab
MW-121	08/10/2020	31.43	DRY	-	-	-	35.82	-	9:16	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-122	07/08/2015	31.64	25.58	-	-	-	-	6.06	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	07/13/2015	31.64	25.36	-	-	-	34.72	6.28	9:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	07/20/2015	31.64	25.20	-	-	-	-	6.44	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	07/28/2015	31.64	25.38	-	-	-	34.85	6.26	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/04/2015	31.64	25.54	-	-	-	34.61	6.10	12:24	-	-	-	-	-	-	-	-	-	-	-	2,000	
MW-122	08/11/2015	31.64	25.46	-	-	-	34.79	6.18	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/18/2015	31.64	25.98	-	-	-	-	5.66	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/24/2015	31.64	25.83	-	-	-	-	5.81	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	09/02/2015	31.64	26.21	-	-	-	34.76	5.43	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	09/09/2015	31.64	26.03	-	-	-	34.78	5.61	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	09/17/2015	31.64	26.45	-	-	-	34.83	5.19	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	09/23/2015	31.64	26.18	-	-	-	-	5.46	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	09/28/2015	31.64	25.98	-	-	-	34.72	5.66	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	10/05/2015	31.64	25.50	25.50	TRACE	-	34.72	6.14	9:13	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-122	11/10/2015	31.64	26.32	-	-	-	-	5.32	13:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	12/01/2015	31.64	26.57	-	-	-	34.72	5.07	13:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	12/02/2015	31.64	NR	-	-	-	-	-	-	1.00	<0.5	8.00	<0.5	-	-	-	-	<1	-	-	1,600	
MW-122	01/27/2016	31.64	26.63	-	-	-	-	5.01	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	02/15/2016	31.64	27.05	-	-	-	-	4.59	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	03/14/2016	31.64	26.47	-	-	-	34.77	5.17	8:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	03/15/2016	31.64	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,800	
MW-122	04/21/2016	31.64	27.32	-	-	-	-	4.32	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	05/23/2016	31.64	27.35	-	-	-	34.82	4.29	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	05/25/2016	31.64	27.51	-	-	-	34.90	4.13	-	-	-	-	-	-	-	-	-	-	-	-	4,000	
MW-122	06/21/2016	31.64	27.33	-	-	-	-	4.31	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	07/21/2016	31.64	27.22	-	-	-	-	4.42	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/24/2016	31.64	27.07	-	-	-	34.80	4.57	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/25/2016	31.64	26.93	-	-	-	36.77	4.71	10:58	-	-	-	-	-	-	-	-	-	-	-	1,900	
MW-122	09/22/2016	31.64	27.03	-	-	-	-	4.61	14:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	11/28/2016	31.64	27.24	-	-	-	35.80	4.40	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	11/29/2016	31.64	27.28	-	-	-	34.78	4.36	9:30	2	<0.5	<0.5	<0.5	-	-	-	-	<1	-	-	1,300	
MW-122	02/21/2017	31.64	27.60	-	-	-	34.80	4.04	12:09	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-122	02/22/2017	31.64	27.36	-	-	-	-	4.28	9:46	-	-	-	-	-	-	-	-	-	-	-	1,900	
MW-122	05/22/2017	31.64	26.61	-	-	-	-	5.03	13:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	05/24/2017	31.64	25.52	-	-	-	34.70	6.12	9:50	-	-	-	-	-	-	-	-	-	-	-	5,340	
MW-122	08/28/2017	31.64	32.76	-	-	-	34.80	-1.12	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/29/2017	31.64	32.72	-	-	-	34.80	-1.08	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/30/2017	31.64	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,780	
MW-122	11/28/2017	31.64	30.61	-	-	-	37.25	1.03	11:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	11/29/2017	31.64	30.42	-	-	-	37.25	1.22	10:55	<0.50	0.47 J	0.84 J	1.4	-	-	-	-	<5.0	-	-	950	
MW-122	02/20/2018	31.64	28.39	-	-	-	37.83	3.25	10:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	02/22/2018	31.64	28.55	-	-	-	34.80	3.09	9:05	-	-	-	-	-	-	-	-	-	-	-	6,280	
MW-122	05/24/2018	31.64	26.33	-	-	-	34.82	5.31	8:03	-	-	-	-	-	-	-	-	-	-	-	11,200	
MW-122	06/26/2018	31.64	26.22	-	-	-	36.27	5.42	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/13/2018	31.64	26.07	-	-	-	34.83	5.57	12:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/15/2018	31.64	26.22	-	-	-	37.13	5.42	11:29	-	-	-	-	-	-	-	-	-	-	-	2,600	
MW-122	11/12/2018	31.64	25.90	-	-	-	34.83	5.74	12:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	11/14/2018	31.64	26.15	-	-	-	34.83	5.49	10:23	<0.2	<0.2	0.9 J	1 J	-	-	-	-	<4	-	-	6,300	
MW-122	02/11/2019	31.64	26.13	-	-	-	29.82	5.51	13:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	02/12/2019	31.64	25.92	-	-	-	-	5.72	12:45	-	-	-	-	-	-	-	-	-	-	-	520	
MW-122	05/20/2019	31.64	25.54	-	-	-	35.69	6.10	11:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	05/21/2019	31.64	25.87	-	-	-	35.79	5.77	11:47	-	-	-	-	-	-	-	-	-	-	-	790	
MW-122	08/19/2019	31.64	24.98	-	-	-	36.54	6.66	12:06	-	-	-	-	-	-	-	-	-	-	-	780	
MW-122	11/18/2019	31.64	25.98	-	-	-	34.73	5.66	12:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	11/19/2019	31.64	26.20	-	-	-	-	5.44	12:25	<0.2	<0.2	<0.2	<0.8	-	-	-	-	<4	-	-	1,200	
MW-122	02/17/2020	31.64	26.51	-	-	-	34.72	5.13	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	02/18/2020	31.64	26.52	-	-	-	-	5.12	10:30	-	-	-	-	-	-	-	-	-	-	-	920	
MW-122	05/11/2020	31.64	27.06	-	-	-	36.71	4.58	12:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	05/12/2020	31.64	27.84	-	-	-	-	3.80	10:25	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	840	
MW-122	08/10/2020	31.64	DRY	-	-	-	34.75	-	9:20	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW/RW-123S	07/08/2015	31.09	DRY	-	-	-	24.92	-	11:35	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW/RW-123S	07/13/2015	31.09	23.96	-	-	-	24.90	7.13	9:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/20/2015	31.09	22.37	-	-	-	-	8.72	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/28/2015	31.09	22.15	-	-	-	24.98	8.94	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/04/2015	31.09	22.04	-	-	-	24.91	9.05	13:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/05/2015	31.09	22.07	-	-	-	24.93	9.02	9:16	-	-	-	-	-	-	-	-	-	-	-	2,400	
MW/RW-123S	08/11/2015	31.09	22.04	-	-	-	24.91	9.05	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/18/2015	31.09	22.05	-	-	-	-	9.04	9:50	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-123S	08/24/2015	31.09	22.08	-	-	-	-	9.01	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/02/2015	31.09	22.26	22.25	0.01	TRACE	24.92	8.84	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/09/2015	31.09	22.33	-	-	-	24.92	8.76	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/17/2015	31.09	22.56	-	-	-	24.97	8.53	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/23/2015	31.09	22.57	-	-	-	-	8.52	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/28/2015	31.09	22.59	-	-	-	24.91	8.50	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	10/05/2015	31.09	22.61	22.61	TRACE	-	24.92	8.48	9:09	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-123S	11/10/2015	31.09	25.31	-	-	-	-	5.78	12:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	12/01/2015	33.54	25.53	-	-	-	27.40	8.01	10:55	-	-	-	-	-	-	-	-	-	-	-	2,500	
MW/RW-123S	01/27/2016	33.54	25.76	-	-	-	-	7.78	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/15/2016	33.54	24.93	-	-	-	-	8.61	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	03/14/2016	33.54	24.35	-	-	-	27.39	9.19	12:00	-	-	-	-	-	-	-	-	-	-	-	13,000	
MW/RW-123S	04/21/2016	33.54	25.93	-	-	-	27.16	7.61	10:52	-	-	-	-	-	-	-	-	-	-	-	150,000	
MW/RW-123S	05/23/2016	33.54	26.06	-	-	-	27.32	7.48	11:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/24/2016	33.54	25.46	-	-	-	27.50	8.08	8:55	-	-	-	-	-	-	-	-	-	-	-	100,000	
MW/RW-123S	06/21/2016	33.54	26.05	-	-	-	-	7.49	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/21/2016	33.54	26.03	-	-	-	-	7.51	9:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/24/2016	33.54	26.09	-	-	-	27.00	7.45	11:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/25/2016	33.54	24.11	-	-	-	-	9.43	9:50	-	-	-	-	-	-	-	-	-	-	-	1,200,000	
MW/RW-123S	09/22/2016	33.54	26.14	-	-	-	27.02	7.40	12:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	10/20/2016	33.54	26.16	-	-	-	-	7.38	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/28/2016	33.54	26.12	-	-	-	27.00	7.42	11:09	-	-	-	-	-	-	-	-	-	-	-	190,000	
MW/RW-123S	12/22/2016	33.54	26.15	-	-	-	27.05	7.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	01/30/2017	33.54	26.13	-	-	-	26.90	7.41	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/21/2017	33.54	26.06	-	-	-	26.85	7.48	10:13	-	-	-	-	-	-	-	-	-	-	-	530,000	
MW/RW-123S	03/29/2017	33.54	26.10	-	-	-	26.90	7.44	12:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	04/18/2017	33.54	26.10	-	-	-	26.84	7.44	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/22/2017	33.54	23.25	-	-	-	26.90	10.29	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/23/2017	33.54	21.93	-	-	-	26.90	11.61	10:25	-	-	-	-	-	-	-	-	-	-	-	50,800	
MW/RW-123S	06/22/2017	33.54	26.04	-	-	-	26.65	7.50	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/19/2017	33.54	26.07	-	-	-	26.60	7.47	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/21/2017	33.54	22.48	-	-	-	26.62	11.06	9:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/28/2017	33.54	22.97	-	-	-	26.60	10.57	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/29/2017	33.54	23.05	-	-	-	-	10.49	15:15	-	-	-	-	-	-	-	-	<2.0	-	266	11,500	
MW/RW-123S	09/05/2017	33.54	22.80	-	-	-	-	10.74	13:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/20/2017	33.54	23.18	-	-	-	-	10.36	9:53	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-123S	10/03/2017	33.54	23.97	-	-	-	-	9.57	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	10/17/2017	33.54	23.98	-	-	-	-	9.56	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/02/2017	33.54	23.87	-	-	-	-	9.67	11:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/28/2017	33.54	23.75	-	-	-	26.57	9.79	13:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/29/2017	33.54	23.93	-	-	-	26.50	9.61	14:16	-	-	-	-	-	-	-	-	-	-	10,600	11,900	
MW/RW-123S	12/05/2017	33.54	24.03	-	-	-	-	9.51	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	12/19/2017	33.54	24.25	-	-	-	-	9.29	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	01/03/2018	33.54	24.48	-	-	-	-	9.06	12:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	01/26/2018	33.54	24.91	-	-	-	-	8.63	11:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/01/2018	33.54	24.83	-	-	-	-	8.71	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/20/2018	33.54	23.32	-	-	-	26.56	10.22	12:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/22/2018	33.54	24.40	-	-	-	26.61	9.14	11:19	-	-	-	-	-	-	-	-	-	-	363	11,900	
MW/RW-123S	03/06/2018	33.54	23.70	-	-	-	-	9.84	11:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	03/29/2018	33.54	23.45	-	-	-	-	10.09	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	04/11/2018	33.54	23.85	-	-	-	-	9.69	11:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	04/23/2018	33.54	23.78	-	-	-	-	9.76	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/03/2018	33.54	23.84	-	-	-	-	9.70	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/03/2018	31.22	22.34	-	-	-	-	8.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/21/2018	31.22	22.07	-	-	-	24.97	9.15	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/22/2018	31.22	21.99	-	-	-	24.97	9.23	9:33	-	-	-	-	-	-	-	-	-	-	-	23,600	
MW/RW-123S	06/12/2018	31.22	21.76	-	-	-	-	9.46	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	06/26/2018	31.22	22.71	-	-	-	24.93	8.51	10:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/02/2018	31.22	21.82	-	-	-	-	9.40	11:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/17/2018	31.22	22.03	-	-	-	-	9.19	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/30/2018	31.22	20.60	-	-	-	-	10.62	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/09/2018	31.22	20.97	-	-	-	-	10.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/13/2018	31.22	20.12	-	-	-	24.97	11.10	12:18	-	-	-	-	-	-	-	-	-	-	-	28,000	
MW/RW-123S	09/04/2018	31.22	20.41	-	-	-	-	10.81	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/25/2018	31.22	26.73	-	-	-	-	-	13:42	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW/RW-123S	10/02/2018	31.22	22.23	-	-	-	26.83	-	9:50	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW/RW-123S	10/24/2018	31.22	26.75	-	-	-	26.80	-	9:43	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW/RW-123S	11/12/2018	33.00	22.60	-	-	-	-	10.40	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/13/2018	33.00	22.57	-	-	-	-	10.43	9:50	-	-	-	-	-	-	-	-	-	-	-	6,400	
MW/RW-123S	11/27/2018	33.00	22.33	-	-	-	-	10.67	9:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	12/11/2018	33.00	22.93	-	-	-	-	10.07	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	12/27/2018	33.00	22.84	-	-	-	-	10.16	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-123S	01/10/2019	33.00	22.82	-	-	-	-	10.18	10:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	01/24/2019	33.00	26.45	-	-	-	-	6.55	13:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/11/2019	33.00	23.15	-	-	-	26.77	9.85	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/12/2019	31.22	21.45	-	-	-	-	9.77	13:50	-	-	-	-	-	-	-	-	-	-	-	2,700	
MW/RW-123S	02/21/2019	33.00	23.11	-	-	-	-	9.89	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	03/07/2019	33.00	23.11	-	-	-	-	9.89	9:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	03/19/2019	33.00	24.62	-	-	-	-	8.38	9:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	04/02/2019	33.00	23.13	-	-	-	-	9.87	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	04/22/2019	33.00	23.27	-	-	-	-	9.73	9:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/06/2019	33.00	23.57	-	-	-	-	9.43	9:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/20/2019	33.00	23.25	-	-	-	26.96	9.75	10:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/21/2019	33.00	23.32	-	-	-	-	9.68	13:15	-	-	-	-	-	-	-	-	-	-	-	3,600	
MW/RW-123S	06/04/2019	33.00	23.80	-	-	-	-	9.20	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	06/18/2019	33.00	23.52	-	-	-	-	9.48	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/09/2019	33.00	23.23	-	-	-	-	9.77	8:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/23/2019	33.00	22.92	-	-	-	-	10.08	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/09/2019	33.00	23.22	-	-	-	-	9.78	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/19/2019	33.00	23.56	-	-	-	26.77	9.44	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/20/2019	31.22	21.93	-	-	-	24.98	9.29	11:55	-	-	-	-	-	-	-	-	-	-	-	3,900	
MW/RW-123S	09/03/2019	33.00	23.87	-	-	-	-	9.13	8:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/17/2019	33.00	24.38	-	-	-	-	8.62	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	10/01/2019	33.00	25.48	-	-	-	-	7.52	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/18/2019	31.22	22.45	-	-	-	24.42	8.77	10:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/21/2019	31.22	22.60	-	-	-	-	8.62	13:17	-	-	-	-	-	-	-	-	-	-	-	5,000	
MW/RW-123S	12/05/2019	31.22	22.65	-	-	-	-	8.57	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	01/14/2020	31.22	22.57	-	-	-	-	8.65	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/17/2020	31.22	22.67	-	-	-	24.99	8.55	11:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/19/2020	31.22	22.65	-	-	-	-	8.57	10:24	-	-	-	-	-	-	-	-	-	-	-	3,400	
MW/RW-123S	03/10/2020	31.22	22.83	-	-	-	-	8.39	8:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/11/2020	31.22	22.07	-	-	-	24.92	9.15	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/12/2020	31.22	22.17	-	-	-	-	9.05	13:48	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	4,200	
MW/RW-123S	08/10/2020	31.22	21.81	-	-	-	24.96	9.41	11:50	-	-	-	-	-	-	-	-	-	-	-	8,500	
RW-1	10/10/2014	31.19	26.93	-	-	-	-	4.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	10/13/2014	31.19	27.09	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	10/20/2014	31.19	27.27	-	-	-	40.65	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	10/22/2014	31.19	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,000	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-1	10/27/2014	31.19	27.35	-	-	-	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/07/2014	31.19	27.10	-	-	-	-	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/12/2014	31.19	27.15	-	-	-	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/21/2014	31.19	27.83	-	-	-	-	3.36	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/26/2014	31.19	27.42	-	-	-	-	3.77	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	12/05/2014	31.19	27.25	-	-	-	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	12/11/2014	31.19	27.09	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	12/16/2014	31.19	26.98	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	12/23/2014	31.19	26.98	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	12/30/2014	31.19	27.38	-	-	-	-	3.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	01/09/2015	31.19	27.37	-	-	-	-	3.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	01/16/2015	31.19	27.08	-	-	-	-	4.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	01/19/2015	31.19	27.07	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	01/26/2015	31.19	27.03	-	-	-	-	4.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/03/2015	31.19	27.80	-	-	-	40.75	3.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/09/2015	31.19	27.18	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/18/2015	31.19	27.22	-	-	-	-	3.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/24/2015	31.19	27.42	-	-	-	40.35	3.77	13:49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/26/2015	31.19	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6,200	
RW-1	03/04/2015	31.19	27.27	-	-	-	-	3.92	14:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	03/11/2015	31.19	26.90	-	-	-	-	4.29	12:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	03/18/2015	31.19	27.04	-	-	-	-	4.15	11:02	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	03/26/2015	31.19	26.87	-	-	-	40.70	4.32	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	04/02/2015	31.19	27.02	-	-	-	40.60	4.17	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	04/08/2015	31.19	27.30	-	-	-	40.55	3.89	8:45	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	04/13/2015	31.19	27.18	-	-	-	-	4.01	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	04/23/2015	31.19	26.67	-	-	-	40.65	4.52	11:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	04/29/2015	31.19	26.87	-	-	-	40.70	4.32	14:19	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	05/04/2015	31.19	26.72	-	-	-	-	4.47	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	05/11/2015	31.19	26.70	-	-	-	40.78	4.49	15:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	05/12/2015	31.19	26.92	-	-	-	40.63	4.27	14:15	-	-	-	-	-	-	-	-	-	-	-	8,400	
RW-1	05/21/2015	31.19	26.90	-	-	-	40.70	4.29	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	05/28/2015	31.19	27.11	-	-	-	40.60	4.08	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	06/02/2015	31.19	26.79	-	-	-	-	4.40	13:01	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	06/09/2015	31.19	26.57	-	-	-	-	4.62	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	06/16/2015	31.19	26.60	-	-	-	-	4.59	11:21	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-1	06/26/2015	31.19	26.52	-	-	-	40.50	4.67	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	07/01/2015	31.19	26.07	-	-	-	-	5.12	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	08/04/2015	31.19	26.30	-	-	-	40.66	4.89	12:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	08/05/2015	31.19	26.67	-	-	-	40.65	4.52	9:08	-	-	-	-	-	-	-	-	-	-	-	2,500	
RW-1	12/01/2015	31.19	26.77	-	-	-	40.67	4.42	13:41	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	12/02/2015	31.19	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,300	
RW-1	03/14/2016	31.19	26.95	-	-	-	40.65	4.24	8:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	03/15/2016	31.19	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,300	
RW-1	04/21/2016	31.19	27.82	-	-	-	40.69	3.37	9:47	-	-	-	-	-	-	-	-	-	-	-	2,600	
RW-1	05/23/2016	31.19	27.73	-	-	-	41.31	3.46	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	05/24/2016	31.19	27.89	-	-	-	40.65	3.30	10:15	-	-	-	-	-	-	-	-	-	-	-	1,500	
RW-1	06/21/2016	31.19	27.22	-	-	-	-	3.97	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	07/21/2016	31.19	27.08	-	-	-	-	4.11	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	08/24/2016	31.19	27.42	-	-	-	40.70	3.77	10:00	-	-	-	-	-	-	-	-	-	-	-	1,500	
RW-1	11/28/2016	31.19	27.68	-	-	-	41.93	3.51	8:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/29/2016	31.19	27.45	-	-	-	40.78	3.74	9:40	-	-	-	-	-	-	-	-	-	-	-	970	
RW-1	02/21/2017	31.19	28.11	-	-	-	40.80	3.08	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/22/2017	31.19	28.17	-	-	-	-	3.02	9:56	-	-	-	-	-	-	-	-	-	-	-	4,000	Sheen during purge
RW-1	03/29/2017	31.19	26.13	-	-	-	27.90	5.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	05/22/2017	31.19	26.81	-	-	-	-	4.38	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	05/24/2017	31.19	26.50	-	-	-	46.65	4.69	10:00	-	-	-	-	-	-	-	-	-	-	-	36,100	
RW-1	08/28/2017	31.19	32.83	-	-	-	40.71	-1.64	9:17	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	08/29/2017	31.19	32.73	-	-	-	40.70	-1.54	10:50	-	-	-	-	-	-	-	-	<0.66	-	11,300	15,300	
RW-1	11/28/2017	31.19	30.84	-	-	-	43.65	0.35	11:11	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/29/2017	31.19	30.57	-	-	-	40.75	0.62	11:05	-	-	-	-	-	-	-	-	-	-	4,920	6,640	
RW-1	02/20/2018	31.19	28.52	-	-	-	43.08	2.67	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/22/2018	31.19	28.87	-	-	-	40.75	2.32	9:15	-	-	-	-	-	-	-	-	-	-	6,850	5,200	
RW-1	05/22/2018	31.19	26.55	-	-	-	40.73	4.64	9:59	-	-	-	-	-	-	-	-	-	-	-	7,980	
RW-1	08/13/2018	31.19	26.22	-	-	-	40.62	4.97	11:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	08/15/2018	31.19	26.75	-	-	-	43.53	4.44	12:07	-	-	-	-	-	-	-	-	-	-	-	120,000	
RW-1	11/12/2018	31.19	26.22	-	-	-	40.74	4.97	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/14/2018	31.19	26.50	-	-	-	40.74	4.69	10:31	-	-	-	-	-	-	-	-	-	-	-	7,100	
RW-1	02/11/2019	31.19	26.36	-	-	-	41.95	4.83	12:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/12/2019	31.19	26.13	-	-	-	42.06	5.06	14:08	-	-	-	-	-	-	-	-	-	-	-	2,500	
RW-1	05/20/2019	31.19	25.38	-	-	-	42.65	5.81	11:04	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	05/22/2019	31.19	26.48	-	-	-	41.74	4.71	11:29	-	-	-	-	-	-	-	-	-	-	-	2,300	

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-1	08/19/2019	31.19	26.27	-	-	-	42.40	4.92	12:01	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	08/19/2019	31.19	26.21	-	-	-	-	4.98	13:46	-	-	-	-	-	-	-	-	-	-	-	2,400	
RW-1	11/18/2019	31.19	26.26	-	-	-	40.52	4.93	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/21/2019	31.19	26.92	-	-	-	-	4.27	14:07	-	-	-	-	-	-	-	-	-	-	-	2,700	
RW-1	02/17/2020	31.19	26.88	-	-	-	40.68	4.31	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/19/2020	31.19	26.76	-	-	-	-	4.43	9:00	-	-	-	-	-	-	-	-	-	-	-	2,400	
RW-1	05/11/2020	31.19	27.32	-	-	-	41.71	3.87	12:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	05/12/2020	31.19	28.10	-	-	-	-	3.09	13:43	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	2,900	
RW-1	08/10/2020	31.19	37.98	-	-	-	40.68	-6.79	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	08/11/2020	31.19	38.02	-	-	-	-	-6.83	12:45	-	-	-	-	-	-	-	-	-	-	-	1,300	Grab
RW-05S	07/08/2015	31.38	22.72	-	-	-	-	8.66	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/13/2015	31.38	22.57	-	-	-	26.03	8.81	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/20/2015	31.38	21.82	-	-	-	-	9.56	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/28/2015	31.38	21.77	-	-	-	26.07	9.61	11:21	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/05/2015	31.38	21.87	-	-	-	26.03	9.51	9:27	-	-	-	-	-	-	-	-	-	-	-	6,900	
RW-05S	08/11/2015	31.38	21.95	-	-	-	26.06	9.43	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/18/2015	31.38	22.17	-	-	-	-	9.21	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/24/2015	31.38	22.42	-	-	-	-	8.96	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/02/2015	31.38	22.47	-	-	-	26.05	8.91	9:49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/09/2015	31.38	22.60	-	-	-	26.07	8.78	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/17/2015	31.38	22.69	-	-	-	26.07	8.69	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/23/2015	31.38	22.69	-	-	-	-	8.69	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/28/2015	31.38	22.78	-	-	-	26.07	8.60	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	10/05/2015	31.38	22.71	-	-	-	26.20	8.67	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	11/10/2015	31.38	25.07	-	-	-	-	6.31	13:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	12/01/2015	33.47	25.36	-	-	-	28.15	8.11	11:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	12/02/2015	33.47	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17,000	
RW-05S	01/27/2016	33.47	26.23	-	-	-	-	7.24	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/15/2016	33.47	25.44	-	-	-	-	8.03	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	03/14/2016	33.47	25.21	-	-	-	28.20	8.26	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	03/15/2016	33.47	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15,000	
RW-05S	04/21/2016	33.47	20.05	-	-	-	27.95	13.42	11:13	-	-	-	-	-	-	-	-	-	-	-	19,000	
RW-05S	05/23/2016	33.47	25.78	-	-	-	27.97	7.69	11:24	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/24/2016	33.47	25.18	-	-	-	28.10	8.29	9:30	-	-	-	-	-	-	-	-	-	-	-	59,000	
RW-05S	06/21/2016	33.47	25.83	-	-	-	-	7.64	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/21/2016	33.47	25.91	-	-	-	-	7.56	10:25	-	-	-	-	-	-	-	-	-	-	-	-	

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-05S	08/24/2016	33.47	25.77	-	-	-	27.95	7.70	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/25/2016	33.47	24.14	-	-	-	-	9.33	10:05	-	-	-	-	-	-	-	-	-	-	-	66,000	
RW-05S	09/22/2016	33.47	23.80	-	-	-	24.48	9.67	12:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	10/20/2016	33.47	24.95	-	-	-	-	8.52	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	11/28/2016	33.47	DRY	-	-	-	23.75	-	9:51	-	-	-	-	-	-	-	-	-	-	-	-	Clogged drop-tube
RW-05S	11/29/2016	33.47	DRY	-	-	-	23.65	-	12:55	-	-	-	-	-	-	-	-	-	-	-	-	Clogged drop-tube
RW-05S	12/07/2016	33.47	DRY	-	-	-	23.33	-	12:35	-	-	-	-	-	-	-	-	-	-	-	-	Clogged drop-tube
RW-05S	12/08/2016	33.47	23.60	-	-	-	26.13	9.87	10:45	-	-	-	-	-	-	-	-	-	-	-	22,000	Pulled & cleaned drop-tube
RW-05S	12/22/2016	33.47	23.28	-	-	-	26.13	10.19	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	01/30/2017	33.47	25.78	-	-	-	27.98	7.69	10:29	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/21/2017	33.47	25.78	-	-	-	27.80	7.69	10:03	-	-	-	-	-	-	-	-	-	-	-	180,000	
RW-05S	03/29/2017	33.47	25.87	-	-	-	27.65	7.60	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	04/18/2017	33.47	25.78	-	-	-	27.67	7.69	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/22/2017	33.47	24.55	-	-	-	27.55	8.92	10:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/23/2017	33.47	24.46	-	-	-	27.65	9.01	9:30	-	-	-	-	-	-	-	-	-	-	-	497,000	
RW-05S	06/22/2017	33.47	26.03	-	-	-	27.70	7.44	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/21/2017	33.47	24.40	-	-	-	27.65	9.07	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/28/2017	33.47	24.38	-	-	-	27.68	9.09	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/29/2017	33.47	23.83	-	-	-	-	9.64	14:15	-	-	-	-	-	-	-	-	<2.0	-	1,250	32,400	
RW-05S	09/20/2017	33.47	24.50	-	-	-	-	8.97	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	10/17/2017	33.47	24.79	-	-	-	-	8.68	12:04	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	11/28/2017	33.47	24.56	-	-	-	28.38	8.91	13:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	11/30/2017	33.47	25.05	-	-	-	27.65	8.42	12:00	-	-	-	-	-	-	-	-	-	-	189000	107,000	
RW-05S	12/19/2017	33.47	23.98	-	-	-	-	9.49	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	01/26/2018	33.47	24.58	-	-	-	-	8.89	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/20/2018	33.47	25.27	-	-	-	27.62	8.20	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/22/2018	33.47	25.32	-	-	-	27.81	8.15	10:41	-	-	-	-	-	-	-	-	-	-	3,180	25,200	
RW-05S	03/06/2018	33.47	24.63	-	-	-	-	8.84	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	03/29/2018	33.47	24.53	-	-	-	-	8.94	9:54	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	04/11/2018	33.47	24.58	-	-	-	-	8.89	11:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	04/23/2018	33.47	24.59	-	-	-	-	8.88	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/03/2018	33.47	24.57	-	-	-	-	8.90	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/03/2018	31.98	23.08	-	-	-	-	8.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/21/2018	31.98	22.83	-	-	-	26.05	9.15	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/22/2018	31.98	22.77	-	-	-	26.05	9.21	10:07	-	-	-	-	-	-	-	-	-	-	-	47,000	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-05S	06/12/2018	31.98	22.58	-	-	-	-	9.40	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	06/26/2018	31.98	22.14	-	-	-	26.12	9.84	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/02/2018	31.98	22.11	-	-	-	-	9.87	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/17/2018	31.98	22.13	-	-	-	-	9.85	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/30/2018	31.98	21.69	-	-	-	-	10.29	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/09/2018	31.98	21.53	-	-	-	-	10.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/13/2018	31.98	21.46	-	-	-	26.10	10.52	12:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/14/2018	31.98	21.42	-	-	-	28.09	10.56	13:03	-	-	-	-	-	-	-	-	-	-	-	85,000	
RW-05S	09/04/2018	31.98	21.27	-	-	-	-	10.71	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/21/2018	31.98	20.82	-	-	-	26.99	11.16	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/25/2018	31.98	23.33	-	-	-	-	-	13:34	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
RW-05S	10/02/2018	31.98	22.43	-	-	-	27.60	-	10:00	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
RW-05S	10/24/2018	31.98	27.33	-	-	-	27.72	-	9:50	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
RW-05S	11/12/2018	33.48	22.76	-	-	-	-	10.72	10:24	-	-	-	-	-	-	-	-	-	-	-	15,000	
RW-05S	11/27/2018	33.48	22.63	-	-	-	-	10.85	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	12/11/2018	33.48	22.90	-	-	-	-	10.58	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	12/27/2018	33.48	23.62	-	-	-	-	9.86	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	01/10/2019	33.48	22.97	-	-	-	-	10.51	9:29	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	01/24/2019	33.48	27.55	-	-	-	-	5.93	13:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/11/2019	33.48	23.13	-	-	-	27.54	10.35	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/13/2019	31.98	21.87	-	-	-	-	10.11	11:40	-	-	-	-	-	-	-	-	-	-	-	5,700	
RW-05S	02/15/2019	33.48	23.12	-	-	-	-	10.36	9:19	-	-	-	-	-	-	-	-	-	-	-	6,100	Grab
RW-05S	02/21/2019	33.48	23.15	-	-	-	-	10.33	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	03/07/2019	33.48	23.09	-	-	-	-	10.39	9:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	03/19/2019	33.48	23.33	-	-	-	-	10.15	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	04/02/2019	33.48	23.08	-	-	-	-	10.40	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	04/22/2019	33.48	23.35	-	-	-	-	10.13	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/06/2019	33.48	23.49	-	-	-	-	9.99	9:01	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/20/2019	33.48	23.15	-	-	-	27.33	10.33	11:08	-	-	-	-	-	-	-	-	-	-	-	7,000	
RW-05S	05/20/2019	33.48	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15,000	Grab
RW-05S	06/04/2019	33.48	23.56	-	-	-	-	9.92	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	06/18/2019	33.48	23.53	-	-	-	-	9.95	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/09/2019	33.48	23.18	-	-	-	-	10.30	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/23/2019	33.48	22.92	-	-	-	-	10.56	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/09/2019	33.48	22.98	-	-	-	-	10.50	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/19/2019	33.48	23.55	-	-	-	27.72	9.93	11:29	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-05S	08/21/2019	31.98	22.12	-	-	-	-	9.86	10:01	-	-	-	-	-	-	-	-	-	-	-	5,900	
RW-05S	08/22/2019	33.48	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,700	Grab
RW-05S	09/03/2019	33.48	23.62	-	-	-	-	9.86	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/17/2019	33.48	23.90	-	-	-	-	9.58	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	10/01/2019	33.48	23.96	-	-	-	-	9.52	10:02	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	11/18/2019	31.98	22.57	-	-	-	26.86	9.41	11:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	11/21/2019	31.98	22.57	-	-	-	26.20	9.41	13:14	-	-	-	-	-	-	-	-	-	-	-	5,400	
RW-05S	11/22/2019	31.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,900	Grab
RW-05S	12/05/2019	31.98	22.75	-	-	-	-	9.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	01/14/2020	31.98	22.88	-	-	-	-	9.10	11:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/17/2020	31.98	22.80	-	-	-	26.08	9.18	10:22	-	-	-	-	-	-	-	-	-	-	-	3,100	
RW-05S	02/18/2020	31.98	-	-	-	-	-	-	9:15	-	-	-	-	-	-	-	-	-	-	-	3,400	Grab
RW-05S	03/10/2020	31.98	22.82	-	-	-	-	9.16	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/11/2020	31.98	22.62	-	-	-	26.05	9.36	10:29	3	0.2 J	2	2 J	<0.2	-	<0.3	<2	-	-	-	8,900	
RW-05S	05/11/2020	31.98	-	-	-	-	-	-	14:35	-	-	-	-	-	-	-	-	-	-	-	6,300	Grab
RW-05S	08/10/2020	31.98	22.80	-	-	-	26.20	9.18	10:31	-	-	-	-	-	-	-	-	-	-	-	16,000	
RW-05S	08/10/2020	31.98	-	-	-	-	-	-	12:45	-	-	-	-	-	-	-	-	-	-	-	12,000	Grab
MW/RW-05	08/08/2014	31.57	25.41	-	-	-	33.94	6.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/11/2014	31.57	25.16	-	-	-	-	6.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/15/2014	31.57	24.98	-	-	-	-	6.59	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/16/2014	31.57	24.84	24.80	0.04	NA	-	6.77	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducers in well for pump test
MW/RW-05	08/18/2014	31.57	24.88	24.80	0.08	NA	-	6.76	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducers in well for pump test
MW/RW-05	08/25/2014	31.57	23.27	22.99	0.28	0.06	-	8.55	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/02/2014	31.57	23.62	23.07	0.55	0.31	-	8.43	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/15/2014	31.57	23.63	23.13	0.50	NR	-	8.38	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/19/2014	31.57	23.72	23.18	0.54	0.17	-	8.32	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/22/2014	31.57	23.25	22.97	0.28	0.06	-	8.57	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/24/2014	31.57	23.33	23.13	0.20	NR	-	8.42	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-05	10/01/2014	31.57	26.67	26.67	TRACE	TRACE	31.94	4.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	10/10/2014	31.57	26.58	26.57	0.01	TRACE	-	5.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	10/13/2014	31.57	26.73	26.71	0.02	TRACE	-	4.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	10/20/2014	31.57	26.91	26.89	0.02	TRACE	-	4.68	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	10/27/2014	31.57	27.07	27.06	0.01	TRACE	-	4.51	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-05	11/07/2014	31.57	26.93	26.88	0.05	TRACE	-	4.68	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/12/2014	31.57	26.96	26.94	0.02	TRACE	-	4.63	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/21/2014	31.57	27.74	27.73	0.01	TRACE	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/26/2014	31.57	27.28	27.25	0.03	TRACE	-	4.32	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/05/2014	31.57	27.18	27.16	0.02	TRACE	-	4.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/11/2014	31.57	26.93	-	0.00	TRACE	-	4.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/16/2014	31.57	26.87	26.82	0.05	TRACE	-	4.74	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/23/2014	31.57	26.95	26.92	0.03	TRACE	-	4.65	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/30/2014	31.57	27.35	27.32	0.03	TRACE	-	4.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/09/2015	31.57	27.36	27.32	0.04	TRACE	-	4.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/16/2015	31.57	27.06	27.02	0.04	TRACE	-	4.55	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/19/2015	31.57	27.08	27.03	0.05	TRACE	-	4.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/26/2015	31.57	26.99	26.95	0.04	TRACE	-	4.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	02/03/2015	31.57	27.73	27.71	0.02	-	32.04	3.86	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	02/09/2015	31.57	27.23	27.17	0.06	-	-	4.39	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	02/18/2015	31.57	27.25	27.21	0.04	-	-	4.36	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	02/24/2015	31.57	27.38	27.37	0.01	TRACE	-	4.20	13:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	03/04/2015	31.57	27.25	27.20	0.05	-	-	4.36	14:18	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	03/11/2015	31.57	27.07	26.97	0.10	-	-	4.59	12:57	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	03/18/2015	31.57	27.11	27.03	0.08	-	-	4.53	11:15	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	03/26/2015	31.57	26.81	26.73	0.08	-	31.90	4.83	12:06	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	04/02/2015	31.57	27.13	26.97	0.16	-	31.95	4.58	11:37	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	04/08/2015	31.57	27.49	27.20	0.29	-	32.00	4.33	9:20	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	04/13/2015	31.57	27.53	27.07	0.46	-	-	4.44	10:51	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	04/23/2015	31.57	27.41	26.55	0.86	-	32.00	4.92	12:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	04/29/2015	31.57	27.78	26.61	1.17	-	31.90	4.82	14:39	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	05/04/2015	31.57	28.03	26.56	1.47	-	-	4.83	11:51	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	05/11/2015	31.57	28.24	26.40	1.84	-	-	4.95	15:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	05/13/2015	31.57	28.75	26.84	1.91	1.50	-	4.50	13:20	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	05/21/2015	31.57	26.87	26.78	0.09	-	-	4.78	12:48	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	05/28/2015	31.57	28.45	27.00	1.45	-	32.00	4.39	11:54	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	06/02/2015	31.57	28.52	26.62	1.90	-	-	4.72	13:11	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	06/09/2015	31.57	28.67	26.12	2.55	-	-	5.14	10:55	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	06/16/2015	31.57	29.17	25.86	3.31	-	-	5.31	11:48	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	06/26/2015	31.57	28.51	25.55	2.96	-	32.00	5.66	10:50	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	07/01/2015	31.57	27.93	24.65	3.28	-	-	6.52	12:39	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-05	07/08/2015	31.57	27.50	23.75	3.75	-	-	7.36	8:00	-	-	-	-	-	-	-	-	-	-	-	-	Baildown test
MW/RW-05	07/13/2015	31.57	24.16	22.98	1.18	-	-	8.45	8:10	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-05	07/20/2015	31.57	23.03	22.69	0.34	0.09	-	8.84	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	07/28/2015	31.57	22.75	22.55	0.20	0.09	32.07	9.00	12:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/04/2015	31.57	22.92	22.63	0.29	0.06	-	8.90	12:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/11/2015	31.57	23.57	22.60	0.97	0.09	32.05	8.85	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/18/2015	31.57	23.74	23.02	0.72	0.38	-	8.46	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/21/2015	31.57	23.46	23.15	0.31	-	-	8.38	7:55	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-05	08/24/2015	31.57	23.88	23.86	0.02	TRACE	-	7.71	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/02/2015	31.57	24.72	24.44	0.28	0.05	32.04	7.10	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/09/2015	31.57	24.60	24.39	0.21	0.06	32.05	7.15	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/17/2015	31.57	24.83	24.36	0.47	0.07	32.08	7.15	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/23/2015	31.57	24.88	24.70	0.18	0.02	-	6.85	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/28/2015	31.57	24.50	24.48	0.02	0.04	31.94	7.09	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	10/05/2015	31.57	24.41	24.31	0.10	0.05	32.01	7.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/10/2015	31.57	25.53	25.38	0.15	-	-	6.17	13:44	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	12/01/2015	32.20	26.16	25.98	0.18	-	-	6.20	13:56	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	01/27/2016	32.20	26.56	26.34	0.22	-	-	5.83	10:44	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	02/15/2016	32.20	26.99	26.98	0.01	-	-	5.22	10:31	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	03/14/2016	32.20	25.65	25.65	TRACE	-	-	6.55	10:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	03/24/2016	32.20	29.70	-	-	-	-	2.50	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	03/30/2016	32.20	29.68	-	-	-	-	2.52	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	04/21/2016	32.20	29.65	-	-	-	-	2.55	10:34	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	05/23/2016	32.20	29.80	-	-	-	-	2.40	11:27	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	05/24/2016	32.20	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62,000	pump in well
MW/RW-05	06/21/2016	32.20	29.79	-	-	-	-	2.41	10:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	07/21/2016	32.20	23.85	-	-	-	-	8.35	10:30	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	08/24/2016	32.20	21.60	-	-	-	-	10.60	11:11	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	08/25/2016	32.20	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16,000	pump in well
MW/RW-05	09/22/2016	32.20	29.00	-	-	-	-	3.20	11:40	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	10/20/2016	32.20	29.00	-	-	-	-	3.20	11:35	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	11/28/2016	32.20	NR	-	-	-	-	-	9:45	<0.5	<0.5	<0.5	<0.5	-	-	-	-	<1	-	-	7,300	Pump Obstruction at 26.80 ft during gauging
MW/RW-05	12/22/2016	32.20	28.22	-	-	-	-	3.98	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	01/30/2017	32.20	27.88	-	-	-	-	4.32	12:06	-	-	-	-	-	-	-	-	-	-	-	-	pump in well

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-05	02/21/2017	32.20	28.70	-	-	-	-	3.50	12:51	-	-	-	-	-	-	-	-	-	-	-	5,200	pump in well
MW/RW-05	03/29/2017	32.20	27.90	-	-	-	-	4.30	11:55	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	04/18/2017	32.20	28.50	-	-	-	-	3.70	12:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	05/18/2017	32.20	18.95	-	-	-	-	13.25	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	05/22/2017	32.20	23.24	-	-	-	-	8.96	13:02	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	05/23/2017	32.20	23.93	-	-	-	-	8.27	9:45	-	-	-	-	-	-	-	-	-	-	-	981	pump in well
MW/RW-05	06/22/2017	32.20	28.50	-	-	-	-	3.70	12:28	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	07/06/2017	32.20	28.50	-	-	-	-	3.70	13:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	07/19/2017	32.20	28.30	-	-	-	-	3.90	12:15	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	08/21/2017	32.20	28.35	-	-	-	-	3.85	10:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	08/28/2017	32.20	23.32	-	-	-	-	8.88	9:30	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	08/31/2017	32.20	23.60	-	-	-	31.33	8.60	9:36	-	-	-	-	-	-	-	-	-	-	-	31,800	pump in well
MW/RW-05	09/20/2017	32.20	28.10	-	-	-	-	4.10	10:51	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	10/17/2017	32.20	27.80	-	-	-	-	4.40	12:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	11/28/2017	32.20	NR	-	-	-	25.40	-	11:50	<0.50	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	27,900	6,860	pump in well
MW/RW-05	01/26/2018	32.20	18.35	-	-	-	-	13.85	12:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	02/20/2018	32.20	OBST	-	-	-	25.30	-	11:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	02/22/2018	32.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<83	273	pump in well
MW/RW-05	03/06/2018	32.20	24.55	-	-	-	-	7.65	12:31	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	03/29/2018	32.20	27.10	-	-	-	-	5.10	9:58	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	04/11/2018	32.20	27.46	-	-	-	-	4.74	11:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	04/23/2018	32.20	27.38	-	-	-	-	4.82	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/03/2018	32.20	27.18	-	-	-	-	5.02	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/21/2018	32.20	26.29	-	-	-	31.40	5.91	13:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/22/2018	32.20	26.16	-	-	-	31.26	6.04	10:10	-	-	-	-	-	-	-	-	-	-	-	50,300	
MW/RW-05	06/12/2018	32.20	26.05	-	-	-	-	6.15	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	06/26/2018	32.20	24.95	-	-	-	31.34	7.25	9:38	-	-	-	-	-	-	-	-	-	-	27,500 B	51,900	
MW/RW-05	07/02/2018	32.20	24.83	-	-	-	-	7.37	10:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	07/17/2018	32.20	24.96	-	-	-	-	7.24	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	07/30/2018	32.20	23.31	-	-	-	33.32	8.89	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/09/2018	32.20	23.15	-	-	-	-	9.05	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	08/13/2018	32.20	23.37	-	-	-	-	8.83	12:13	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	08/15/2018	32.20	27.44	-	-	-	-	4.76	9:08	-	-	-	-	-	-	-	-	-	-	-	26,000	pump in well
MW/RW-05	09/04/2018	32.20	23.58	-	-	-	-	8.62	9:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	09/25/2018	32.20	23.46	-	-	-	-	8.74	13:35	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	10/02/2018	32.20	23.18	-	-	-	-	9.02	12:16	-	-	-	-	-	-	-	-	-	-	-	-	pump in well

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-05	10/24/2018	32.20	23.50	-	-	-	-	8.70	9:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/12/2018	33.47	23.27	-	-	-	-	10.20	14:00	<1	<1	<1	<3	-	-	-	-	<20	-	-	7,000	
MW/RW-05	11/27/2018	33.47	23.22	-	-	-	-	10.25	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/11/2018	33.47	23.34	-	-	-	-	10.13	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/27/2018	33.47	23.35	-	-	-	-	10.12	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/10/2019	33.47	23.50	-	-	-	-	9.97	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/24/2019	33.47	26.50	-	-	-	-	6.97	13:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	02/11/2019	33.47	23.90	-	-	-	32.90	9.57	13:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	02/13/2019	32.20	22.46	-	-	-	-	9.74	10:25	-	-	-	-	-	-	-	-	-	-	-	2,700	
MW/RW-05	02/21/2019	33.47	23.84	-	-	-	-	9.63	9:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	03/07/2019	33.47	24.21	-	-	-	33.30	9.26	9:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	03/19/2019	33.47	24.22	-	-	-	-	9.25	9:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	04/02/2019	33.47	24.05	-	-	-	-	9.42	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	04/22/2019	33.47	24.28	-	-	-	-	9.19	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/06/2019	33.47	24.54	-	-	-	-	8.93	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/20/2019	33.47	24.19	-	-	-	33.07	9.28	11:09	-	-	-	-	-	-	-	-	-	-	-	3,900	
MW/RW-05	06/04/2019	33.47	24.70	-	-	-	-	8.77	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	06/18/2019	33.47	24.66	-	-	-	-	8.81	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	07/09/2019	33.47	24.16	-	-	-	-	9.31	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	07/23/2019	33.47	23.78	-	-	-	-	9.69	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/09/2019	33.47	23.62	-	-	-	-	9.85	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/19/2019	32.20	22.85	-	-	-	32.68	9.35	12:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/21/2019	32.20	22.80	-	-	-	31.27	9.40	10:05	-	-	-	-	-	-	-	-	-	-	-	3,800	
MW/RW-05	09/03/2019	33.47	24.33	-	-	-	-	9.14	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/17/2019	33.47	24.90	-	-	-	-	8.57	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	10/01/2019	33.47	25.13	-	-	-	-	8.34	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/18/2019	32.20	23.55	-	-	-	31.30	8.65	12:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/22/2019	32.20	23.56	-	-	-	-	8.64	11:10	2	<0.2	0.9 J	<0.8	-	-	-	-	<4	-	-	4,500	
MW/RW-05	12/05/2019	32.20	23.60	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/14/2020	32.20	23.72	-	-	-	-	8.48	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	02/17/2020	32.20	23.66	-	-	-	31.21	8.54	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	02/19/2020	32.20	23.77	-	-	-	-	8.43	13:17	-	-	-	-	-	-	-	-	-	-	-	3,600	
MW/RW-05	03/10/2020	32.20	23.71	-	-	-	-	8.49	9:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/11/2020	32.20	23.36	-	-	-	31.21	8.84	12:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/12/2020	32.20	23.73	-	-	-	-	8.47	11:43	4	0.2 J	2	<0.5	<0.2	-	<0.3	<2	-	-	-	3,600	
MW/RW-05	08/10/2020	32.20	24.73	-	-	-	31.16	7.47	9:17	-	-	-	-	-	-	-	-	-	-	-	9,900	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-25S	07/08/2015	30.97	DRY	-	-	-	24.64	-	11:43	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	07/13/2015	30.97	DRY	-	-	-	24.65	-	9:39	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	07/20/2015	30.97	DRY	-	-	-	-	-	9:40	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	07/28/2015	30.97	DRY	-	-	-	24.71	-	10:47	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	08/04/2015	30.97	DRY	-	-	-	24.64	-	13:06	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	08/11/2015	30.97	DRY	-	-	-	-	-	11:25	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	08/18/2015	30.97	24.62	-	-	-	-	6.35	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/24/2015	30.97	24.56	-	-	-	-	6.41	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	09/02/2015	30.97	NR	24.51	-	0.01	24.69	-	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	09/09/2015	30.97	NR	24.50	-	0.01	24.69	-	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	09/17/2015	30.97	NR	24.54	-	-	24.65	-	10:50	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
RW-25S	09/23/2015	30.97	24.62	24.50	0.12	0.01	24.62	6.46	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	09/28/2015	30.97	NR	24.57	TRACE	TRACE	24.65	-	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	10/05/2015	30.97	NR	24.54	-	TRACE	24.59	-	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	11/10/2015	30.97	NR	26.28	-	-	26.38	-	13:36	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
RW-25S	12/01/2015	32.70	26.34	26.27	0.07	-	26.36	6.42	11:55	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
RW-25S	01/27/2016	32.70	26.30	26.22	0.08	-	-	6.47	11:04	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
RW-25S	02/15/2016	32.70	25.59	25.42	0.17	-	-	7.26	10:44	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
RW-25S	03/14/2016	32.70	24.45	24.44	0.01	-	-	8.26	13:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
RW-25S	04/21/2016	32.70	25.51	25.50	0.01	-	-	7.20	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/23/2016	32.70	25.38	-	-	-	26.28	7.32	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/24/2016	32.70	25.43	25.41	0.02	-	-	7.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	06/21/2016	32.70	25.38	-	-	-	-	7.32	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/21/2016	32.70	25.39	-	-	-	-	7.31	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/24/2016	32.70	25.35	-	-	-	25.62	7.35	10:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/25/2016	32.70	24.97	-	-	-	25.61	7.73	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	08/30/2016	32.70	25.86	-	-	-	27.36	6.84	11:35	-	-	-	-	-	-	-	-	-	-	-	470,000	
RW-25S	09/22/2016	32.70	26.08	-	-	-	26.38	6.62	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	10/20/2016	32.70	26.10	-	-	-	-	6.60	11:06	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	11/28/2016	32.70	25.57	-	-	-	-	7.13	9:41	0.7 J	1	2	5	-	-	-	-	4 J	-	-	1,000,000	
RW-25S	12/22/2016	32.70	26.03	-	-	-	26.27	6.67	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	01/30/2017	32.70	25.37	-	-	-	25.62	7.33	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	02/21/2017	32.70	25.35	-	-	-	25.58	7.35	10:11	-	-	-	-	-	-	-	-	-	-	-	250,000	
RW-25S	03/29/2017	31.92	27.10	-	-	-	27.17	4.82	12:23	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	04/18/2017	31.92	25.37	-	-	-	25.55	6.55	11:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/22/2017	31.92	23.15	-	-	-	25.60	8.77	10:39	-	-	-	-	-	-	-	-	-	-	-	-	

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-25S	05/23/2017	31.92	22.44	-	-	-	25.60	9.48	11:25	-	-	-	-	-	-	-	-	-	-	-	147,000	
RW-25S	07/19/2017	31.92	25.34	-	-	-	25.43	6.58	11:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/21/2017	31.92	24.38	-	-	-	25.45	7.54	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/28/2017	31.92	25.12	-	-	-	25.42	6.80	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/31/2017	31.92	25.34	-	-	-	25.43	6.58	9:26	-	-	-	-	-	-	-	-	<0.66	-	1,640	32,200	
RW-25S	09/20/2017	31.92	DRY	-	-	-	25.33	-	10:12	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	10/03/2017	31.92	DRY	-	-	-	25.33	-	11:20	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	10/17/2017	31.92	DRY	-	-	-	25.43	-	11:32	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	11/02/2017	31.92	DRY	-	-	-	25.33	-	11:26	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	11/28/2017	31.92	25.41	-	-	-	25.42	6.51	14:05	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-25S	12/05/2017	31.92	DRY	-	-	-	25.33	-	10:15	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	01/03/2018	31.92	DRY	-	-	-	25.33	-	12:10	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	01/26/2018	31.92	DRY	-	-	-	25.33	-	11:20	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	02/01/2018	31.92	DRY	-	-	-	25.33	-	10:30	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	02/20/2018	31.92	23.39	-	-	-	25.41	8.53	12:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	02/22/2018	31.92	23.69	-	-	-	25.48	8.23	14:03	-	-	-	-	-	-	-	-	-	-	25,900	62,600	
RW-25S	03/06/2018	31.92	24.75	-	-	-	-	7.17	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	03/29/2018	31.92	DRY	-	-	-	25.42	-	9:39	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	04/11/2018	31.92	DRY	-	-	-	25.43	-	9:07	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	04/23/2018	31.92	23.15	-	-	-	-	8.77	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/03/2018	31.92	23.86	-	-	-	-	8.06	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/03/2018	31.12	23.01	-	-	-	-	8.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/21/2018	31.12	23.73	-	-	-	24.58	7.39	9:53	-	-	-	-	-	-	-	-	-	-	-	77,600	
RW-25S	06/12/2018	31.12	24.30	-	-	-	-	6.82	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	06/26/2018	31.12	24.19	-	-	-	24.51	6.93	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/02/2018	31.12	24.25	-	-	-	-	6.87	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/17/2018	31.12	24.37	-	-	-	-	6.75	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/30/2018	31.12	21.73	-	-	-	-	9.39	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/09/2018	31.12	22.20	-	-	-	-	8.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/13/2018	31.12	22.32	-	-	-	24.56	8.80	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/14/2018	31.12	22.31	-	-	-	26.43	8.81	10:10	-	-	-	-	-	-	-	-	-	-	-	160,000	
RW-25S	09/04/2018	31.12	21.27	-	-	-	-	9.85	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	09/25/2018	31.12	25.12	-	-	-	-	-	13:24	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
RW-25S	10/02/2018	31.12	22.27	-	-	-	26.02	-	10:20	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
RW-25S	10/24/2018	31.12	25.60	-	-	-	25.62	-	9:59	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
RW-25S	11/12/2018	32.44	22.65	-	-	-	-	9.79	10:30	0.8 J	<0.2	0.3 J	<0.5	-	-	-	-	<4	-	-	110,000	See Notes

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-25S	11/27/2018	32.44	21.80	-	-	-	-	10.64	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	12/11/2018	32.44	22.33	-	-	-	-	10.11	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	12/27/2018	32.44	22.28	-	-	-	-	10.16	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	01/10/2019	32.44	22.74	-	-	-	-	9.70	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	01/24/2019	32.44	DRY	-	-	-	25.65	-	13:50	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	02/11/2019	32.44	22.68	-	-	-	25.64	9.76	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	02/12/2019	32.44	22.71	-	-	-	-	9.73	9:42	-	-	-	-	-	-	-	-	-	-	-	12,000	
RW-25S	02/15/2019	32.44	22.88	-	-	-	-	9.56	9:25	-	-	-	-	-	-	-	-	-	-	-	25,000	Grab
RW-25S	02/21/2019	32.44	22.68	-	-	-	-	9.76	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	03/07/2019	32.44	22.87	-	-	-	-	9.57	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	03/19/2019	32.44	24.66	-	-	-	-	7.78	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	04/02/2019	32.44	22.92	-	-	-	-	9.52	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	04/22/2019	32.44	22.86	-	-	-	-	9.58	9:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/06/2019	32.44	24.21	-	-	-	-	8.23	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/20/2019	32.44	24.38	-	-	-	25.77	8.06	10:39	-	-	-	-	-	-	-	-	-	-	-	21,000	
RW-25S	06/04/2019	32.44	24.67	-	-	-	-	7.77	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	06/18/2019	32.44	24.50	-	-	-	-	7.94	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/09/2019	32.44	22.55	-	-	-	-	9.89	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/23/2019	32.44	22.57	-	-	-	-	9.87	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/09/2019	32.44	22.48	-	-	-	-	9.96	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/19/2019	32.44	24.42	-	-	-	26.32	8.02	11:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/20/2019	31.12	22.77	-	-	-	24.25	8.35	13:31	-	-	-	-	-	-	-	-	-	-	-	14,000	
RW-25S	09/03/2019	32.44	24.85	-	-	-	-	7.59	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	09/17/2019	32.44	25.12	-	-	-	-	7.32	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	10/01/2019	32.44	25.30	-	-	-	-	7.14	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	11/18/2019	31.12	24.66	-	-	-	24.67	6.46	11:03	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-25S	12/05/2019	31.12	24.51	-	-	-	-	6.61	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	01/14/2020	31.12	DRY	-	-	-	24.63	-	12:00	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	02/17/2020	31.12	DRY	-	-	-	24.66	-	10:33	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	03/10/2020	31.12	DRY	-	-	-	24.68	-	9:08	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	05/11/2020	31.12	DRY	-	-	-	24.62	-	12:56	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	08/10/2020	31.12	23.69	-	-	-	24.69	7.43	11:31	-	-	-	-	-	-	-	-	-	-	-	14,000	Grab
RW-28S	07/08/2015	31.35	26.40	-	-	-	-	4.95	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/13/2015	31.35	25.20	-	-	-	26.66	6.15	9:11	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/20/2015	31.35	24.14	-	-	-	-	7.21	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/28/2015	31.35	23.92	-	-	-	26.73	7.43	10:04	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-28S	08/04/2015	31.35	23.97	-	-	-	26.67	7.38	13:21	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/05/2015	31.35	24.98	-	-	-	26.66	6.37	8:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/05/2015	31.35	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,300	
RW-28S	08/11/2015	31.35	24.03	-	-	-	26.65	7.32	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/18/2015	31.35	24.13	-	-	-	-	7.22	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/24/2015	31.35	24.18	-	-	-	-	7.17	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/02/2015	31.35	24.31	-	-	-	26.68	7.04	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/09/2015	31.35	24.41	-	-	-	26.65	6.94	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/17/2015	31.35	24.55	-	-	-	26.69	6.80	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/23/2015	31.35	24.58	-	-	-	-	6.77	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/28/2015	31.35	24.65	-	-	-	26.60	6.70	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	10/05/2015	31.35	24.60	-	-	-	26.68	6.75	8:58	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	11/10/2015	31.35	26.71	-	-	-	-	4.64	12:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	12/01/2015	32.99	26.91	-	-	-	28.28	6.08	12:34	-	-	-	-	-	-	-	-	-	-	-	2,500	
RW-28S	01/27/2016	32.99	27.09	-	-	-	-	5.90	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/15/2016	32.99	25.86	-	-	-	-	7.13	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	03/14/2016	32.99	25.74	-	-	-	28.30	7.25	12:15	-	-	-	-	-	-	-	-	-	-	-	790	
RW-28S	04/21/2016	32.99	26.84	-	-	-	28.30	6.15	10:40	-	-	-	-	-	-	-	-	-	-	-	2,300	
RW-28S	05/05/2016	32.99	25.65	-	-	-	28.32	7.34	12:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/23/2016	32.99	25.82	-	-	-	28.32	7.17	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/24/2016	32.99	25.82	-	-	-	28.32	7.17	12:15	-	-	-	-	-	-	-	-	-	-	-	3,300	
RW-28S	06/21/2016	32.99	25.65	-	-	-	-	7.34	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/21/2016	32.99	25.71	-	-	-	-	7.28	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/24/2016	32.99	25.62	-	-	-	28.65	7.37	11:54	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/25/2016	32.99	26.56	-	-	-	-	6.43	10:55	-	-	-	-	-	-	-	-	-	-	-	2,300	
RW-28S	09/22/2016	32.99	25.82	-	-	-	28.35	7.17	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	10/20/2016	32.99	25.79	-	-	-	-	7.20	10:58	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	11/28/2016	32.99	25.80	-	-	-	28.61	7.19	10:51	-	-	-	-	-	-	-	-	-	-	-	1,400	
RW-28S	12/22/2016	32.99	26.05	-	-	-	28.37	6.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	01/30/2017	32.99	25.97	-	-	-	28.35	7.02	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/21/2017	32.99	26.02	-	-	-	28.30	6.97	10:18	-	-	-	-	-	-	-	-	-	-	-	39,000	
RW-28S	03/29/2017	32.99	25.86	-	-	-	28.45	7.13	12:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	04/18/2017	32.99	26.58	-	-	-	28.33	6.41	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/22/2017	32.99	25.85	-	-	-	28.35	7.14	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/23/2017	32.99	24.24	-	-	-	28.30	8.75	11:05	-	-	-	-	-	-	-	-	-	-	-	24,400	
RW-28S	06/22/2017	32.99	27.10	-	-	-	28.20	5.89	11:50	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-28S	07/19/2017	32.99	27.00	-	-	-	28.12	5.99	11:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/21/2017	32.99	25.88	-	-	-	27.94	7.11	9:23	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/28/2017	32.99	26.90	-	-	-	27.95	6.09	11:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/31/2017	32.99	26.59	-	-	-	28.00	6.40	9:10	-	-	-	-	-	-	-	-	<0.66	-	1,650	8,370	
RW-28S	09/20/2017	32.99	27.03	-	-	-	-	5.96	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	10/17/2017	32.99	27.46	-	-	-	-	5.53	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	11/28/2017	32.99	DRY	-	-	-	27.95	-	14:14	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-28S	11/29/2017	32.99	27.28	-	-	-	28.02	5.71	15:30	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-28S	12/19/2017	32.99	27.52	-	-	-	-	5.47	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	01/26/2018	32.99	27.83	-	-	-	-	5.16	11:41	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/20/2018	32.99	25.96	-	-	-	27.85	7.03	12:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/22/2018	32.99	26.07	-	-	-	27.81	6.92	9:09	-	-	-	-	-	-	-	-	-	-	1,530	923	
RW-28S	03/06/2018	32.99	26.27	-	-	-	-	6.72	11:59	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	03/29/2018	32.99	25.69	-	-	-	-	7.30	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	04/11/2018	32.99	26.37	-	-	-	-	6.62	11:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	04/23/2018	32.99	26.20	-	-	-	-	6.79	9:01	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/03/2018	32.99	25.98	-	-	-	-	7.01	9:23	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/03/2018	31.35	24.34	-	-	-	-	7.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/21/2018	31.35	23.10	-	-	-	26.28	8.25	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/22/2018	31.35	23.08	-	-	-	26.28	8.27	9:40	-	-	-	-	-	-	-	-	-	-	-	846	
RW-28S	06/12/2018	31.35	23.63	-	-	-	-	7.72	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	06/26/2018	31.35	DRY	-	-	-	26.31	-	10:25	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-28S	07/02/2018	31.35	24.22	-	-	-	-	7.13	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/17/2018	31.35	24.86	-	-	-	-	6.49	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/30/2018	31.35	DRY	-	-	-	-	-	11:06	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-28S	08/09/2018	31.35	23.84	-	-	-	-	7.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/13/2018	31.55	23.99	-	-	-	26.16	7.56	10:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/14/2018	31.55	23.88	-	-	-	26.30	7.67	10:01	-	-	-	-	-	-	-	-	-	-	-	460	
RW-28S	09/04/2018	31.55	23.46	-	-	-	-	8.09	10:29	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/25/2018	31.55	22.47	-	-	-	-	9.08	13:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	10/02/2018	31.55	22.58	-	-	-	-	8.97	11:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	10/24/2018	31.55	23.95	-	-	-	-	7.60	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	11/12/2018	31.55	22.45	-	-	-	26.41	9.10	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	11/14/2018	31.55	21.98	-	-	-	26.41	9.57	9:41	-	-	-	-	-	-	-	-	-	-	-	340	
RW-28S	11/27/2018	31.55	21.93	-	-	-	-	9.62	10:01	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	12/11/2018	31.55	23.32	-	-	-	-	8.23	11:20	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-28S	12/27/2018	31.55	22.28	-	-	-	-	9.27	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	01/10/2019	31.55	22.99	-	-	-	-	8.56	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	01/24/2019	31.55	22.93	-	-	-	-	8.62	8:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/11/2019	31.55	23.75	-	-	-	26.27	7.80	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/14/2019	31.55	23.51	-	-	-	26.28	8.04	10:48	-	-	-	-	-	-	-	-	-	-	-	180	
RW-28S	02/21/2019	31.55	23.02	-	-	-	26.61	8.53	10:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	03/07/2019	31.55	22.67	-	-	-	-	8.88	11:19	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	03/19/2019	31.55	23.65	-	-	-	-	7.90	13:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	04/02/2019	31.55	23.51	-	-	-	-	8.04	12:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	04/22/2019	31.55	23.35	-	-	-	-	8.20	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/06/2019	31.55	23.60	-	-	-	-	7.95	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/20/2019	31.55	22.79	-	-	-	26.34	8.76	10:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/21/2019	31.55	23.17	-	-	-	26.28	8.38	11:10	-	-	-	-	-	-	-	-	-	-	-	200	
RW-28S	06/04/2019	31.55	23.85	-	-	-	-	7.70	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	06/18/2019	31.55	23.82	-	-	-	-	7.73	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/09/2019	31.55	23.86	-	-	-	-	7.69	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/23/2019	31.55	23.70	-	-	-	-	7.85	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/09/2019	31.55	24.15	-	-	-	-	7.40	12:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/19/2019	31.55	24.48	-	-	-	26.30	7.07	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/20/2019	31.55	24.50	-	-	-	26.30	7.05	10:08	-	-	-	-	-	-	-	-	-	-	-	550	
RW-28S	09/03/2019	31.55	24.88	-	-	-	-	6.67	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/17/2019	31.55	25.28	-	-	-	-	6.27	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	10/01/2019	31.55	25.73	-	-	-	-	5.82	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	11/18/2019	31.55	25.25	-	-	-	26.30	6.30	10:52	-	-	-	-	-	-	-	-	-	-	-	1,400	
RW-28S	12/05/2019	31.55	25.08	-	-	-	-	6.47	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	01/14/2020	31.55	24.79	-	-	-	-	6.76	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/17/2020	31.55	23.83	-	-	-	26.37	7.72	11:21	-	-	-	-	-	-	-	-	-	-	-	97 J	
RW-28S	03/10/2020	31.55	24.81	-	-	-	-	6.74	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/11/2020	31.55	23.31	-	-	-	26.32	8.24	10:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/12/2020	31.55	23.60	-	-	-	-	7.95	10:59	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	<53	
RW-28S	08/10/2020	31.55	25.50	-	-	-	26.40	6.05	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/11/2020	31.55	25.57	-	-	-	-	5.98	13:40	-	-	-	-	-	-	-	-	-	-	-	3,500	Grab
RW-30S	06/26/2015	31.32	DRY	-	-	-	28.40	-	9:28	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	07/01/2015	31.32	24.02	-	-	-	-	7.30	12:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/08/2015	31.32	25.39	-	-	-	-	5.93	10:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/13/2015	31.32	26.60	-	-	-	28.40	4.72	9:12	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-30S	07/20/2015	31.32	26.07	-	-	-	-	5.25	9:01	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/28/2015	31.32	26.04	-	-	-	28.48	5.28	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/04/2015	31.32	26.07	-	-	-	28.40	5.25	13:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/05/2015	31.32	26.05	-	-	-	28.42	5.27	8:20	-	-	-	-	-	-	-	-	-	-	-	890	
RW-30S	08/11/2015	31.32	26.42	-	-	-	28.44	4.90	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/18/2015	31.32	26.31	-	-	-	-	5.01	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/24/2015	31.32	26.28	-	-	-	-	5.04	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/02/2015	31.32	26.37	26.36	0.01	TRACE	28.45	4.96	9:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/09/2015	31.32	26.38	-	-	-	28.43	4.94	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/17/2015	31.32	26.52	-	-	-	28.46	4.80	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/23/2015	31.32	26.47	-	-	-	-	4.85	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/28/2015	31.32	26.42	-	-	-	28.41	4.90	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/05/2015	31.32	26.20	-	-	-	28.41	5.12	9:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/10/2015	31.32	28.73	-	-	-	-	2.59	12:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	12/01/2015	33.63	28.99	-	-	-	30.54	4.64	12:36	-	-	-	-	-	-	-	-	-	-	-	1,300	
RW-30S	01/27/2016	33.63	29.08	-	-	-	-	4.55	10:01	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/15/2016	33.63	29.44	-	-	-	-	4.19	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	03/14/2016	33.63	28.78	-	-	-	30.60	4.85	12:10	-	-	-	-	-	-	-	-	-	-	-	61,000	
RW-30S	04/21/2016	33.63	28.95	-	-	-	29.03	4.68	10:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/27/2016	33.63	29.02	-	-	-	29.12	4.61	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/05/2016	33.63	29.05	-	-	-	29.10	4.58	12:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/23/2016	33.63	29.02	-	-	-	29.70	4.61	11:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/25/2016	33.63	DRY	-	-	-	29.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	06/21/2016	33.63	26.45	-	-	-	-	7.18	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/21/2016	33.63	26.40	-	-	-	-	7.23	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/24/2016	33.63	24.65	-	-	-	29.37	8.98	11:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/25/2016	33.63	28.88	-	-	-	29.20	4.75	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	08/30/2016	33.63	29.65	-	-	-	29.79	3.98	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	09/22/2016	33.63	26.60	-	-	-	29.35	7.03	12:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/20/2016	33.63	26.80	-	-	-	-	6.83	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/28/2016	33.63	28.64	-	-	-	30.35	4.99	10:48	-	-	-	-	-	-	-	-	-	-	-	1,700	
RW-30S	12/22/2016	33.63	27.37	-	-	-	29.75	6.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/30/2017	33.63	26.58	-	-	-	29.10	7.05	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/21/2017	33.63	28.99	-	-	-	28.70	4.64	10:15	-	-	-	-	-	-	-	-	-	-	-	17,000	
RW-30S	03/29/2017	33.12	26.69	-	-	-	28.95	6.43	12:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/18/2017	33.12	27.39	-	-	-	28.97	5.73	11:33	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-30S	05/22/2017	33.12	28.24	-	-	-	28.81	4.88	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/23/2017	33.12	28.28	-	-	-	28.87	4.84	10:45	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-30S	06/07/2017	33.12	24.47	-	-	-	28.88	8.65	12:55	-	-	-	-	-	-	-	-	-	-	-	3,780	
RW-30S	06/22/2017	33.12	26.45	-	-	-	28.80	6.67	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/19/2017	33.12	28.18	-	-	-	28.90	4.94	11:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/21/2017	33.12	DRY	-	-	-	28.83	-	9:20	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	08/28/2017	33.12	DRY	-	-	-	28.75	-	11:31	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	08/31/2017	33.12	DRY	-	-	-	28.80	-	9:00	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	09/05/2017	33.12	DRY	-	-	-	28.78	-	13:49	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	09/20/2017	33.12	DRY	-	-	-	28.78	-	9:56	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	10/03/2017	33.12	DRY	-	-	-	28.78	-	11:30	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	10/17/2017	33.12	DRY	-	-	-	28.83	-	11:18	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	11/02/2017	33.12	28.72	-	-	-	-	4.40	11:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/28/2017	33.12	DRY	-	-	-	28.74	-	13:39	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	12/05/2017	33.12	DRY	-	-	-	28.93	-	10:26	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	01/03/2018	33.12	DRY	-	-	-	28.93	-	12:19	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	01/26/2018	33.12	DRY	-	-	-	28.93	-	11:44	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	02/01/2018	33.12	DRY	-	-	-	28.93	-	10:40	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	02/20/2018	33.12	28.64	-	-	-	28.92	4.48	12:31	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-30S	02/21/2018	33.12	28.78	-	-	-	28.90	4.34	11:15	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-30S	03/06/2018	33.12	28.87	-	-	-	-	4.25	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	03/29/2018	33.12	28.17	-	-	-	-	4.95	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/11/2018	33.12	DRY	-	-	-	28.94	-	11:27	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	04/23/2018	33.12	DRY	-	-	-	28.94	-	8:55	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	05/03/2018	33.12	DRY	-	-	-	28.97	-	9:21	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	05/03/2018	31.32	DRY	-	-	-	26.87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	05/21/2018	31.32	25.52	-	-	-	26.85	5.80	10:51	-	-	-	-	-	-	-	-	-	-	-	691	
RW-30S	06/12/2018	31.32	25.25	-	-	-	-	6.07	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	06/26/2018	31.32	26.07	-	-	-	26.81	5.25	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/02/2018	31.32	26.28	-	-	-	-	5.04	11:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/17/2018	31.32	26.43	-	-	-	-	4.89	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/30/2018	31.32	25.65	-	-	-	-	5.67	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/09/2018	31.32	25.68	-	-	-	-	5.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/14/2018	31.32	25.28	-	-	-	26.90	6.04	9:55	-	-	-	-	-	-	-	-	-	-	-	210	
RW-30S	09/04/2018	31.32	24.90	-	-	-	-	6.42	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/25/2018	31.32	24.23	-	-	-	-	7.09	13:17	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-30S	10/02/2018	31.32	24.18	-	-	-	-	7.14	11:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/24/2018	31.32	25.79	-	-	-	-	5.53	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/12/2018	31.32	23.92	-	-	-	26.89	7.40	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/14/2018	31.32	23.88	-	-	-	26.89	7.44	9:38	-	-	-	-	-	-	-	-	-	-	-	240	
RW-30S	11/27/2018	31.32	23.53	-	-	-	-	7.79	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	12/11/2018	31.32	24.73	-	-	-	-	6.59	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	12/27/2018	31.32	24.53	-	-	-	-	6.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/10/2019	31.32	24.44	-	-	-	-	6.88	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/24/2019	31.32	23.04	-	-	-	-	8.28	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/11/2019	31.32	24.66	-	-	-	26.95	6.66	12:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/13/2019	31.32	24.50	-	-	-	-	6.82	14:15	-	-	-	-	-	-	-	-	-	-	-	95 J	
RW-30S	02/21/2019	31.32	22.90	-	-	-	27.16	8.42	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	03/07/2019	31.32	24.42	-	-	-	-	6.90	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	03/19/2019	31.32	24.70	-	-	-	-	6.62	13:24	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/02/2019	31.32	24.78	-	-	-	-	6.54	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/22/2019	31.32	24.65	-	-	-	-	6.67	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/06/2019	31.32	24.53	-	-	-	-	6.79	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/20/2019	31.32	24.52	-	-	-	27.25	6.80	10:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/21/2019	31.32	24.86	-	-	-	26.95	6.46	10:15	-	-	-	-	-	-	-	-	-	-	-	150	
RW-30S	06/04/2019	31.32	24.85	-	-	-	-	6.47	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	06/18/2019	31.32	24.65	-	-	-	-	6.67	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/09/2019	31.32	24.77	-	-	-	-	6.55	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/23/2019	31.32	24.95	-	-	-	-	6.37	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/09/2019	31.32	25.40	-	-	-	-	5.92	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/19/2019	31.32	25.43	-	-	-	26.85	5.89	11:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/20/2019	31.32	25.62	-	-	-	26.85	5.70	9:40	-	-	-	-	-	-	-	-	-	-	-	150	
RW-30S	09/03/2019	31.32	25.77	-	-	-	-	5.55	8:54	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/17/2019	31.32	26.12	-	-	-	-	5.20	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/01/2019	31.32	26.23	-	-	-	-	5.09	9:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/18/2019	31.32	26.07	-	-	-	26.77	5.25	10:55	-	-	-	-	-	-	-	-	-	-	-	130	
RW-30S	12/05/2019	31.32	25.98	-	-	-	-	5.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/14/2020	31.32	26.10	-	-	-	-	5.22	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/17/2020	31.32	25.83	-	-	-	26.93	5.49	11:26	-	-	-	-	-	-	-	-	-	-	-	54 J	Grab
RW-30S	03/10/2020	31.32	26.33	-	-	-	-	4.99	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/11/2020	31.32	26.26	-	-	-	26.84	5.06	10:56	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-30S	08/10/2020	31.32	DRY	-	-	-	26.84	-	11:43	-	-	-	-	-	-	-	-	-	-	-	-	DRY

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-116S	07/08/2015	31.80	22.48	-	-	-	-	9.32	11:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/13/2015	31.80	22.03	-	-	-	26.20	9.77	9:24	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/20/2015	31.80	21.77	-	-	-	-	10.03	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/28/2015	31.44	21.46	-	-	-	25.90	9.98	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/04/2015	31.44	21.55	-	-	-	25.82	9.89	13:11	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/05/2015	31.44	21.57	-	-	-	25.82	9.87	9:05	-	-	-	-	-	-	-	-	-	-	-	7,000	
RW-116S	08/11/2015	31.44	21.72	-	-	-	24.88	9.72	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/18/2015	31.44	21.79	-	-	-	-	9.65	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/24/2015	31.44	21.90	-	-	-	-	9.54	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/02/2015	31.44	22.06	-	-	-	25.86	9.38	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/09/2015	31.44	22.18	-	-	-	25.89	9.26	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/17/2015	31.44	22.31	-	-	-	25.89	9.13	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/23/2015	31.44	22.35	-	-	-	-	9.09	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/28/2015	31.44	22.42	-	-	-	25.84	9.02	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/05/2015	31.44	22.47	-	-	-	25.84	8.97	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	11/10/2015	31.44	25.05	-	-	-	-	6.39	13:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	12/01/2015	33.78	25.73	-	-	-	28.20	8.05	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	12/02/2015	33.78	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11,000	
RW-116S	01/27/2016	33.78	26.53	-	-	-	-	7.25	10:29	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/15/2016	33.78	26.53	-	-	-	-	7.25	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	03/14/2016	33.78	26.26	-	-	-	28.18	7.52	11:35	-	-	-	-	-	-	-	-	-	-	-	7,600	
RW-116S	04/21/2016	33.78	26.33	-	-	-	28.25	7.45	11:18	-	-	-	-	-	-	-	-	-	-	-	3,000	
RW-116S	05/23/2016	33.78	26.03	-	-	-	28.25	7.75	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/24/2016	33.78	26.32	-	-	-	28.90	7.46	9:45	-	-	-	-	-	-	-	-	-	-	-	230,000	
RW-116S	06/21/2016	33.78	26.06	-	-	-	-	7.72	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/21/2016	33.78	26.02	-	-	-	-	7.76	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/24/2016	33.78	26.02	-	-	-	27.76	7.76	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/25/2016	33.78	25.10	-	-	-	-	8.68	10:15	-	-	-	-	-	-	-	-	-	-	-	6,200	
RW-116S	09/22/2016	33.78	26.07	-	-	-	27.82	7.71	12:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/20/2016	33.78	26.07	-	-	-	-	7.71	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	11/28/2016	33.78	26.09	-	-	-	28.05	7.69	11:01	-	-	-	-	-	-	-	-	-	-	-	59,000	
RW-116S	12/22/2016	33.78	26.06	-	-	-	27.85	7.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	01/30/2017	33.78	26.06	-	-	-	27.80	7.72	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/21/2017	33.78	26.06	-	-	-	27.17	7.72	10:05	-	-	-	-	-	-	-	-	-	-	-	510,000	
RW-116S	03/28/2017	33.15	26.02	-	-	-	27.05	7.13	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	04/18/2017	33.15	26.02	-	-	-	27.08	7.13	11:13	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-116S	05/22/2017	33.15	25.60	-	-	-	27.10	7.55	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/23/2017	33.15	24.45	-	-	-	27.07	8.70	11:55	-	-	-	-	-	-	-	-	-	-	-	323,000	
RW-116S	06/22/2017	33.15	26.02	-	-	-	27.05	7.13	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/21/2017	33.15	26.20	-	-	-	27.07	6.95	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/28/2017	33.15	26.24	-	-	-	27.06	6.91	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/31/2017	33.15	26.19	-	-	-	27.07	6.96	9:55	-	-	-	-	-	-	-	-	<0.66	-	3,110	29,900	
RW-116S	09/20/2017	33.15	26.18	-	-	-	-	6.97	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/17/2017	33.15	25.83	-	-	-	-	7.32	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	11/28/2017	33.15	25.68	-	-	-	27.12	7.47	14:26	-	-	-	-	-	-	-	-	-	-	181,000	146,000	
RW-116S	11/30/2017	33.15	25.78	-	-	-	27.02	7.37	12:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	12/19/2017	33.15	26.09	-	-	-	-	7.06	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	01/26/2018	33.15	25.66	-	-	-	-	7.49	11:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/20/2018	33.15	25.93	-	-	-	27.03	7.22	12:01	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/22/2018	33.15	26.02	-	-	-	27.03	7.13	13:23	-	-	-	-	-	-	-	-	-	-	5,040	28,600	
RW-116S	03/06/2018	33.15	26.45	-	-	-	-	6.70	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	03/29/2018	33.15	26.22	-	-	-	-	6.93	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	04/11/2018	33.15	26.08	-	-	-	-	7.07	8:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	04/23/2018	33.15	25.91	-	-	-	-	7.24	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/03/2018	33.15	25.72	-	-	-	-	7.43	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/03/2018	31.61	24.54	-	-	-	-	7.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/21/2018	31.61	24.38	-	-	-	25.90	7.23	10:14	-	-	-	-	-	-	-	-	-	-	-	61,300	
RW-116S	06/12/2018	31.61	22.53	-	-	-	-	9.08	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	06/26/2018	31.61	22.25	-	-	-	25.61	9.36	9:54	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/02/2018	31.61	22.20	-	-	-	-	9.41	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/17/2018	31.61	22.26	-	-	-	-	9.35	9:49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/30/2018	31.61	21.91	-	-	-	-	9.70	10:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/09/2018	31.61	21.58	-	-	-	-	10.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/13/2018	31.61	21.51	-	-	-	23.87	10.10	11:49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/14/2018	31.61	21.46	-	-	-	27.41	10.15	10:49	-	-	-	-	-	-	-	-	-	-	-	15,000	
RW-116S	09/04/2018	31.61	21.45	-	-	-	-	10.16	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/25/2018	31.61	21.19	-	-	-	-	10.42	13:04	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/02/2018	31.61	21.18	-	-	-	25.89	10.43	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/09/2018	31.61	21.30	-	-	-	25.90	10.31	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/24/2018	31.61	26.80	-	-	-	27.80	-	9:51	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
RW-116S	11/12/2018	33.45	23.18	-	-	-	-	10.27	10:22	-	-	-	-	-	-	-	-	-	-	-	3,300	
RW-116S	11/27/2018	33.45	22.75	-	-	-	-	10.70	9:37	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-116S	12/11/2018	33.45	22.97	-	-	-	-	10.48	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	12/27/2018	33.45	22.93	-	-	-	-	10.52	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	01/10/2019	33.45	23.31	-	-	-	-	10.14	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	01/24/2019	33.45	26.68	-	-	-	-	6.77	13:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/11/2019	33.45	23.45	-	-	-	27.60	10.00	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/13/2019	31.61	21.85	-	-	-	-	9.76	12:50	-	-	-	-	-	-	-	-	-	-	-	990	
RW-116S	02/21/2019	33.45	23.34	-	-	-	-	10.11	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	03/07/2019	33.45	23.90	-	-	-	28.14	9.55	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	03/19/2019	33.45	24.20	-	-	-	-	9.25	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	04/02/2019	33.45	24.00	-	-	-	-	9.45	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	04/22/2019	33.45	24.27	-	-	-	-	9.18	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/06/2019	33.45	23.74	-	-	-	-	9.71	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/20/2019	33.45	23.52	-	-	-	-	9.93	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/23/2019	33.45	23.51	-	-	-	-	9.94	9:03	-	-	-	-	-	-	-	-	-	-	-	6,300	
RW-116S	06/04/2019	33.45	24.37	-	-	-	-	9.08	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	06/18/2019	33.45	24.44	-	-	-	-	9.01	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/09/2019	33.45	24.08	-	-	-	-	9.37	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-166S	07/23/2019	33.45	23.90	-	-	-	-	9.55	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/09/2019	33.45	22.72	-	-	-	-	10.73	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/19/2019	33.45	23.55	-	-	-	27.54	9.90	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/21/2019	31.61	22.06	-	-	-	26.79	9.55	12:55	-	-	-	-	-	-	-	-	-	-	-	4,100	
RW-116S	09/03/2019	33.45	24.45	-	-	-	-	9.00	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/17/2019	33.45	24.77	-	-	-	-	8.68	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/01/2019	33.45	24.95	-	-	-	-	8.50	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	11/18/2019	31.61	22.66	-	-	-	26.28	8.95	11:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	11/22/2019	31.61	22.63	-	-	-	-	8.98	10:08	-	-	-	-	-	-	-	-	-	-	-	11,000	
RW-116S	12/05/2019	31.61	22.77	-	-	-	-	8.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	01/14/2020	31.61	22.96	-	-	-	-	8.65	11:36	-	-	-	-	-	-	-	-		-	-	-	
RW-116S	02/17/2020	31.61	23.03	-	-	-	25.89	8.58	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/19/2020	31.61	22.97	-	-	-	-	8.64	11:25	-	-	-	-	-	-	-	-	-	-	-	6,800	
RW-116S	03/10/2020	31.61	22.97	-	-	-	-	8.64	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/11/2020	31.61	22.64	-	-	-	27.86	8.97	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/14/2020	31.61	22.64	-	-	-	-	8.97	8:52	<1	<1	<1	<3	<1	-	<2	<10	-	-	-	13,000	
RW-116S	08/10/2020	31.61	22.65	-	-	-	25.84	8.96	11:17	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/11/2020	31.61	22.60	-	-	-	-	9.01	9:35	-	-	-	-	-	-	-	-	-	-	-	18,000	
RW-117S	07/08/2015	31.81	22.53	-	-	-	-	9.28	11:08	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-117S	07/13/2015	31.81	22.27	-	-	-	24.25	9.54	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/20/2015	31.81	21.97	-	-	-	-	9.84	9:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/28/2015	31.81	21.86	-	-	-	24.34	9.95	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/04/2015	31.81	21.94	-	-	-	24.23	9.87	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/05/2015	31.81	21.96	-	-	-	24.27	9.85	9:20	-	-	-	-	-	-	-	-	-	-	-	6,600	
RW-117S	08/11/2015	31.81	22.06	-	-	-	24.30	9.75	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/18/2015	31.81	22.16	-	-	-	-	9.65	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/24/2015	31.81	22.25	-	-	-	-	9.56	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/02/2015	31.81	22.40	-	-	-	24.30	9.41	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/09/2015	31.81	22.51	22.51	TRACE	TRACE	24.31	9.30	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/17/2015	31.81	22.61	-	-	-	24.31	9.20	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/23/2015	31.81	22.61	-	-	-	-	9.20	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/28/2015	31.81	22.66	-	-	-	24.29	9.15	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	10/05/2015	31.81	22.76	-	-	-	24.30	9.05	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	11/10/2015	31.81	25.29	-	-	-	-	6.52	12:59	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	12/01/2015	33.73	25.72	-	-	-	26.13	8.01	11:16	-	-	-	-	-	-	-	-	-	-	-	13,000	
RW-117S	01/27/2016	33.73	26.06	-	-	-	-	7.67	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/15/2016	33.73	26.05	-	-	-	-	7.68	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	03/14/2016	33.73	26.06	-	-	-	26.09	7.67	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/21/2016	33.73	25.74	-	-	-	26.07	7.99	11:38	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/27/2016	33.73	25.75	-	-	-	26.08	7.98	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/05/2016	33.73	25.79	-	-	-	26.05	7.94	12:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/23/2016	33.73	25.70	-	-	-	26.05	8.03	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/24/2016	33.73	DRY	-	-	-	26.07	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-117S	06/21/2016	33.73	25.70	-	-	-	-	8.03	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/21/2016	33.73	25.67	-	-	-	-	8.06	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/24/2016	33.73	DRY	-	-	-	26.08	DRY	11:15	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-117S	08/25/2016	33.73	25.52	-	-	-	26.08	8.21	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-117S	08/30/2016	33.73	25.97	-	-	-	26.77	7.76	11:10	-	-	-	-	-	-	-	-	-	-	-	4,400	
RW-117S	09/22/2016	33.73	25.71	-	-	-	26.18	8.02	12:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	10/20/2016	33.73	25.72	-	-	-	-	8.01	11:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	11/28/2016	33.73	25.75	-	-	-	26.77	7.98	10:57	-	-	-	-	-	-	-	-	-	-	-	2,800	
RW-117S	12/22/2016	33.73	25.63	-	-	-	26.15	8.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	01/30/2017	33.73	25.72	-	-	-	26.15	8.01	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/21/2017	33.73	25.71	-	-	-	26.13	8.02	10:07	-	-	-	-	-	-	-	-	-	-	-	4,300	
RW-117S	03/29/2017	33.16	DRY	-	-	-	25.67	-	12:33	-	-	-	-	-	-	-	-	-	-	-	-	DRY

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-117S	04/18/2017	33.16	DRY	-	-	-	25.67	-	11:40	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-117S	05/22/2017	33.16	DRY	-	-	-	25.64	-	10:30	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-117S	06/22/2017	33.16	DRY	-	-	-	25.68	-	12:03	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-117S	07/19/2017	33.16	DRY	-	-	-	25.67	-	11:43	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-117S	08/21/2017	33.16	25.56	-	-	-	25.69	7.60	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/28/2017	33.16	24.07	-	-	-	25.68	9.09	11:54	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/31/2017	33.16	24.08	-	-	-	25.68	9.08	9:20	-	-	-	-	-	-	-	-	<0.66	-	3,260	39,200	
RW-117S	09/20/2017	33.16	24.15	-	-	-	-	9.01	10:29	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	10/17/2017	33.16	24.47	-	-	-	-	8.69	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	11/28/2017	33.16	25.78	-	-	-	25.69	7.38	14:30	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-117S	12/19/2017	33.16	25.56	-	-	-	-	7.60	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	01/26/2018	33.16	25.60	-	-	-	-	7.56	11:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/20/2018	33.16	25.59	-	-	-	25.65	7.57	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/21/2018	33.16	25.60	-	-	-	25.66	7.56	11:30	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-117S	03/06/2018	33.16	25.62	-	-	-	-	7.54	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	03/29/2018	33.16	25.62	-	-	-	-	7.54	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/11/2018	33.16	25.63	-	-	-	-	7.53	8:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/23/2018	33.16	25.63	-	-	-	-	7.53	9:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/03/2018	33.16	25.64	-	-	-	-	7.52	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/03/2018	32.31	24.15	-	-	-	-	8.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/21/2018	32.31	DRY	-	-	-	24.22	-	10:04	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-117S	06/12/2018	32.31	22.95	-	-	-	-	9.36	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	06/26/2018	32.31	22.61	-	-	-	24.08	9.70	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/02/2018	32.31	22.53	-	-	-	-	9.78	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/17/2018	32.31	22.59	-	-	-	-	9.72	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/30/2018	32.31	22.07	-	-	-	-	10.24	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/09/2018	32.31	21.90	-	-	-	-	10.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/13/2018	32.31	21.80	-	-	-	24.18	10.51	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/14/2018	32.31	21.85	-	-	-	26.09	10.46	12:09	-	-	-	-	-	-	-	-	-	-	-	31,000	
RW-117S	09/04/2018	32.31	21.69	-	-	-	-	10.62	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/25/2018	32.31	24.39	-	-	-	-	-	13:26	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
RW-117S	10/02/2018	32.31	22.82	-	-	-	25.37	-	10:35	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
RW-117S	10/24/2018	32.31	24.70	-	-	-	25.37	-	9:54	-	-	-	-	-	-	-	-	-	-	-	-	See Notes
RW-117S	11/12/2018	33.31	22.90	-	-	-	-	10.41	10:22	-	-	-	-	-	-	-	-	-	-	-	4,900	
RW-117S	11/27/2018	33.31	22.62	-	-	-	-	10.69	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	12/11/2018	33.31	22.80	-	-	-	-	10.51	10:02	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-117S	12/27/2018	33.31	22.67	-	-	-	-	10.64	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	01/10/2019	33.31	22.78	-	-	-	-	10.53	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	01/24/2019	33.31	25.30	-	-	-	-	8.01	14:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/11/2019	33.31	23.12	-	-	-	25.37	10.19	12:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/13/2019	33.31	23.11	-	-	-	-	10.20	12:04	-	-	-	-	-	-	-	-	-	-	-	2,400	
RW-117S	02/21/2019	33.31	23.21	-	-	-	-	10.10	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	03/07/2019	33.31	23.23	-	-	-	-	10.08	9:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	03/19/2019	33.31	23.47	-	-	-	-	9.84	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/02/2019	33.31	23.19	-	-	-	-	10.12	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/22/2019	33.31	23.38	-	-	-	-	9.93	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/06/2019	33.31	23.63	-	-	-	-	9.68	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/20/2019	33.31	23.35	-	-	-	-	9.96	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/22/2019	33.31	23.35	-	-	-	-	9.96	12:10	-	-	-	-	-	-	-	-	-	-	-	3,400	
RW-117S	06/04/2019	33.31	23.64	-	-	-	-	9.67	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	06/18/2019	33.31	23.78	-	-	-	-	9.53	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/09/2019	33.31	23.20	-	-	-	-	10.11	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/23/2019	33.31	22.95	-	-	-	-	10.36	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/09/2019	33.31	DRY	-	-	-	-	-	10:33	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-117S	08/19/2019	33.31	21.35	-	-	-	25.35	11.96	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/21/2019	32.31	22.30	-	-	-	24.20	10.01	13:25	-	-	-	-	-	-	-	-	-	-	-	4,800	
RW-117S	09/03/2019	33.31	23.65	-	-	-	-	9.66	9:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/17/2019	33.31	23.97	-	-	-	-	9.34	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	10/01/2019	33.31	24.02	-	-	-	-	9.29	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	11/18/2019	32.31	23.32	-	-	-	24.21	8.99	11:08	-	-	-	-	-	-	-	-	-	-	-	4,900	
RW-117S	12/05/2019	32.31	23.51	-	-	-	-	8.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	01/14/2020	32.31	23.94	-	-	-	-	8.37	11:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/17/2020	32.31	24.13	-	-	-	24.23	8.18	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	03/10/2020	32.31	24.20	-	-	-	-	8.11	9:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/11/2020	32.31	DRY	-	-	-	24.19	-	10:37	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-117S	08/10/2020	32.31	23.72	-	-	-	24.22	8.59	11:22	-	-	-	-	-	-	-	-	-	-	-	13,000	Grab
RW-118S	07/08/2015	31.09	21.79	-	-	-	-	9.30	11:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	07/13/2015	31.09	21.64	-	-	-	24.90	9.45	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	07/20/2015	31.09	21.27	-	-	-	-	9.82	9:04	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	07/28/2015	31.09	21.22	-	-	-	25.00	9.87	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/04/2015	31.09	21.28	-	-	-	24.93	9.81	13:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/05/2015	31.09	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8,200	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-118S	08/11/2015	31.09	21.44	-	-	-	24.96	9.65	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/18/2015	31.09	21.52	-	-	-	-	9.57	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/24/2015	31.09	21.62	-	-	-	-	9.47	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/02/2015	31.09	21.76	-	-	-	24.97	9.33	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/09/2015	31.09	21.56	-	-	-	24.95	9.53	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/17/2015	31.09	21.96	-	-	-	25.01	9.13	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/23/2015	31.09	21.97	-	-	-	-	9.12	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/28/2015	31.09	22.03	-	-	-	24.95	9.06	9:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	10/05/2015	31.09	22.68	-	-	-	25.00	8.41	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	11/10/2015	31.09	22.35	-	-	-	-	8.74	12:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	12/01/2015	31.24	22.84	-	-	-	25.08	8.40	13:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	12/02/2015	31.24	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11,000	
RW-118S	01/27/2016	31.24	24.02	-	-	-	-	7.22	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	02/15/2016	31.24	22.23	-	-	-	-	9.01	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	03/14/2016	31.24	22.26	-	-	-	25.15	8.98	9:05	-	-	-	-	-	-	-	-	-	-	-	8,200	
RW-118S	04/21/2016	31.24	23.85	-	-	-	25.10	7.39	12:06	-	-	-	-	-	-	-	-	-	-	-	1,100	
RW-118S	05/23/2016	31.24	23.95	-	-	-	25.15	7.29	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	05/24/2016	31.24	23.88	-	-	-	25.10	7.36	11:35	-	-	-	-	-	-	-	-	-	-	-	1,600	
RW-118S	06/21/2016	31.24	23.95	-	-	-	-	7.29	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	07/21/2016	31.24	23.92	-	-	-	-	7.32	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/24/2016	31.24	23.91	-	-	-	25.11	7.33	12:05	-	-	-	-	-	-	-	-	-	-	-	750	
RW-118S	08/25/2016	31.24	23.94	-	-	-	-	7.30	13:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/22/2016	31.24	23.94	-	-	-	25.17	7.30	12:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	10/20/2016	31.24	23.97	-	-	-	-	7.27	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	11/28/2016	31.24	23.95	-	-	-	25.24	7.29	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	11/29/2016	31.24	24.00	-	-	-	25.15	7.24	-	-	-	-	-	-	-	-	-	-	-	-	2,000	
RW-118S	12/22/2016	31.24	24.33	-	-	-	25.17	6.91	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	01/30/2017	31.24	24.74	-	-	-	25.20	6.50	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	02/21/2017	31.24	24.41	-	-	-	25.10	6.83	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	02/22/2017	31.24	24.41	-	-	-	-	6.83	10:04	-	-	-	-	-	-	-	-	-	-	-	2,200	
RW-118S	03/29/2017	30.81	23.95	-	-	-	24.23	6.86	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	05/22/2017	30.81	24.10	-	-	-	24.20	6.71	10:44	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-118S	08/28/2017	30.81	21.11	-	-	-	24.19	9.70	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/29/2017	30.81	21.16	-	-	-	24.27	9.65	13:40	-	-	-	-	-	-	-	-	<0.66	-	1,960	31,300	
RW-118S	11/28/2017	30.81	22.63	-	-	-	24.19	8.18	14:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	11/30/2017	30.81	22.76	-	-	-	24.25	8.05	12:50	-	-	-	-	-	-	-	-	-	-	21,000	19,100	

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-118S	02/20/2018	30.81	21.23	-	-	-	24.19	9.58	11:55	-	-	-	-	-	-	-	-	-	-	913	25,500	
RW-118S	05/21/2018	30.81	20.98	-	-	-	24.22	9.83	11:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	05/22/2018	30.81	20.99	-	-	-	24.22	9.82	9:51	-	-	-	-	-	-	-	-	-	-	-	16,100	
RW-118S	08/13/2018	30.81	23.22	-	-	-	26.25	7.59	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/14/2018	30.81	20.47	-	-	-	25.04	10.34	12:17	-	-	-	-	-	-	-	-	-	-	-	6,600	
RW-118S	11/12/2018	30.81	20.49	-	-	-	24.20	10.32	9:49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	11/13/2018	30.81	20.42	-	-	-	24.20	10.39	14:00	-	-	-	-	-	-	-	-	-	-	-	7,100	
RW-118S	02/11/2019	30.81	20.68	-	-	-	24.80	10.13	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	02/13/2019	30.81	20.67	-	-	-	24.64	10.14	10:39	-	-	-	-	-	-	-	-	-	-	-	3,100	
RW-118S	05/20/2019	30.81	NR	-	-	-	24.83	-	10:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	05/22/2019	30.81	20.90	-	-	-	24.25	9.91	11:20	-	-	-	-	-		-	-	-	-	-	5,100	
RW-118S	08/19/2019	30.81	20.92	-	-	-	25.03	9.89	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/20/2019	30.81	23.93	-	-	-	24.74	6.88	9:59	-	-	-	-	-	-	-	-	-	-	-	5,400	
RW-118S	11/18/2019	30.81	23.01	-	-	-	24.18	7.80	10:25	-	-	-	-	-	-	-	-	-	-	-	5,100	
RW-118S	02/17/2020	30.81	24.08	-	-	-	24.19	6.73	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	05/11/2020	30.81	23.14	-	-	-	24.18	7.67	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	05/14/2020	30.81	22.54	-	-	-	24.18	8.27	12:35	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<0.2	-	-	-	13,000	Grab
RW-118S	08/10/2020	30.81	21.04	-	-	-	24.17	9.77	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/11/2020	30.81	21.05	-	-	-	-	9.76	10:52	-	-	-	-	-	-	-	-	-	-	-	8,500	
RW-119S	07/08/2015	30.38	21.80	-	-	-	-	8.58	11:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/13/2015	30.38	21.83	-	-	-	26.15	8.55	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/20/2015	30.38	21.53	-	-	-	-	8.85	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/28/2015	30.38	21.51	-	-	-	26.25	8.87	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/04/2015	30.38	21.50	-	-	-	26.15	8.88	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/05/2015	30.38	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,700	
RW-119S	08/11/2015	30.38	21.53	-	-	-	26.15	8.85	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/18/2015	30.38	21.73	-	-	-	-	8.65	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/24/2015	30.38	21.82	-	-	-	-	8.56	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	09/02/2015	30.38	22.01	-	-	-	26.17	8.37	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	09/09/2015	30.38	22.09	-	-	-	26.20	8.29	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	09/17/2015	30.38	22.34	-	-	-	26.21	8.04	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	09/23/2015	30.38	22.35	-	-	-	-	8.03	10:49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	09/28/2015	30.38	22.32	-	-	-	26.20	8.06	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	10/05/2015	30.38	22.45	-	-	-	26.20	7.93	12:04	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/10/2015	30.38	25.50	-	-	-	-	4.88	13:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	12/01/2015	33.33	25.65	-	-	-	29.02	7.68	13:03	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-119S	12/02/2015	33.33	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,000	
RW-119S	01/27/2016	33.33	25.63	-	-	-	-	7.70	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/15/2016	33.33	26.89	-	-	-	-	6.44	9:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	03/14/2016	33.33	25.85	-	-	-	29.20	7.48	9:28	-	-	-	-	-	-	-	-	-	-	-	4,400	
RW-119S	04/21/2016	33.33	25.40	-	-	-	29.17	7.93	11:03	-	-	-	-	-	-	-	-	-	-	-	3,300	
RW-119S	05/23/2016	33.33	26.20	-	-	-	29.18	7.13	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/24/2016	33.33	25.05	-	-	-	29.50	8.28	9:10	-	-	-	-	-	-	-	-	-	-	-	2,100	
RW-119S	06/21/2016	33.33	26.28	-	-	-	-	7.05	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/21/2016	33.33	26.24	-	-	-	-	7.09	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/24/2016	33.33	26.30	-	-	-	29.70	7.03	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/25/2016	33.33	24.82	-	-	-	-	8.51	9:40	-	-	-	-	-	-	-	-	-	-	-	1,200	
RW-119S	09/22/2016	33.33	26.28	-	-	-	29.28	7.05	12:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	10/20/2016	33.33	26.24	-	-	-	-	7.09	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/28/2016	33.33	NR	-	-	-	-	-	11:06	-	-	-	-	-	-	-	-	-	-	-	-	Obstruction at 12.63 ft during gauging
RW-119S	11/29/2016	33.33	26.31	-	-	-	28.96	7.02	-	-	-	-	-	-	-	-	-	-	-	-	24,000	
RW-119S	12/22/2016	33.33	26.30	-	-	-	28.95	7.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	01/30/2017	33.33	26.35	-	-	-	29.05	6.98	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/21/2017	33.33	26.30	-	-	-	28.90	7.03	10:00	-	-	-	-	-	-	-	-	-	-	-	4,200	
RW-119S	03/29/2017	33.28	26.14	-	-	-	28.95	7.14	12:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	04/18/2017	33.28	26.20	-	-	-	28.98	7.08	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/22/2017	33.28	24.21	-	-	-	28.95	9.07	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/23/2017	33.28	21.50	-	-	-	28.95	11.78	10:05	-	-	-	-	-	-	-	-	-	-	-	18,500	
RW-119S	06/22/2017	33.28	26.19	-	-	-	28.98	7.09	11:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/19/2017	33.28	26.23	-	-	-	29.15	7.05	11:19	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/21/2017	33.28	23.20	-	-	-	28.90	10.08	9:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/28/2017	33.28	23.60	-	-	-	28.90	9.68	10:41	-	-	-	-	-	-	-	-	<2.0	-	1,410	17,500	
RW-119S	09/20/2017	33.28	24.42	-	-	-	-	8.86	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	10/17/2017	33.28	25.02	-	-	-	-	8.26	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/28/2017	33.28	24.96	-	-	-	28.97	8.32	13:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/29/2017	33.28	25.11	-	-	-	28.83	8.17	11:07	-	-	-	-	-	-	-	-	-	-	9210	11,400	
RW-119S	12/19/2017	33.28	25.30	-	-	-	-	7.98	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	01/26/2018	33.28	25.98	-	-	-	-	7.30	11:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/20/2018	33.28	24.82	-	-	-	28.90	8.46	11:45	-	-	-	-	-	-	-	-	-	-	4020	5,130	
RW-119S	03/06/2018	33.28	26.06	-	-	-	-	7.22	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	03/29/2018	33.28	25.43	-	-	-	-	7.85	10:03	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-119S	04/11/2018	33.28	25.77	-	-	-	-	7.51	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	04/23/2018	33.28	25.48	-	-	-	-	7.80	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/03/2018	33.28	25.87	-	-	-	-	7.41	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/03/2018	30.53	23.15	-	-	-	-	7.38	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/21/2018	30.53	21.16	-	-	-	25.98	9.37	11:39	-	-	-	-	-	-	-	-	-	-	-	8,700	
RW-119S	06/12/2018	30.53	22.13	-	-	-	-	8.40	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	06/26/2018	30.53	21.98	-	-	-	26.12	8.55	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/02/2018	30.53	22.04	-	-	-	-	8.49	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/17/2018	30.53	22.03	-	-	-	-	8.50	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/30/2018	30.53	19.84	-	-	-	-	10.69	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/09/2018	30.53	20.28	-	-	-	-	10.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/13/2018	30.53	20.37	-	-	-	26.03	10.16	11:58	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/14/2018	30.53	20.35	-	-	-	27.82	10.18	13:37	-	-	-	-	-	-	-	-	-	-	-	5,800	
RW-119S	09/04/2018	30.53	19.51	-	-	-	-	11.02	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	09/25/2018	30.53	20.29	-	-	-	-	10.24	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	10/02/2018	30.53	20.27	-	-	-	-	10.26	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	10/24/2018	30.53	21.61	-	-	-	-	8.92	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/12/2018	30.53	19.90	-	-	-	26.00	10.63	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/13/2018	30.53	19.90	-	-	-	26.00	10.63	14:04	-	-	-	-	-	-	-	-	-	-	-	4,800	
RW-119S	11/27/2018	30.53	19.48	-	-	-	-	11.05	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	12/11/2018	30.53	20.85	-	-	-	-	9.68	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	12/27/2018	30.53	20.01	-	-	-	-	10.52	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	01/10/2019	30.53	20.20	-	-	-	-	10.33	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	01/24/2019	30.53	21.28	-	-	-	-	9.25	9:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/11/2019	30.53	20.70	-	-	-	26.06	9.83	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/12/2019	30.53	20.70	-	-	-	-	9.83	11:50	-	-	-	-	-	-	-	-	-	-	-	690	
RW-119S	02/21/2019	30.53	20.79	-	-	-	26.07	9.74	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	03/07/2019	30.53	21.16	-	-	-	-	9.37	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	03/19/2019	30.53	22.30	-	-	-	-	8.23	13:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	04/02/2019	30.53	20.44	-	-	-	-	10.09	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	04/22/2019	30.53	20.92	-	-	-	-	9.61	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/06/2019	30.53	20.88	-	-	-	-	9.65	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/20/2019	30.53	21.03	-	-	-	26.92	9.50	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/21/2019	30.53	21.05	-	-	-	26.18	9.48	10:33	-	-	-	-	-	-	-	-	-	-	-	2,100	
RW-119S	06/04/2019	30.53	21.87	-	-	-	-	8.66	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	06/18/2019	30.53	21.47	-	-	-	-	9.06	9:15	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-119S	07/09/2019	30.53	21.15	-	-	-	-	9.38	8:49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/23/2019	30.53	20.37	-	-	-	-	10.16	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/09/2019	30.53	20.58	-	-	-	-	9.95	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/19/2019	30.53	21.50	-	-	-	27.04	9.03	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/19/2019	30.53	21.50	-	-	-	-	9.03	12:45	-	-	-	-	-	-	-	-	-	-	-	2,100	
RW-119S	09/03/2019	30.53	21.66	-	-	-	-	8.87	8:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	09/17/2019	30.53	21.91	-	-	-	-	8.62	9:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	10/01/2019	30.53	22.38	-	-	-	-	8.15	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/18/2019	30.53	21.83	-	-	-	26.12	8.70	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/22/2019	30.53	21.84	-	-	-	26.12	8.69	10:38	-	-	-	-	-	-	-	-	-	-	-	4,200	
RW-119S	12/05/2019	30.53	22.04	-	-	-	-	8.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	01/14/2020	30.53	22.23	-	-	-	-	8.30	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/17/2020	30.53	22.09	-	-	-	26.11	8.44	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/19/2020	30.53	22.14	-	-	-	-	8.39	9:15	-	-	-	-	-	-	-	-	-	-	-	2,700	
RW-119S	03/10/2020	30.53	22.20	-	-	-	-	8.33	8:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/11/2020	30.53	21.90	-	-	-	25.97	8.63	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/14/2020	30.53	22.06	-	-	-	-	8.47	10:22	<0.2	<0.2	<0.2	<0.5	<0.2	-	<0.3	<2	-	-	-	2,700	
RW-119S	08/10/2020	30.53	22.41	-	-	-	26.08	8.12	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/11/2020	30.53	20.50	-	-	-	-	10.03	8:30	-	-	-	-	-	-	-	-	-	-	-	540	
TW-01	12/16/2013	38.31	NR	-	-	-	-	-	-	14.3	ND	13.1	63.5	1.55	-	-	-	119	-	-	14,100	
TW-01	12/18/2013	38.31	31.38	-	-	-	-	6.93	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	01/08/2014	38.31	31.80	31.79	0.01	-	-	6.52	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	03/07/2014	38.31	30.41	-	-	-	-	7.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	03/13/2014	38.31	31.13	-	-	-	-	7.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	03/20/2014	38.31	30.36	-	-	-	-	7.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	03/27/2014	38.31	31.22	-	-	-	-	7.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	04/03/2014	38.31	30.36	-	-	-	-	7.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	04/08/2014	38.31	30.21	-	-	-	-	8.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	04/17/2014	38.31	31.02	-	-	-	-	7.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	04/22/2014	38.31	30.18	-	-	-	-	8.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	04/29/2014	38.31	30.22	-	-	-	-	8.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	05/05/2014	38.31	30.29	-	-	-	-	8.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	05/12/2014	38.31	30.28	-	-	-	-	8.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	05/19/2014	38.31	30.16	-	-	-	-	8.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	06/02/2014	38.31	30.17	-	-	-	-	8.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	06/09/2014	38.31	30.08	-	-	-	-	8.23	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-01	06/16/2014	38.31	30.23	-	-	-	-	8.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	06/23/2014	38.31	30.02	-	-	-	-	8.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	07/02/2014	38.31	29.98	-	-	-	-	8.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	07/07/2014	38.31	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27,400	
TW-01	07/14/2014	38.31	29.89	-	-	-	-	8.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	07/31/2014	38.31	30.26	-	-	-	34.50	8.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	08/01/2014	Overdrilled and replaced with MW-05																				
TW-02	12/16/2013	20.60	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	0.791	-	-	-	ND	-	-	584	
TW-02	12/18/2013	20.60	15.52	-	-	-	-	5.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	01/08/2014	20.60	15.08	-	-	-	-	5.52	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/07/2014	20.60	14.81	-	-	-	-	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/13/2014	20.60	14.22	-	-	-	-	6.38	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/20/2014	20.60	13.39	-	-	-	-	7.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/27/2014	20.60	14.31	-	-	-	-	6.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	04/03/2014	20.60	13.25	-	-	-	-	7.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	04/08/2014	20.60	13.74	-	-	-	-	6.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	04/17/2014	20.60	13.70	-	-	-	-	6.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	04/22/2014	20.60	13.62	-	-	-	-	6.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	04/29/2014	20.60	13.96	-	-	-	-	6.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/05/2014	20.60	13.55	-	-	-	-	7.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/12/2014	20.60	14.25	-	-	-	-	6.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/19/2014	20.60	13.63	-	-	-	-	6.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/27/2014	20.60	14.31	-	-	-	-	6.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	06/02/2014	20.60	14.34	-	-	-	-	6.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	06/09/2014	20.60	14.71	-	-	-	-	5.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	06/16/2014	20.60	14.30	-	-	-	-	6.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	06/23/2014	20.60	14.48	-	-	-	-	6.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	07/02/2014	20.60	14.77	-	-	-	-	5.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	07/07/2014	20.60	15.08	-	-	-	21.28	5.52	-	-	-	-	-	-	-	-	-	-	-	-	<1,160	
TW-02	07/14/2014	20.60	15.02	-	-	-	-	5.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	07/31/2014	20.60	15.40	-	-	-	21.22	5.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/08/2014	20.60	15.40	-	-	-	-	5.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/11/2014	20.60	15.28	-	-	-	-	5.32	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/15/2014	20.60	14.84	-	-	-	21.15	5.76	-	-	-	-	-	-	-	-	-	-	-	-	<600	
TW-02	08/18/2014	20.60	15.06	-	-	-	-	5.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/25/2014	NR	14.71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-02	09/02/2014	NR	15.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	09/15/2014	NR	14.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	09/22/2014	NR	15.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	10/01/2014	NR	15.22	-	-	-	21.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	10/13/2014	NR	14.92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	10/20/2014	NR	15.10	-	-	-	20.99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	10/23/2014	NR	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	-	<20	-	60	
TW-02	02/24/2015	16.11	14.34	-	-	-	-	1.77	15:01	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/04/2015	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.20	<20	-	<45	
TW-02	05/11/2015	16.11	14.38	-	-	-	20.80	1.73	15:18	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/13/2015	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	<20	-	<45	
TW-02	08/04/2015	16.11	15.08	-	-	-	20.87	1.03	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/05/2015	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.20	<20	-	<45	
TW-02	12/01/2015	16.11	15.08	-	-	-	20.88	1.03	13:28	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	12/03/2015	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.07	<20	-	81 J	
TW-02	03/14/2016	16.11	14.32	-	-	-	20.97	1.79	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/16/2016	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	<20	-	<45	
TW-02	05/23/2016	16.11	13.26	-	-	-	-	2.85	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/25/2016	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	<20	-	<45	
TW-02	08/24/2016	16.11	14.83	-	-	-	21.20	1.28	10:50	-	-	-	-	-	-	-	-	-	-	-	<45	
TW-02	11/28/2016	16.11	15.50	-	-	-	21.83	0.61	8:49	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/21/2017	16.11	15.41	-	-	-	21.34	0.70	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/22/2017	16.11	14.30	-	-	-	21.33	1.81	12:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/23/2017	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.09	<20	-	<45	
TW-02	08/28/2017	16.11	15.82	-	-	-	21.30	0.29	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/30/2017	16.11	15.35	-	-	-	21.30	0.76	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	11/28/2017	16.11	15.65	-	-	-	21.42	0.46	11:01	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/20/2018	16.11	14.37	-	-	-	21.40	1.74	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/21/2018	16.11	12.25	-	-	-	-	3.86	14:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/13/2018	16.11	13.95	-	-	-	-	2.16	11:31	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/14/2018	16.11	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	<11	-	<45	
TW-02	11/12/2018	16.11	12.65	-	-	-	-	3.46	12:42	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	11/13/2018	16.11	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.02	<11	-	<53	
TW-02	02/11/2019	16.11	14.34	-	-	-	21.50	1.77	13:23	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/13/2019	16.11	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	14 J	<0.3	3 J	<0.08	<11	-	<53	
TW-02	05/20/2019	16.11	13.47	-	-	-	-	2.64	11:13	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-02	05/21/2019	16.11	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.08	<11	-	<53	
TW-02	08/19/2019	16.11	14.98	-	-	-	21.45	1.13	11:59	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/20/2019	16.11	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	<11	-	<53	
TW-02	11/18/2019	16.11	14.77	-	-	-	21.45	1.34	13:15	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	<23	-	<53	
TW-02	02/17/2020	16.11	13.07	-	-	-	21.47	3.04	11:01	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/18/2020	16.11	13.21	-	-	-	-	2.90	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.2 J	<23	-	<53	
TW-02	05/11/2020	16.11	13.85	-	-	-	21.54	2.26	12:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/12/2020	16.11	14.19	-	-	-	-	1.92	14:40	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.06	<23	-	<53	
TW-02	08/10/2020	16.11	15.38	-	-	-	21.50	0.73	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/11/2020	16.11	15.14	-	-	-	21.50	0.97	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	<23	-	<58	
TW-03	12/16/2013	14.87	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	ND	-	-	351	
TW-03	12/18/2013	14.87	9.08	-	-	-	-	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	01/08/2014	14.87	9.42	-	-	-	-	5.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/07/2014	14.87	7.66	-	-	-	-	7.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/13/2014	14.87	8.09	-	-	-	-	6.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/20/2014	14.87	7.50	-	-	-	-	7.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/27/2014	14.87	8.47	-	-	-	-	6.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	04/03/2014	14.87	6.99	-	-	-	-	7.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	04/08/2014	14.87	7.64	-	-	-	-	7.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	04/17/2014	14.87	7.33	-	-	-	-	7.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	04/22/2014	14.87	7.64	-	-	-	-	7.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	04/29/2014	14.87	7.36	-	-	-	-	7.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/05/2014	14.87	7.58	-	-	-	-	7.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/12/2014	14.87	7.93	-	-	-	-	6.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/19/2014	14.87	8.42	-	-	-	-	6.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/27/2014	14.87	7.69	-	-	-	-	7.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	06/02/2014	14.87	8.00	-	-	-	-	6.87	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	06/09/2014	14.87	7.77	-	-	-	-	7.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	06/16/2014	14.87	7.60	-	-	-	-	7.27	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	06/23/2014	14.87	7.68	-	-	-	-	7.19	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	07/02/2014	14.87	7.97	-	-	-	-	6.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	07/07/2014	14.87	8.31	-	-	-	13.45	6.56	-	-	-	-	-	-	-	-	-	-	-	-	<1,160	
TW-03	07/14/2014	14.87	7.55	-	-	-	-	7.32	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	07/25/2014	14.87	8.45	-	-	-	13.30	6.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	07/31/2014	14.87	8.14	-	-	-	13.35	6.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/08/2014	14.87	8.39	-	-	-	-	6.48	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-03	08/11/2014	14.87	8.12	-	-	-	-	6.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/15/2014	14.87	8.10	-	-	-	13.40	6.77	-	-	-	-	-	-	-	-	-	-	-	-	<1,500	
TW-03	08/18/2014	14.87	8.25	-	-	-	-	6.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/25/2014	10.40	7.85	-	-	-	-	2.55	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	09/02/2014	10.40	8.52	-	-	-	-	1.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	09/15/2014	10.40	8.33	-	-	-	-	2.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	09/22/2014	10.40	8.26	-	-	-	-	2.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	10/01/2014	10.40	8.35	-	-	-	13.15	2.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	10/13/2014	10.40	8.18	-	-	-	-	2.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	10/20/2014	10.40	8.50	-	-	-	13.14	1.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	10/23/2014	10.40	NR	-	-	-	-	-	-	0.7	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	-	<20	-	49	
TW-03	02/24/2015	10.40	8.57	-	-	-	-	1.83	14:49	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/04/2015	10.40	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.03	<20	-	180	
TW-03	05/11/2015	10.40	7.74	-	-	-	13.10	2.66	15:23	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/13/2015	10.40	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	21 J	-	200	
TW-03	08/04/2015	10.40	7.82	-	-	-	13.14	2.58	12:13	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/05/2015	10.40	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.20	<20	-	150	
TW-03	12/01/2015	10.40	7.64	-	-	-	13.12	2.76	13:26	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	12/02/2015	10.40	NR	-	-	-	-	-	-	0.7 J	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.04	<20	-	56 J	
TW-03	03/14/2016	10.40	7.95	-	-	-	13.10	2.45	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/16/2016	10.40	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.1 J	32 J	-	150	
TW-03	05/05/2016	10.40	7.53	-	-	-	-	2.87	12:21	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	5/23/2016 [H]	10.40	8.68	-	-	-	-	1.72	-	1	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.1 J	31 J	-	190	Geosyntec sampling, could not gauge
TW-03	5/23/2016[L]	10.40	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.1 J	27 J	-	180	
TW-03	08/24/2016	10.40	8.70	-	-	-	13.22	1.70	10:45	-	-	-	-	-	-	-	-	-	-	-	100	
TW-03	08/25/2016	10.40	8.09	-	-	-	-	2.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	09/22/2016	10.40	8.18	-	-	-	-	2.22	14:25	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	11/28/2016	10.40	8.83	-	-	-	13.10	1.57	8:46	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	-	54 J	
TW-03	02/21/2017	10.40	9.02	-	-	-	13.07	1.38	12:17	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	02/22/2017	10.40	8.69	-	-	-	13.10	1.71	10:09	-	-	-	-	-	-	-	-	-	-	-	61 J	
TW-03	05/22/2017	10.40	7.92	-	-	-	13.15	2.48	12:59	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/23/2017	10.40	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.09	<20	-	75 J	
TW-03	08/28/2017	10.40	9.98	-	-	-	13.10	0.42	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/30/2017	10.40	9.95	-	-	-	13.10	0.45	10:19	-	-	-	-	-	-	-	-	-	-	-	<83	
TW-03	11/28/2017	10.40	9.94	-	-	-	13.34	0.46	11:05	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-03	11/29/2017	10.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	219	
TW-03	02/20/2018	10.40	7.85	-	-	-	13.35	2.55	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	02/21/2018	10.40	7.85	-	-	-	-	2.55	12:42	-	-	-	-	-	-	-	-	-	-	-	589	
TW-03	05/21/2018	10.40	6.08	-	-	-	-	4.32	14:11	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/22/2018	10.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	918	
TW-03	05/24/2018	10.40	6.78	-	-	-	-	3.62	12:33	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/13/2018	10.40	7.25	-	-	-	-	3.15	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/14/2018	10.40	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	11 J	-	160	
TW-03	11/12/2018	10.40	6.78	-	-	-	-	3.62	12:44	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	11/13/2018	10.40	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<10	0.03 J	<11	-	180	
TW-03	02/11/2019	10.40	7.53	-	-	-	13.37	2.87	12:46	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	02/13/2019	10.40	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.08	<11	-	65 J	
TW-03	05/20/2019	10.40	6.50	-	-	-	-	3.90	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/21/2019	10.40	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.08	<11	-	120	
TW-03	08/19/2019	10.40	7.67	-	-	-	13.35	2.73	12:02	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/21/2019	10.40	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	12 J	-	130	
TW-03	11/18/2019	10.40	7.53	-	-	-	13.38	2.87	13:18	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	11/19/2019	10.40	7.08	-	-	-	-	3.32	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	<23	-	90 J	
TW-03	02/17/2020	10.40	7.11	-	-	-	13.33	3.29	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	02/18/2020	10.40	6.97	-	-	-	-	3.43	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.1	<23	-	<53	
TW-03	05/11/2020	10.40	7.55	-	-	-	13.38	2.85	12:52	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/12/2020	10.40	8.05	-	-	-	-	2.35	12:40	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.1	<23	-	96 J	
TW-03	08/10/2020	10.40	10.38	-	-	-	13.38	0.02	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/11/2020	10.40	10.42	-	-	-	13.38	-0.02	10:22	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.041	<120	-	<58	
TW-04	12/16/2013	13.26	NR	-	-	-	-	-	-	2.2	<0.5	3.45	7.11	<0.5	-	-	-	27.7	-	-	2,000	
TW-04	12/18/2013	13.26	6.25	-	-	-	-	7.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	01/08/2014	13.26	6.71	-	-	-	-	6.55	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	03/07/2014	13.26	6.06	-	-	-	-	7.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	03/13/2014	13.26	6.26	-	-	-	-	7.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	03/20/2014	13.26	6.17	-	-	-	-	7.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	03/27/2014	13.26	6.55	-	-	-	-	6.71	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/03/2014	13.26	4.64	-	-	-	-	8.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/08/2014	13.26	5.38	-	-	-	-	7.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/17/2014	13.26	5.60	-	-	-	-	7.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/22/2014	13.26	5.56	-	-	-	-	7.70	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/29/2014	13.26	5.91	-	-	-	-	7.35	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-04	05/05/2014	13.26	5.06	-	-	-	-	8.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/12/2014	13.26	5.82	-	-	-	-	7.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/19/2014	13.26	4.61	-	-	-	-	8.65	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/27/2014	13.26	5.66	-	-	-	-	7.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/02/2014	13.26	5.83	-	-	-	-	7.43	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/09/2014	13.26	5.87	-	-	-	-	7.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/16/2014	13.26	5.21	-	-	-	-	8.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/23/2014	13.26	5.68	-	-	-	-	7.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/02/2014	13.26	5.96	-	-	-	-	7.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/07/2014	13.26	6.18	-	-	-	13.77	7.08	-	-	-	-	-	-	-	-	-	-	-	-	1,270	
TW-04	07/14/2014	13.26	5.80	-	-	-	-	7.46	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/25/2014	13.26	6.20	-	-	-	13.70	7.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/31/2014	13.26	6.08	-	-	-	13.76	7.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/08/2014	13.26	6.21	-	-	-	-	7.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/11/2014	13.26	6.19	-	-	-	-	7.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/15/2014	13.26	5.99	-	-	-	13.75	7.27	-	-	-	-	-	-	-	-	-	-	-	-	1,610	
TW-04	08/18/2014	13.26	5.92	-	-	-	-	7.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/25/2014	9.49	5.87	-	-	-	-	3.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/02/2014	9.49	6.25	-	-	-	-	3.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/15/2014	9.49	6.17	-	-	-	-	3.32	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/22/2014	9.49	6.20	-	-	-	-	3.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	10/01/2014	9.49	6.23	-	-	-	13.55	3.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	10/10/2014	9.49	6.18	-	-	-	-	3.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	10/13/2014	9.49	6.19	-	-	-	-	3.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	10/20/2014	9.49	6.28	-	-	-	13.40	3.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	10/23/2014	9.49	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.3	<20	-	160	
TW-04	10/27/2014	9.49	6.04	-	-	-	-	3.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/07/2014	9.49	6.27	-	-	-	-	3.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/12/2014	9.49	6.19	-	-	-	-	3.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/21/2014	9.49	6.78	-	-	-	-	2.71	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/26/2014	9.49	6.33	-	-	-	-	3.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	12/05/2014	9.49	5.75	-	-	-	-	3.74	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	12/11/2014	9.49	5.60	-	-	-	-	3.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	12/16/2014	9.49	5.83	-	-	-	-	3.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	12/23/2014	9.49	5.82	-	-	-	-	3.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	12/30/2014	9.49	5.73	-	-	-	-	3.76	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-04	01/09/2015	9.49	6.06	-	-	-	-	3.43	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	01/16/2015	9.49	5.64	-	-	-	-	3.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	01/19/2015	9.49	5.37	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	01/26/2015	9.49	4.78	-	-	-	-	4.71	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	02/03/2015	9.49	6.06	-	-	-	13.21	3.43	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	02/09/2015	9.49	6.08	-	-	-	-	3.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	02/18/2015	9.49	6.19	-	-	-	-	3.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	02/24/2015	9.49	6.21	-	-	-	-	3.28	15:00	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	03/04/2015	9.49	6.11	-	-	-	-	3.38	11:45	1	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	1	27 J	-	940	
TW-04	03/11/2015	9.49	3.93	-	-	-	-	5.56	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	03/18/2015	9.49	5.40	-	-	-	-	4.09	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	03/26/2015	9.49	5.75	-	-	-	13.20	3.74	12:21	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/02/2015	9.49	5.85	-	-	-	13.25	3.64	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/08/2015	9.49	6.20	-	-	-	13.25	3.29	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/13/2015	9.49	6.28	-	-	-	-	3.21	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/23/2015	9.49	5.44	-	-	-	13.25	4.05	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/29/2015	9.49	5.85	-	-	-	13.25	3.64	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/04/2015	9.49	5.75	-	-	-	-	3.74	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/11/2015	9.49	5.83	-	-	-	13.20	3.66	15:33	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/13/2015	9.49	NR	-	-	-	-	-	-	1 J	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	33 J	-	700	
TW-04	05/21/2015	9.49	5.89	-	-	-	13.27	3.60	13:05	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/28/2015	9.49	6.28	-	-	-	13.25	3.21	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/02/2015	9.49	5.01	-	-	-	-	4.48	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/09/2015	9.49	5.17	-	-	-	-	4.32	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/16/2015	9.49	5.67	-	-	-	-	3.82	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/26/2015	9.49	4.98	-	-	-	13.20	4.51	8:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/01/2015	9.49	3.57	-	-	-	-	5.92	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/08/2015	9.49	4.57	-	-	-	-	4.92	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/13/2015	9.49	4.28	-	-	-	-	5.21	8:53	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/20/2015	9.49	5.32	-	-	-	-	4.17	8:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/04/2015	9.49	5.62	-	-	-	13.70	3.87	12:02	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/06/2015	9.49	NR	-	-	-	-	-	-	0.6 J	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.6	38 J	-	1,000	
TW-04	08/18/2015	9.49	5.88	-	-	-	-	3.61	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/24/2015	9.49	5.76	-	-	-	-	3.73	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/02/2015	9.49	5.92	-	-	-	13.20	3.57	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/09/2015	9.49	6.06	-	-	-	13.18	3.43	14:09	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-04	09/17/2015	9.49	6.11	-	-	-	13.21	3.38	11:48	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/23/2015	9.49	6.08	-	-	-	-	3.41	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/28/2015	9.49	5.61	-	-	-	13.08	3.88	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	10/05/2015	9.49	5.22	-	-	-	13.13	4.27	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/10/2015	9.49	5.92	-	-	-	-	3.57	12:29	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	12/01/2015	9.49	5.78	-	-	-	13.10	3.71	13:20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	12/02/2015	9.49	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.04	22 J	-	280	
TW-04	02/15/2016	9.49	6.07	-	-	-	-	3.42	9:05	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	03/14/2016	9.49	5.93	-	-	-	13.11	3.56	9:55	1	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.2	31 J	-	980	
TW-04	04/21/2016	9.49	6.23	-	-	-	-	3.26	9:17	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/05/2016	9.49	5.50	-	-	-	-	3.99	12:27	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/23/2016	9.49	4.83	-	-	-	-	4.66	10:49	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/24/2016	9.49	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.5	50 J	-	1,100	
TW-04	06/21/2016	9.49	6.30	-	-	-	-	3.19	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/21/2016	9.49	5.91	-	-	-	-	3.58	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/24/2016	9.49	6.35	-	-	-	13.15	3.14	9:44	-	-	-	-	-	-	-	-	-	-	-	430	
TW-04	09/22/2016	9.49	6.20	-	-	-	-	3.29	14:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/28/2016	9.49	6.69	-	-	-	10.07	2.80	8:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/29/2016	9.49	NR	-	-	-	-	-	-	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	-	220	
TW-04	02/21/2017	9.49	6.70	-	-	-	13.07	2.79	12:07	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	02/22/2017	9.49	6.52	-	-	-	13.08	2.97	10:39	-	-	-	-	-	-	-	-	-	-	-	410	
TW-04	05/22/2017	9.49	5.44	-	-	-	13.08	4.05	13:07	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.5	27 J	-	770	
TW-04	08/28/2017	9.49	10.04	-	-	-	13.11	-0.55	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/30/2017	9.49	9.70	-	-	-	13.10	-0.21	12:25	-	-	-	-	-	-	-	-	-	-	-	5,700	
TW-04	11/28/2017	9.49	8.85	-	-	-	13.62	0.64	10:57	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/29/2017	9.49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,170	
TW-04	02/20/2018	9.49	5.80	-	-	-	14.66	3.69	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	02/21/2018	9.49	-	-	-	-	-	-	13:15	-	-	-	-	-	-	-	-	-	-	-	539	
TW-04	05/21/2018	9.49	3.90	-	-	-	-	5.59	14:25	-	-	-	-	-	-	-	-	-	-	-	910	
TW-04	08/13/2018	9.49	4.97	-	-	-	-	4.52	11:41	<0.5	<0.5	<0.5	<0.5	<0.5	15	<0.5	<0.5	0.3	26 J	-	800	
TW-04	11/12/2018	9.49	3.42	-	-	-	-	6.07	11:55	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.3	13 J	-	560	
TW-04	02/11/2019	9.49	4.88	-	-	-	-	4.61	11:40	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.2 J	<11	-	280	
TW-04	05/20/2019	9.49	4.42	-	-	-	-	5.07	10:58	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.3	12 J	-	470	
TW-04	08/19/2019	9.49	5.85	-	-	-	14.80	3.64	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/20/2019	9.49	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.1 J	11 J	-	410	
TW-04	11/18/2019	9.49	5.38	-	-	-	14.64	4.11	12:58	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	<23	-	280	
TW-04	02/17/2020	9.49	3.96	-	-	-	14.90	5.53	10:36	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.2 J	<23	-	170	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-04	05/11/2020	9.49	4.96	-	-	-	14.93	4.53	12:48	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.3 J	<23	-	130	
TW-04	08/10/2020	9.49	11.03	-	-	-	14.88	-1.54	10:03	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	-	25	-	350	
TW-04	08/11/2020	9.49	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.28	-	-	-	
TW-05	12/16/2013	13.73	NR	-	-	-	-	-	-	7.68	<0.5	62.8	40.3	<0.5	-	-	-	240	-	-	136,000	
TW-05	12/18/2013	13.73	6.45	-	-	-	-	7.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	01/08/2014	13.73	6.98	-	-	-	-	6.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/07/2014	13.73	6.34	-	-	-	-	7.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/13/2014	13.73	6.49	-	-	-	-	7.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/20/2014	13.73	6.04	-	-	-	-	7.69	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/27/2014	13.73	6.68	-	-	-	-	7.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/03/2014	13.73	4.29	-	-	-	-	9.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/08/2014	13.73	5.36	-	-	-	-	8.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/17/2014	13.73	5.33	-	-	-	-	8.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/22/2014	13.73	5.65	-	-	-	-	8.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/29/2014	13.73	6.06	-	-	-	-	7.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/05/2014	13.73	4.91	-	-	-	-	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/12/2014	13.73	6.01	-	-	-	-	7.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/19/2014	13.73	4.65	-	-	-	-	9.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/27/2014	13.73	5.91	-	-	-	-	7.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/02/2014	13.73	6.07	-	-	-	-	7.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/09/2014	13.73	6.11	-	-	-	-	7.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/16/2014	13.73	5.28	-	-	-	-	8.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/23/2014	13.73	5.95	-	-	-	-	7.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/02/2014	13.73	6.28	-	-	-	-	7.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/07/2014	13.73	6.49	-	-	-	12.06	7.24	-	-	-	-	-	-	-	-	-	-	-	-	66,300	
TW-05	07/14/2014	13.73	6.06	-	-	-	-	7.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/25/2014	13.73	5.43	-	-	-	12.08	8.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/31/2014	13.73	6.50	-	-	-	12.10	7.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/08/2014	13.73	6.56	-	-	-	-	7.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/11/2014	13.73	6.51	-	-	-	-	7.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/15/2014	13.73	5.91	-	-	-	11.95	7.82	-	-	-	-	-	-	-	-	-	-	-	-	271,000	
TW-05	08/18/2014	13.73	6.14	-	-	-	-	7.59	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/25/2014	9.64	6.13	-	-	-	-	3.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/02/2014	9.64	6.59	-	-	-	-	3.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/15/2014	9.64	6.57	-	-	-	-	3.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/22/2014	9.64	6.58	-	-	-	-	3.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	10/01/2014	9.64	6.63	-	-	-	11.74	3.01	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-05	10/10/2014	9.64	6.52	-	-	-	-	3.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	10/13/2014	9.64	6.58	-	-	-	-	3.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	10/20/2014	9.64	6.60	-	-	-	12.63	3.04	-	4	<0.5	14	<0.5	<0.5	<2	<0.5	<0.5	21	140	-	29,000	
TW-05	10/27/2014	9.64	6.23	-	-	-	-	3.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/07/2014	9.64	6.58	-	-	-	-	3.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/12/2014	9.64	6.56	-	-	-	-	3.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/21/2014	9.64	7.07	-	-	-	-	2.57	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/26/2014	9.64	6.67	-	-	-	-	2.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	12/05/2014	9.64	5.57	-	-	-	-	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	12/11/2014	9.64	5.38	-	-	-	-	4.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	12/16/2014	9.64	5.86	-	-	-	-	3.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	12/23/2014	9.64	6.08	-	-	-	-	3.56	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	12/30/2014	9.64	5.50	-	-	-	-	4.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	01/09/2015	9.64	6.27	-	-	-	-	3.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	01/16/2015	9.64	5.48	-	-	-	-	4.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	01/19/2015	9.64	5.08	-	-	-	-	4.56	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	01/26/2015	9.64	4.30	-	-	-	-	5.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/03/2015	9.64	6.20	-	-	-	11.88	3.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/09/2015	9.64	6.38	-	-	-	-	3.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/18/2015	9.64	6.64	-	-	-	-	3.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/24/2015	9.64	6.61	-	-	-	-	3.03	14:57	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/04/2015	9.64	6.27	-	-	-	-	3.37	12:15	2	<0.50	1	<0.5	<0.5	<2	<0.5	<0.5	3	130	-	2,200	
TW-05	03/11/2015	9.64	3.15	-	-	-	-	6.49	12:03	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/18/2015	9.64	4.61	-	-	-	-	5.03	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/26/2015	9.64	5.94	-	-	-	12.10	3.70	12:25	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/02/2015	9.64	6.00	-	-	-	12.10	3.64	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/08/2015	9.64	6.41	-	-	-	12.14	3.23	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/13/2015	9.64	6.53	-	-	-	-	3.11	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/23/2015	9.64	5.48	-	-	-	12.20	4.16	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/29/2015	9.64	5.99	-	-	-	12.20	3.65	13:17	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/04/2015	9.64	5.94	-	-	-	-	3.70	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/11/2015	9.64	6.12	-	-	-	12.30	3.52	15:39	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/13/2015	9.64	NR	-	-	-	-	-	-	3	<0.50	<0.50	<0.5	<0.5	<2	<0.5	<0.5	1 J	44 J	-	1,100	
TW-05	05/21/2015	9.64	6.15	-	-	-	12.48	3.49	13:07	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/28/2015	9.64	6.56	-	-	-	12.50	3.08	10:57	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/02/2015	9.64	4.05	-	-	-	-	5.59	12:18	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-05	06/09/2015	9.64	4.63	-	-	-	-	5.01	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/16/2015	9.64	5.99	-	-	-	-	3.65	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/26/2015	9.64	4.52	-	-	-	12.80	5.12	8:47	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/01/2015	9.64	1.82	-	-	-	-	7.82	11:38	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/08/2015	9.64	4.22	-	-	-	-	5.42	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/13/2015	9.64	4.24	-	-	-	-	5.40	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/20/2015	9.64	5.64	-	-	-	-	4.00	8:43	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/28/2015	9.64	6.01	-	-	-	12.42	3.63	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/04/2015	9.64	6.07	-	-	-	12.32	3.57	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/06/2015	9.64	NR	-	-	-	-	-	-	2	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.8	37 J	-	790	
TW-05	08/11/2015	9.64	5.56	-	-	-	12.54	4.08	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/18/2015	9.64	6.28	-	-	-	-	3.36	9:23	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/24/2015	9.64	6.23	-	-	-	-	3.41	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/02/2015	9.64	6.32	-	-	-	12.53	3.32	11:33	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/09/2015	9.64	6.73	-	-	-	12.55	2.91	14:06	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/17/2015	9.64	6.54	-	-	-	12.53	3.10	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/23/2015	9.64	6.41	-	-	-	-	3.23	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/28/2015	9.64	6.01	-	-	-	12.51	3.63	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	10/05/2015	9.64	5.43	-	-	-	12.54	4.21	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/10/2015	9.64	6.31	-	-	-	-	3.33	12:31	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	12/01/2015	9.64	5.99	-	-	-	12.38	3.65	13:10	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.04	30 J	-	330	
TW-05	02/15/2016	9.64	6.34	-	-	-	-	3.30	9:09	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/14/2016	9.64	6.22	-	-	-	12.43	3.42	10:00	1	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.3	<20	-	960	
TW-05	04/21/2016	9.64	6.92	-	-	-	-	2.72	9:21	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/05/2016	9.64	5.40	-	-	-	-	4.24	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/23/2016	9.64	5.46	-	-	-	-	4.18	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/21/2016	9.64	7.02	-	-	-	-	2.62	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/21/2016	9.64	6.37	-	-	-	-	3.27	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/24/2016	9.64	6.80	-	-	-	12.85	2.84	9:49	-	-	-	-	-	-	-	-	-	-	-	890	
TW-05	08/25/2016	9.64	6.20	-	-	-	-	3.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/22/2016	9.64	6.75	-	-	-	-	2.89	14:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/28/2016	9.64	7.07	-	-	-	13.02	2.57	8:41	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/29/2016	9.64	NR	-	-	-	-	-	-	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	-	430	
TW-05	02/21/2017	9.64	7.20	-	-	-	13.32	2.44	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/22/2017	9.64	7.10	-	-	-	13.30	2.54	10:56	-	-	-	-	-	-	-	-	-	-	-	2,800	
TW-05	05/22/2017	9.64	5.61	-	-	-	13.40	4.03	13:15	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.09 J	30 J	-	650	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-05	08/28/2017	9.64	10.02	-	-	-	13.45	-0.38	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/30/2017	9.64	9.71	-	-	-	13.48	-0.07	11:39	-	-	-	-	-	-	-	-	-	-	-	24,000	
TW-05	11/28/2017	9.64	8.83	-	-	-	14.57	0.81	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/30/2017	9.64	9.02	-	-	-	14.62	0.62	11:39	-	-	-	-	-	-	-	-	-	-	67,000	61,500	
TW-05	01/26/2018	9.64	8.67	-	-	-	-	0.97	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/01/2018	9.64	8.15	-	-	-	-	1.49	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/20/2018	9.64	6.11	-	-	-	15.00	3.53	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/21/2018	9.64	6.23	6.21	0.02	-	-	3.43	12:42	-	-	-	-	-	-	-	-	-	-	2,410,000	646,000	LNAPL
TW-05	03/06/2018	9.64	6.22	-	-	-	-	3.42	12:10	-	-	-	-	-	-	-	-	-	-	-	-	sheen
TW-05	03/29/2018	9.64	5.57	-	-	-	-	4.07	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/11/2018	9.64	6.54	-	-	-	-	3.10	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/23/2018	9.64	5.62	-	-	-	-	4.02	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/03/2018	9.64	5.43	-	TRACE	-	-	4.21	9:45	-	-	-	-	-	-	-	-	-	-	-	-	sheen
TW-05	05/21/2018	9.64	2.88	2.84	0.04	-	-	6.80	14:21	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL
TW-05	05/24/2018	9.64	3.21	3.17	0.04	-	-	6.47	13:20	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL
TW-05	06/01/2018	9.64	4.75	-	-	-	-	4.89	9:01	-	-	-	-	-	-	-	-	-	-	-	-	sheen
TW-05	06/06/2018	9.64	3.43	-	-	-	-	6.21	10:27	-	-	-	-	-	-	-	-	-	-	-	-	slight sheen
TW-05	06/12/2018	9.64	4.49	-	-	-	-	5.15	10:48	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/21/2018	9.64	5.39	-	-	-	-	4.25	10:54	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/26/2018	9.64	5.32	-	-	-	-	4.32	10:32	-	-	-	-	-	-	-	-	-	-	629,000 B	817,000	
TW-05	07/02/2018	9.64	5.78	-	-	-	-	3.86	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/17/2018	9.64	6.20	-	-	-	-	3.44	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/30/2018	9.64	4.10	-	-	-	-	5.54	11:31	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/09/2018	9.64	4.50	4.43	0.07	-	-	5.20	13:20	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL
TW-05	08/13/2018	9.64	4.85	4.84	0.01	-	-	4.80	11:48	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL
TW-05	08/22/2018	9.64	3.01	-	-	-	-	6.63	13:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/28/2018	9.64	4.78	-	-	-	-	4.86	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/04/2018	9.64	4.72	-	-	-	-	4.92	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/13/2018	9.64	2.97	-	TRACE	-	-	6.67	-	-	-	-	-	-	-	-	-	-	-	-	-	sheen
TW-05	09/21/2018	9.64	3.68	-	-	-	-	5.96	13:37	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/25/2018	9.64	3.55	-	-	-	-	6.09	10:51	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	10/02/2018	9.64	3.36	-	-	-	-	6.28	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	10/09/2018	9.64	4.50	-	-	-	-	5.14	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	10/24/2018	9.64	5.42	-	-	-	-	4.22	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/01/2018	9.64	5.07	-	-	-	-	4.57	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/12/2018	9.64	3.62	-	-	-	-	6.02	12:41	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-05	11/13/2018	9.64	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	1	25 J	-	1,500	
TW-05	11/27/2018	9.64	2.40	-	-	-	-	7.24	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	12/11/2018	9.64	5.11	-	-	-	-	4.53	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	12/27/2018	9.64	3.85	-	-	-	-	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	01/10/2019	9.64	4.12	-	-	-	-	5.52	10:59	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	01/24/2019	9.64	3.30	-	-	-	-	6.34	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/11/2019	9.64	5.27	-	-	-	13.76	4.37	13:08	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/13/2019	9.64	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	1	36 J	-	1,200	
TW-05	02/21/2019	9.64	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Manhole flooded
TW-05	03/07/2019	9.64	3.43	-	-	-	-	6.21	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/19/2019	9.64	4.87	-	-	-	-	4.77	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/02/2019	9.64	4.83	-	-	-	-	4.81	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/22/2019	9.64	4.98	-	-	-	-	4.66	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/06/2019	9.64	3.96	-	-	-	-	5.68	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/20/2019	9.64	4.19	-	-	-	-	5.45	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/21/2019	9.64	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	1	26 J	-	2,000	
TW-05	05/23/2019	9.64	4.92	-	-	-	13.53	4.72	9:32	-	-	-	-	-	-	-	-	-	-	-	2,000	Grab
TW-05	06/04/2019	9.64	5.58	-	-	-	-	4.06	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/18/2019	9.64	4.95	-	-	-	-	4.69	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/09/2019	9.64	2.37	-	-	-	-	7.27	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/23/2019	9.64	5.40	-	-	-	-	4.24	10:48	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/09/2019	9.64	5.73	-	-	-	-	3.91	11:39	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/19/2019	9.64	6.02	-	-	-	13.39	3.62	12:13	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/21/2019	9.64	6.00	-	-	-	-	3.64	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	1	20 J	-	1,400	
TW-05	08/22/2019	9.64	6.47	-	-	-	13.46	3.17	11:03	-	-	-	-	-	-	-	-	-	-	-	1,100	Grab
TW-05	09/03/2019	9.64	6.53	-	-	-	-	3.11	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/17/2019	9.64	6.34	-	-	-	-	3.30	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	10/01/2019	9.64	6.25	-	-	-	-	3.39	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/18/2019	9.64	5.70	-	-	-	-	3.94	13:25	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/19/2019	9.64	5.52	-	-	-	-	4.12	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.5	<23	-	1,600	
TW-05	11/22/2019	9.64	5.73	-	-	-	-	3.91	8:58	-	-	-	-	-	-	-	-	-	-	-	1,800	Grab
TW-05	12/05/2019	9.64	5.52	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	01/14/2020	9.64	4.85	-	-	-	-	4.79	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/17/2020	9.64	3.95	-	-	-	13.29	5.69	10:41	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/18/2020	9.64	4.03	-	-	-	-	5.61	-	0.2 J	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.6	<23		950	
TW-05	02/19/2020	9.64	5.00	-	-	-	-	4.64	14:20	-	-	-	-	-	-	-	-	-	-	-	1,200	Grab

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-05	03/10/2020	9.64	5.90	-	-	-	-	3.74	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/11/2020	9.64	5.00	-	-	-	-	4.64	12:00	0.2 J	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.1	<23	-	1,100	
TW-05	05/13/2020	9.64	5.95	-	-	-	-	3.69	12:18	-	-	-	-	-	-	-	-	-	-	-	1,400	Grab
TW-05	08/10/2020	9.64	13.18	-	-	-	13.34	-3.54	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/11/2020	9.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	180,000 R	Grab
TW-06	12/16/2013	13.97	NR	-	-	-	-	-	-	1.09	ND	20.3	7.86	ND	-	-	-	174	-	-	47,000	
TW-06	12/18/2013	13.97	6.21	-	-	-	-	7.76	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	01/08/2014	13.97	6.98	-	-	-	-	6.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/07/2014	13.97	6.40	-	-	-	-	7.57	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/13/2014	13.97	6.62	-	-	-	-	7.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/20/2014	13.97	6.26	-	-	-	-	7.71	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/27/2014	13.97	6.88	-	-	-	-	7.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/03/2014	13.97	4.81	-	-	-	-	9.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/08/2014	13.97	5.82	-	-	-	-	8.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/17/2014	13.97	5.41	-	-	-	-	8.56	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/22/2014	13.97	5.90	-	-	-	-	8.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/29/2014	13.97	6.30	-	-	-	-	7.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/05/2014	13.97	4.98	-	-	-	-	8.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/12/2014	13.97	6.18	-	-	-	-	7.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/19/2014	13.97	4.63	-	-	-	-	9.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/27/2014	13.97	6.79	-	-	-	-	7.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/02/2014	13.97	6.24	-	-	-	-	7.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/09/2014	13.97	6.31	-	-	-	-	7.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/16/2014	13.97	5.33	-	-	-	-	8.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/23/2014	13.97	6.12	-	-	-	-	7.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/02/2014	13.97	6.52	-	-	-	-	7.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/07/2014	13.97	6.70	-	-	-	12.60	7.27	-	-	-	-	-	-	-	-	-	-	-	-	113,000	
TW-06	07/14/2014	13.97	6.24	-	-	-	-	7.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/25/2014	13.97	6.65	-	-	-	12.60	7.32	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/08/2014	13.97	6.81	-	-	-	-	7.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/11/2014	13.97	6.71	-	-	-	-	7.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/15/2014	13.97	6.01	-	-	-	12.70	7.96	-	-	-	-	-	-	-	-	-	-	-	-	147,000	
TW-06	08/18/2014	13.97	6.33	-	-	-	-	7.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/25/2014	9.86	6.37	-	-	-	-	3.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/02/2014	9.86	6.80	-	-	-	-	3.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/15/2014	9.86	6.79	-	-	-	-	3.07	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-06	09/22/2014	9.86	6.77	-	-	-	-	3.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	10/01/2014	9.86	6.88	-	-	-	12.60	2.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	10/10/2014	9.86	6.77	-	-	-	-	3.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	10/13/2014	9.86	6.85	-	-	-	-	3.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	10/20/2014	9.86	6.76	-	-	-	12.63	3.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	10/23/2014	9.86	NR	-	-	-	-	-	-	0.8	<0.5	11	1	<0.5	<2	<0.5	<0.5	5	230	-	16,000	
TW-06	10/27/2014	9.86	6.39	-	-	-	-	3.47	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/07/2014	9.86	6.83	-	-	-	-	3.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/12/2014	9.86	6.85	-	-	-	-	3.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/21/2014	9.86	7.28	-	-	-	-	2.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/26/2014	9.86	7.02	-	-	-	-	2.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	12/05/2014	9.86	5.85	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	12/11/2014	9.86	5.75	-	-	-	-	4.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	12/16/2014	9.86	6.18	-	-	-	-	3.68	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	12/23/2014	9.86	6.36	-	-	-	-	3.50	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	12/30/2014	9.86	5.85	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	01/09/2015	9.86	6.52	-	-	-	-	3.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	01/16/2015	9.86	5.77	-	-	-	-	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	01/19/2015	9.86	5.46	-	-	-	-	4.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	01/26/2015	9.86	4.69	-	-	-	-	5.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/03/2015	9.86	6.39	-	-	-	12.58	3.47	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/09/2015	9.86	6.62	-	-	-	-	3.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/18/2015	9.86	6.89	-	-	-	-	2.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/24/2015	9.86	6.90	-	-	-	-	2.96	14:54	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/04/2015	9.86	6.43	-	-	-	-	3.43	13:00	2	<0.5	6	<0.5	<0.5	<2	<0.5	<0.5	<0.03	170	-	2,200	
TW-06	03/11/2015	9.86	4.47	-	-	-	-	5.39	12:06	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/18/2015	9.86	5.33	-	-	-	-	4.53	10:29	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/26/2015	9.86	6.13	-	-	-	12.60	3.73	12:27	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/02/2015	9.86	6.20	-	-	-	12.65	3.66	10:32	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/08/2015	9.86	6.66	-	-	-	12.62	3.20	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/13/2015	9.86	6.76	-	-	-	-	3.10	10:01	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/23/2015	9.86	5.62	-	-	-	12.60	4.24	10:47	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/29/2015	9.86	6.22	-	-	-	12.65	3.64	13:19	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/04/2015	9.86	6.14	-	-	-	-	3.72	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/11/2015	9.86	6.38	-	-	-	12.70	3.48	15:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/13/2015	9.86	NR	-	-	-	-	-	-	2	<0.5	4	<0.5	<0.5	<2	<0.5	<0.5	4	130	-	2,300	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-06	05/21/2015	9.86	6.24	-	-	-	12.65	3.62	13:09	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/28/2015	9.86	6.79	-	-	-	12.60	3.07	10:59	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/02/2015	9.86	4.41	-	-	-	-	5.45	12:21	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/09/2015	9.86	5.28	-	-	-	-	4.58	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/16/2015	9.86	6.24	-	-	-	-	3.62	10:41	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/26/2015	9.86	5.08	-	-	-	12.70	4.78	8:49	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/01/2015	9.86	3.55	-	-	-	-	6.31	11:41	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/08/2015	9.86	4.88	-	-	-	-	4.98	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/13/2015	9.86	4.78	-	-	-	-	5.08	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/20/2015	9.86	5.93	-	-	-	-	3.93	8:46	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/28/2015	9.86	6.31	-	-	-	12.61	3.55	12:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/04/2015	9.86	6.34	-	-	-	12.64	3.52	12:07	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/06/2015	9.86	NR	-	-	-	-	-	-	2	<0.5	1	<0.5	<0.5	<2	<0.5	<0.5	2	81	-	1,400	
TW-06	08/11/2015	9.86	6.15	-	-	-	12.64	3.71	12:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/18/2015	9.86	6.58	-	-	-	-	3.28	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/24/2015	9.86	6.51	-	-	-	-	3.35	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/02/2015	9.86	6.65	-	-	-	12.06	3.21	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/09/2015	9.86	6.02	-	-	-	12.66	3.84	14:03	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/17/2015	9.86	6.85	-	-	-	12.69	3.01	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/23/2015	9.86	6.69	-	-	-	-	3.17	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/28/2015	9.86	6.27	-	-	-	12.61	3.59	10:41	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	10/05/2015	9.86	5.70	-	-	-	12.63	4.16	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/10/2015	9.86	6.65	-	-	-	-	3.21	12:32	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	12/01/2015	9.86	6.55	-	-	-	12.62	3.31	13:22	0.8 J	<0.5	1	<0.5	<0.5	<2	<0.5	<0.5	0.8	92	-	1,300	
TW-06	02/15/2016	9.86	6.60	-	-	-	-	3.26	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/14/2016	9.86	6.57	-	-	-	12.63	3.29	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/15/2016	9.86	NR	-	-	-	-	-	-	0.8 J	<0.5	3	<0.5	<0.5	<2	<0.5	<0.5	1	110	-	43,000	
TW-06	04/21/2016	9.99	6.70	-	-	-	12.40	3.29	9:28	-	-	-	-	-	-	-	-	-	-	-	32,000	Sheen; Elevation change due to well being disturbed during construction activities
TW-06	05/05/2016	9.99	5.52	-	-	-	-	4.47	12:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/23/2016	9.99	4.77	-	-	-	-	5.22	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/24/2016	9.99	NR	-	-	-	-	-	-	<0.5	<0.5	4	<0.5	<0.5	<2	<0.5	<0.5	1	120	-	1,800	
TW-06	06/21/2016	9.99	6.93	-	-	-	-	3.06	11:17	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-06	07/21/2016	9.99	6.12	-	-	-	-	3.87	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/24/2016	9.99	6.88	-	-	-	12.88	3.11	9:54	-	-	-	-	-	-	-	-	-	-	-	1,500	
TW-06	08/25/2016	9.99	6.13	-	-	-	-	3.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/22/2016	9.99	6.89	-	-	-	-	3.10	14:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/28/2016	9.99	7.42	-	-	-	12.45	2.57	8:43	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/29/2016	9.99	NR	-	-	-	-	-	-	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	-	1,200	
TW-06	02/21/2017	9.99	7.00	-	-	-	12.46	2.99	12:09	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/22/2017	9.99	7.03	-	-	-	12.50	2.96	11:13	-	-	-	-	-	-	-	-	-	-	-	49,000	Sheen
TW-06	03/29/2017	9.99	6.65	-	-	-	12.45	3.34	13:15	-	-	-	-	-	-	-	-	-	-	-	10,000	
TW-06	05/22/2017	9.99	5.82	-	-	-	12.48	4.17	13:11	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/23/2017	9.99	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.70	<20	-	1,500	
TW-06	08/28/2017	9.99	9.72	-	-	-	12.54	0.27	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/30/2017	9.99	9.64	-	-	-	12.51	0.35	11:17	-	-	-	-	-	-	-	-	-	-	-	9,540	
TW-06	11/28/2017	9.99	8.58	-	-	-	12.60	1.41	11:15	-	-	-	-	-	-	-	-	-	-	5,670	7,350	
TW-06	02/20/2018	9.99	5.78	-	-	-	12.70	4.21	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/21/2018	9.99	5.88	-	-	-	-	4.11	12:46	-	-	-	-	-	-	-	-	-	-	2,320	6,620	
TW-06	05/21/2018	9.99	3.31	-	-	-	-	6.68	14:18	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/22/2018	9.99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,680	
TW-06	05/24/2018	9.99	3.78	-	-	-	-	6.21	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/01/2018	9.99	5.04	-	-	-	-	4.95	9:08	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/13/2018	9.99	5.27	-	-	-	-	4.72	11:44	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/14/2018	9.99	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.70	33 J	-	1,700	
TW-06	11/12/2018	9.99	4.10	-	-	-	-	5.89	12:49	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/13/2018	9.99	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.02	<11	-	340	
TW-06	02/11/2019	9.99	5.63	-	-	-	12.73	4.36	12:56	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/13/2019	9.99	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.9	32 J	-	720	
TW-06	05/20/2019	9.99	4.45	-	-	-	-	5.54	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/21/2019	9.99	-	-	-	-	-	-	-	<00.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.8	19 J	-	890	
TW-06	05/23/2019	9.99	5.20	-	-	-	12.75	4.79	9:28	-	-	-	-	-	-	-	-	-	-	-	1,100	Grab
TW-06	08/19/2019	9.99	6.08	-	-	-	12.77	3.91	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/21/2019	9.99	6.45	-	-	-	-	3.54	-	0.2 J	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	19 J	-	970	
TW-06	08/22/2019	9.99	6.29	-	-	-	12.76	3.70	11:00	-	-	-	-	-	-	-	-	-	-	-	1,100	Grab
TW-06	11/18/2019	9.99	5.91	-	-	-	12.77	4.08	13:21	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/19/2019	9.99	5.88	-	-	-	-	4.11	-	0.2 J	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.05	<23	-	1,300	
TW-06	11/22/2019	9.99	6.00	-	-	-	-	3.99	8:54	-	-	-	-	-	-	-	-	-	-	-	1,300	Grab
TW-06	02/17/2020	9.99	4.67	-	-	-	12.75	5.32	10:46	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-06	02/18/2020	9.99	4.90	-	-	-	-	5.09	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.50	<23		520	
TW-06	02/19/2020	9.99	5.13	-	-	-	-	4.86	14:00	-	-	-	-	-	-	-	-	-	-	-	660	Grab
TW-06	05/11/2020	9.99	5.47	-	-	-	12.77	4.52	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/12/2020	9.99	5.95	-	-	-	-	4.04	11:00	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.1	<23	-	810	
TW-06	05/13/2020	9.99	6.16	-	-	-	-	3.83	12:15	-	-	-	-	-	-	-	-	-	-	-	840	Grab
TW-06	08/10/2020	9.99	8.84	-	-	-	12.75	1.15	10:12	-	-	-	-	-	-	-	-	-	-	-	3,200	
TW-06	08/10/2020	9.99	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.040	43	-	3,100	
TW-06	08/12/2020	9.99	9.57	-	-	-	12.75	0.42	13:00	-	-	-	-	-	-	-	-	-	-	-	2,600	Grab
TW-07	12/16/2013	14.00	NR	-	-	-	-	-	-	2.38	ND	0.97	ND	ND	-	-	-	34.00	-	-	3,290	
TW-07	12/18/2013	14.00	7.56	-	-	-	-	6.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	01/08/2014	14.00	7.91	-	-	-	-	6.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/07/2014	14.00	6.91	-	-	-	-	7.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/13/2014	14.00	7.40	-	-	-	-	6.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/20/2014	14.00	6.78	-	-	-	-	7.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/27/2014	14.00	7.56	-	-	-	-	6.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	04/03/2014	14.00	5.67	-	-	-	-	8.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	04/08/2014	14.00	6.77	-	-	-	-	7.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	04/17/2014	14.00	5.51	-	-	-	-	8.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	04/22/2014	14.00	6.75	-	-	-	-	7.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	04/29/2014	14.00	6.60	-	-	-	-	7.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/05/2014	14.00	5.41	-	-	-	-	8.59	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/12/2014	14.00	6.89	-	-	-	-	7.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/19/2014	14.00	6.16	-	-	-	-	7.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/27/2014	14.00	6.70	-	-	-	-	7.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	06/02/2014	14.00	6.94	-	-	-	-	7.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	06/09/2014	14.00	7.81	-	-	-	-	6.19	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	06/16/2014	14.00	6.47	-	-	-	-	7.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	06/23/2014	14.00	6.69	-	-	-	-	7.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	07/02/2014	14.00	7.00	-	-	-	-	7.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	07/07/2014	14.00	7.27	-	-	-	13.42	6.73	-	-	-	-	-	-	-	-	-	-	-	-	41,500	
TW-07	07/14/2014	14.00	6.70	-	-	-	-	7.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	07/25/2014	14.00	7.33	-	-	-	13.30	6.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	07/31/2014	14.00	7.22	-	-	-	13.30	6.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/08/2014	14.00	7.39	-	-	-	-	6.61	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/11/2014	14.00	7.17	-	-	-	13.20	6.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/15/2014	14.00	7.05	-	-	-	-	6.95	-	-	-	-	-	-	-	-	-	-	-	-	19,600	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-07	08/18/2014	14.00	7.14	-	-	-	-	6.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/25/2014	9.88	6.87	-	-	-	-	3.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	09/02/2014	9.88	7.43	-	-	-	-	2.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	09/15/2014	9.88	7.33	-	-	-	-	2.55	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	09/22/2014	9.88	7.28	-	-	-	-	2.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	10/01/2014	9.88	7.38	-	-	-	12.98	2.50	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	10/13/2014	9.88	7.30	-	-	-	-	2.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	10/20/2014	9.88	7.49	-	-	-	12.97	2.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	10/23/2014	9.88	NR	-	-	-	-	-	-	2.00	<0.5	0.60	<0.5	<0.5	<2	<0.5	<0.5	6.00	29	-	4,700	
TW-07	02/24/2015	9.88	7.45	-	-	-	-	2.43	14:52	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/04/2015	9.88	NR	-	-	-	-	-	-	9.00	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	2.20	46 J	-	670	
TW-07	05/11/2015	9.88	6.92	-	-	-	12.70	2.96	15:27	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/13/2015	9.88	NR	-	-	-	-	-	-	10.00	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	3 J	36 J	-	320	
TW-07	08/04/2015	9.88	6.88	-	-	-	12.74	3.00	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/05/2015	9.88	NR	-	-	-	-	-	-	7.00	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	2.00	57	-	220	
TW-07	12/01/2015	9.88	5.97	-	-	-	12.99	3.91	13:24	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	12/02/2015	9.88	NR	-	-	-	-	-	-	3.00	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	1.00	<20	-	110	
TW-07	03/14/2016	9.88	7.13	-	-	-	13.05	2.75	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/15/2016	9.88	NR	-	-	-	-	-	-	3.00	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	<20	-	160	
TW-07	05/05/2016	9.88	6.53	-	-	-	-	3.35	12:24	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/23/2016	9.88	5.13	-	-	-	-	4.75	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/24/2016	9.88	NR	-	-	-	-	-	-	3.00	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	20 J	-	160*	
TW-07	05/25/2016	9.88	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45*	
TW-07	08/24/2016	9.88	7.52	-	-	-	13.20	2.36	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/25/2016	9.88	7.19	-	-	-	-	2.69	-	-	-	-	-	-	-	-	-	-	-	-	340	
TW-07	09/22/2016	9.88	7.30	-	-	-	-	2.58	14:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	11/28/2016	9.88	7.87	-	-	-	13.45	2.01	8:44	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	11/30/2016	9.88	NR	-	-	-	-	-	-	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	-	59 J	
TW-07	02/21/2017	9.88	7.87	-	-	-	13.45	2.01	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	02/22/2017	9.88	7.71	-	-	-	13.51	2.17	10:36	-	-	-	-	-	-	-	-	-	-	-	820	
TW-07	05/22/2017	9.88	6.68	-	-	-	13.53	3.20	13:03	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/23/2017	9.88	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	<20	-	86 J	
TW-07	08/28/2017	9.88	9.66	-	-	-	13.48	0.22	0.43	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/30/2017	9.88	9.63	-	-	-	13.48	0.25	10:55	-	-	-	-	-	-	-	-	-	-	-	16,300	
TW-07	11/28/2017	9.88	9.42	-	-	-	13.60	0.46	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	11/30/2017	9.88	9.80	-	-	-	13.35	0.08	11:40	-	-	-	-	-	-	-	-	-	-	1,780	849	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-07	02/20/2018	9.88	6.77	-	-	-	13.65	3.11	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	02/21/2018	9.88	6.80	-	-	-	-	3.08	12:42	-	-	-	-	-	-	-	-	-	-	228	868	
TW-07	05/21/2018	9.88	4.90	-	-	-	-	4.98	14:07	-	-	-	-	-	-	-	-	-	-	-	241	
TW-07	08/13/2018	9.88	6.20	-	-	-	-	3.68	11:38	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.09	<11	-	200	
TW-07	11/12/2018	9.88	5.44	-	-	-	-	4.44	12:46	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.06	<11	-	260	
TW-07	02/11/2019	9.88	5.85	-	-	-	13.62	4.03	12:51	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.1 J	<11	-	<53	
TW-07	05/20/2019	9.88	5.42	-	-	-	-	4.46	11:03	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.08	<11	-	83 J	
TW-07	08/19/2019	9.88	6.86	-	-	-	13.65	3.02	12:06	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/20/2019	9.88	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	<11	-	84 J	
TW-07	11/18/2019	9.88	6.81	-	-	-	13.33	3.07	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	<23		81 J	
TW-07	02/17/2020	9.88	6.18	-	-	-	13.54	3.70	10:51	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.1	<23	-	<53	
TW-07	05/11/2020	9.88	6.53	-	-	-	-	3.35	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/12/2020	9.88	-	-	-	-	-	-	11:30	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.1	<23	-	73 J	
TW-07	08/10/2020	9.88	9.99	-	-	-	13.45	-0.11	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/11/2020	9.88	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.042	<23	-	270	
TW-08S	12/18/2013	36.75	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-08S	01/08/2014	36.75	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-08S	03/07/2014	36.75	24.14	-	-	-	-	12.61	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	03/13/2014	36.75	24.06	-	-	-	-	12.69	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	03/20/2014	36.75	24.37	-	-	-	-	12.38	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	03/27/2014	36.75	24.54	-	-	-	-	12.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	04/03/2014	36.75	24.26	-	-	-	-	12.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	04/08/2014	36.75	23.85	-	-	-	-	12.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	04/17/2014	36.75	24.13	-	-	-	-	12.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	04/22/2014	36.75	23.92	-	-	-	-	12.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	04/29/2014	36.75	23.91	-	-	-	-	12.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	05/05/2014	36.75	22.89	-	-	-	-	13.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	05/12/2014	36.75	23.02	-	-	-	-	13.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	05/19/2014	36.75	22.90	-	-	-	-	13.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	06/02/2014	36.75	23.24	-	-	-	-	13.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	06/09/2014	36.75	23.21	-	-	-	-	13.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	06/16/2014	36.75	22.40	-	-	-	-	14.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	06/23/2014	36.75	22.41	-	-	-	-	14.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	07/02/2014	36.75	22.40	-	-	-	-	14.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	07/07/2014	36.75	22.65	-	-	-	25.85	14.10	-	-	-	-	-	-	-	-	-	-	-	-	29,500	
TW-08S	07/14/2014	36.75	23.23	-	-	-	-	13.52	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-08S	07/24/2014	36.75	23.09	-	-	-	-	13.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	07/31/2014	36.75	23.26	-	-	-	25.82	13.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-08S	08/07/2014	Overdrilled and replaced with MW-72S																				
TW-09S	12/18/2013	36.65	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-09S	01/08/2014	36.65	DRY	25.54	0.46	0.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-09S	03/07/2014	36.65	24.71	24.70	0.01	-	-	11.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	03/13/2014	36.65	25.78	24.71	1.07	0.10	-	11.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	03/20/2014	36.65	DRY	25.65	0.50	0.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-09S	03/27/2014	36.65	DRY	25.58	0.54	0.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-09S	04/03/2014	36.65	23.37	23.18	0.19	0.10	-	13.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	04/08/2014	36.65	23.39	23.23	0.16	0.10	-	13.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	04/17/2014	36.65	23.72	23.66	0.06	-	-	12.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	04/22/2014	36.65	23.53	23.40	0.13	0.10	-	13.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	04/29/2014	36.65	23.76	23.68	0.08	-	-	12.96	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	05/05/2014	36.65	23.23	23.17	0.06	-	-	13.48	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	05/12/2014	36.65	23.25	23.23	0.02	-	-	13.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	05/19/2014	36.65	23.17	23.16	0.01	-	-	13.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	06/02/2014	36.65	23.19	-	-	-	-	13.46	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	06/09/2014	36.65	23.17	-	-	-	-	13.48	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	06/16/2014	36.65	23.13	-	-	-	-	13.52	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	06/23/2014	36.65	23.11	-	-	-	-	13.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	07/02/2014	36.65	23.03	23.03	TRACE	TRACE	-	13.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	07/07/2014	36.65	23.01	-	-	-	26.15	13.64	-	-	-	-	-	-	-	-	-	-	-	-	2,330,000	
TW-09S	07/14/2014	36.65	23.02	-	-	-	-	13.63	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	07/23/2014	Overdrilled and replaced with MW-08S																				
TW-10	12/18/2013	37.28	30.31	-	-	-	-	6.97	-	2.51	ND	19.7	4.99	ND	-	-	-	131	-	-	3,040	
TW-10	01/08/2014	37.28	30.56	-	-	-	-	6.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	03/07/2014	37.28	29.70	-	-	-	-	7.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	03/13/2014	37.28	30.08	-	-	-	-	7.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	03/20/2014	37.28	29.22	-	-	-	-	8.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	03/27/2014	37.28	30.13	-	-	-	-	7.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	04/03/2014	37.28	29.08	-	-	-	-	8.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	04/08/2014	37.28	29.14	-	-	-	-	8.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	04/17/2014	37.28	29.66	-	-	-	-	7.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	04/22/2014	37.28	29.12	-	-	-	-	8.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	04/29/2014	37.28	28.96	-	-	-	-	8.32	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-10	05/05/2014	37.28	29.22	-	-	-	-	8.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	05/12/2014	37.28	29.06	-	-	-	-	8.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	05/19/2014	37.28	29.02	-	-	-	-	8.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	06/02/2014	37.28	28.99	-	-	-	-	8.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	06/09/2014	37.28	28.89	-	-	-	-	8.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	06/16/2014	37.28	29.02	-	-	-	-	8.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	06/23/2014	37.28	28.86	-	-	-	-	8.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	07/02/2014	37.28	28.87	-	-	-	-	8.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	07/07/2014	37.28	29.12	-	-	-	36.47	8.16	-	-	-	-	-	-	-	-	-	-	-	-	23,400	
TW-10	07/14/2014	37.28	28.68	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	07/21/2014	Overdrilled and replaced with MW-27																				
TW-11	12/18/2013	37.39	26.40	-	-	-	-	10.99	-	1.55	0.664	8.3	9.67	0.578	-	-	-	263	-	-	170,000	
TW-11	01/08/2014	37.39	27.73	-	-	-	-	9.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	03/07/2014	37.39	29.17	-	-	-	-	8.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	03/13/2014	37.39	27.56	-	-	-	-	9.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	03/20/2014	37.39	27.15	-	-	-	-	10.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	03/27/2014	37.39	27.40	-	-	-	-	9.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	04/03/2014	37.39	26.28	26.26	0.02	0.10	-	11.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	04/08/2014	37.39	26.52	-	-	-	-	10.87	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	04/17/2014	37.39	26.85	-	-	-	-	10.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	04/22/2014	37.39	27.09	-	-	-	-	10.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	04/29/2014	37.39	27.39	-	-	-	-	10.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	05/05/2014	37.39	26.26	26.24	0.02	-	-	11.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	05/12/2014	37.39	26.97	-	-	-	-	10.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	05/19/2014	37.39	25.91	25.90	0.01	-	-	11.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	06/02/2014	37.39	26.32	26.31	0.01	-	-	11.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	06/09/2014	37.39	25.23	-	-	-	-	12.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	06/16/2014	37.39	25.35	25.36	0.01	-	-	12.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	06/23/2014	37.39	26.55	-	-	-	-	10.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	07/02/2014	37.39	26.91	26.91	TRACE	-	-	10.48	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
TW-11	07/07/2014	37.39	27.08	-	-	-	37.10	10.31	-	-	-	-	-	-	-	-	-	-	-	-	117,000	
TW-11	07/14/2014	37.39	26.95	26.95	TRACE	-	-	10.44	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
TW-11	07/24/2014	37.39	26.88	-	-	-	-	10.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	07/31/2014	37.39	27.10	-	-	-	37.02	10.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	08/05/2014	Overdrilled and replaced with MW-31																				
TW-12S	12/18/2013	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-12S	01/08/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	03/07/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	03/13/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	03/20/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	03/27/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	04/03/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	04/08/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	04/17/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	04/22/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	04/29/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	05/05/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	05/12/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	05/19/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	06/02/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	06/09/2014	38.01	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	06/16/2014	38.01	26.37	-	-	-	-	11.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	06/23/2014	38.01	26.37	-	-	-	-	11.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	07/02/2014	38.01	26.40	-	-	-	-	11.61	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	07/07/2014	38.01	26.40	-	-	-	26.60	11.61	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	07/14/2014	38.01	26.48	-	-	-	-	11.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	07/24/2014	38.01	26.48	-	-	-	-	11.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	07/31/2014	38.01	26.48	-	-	-	26.56	11.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	08/08/2014	38.01	26.49	-	-	-	26.60	11.52	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	08/11/2014	38.01	26.47	-	-	-	-	11.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	08/15/2014	38.01	26.47	-	-	-	26.58	11.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	08/18/2014	38.01	26.47	-	-	-	-	11.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	08/25/2014	38.01	26.47	-	-	-	-	11.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	09/02/2014	31.33	24.84	-	-	-	24.97	6.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	09/15/2014	31.33	24.82	-	-	-	-	6.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	09/22/2014	31.33	24.83	-	-	-	-	6.50	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	10/01/2014	31.33	24.81	-	-	-	24.91	6.52	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	10/10/2014	31.33	24.82	-	-	-	-	6.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	10/20/2014	31.33	24.82	-	-	-	24.92	6.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	02/24/2015	31.33	24.81	-	-	-	-	6.52	15:47	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	05/11/2015	31.33	24.82	-	-	-	24.90	6.51	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	08/04/2015	31.33	24.78	-	-	-	25.00	6.55	10:25	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-12S	12/01/2015	31.33	24.82	-	-	-	24.92	6.51	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	03/14/2016	31.33	24.76	-	-	-	25.00	6.57	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	05/23/2016	31.33	24.75	-	-	-	24.90	6.58	11:19	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	05/25/2016	31.33	24.69	-	-	-	24.91	6.64	12:08	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	08/24/2016	31.33	24.71	-	-	-	24.94	6.62	12:11	-	-	-	-	-	-	-	-	-	-	-	-	
TW-12S	08/25/2016	31.33	24.72	-	-	-	24.94	6.61	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	08/30/2016	31.33	24.73	-	-	-	24.93	6.60	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	11/28/2016	31.33	24.75	-	-	-	25.04	6.58	10:43	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	11/29/2016	31.33	DRY	-	-	-	24.92	-	11:10	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	12/07/2016	31.33	24.77	-	-	-	24.93	6.56	12:14	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/21/2017	31.33	24.72	-	-	-	24.94	6.61	11:50	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/22/2017	31.33	24.76	-	-	-	24.94	6.57	12:46	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	05/22/2017	31.33	DRY	-	-	-	24.93	-	11:36	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	08/28/2017	31.33	24.75	-	-	-	24.95	6.58	12:10	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	11/28/2017	31.33	24.74	-	-	-	24.95	6.59	13:28	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/20/2018	31.33	24.75	-	-	-	24.94	6.58	11:32	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	05/21/2018	31.33	24.70	-	-	-	24.95	6.63	11:47	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	08/13/2018	31.33	24.83	-	-	-	25.11	6.50	10:25	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	11/12/2018	31.33	24.30	-	-	-	25.00	7.03	10:07	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/11/2019	31.33	24.81	-	-	-	25.04	6.52	10:45	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/14/2019	31.33	24.79	-	-	-	25.03	6.54	12:48	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	05/20/2019	31.33	24.78	-	-	-	25.03	6.55	10:54	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	08/19/2019	31.33	24.76	-	-	-	24.97	6.57	9:45	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	11/18/2019	31.33	24.77	-	-	-	24.90	6.56	10:44	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/17/2020	31.33	24.79	-	-	-	24.95	6.54	10:44	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	05/11/2020	31.33	24.71	-	-	-	24.97	6.62	10:20	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	08/10/2020	31.33	24.74	-	-	-	24.99	6.59	10:01	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-13	12/18/2013	36.99	NR	-	-	-	-	-	-	6.06	ND	44.5	137	ND	-	-	-	239	-	-	3,580	
TW-13	01/08/2014	36.99	30.45	-	-	-	-	6.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	03/07/2014	36.99	29.11	-	-	-	-	7.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	03/13/2014	36.99	29.91	-	-	-	-	7.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	03/20/2014	36.99	29.09	-	-	-	-	7.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	03/27/2014	36.99	29.98	-	-	-	-	7.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	04/03/2014	36.99	29.05	-	-	-	-	7.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	04/08/2014	36.99	29.98	-	-	-	-	7.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	04/17/2014	36.99	29.62	-	-	-	-	7.37	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-13	04/22/2014	36.99	28.93	-	-	-	-	8.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	04/29/2014	36.99	28.90	-	-	-	-	8.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	05/05/2014	36.99	29.95	-	-	-	-	7.04	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	05/12/2014	36.99	28.91	-	-	-	-	8.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	05/19/2014	36.99	28.87	-	-	-	-	8.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	06/02/2014	36.99	28.86	-	-	-	-	8.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	06/09/2014	36.99	28.73	-	-	-	-	8.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	06/16/2014	36.99	28.88	-	-	-	-	8.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	06/23/2014	36.99	28.65	-	-	-	-	8.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	07/02/2014	36.99	28.69	-	-	-	-	8.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	07/07/2014	36.99	28.91	-	-	-	35.02	8.08	-	-	-	-	-	-	-	-	-	-	-	-	17,500	
TW-13	07/14/2014	36.99	28.58	-	-	-	-	8.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	07/29/2014	Overdrilled and replaced with MW-14																				
TW-14	01/17/2014	15.55	2.48	-	-	-	-	13.07	-	<0.5	<0.5	<0.5	<0.5	0.536	-	-	-	ND	-	-	2,290	
TW-14	03/07/2014	15.55	2.29	-	-	-	-	13.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	03/13/2014	15.55	2.55	-	-	-	-	13.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	03/20/2014	15.55	2.25	-	-	-	-	13.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	03/27/2014	15.55	2.42	-	-	-	-	13.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	04/03/2014	15.55	2.31	-	-	-	-	13.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	04/08/2014	15.55	2.27	-	-	-	-	13.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	04/17/2014	15.55	2.26	-	-	-	-	13.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	04/22/2014	15.55	2.48	-	-	-	-	13.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	04/29/2014	15.55	2.66	-	-	-	-	12.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	05/05/2014	15.55	2.56	-	-	-	-	12.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	05/12/2014	15.55	2.58	-	-	-	-	12.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	05/19/2014	15.55	2.38	-	-	-	-	13.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	06/02/2014	15.55	2.52	-	-	-	-	13.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	06/09/2014	15.55	2.50	-	-	-	-	13.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	06/16/2014	15.55	2.31	-	-	-	-	13.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	06/23/2014	15.55	2.44	-	-	-	-	13.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	07/02/2014	15.55	4.63	-	-	-	-	10.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	07/07/2014	15.55	4.65	-	-	-	7.27	10.90	-	-	-	-	-	-	-	-	-	-	-	-	16,000	
TW-14	07/14/2014	15.55	4.40	-	-	-	-	11.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	07/24/2014	15.55	4.46	-	-	-	-	11.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	07/31/2014	15.55	4.63	-	-	-	7.39	10.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/08/2014	15.55	4.43	-	-	-	7.39	11.12	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-14	08/11/2014	15.55	4.57	-	-	-	-	10.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/15/2014	15.55	4.36	-	-	-	7.39	11.19	-	-	-	-	-	-	-	-	-	-	-	-	3,900	
TW-14	08/18/2014	15.55	4.49	-	-	-	-	11.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/25/2014	11.61	3.01	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	09/02/2014	11.61	3.03	-	-	-	-	8.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	09/15/2014	11.61	3.19	-	-	-	-	8.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	09/22/2014	11.61	3.38	-	-	-	-	8.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	10/01/2014	11.61	3.50	-	-	-	5.90	8.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	10/10/2014	11.61	3.67	-	-	-	-	7.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	10/20/2014	11.61	3.02	-	-	-	5.90	8.59	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	10/21/2014	11.61	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	-	100	-	670	
TW-14	02/24/2015	11.61	2.67	-	-	-	-	8.94	15:29	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	02/26/2015	11.61	2.68	-	-	-	5.90	8.93	12:00	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.03	73	-	120	
TW-14	05/11/2015	11.61	3.28	-	-	-	6.90	8.33	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	05/12/2015	11.61	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	7.00	<0.5	<0.5	<1	220	-	2,000	
TW-14	08/04/2015	11.61	3.37	-	-	-	5.98	8.24	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/11/2015	11.61	3.65	-	-	-	6.00	7.96	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/13/2015	11.61	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	9	<0.5	<0.5	<0.08	130	-	3,700	
TW-14	08/18/2015	11.61	3.83	-	-	-	-	7.78	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	12/01/2015	11.61	2.76	-	-	-	-	8.85	9:15	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.04	<20	-	<45	
TW-14	03/14/2016	11.61	2.80	-	-	-	6.02	8.81	10:11	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	<20	-	54 J	
TW-14	05/23/2016	11.61	2.71	-	-	-	6.00	8.90	11:24	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	22 J	-	45 J	
TW-14	08/24/2016	11.61	3.05	-	-	-	-	8.56	-	-	-	-	-	-	-	-	-	-	-	-	<45	
TW-14	11/28/2016	11.61	4.07	-	-	-	6.03	7.54	11:24	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	12/01/2016	11.61	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	NT	NT	NT	NT	<0.08	<20	-	480	
TW-14	02/21/2017	11.61	3.31	-	-	-	6.03	8.30	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	02/22/2017	11.61	3.33	-	-	-	6.04	8.28	12:03	-	-	-	-	-	-	-	-	-	-	-	220	
TW-14	05/22/2017	11.61	3.16	-	-	-	-	8.45	9:45	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	<20	-	<45	
TW-14	08/28/2017	11.61	3.00	-	-	-	6.05	8.61	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/30/2017	11.61	2.69	-	-	-	6.05	8.92	10:23	-	-	-	-	-	-	-	-	-	-	-	902	
TW-14	11/29/2017	11.61	-	-	-	-	-	-	-	<0.50	<1.0	<1.0	<1.0	-	-	-	-	<5.0	-	-	300	
TW-14	02/20/2018	11.61	3.06	-	-	-	-	8.55	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	02/21/2018	11.61	3.26	-	-	-	6.08	8.35	13:30	-	-	-	-	-	-	-	-	-	-	-	4,130	
TW-14	05/21/2018	11.61	3.08	-	-	-	-	8.53	10:08	-	-	-	-	-	-	-	-	-	-	-	202	
TW-14	08/13/2018	11.61	2.73	-	-	-	6.03	8.88	10:54	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	<11	-	<45	
TW-14	11/12/2018	11.61	2.98	-	-	-	6.03	8.63	11:00	<0.2	<0.2	<0.2	<0.5	-	-	-	-	<4	<11	-	<53	

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-14	02/11/2019	11.61	3.31	-	-	-	6.07	8.30	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	02/13/2019	11.61	-	-	-	-	-	-	-	0.2 J	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.09	30 J	-	2,600	
TW-14	05/20/2019	11.61	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.08	28 J	-	310	
TW-14	08/19/2019	11.61	3.41	-	-	-	6.04	8.20	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/21/2019	11.61	-	-	-	-	-	-	-	2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	-	93	-	2,100	
TW-14	11/18/2019	11.61	3.41	-	-	-	5.50	8.20	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	11/19/2019	11.61	-	-	-	-	-	-	-	0.3 J	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.2	<23	-	940	Grab
TW-14	02/17/2020	11.61	3.08	-	-	-	6.12	8.53	9:06	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.1	<23	-	<53	
TW-14	05/11/2020	11.61	3.09	-	-	-	-	8.52	10:30	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.6	<23	-	<53	
TW-14	08/10/2020	11.61	3.25	-	-	-	-	8.36	-	0.85	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	-	810	-	1,500	
TW-14	08/11/2002	11.61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.045	74	-	-	

Notes:

Specific gravity was tested at MW-05 and MW-25, and the average specific gravity (0.878) is used for groundwater elevation adjustments.

Recovery wells RW-05, RW-25, RW-31 and RW-51 were active March 14, 2016 to March 29, 2018, all but RW-31 were reactivated from August 6, 2018 to September 12, 2018. RW-14 was active from August 4, 2016 to March 29, 2018 and from August 6, 2018 to September 12, 2018. RW-72 was active from March 14, 2016 to August 4, 2016.

Naphthalene results presented in this table are results from VOC analysis by EPA Method 8260 except TW well results. These wells were sampled by Geosyntec and analyzed by EPA Method 8270.

Extra VOC data was collected during the May 2020 sampling event at the request of a third party and are being reported here because they are relevant COCs

- = No data available
<# = Result less than the method detection limit (#), i.e. non-detect
µg/L = Micrograms per liter
J = Result detected between the Method Detection Limit and the Reporting Limit; therefore, result is an estimated value.
ND = Non-detect
TPH-GRO = Total Petroleum Hydrocarbons, Gasoline Range Organics (C6-C10)
TPH-DRO = Total Petroleum Hydrocarbons, Diesel Range Organics C10-C28
TPH-DRO - Silica Gel = Total Petroleum Hydrocarbons, Diesel Range Organics C10-C28 (SW-896 8015B) with Silica Gel Cleanup (3630C)
$(Date)^{H}$ = Well sampled during the Potomac River's high tide.
$(Date)^{L}$ = Well sampled during the Potomac River's low tide.
ft = feet
gal = gallons
DRY = No water for sampling.
Vol. = Insufficient Groundwater (GW) Volume (Vol.) for sampling
GW = Groundwater
LNAPL = Light Non-Aqueous Phase Liquid
NR = Not recorded
TRACE = LNAPL thickness is less than 0.01 feet

Table 3

HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes, Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments

VO = Vegetation Overgrowth (could not locate well to gauge and/or sample).
NMB = Not Manually Bailed
NT = Not Tabulated, laboratory data results available.
OBS = Obstruction in well.
B = Analyte was detected in the Method Blank.
9/25/2018 = TPE wells were being adjusted during installation, groundwater elevation not calcuated.
R =Data point rejected due to low water volume and issues with the lab quality control samples.

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-01S	10/10/2014	10.2	6.3	-	-	0.53	6.68	17.69	-95.0	880	-
MW-01S	10/20/2014	1.0	6.3	10.1	10.3	-	-	-	-	-	-
MW-01S	10/22/2014	-	-	-	-	0.80	6.63	17.81	-91.6	369	-
MW-01S	02/24/2015	8.4	3.0	12.2	26.6	0.10	6.53	16.31	-172.6	724	-
MW-01S	05/11/2015	64.8	1.6	10.8	27.8	PRODUCT					
MW-01S	08/04/2015	11.4	8.9	7.2	9.2	PRODUCT					
MW-01S	03/14/2016	78.8	3.5	10.8	2.2	0.13	6.65	16.46	-104.0	860	-
MW-01S	04/21/2016	14.8	20.8	0.3	0.1	0.11	6.62	16.14	-57.6	970	-
MW-01S	05/23/2016	0.0	20.9	0.0	0.0	PRODUCT					
MW-01S	08/24/2016	1.8	-	-	-	0.76	6.61	16.50	-127.8	1,040	-
MW-01S	08/30/2016	64.3	22.6	0.1	0.1	-	-	-	-	-	-
MW-01S	11/28/2016	-	-	-	-	1.47	7.12	17.44	-84.0	1,017	-
MW-01S	12/08/2016	0.3	20.9	0.0	0.0	-	-	-	-	-	-
MW-01S	02/21/2017	1.2	20.9	0.9	0.0	0.12	6.70	17.36	-23.3	1,000	-
MW-01S	05/22/2017	1.7	20.9	0.0	0.0	4.25	6.85	16.69	-88.9	969.5	-
MW-01S	07/10/2017	-	-	-	-	-	6.77	-	-	-	-
MW-01S	08/28/2017	7.4	20.9	0.0	0.0	3.8	6.42	18.43	32.7	453.1	-
MW-01S	11/28/2017	0.8	21.3	0.0	0.0	5.3	6.51	16.14	-99.9	560.0	-
MW-01S	02/20/2018	0.0	20.9	0.0	0.0	-	-	-	-	-	-
MW-01S	02/21/2018	-	-	-	-	2.06	6.89	17.50	69.8	90	-
MW-01S	05/21/2018	0.0	16.4	1.6	0.0	0.05	8.64	17.46	-135.90	865.9	-
MW-01S	08/13/2018	0.0	9.0	2.6	0.0	0.10	6.84	17.32	-36.80	1,040	-
MW-01S	10/02/2018	-	-	-	-	-	6.33	-	-	-	-
MW-01S	10/18/2018	-	-	-	-	-	6.85	-	-	-	-
MW-01S	11/12/2018	4.2	19.1	1.2	0.0	2.6	7.92	15.6	20.8	836.0	-
MW-01S	11/27/2018	-	-	-	-	-	6.18	-	-	-	-
MW-01S	01/10/2019	-	-	-	-	-	7.22	-	-	-	-
MW-01S	02/11/2019	0.3	20.4	1.1	0.0	-	-	-	-	-	-
MW-01S	02/12/2019	-	-	-	-	0.20	7.01	15.8	-55.6	1072.0	-
MW-01S	04/02/2019	-	-	-	-	-	6.68	-	-	-	-
MW-01S	05/20/2019	3.0	19.0	2.0	0.0	0.03	6.94	15.88	-112.4	780.0	-
MW-01S	06/18/2019	-	-	-	-	-	6.25	-	-	-	-
MW-01S	07/23/2019	-	-	-	-	-	6.46	-	-	-	-
MW-01S	08/19/2019	4.6	18.1	2.1	0.0	-	-	-	-	-	-
MW-01S	08/20/2019	-	-	-	-	0.16	7.65	17.12	-84.6	886.0	-
MW-01S	11/18/2019	1.4	18.6	0.2	0.0	-	-	-	-	-	-
MW-01S	11/20/2019	-	-	-	-	0.40	6.45	16.42	31	1130	-
MW-01S	02/17/2020	2.7	11.5	4.4	0.0	-	-	-	-	-	-
MW-01S	02/18/2020	-	-	-	-	1.14	6.62	15.06	123	934	-
MW-01S	05/11/2020	2.4	3.1	6.1	2.3	0.51	6.50	14.99	-85.9	772	-
MW-01S	08/10/2020	6.6	4.4	5.6	2.0	-	-	-	-	-	-
MW-01S	08/12/2020	-	-	-	-	0.62	6.47	16.96	-137.0	859	-
MW/RW-05	10/13/2014	15.9	13.0	-	-	PRODUCT					
MW/RW-05	10/15/2014	137.0	9.6	-	-	PRODUCT					
MW/RW-05	02/24/2015	11.4	1.0	15.9	25.3	PRODUCT					

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-05	05/11/2015	90.2	5.8	11.1	19.6	PRODUCT					
MW/RW-05	08/04/2015	71.9	18.2	1.9	2.1	PRODUCT					
MW/RW-05	12/01/2015	12.8	2.6	15.1	26.6	PRODUCT					
MW/RW-05	03/14/2016	98.8	19.8	0.7	0.4	PRODUCT					
MW/RW-05	05/23/2016	0.2	20.8	0.0	0.0	8.46	3.48	16.03	385.0	3,150	-
MW/RW-05	08/24/2016	6.4	-	-	-	2.69	6.53	19.98	15.2	640	-
MW/RW-05	08/30/2016	47.4	21.6	0.1	10.0	-	-	-	-	-	-
MW/RW-05	11/28/2016	0.7	20.9	0.2	0.0		4.35	17.10	229.5	1,280	-
MW/RW-05	02/21/2017	1.3	20.9	0.0	0.0	11.84	5.34	13.18	60.0	950	-
MW/RW-05	05/22/2017	0.8	20.9	0.1	0.0	9.70	6.55	16.62	11.2	612.3	-
MW/RW-05	08/28/2017	11.4	20.9	0.1	0.0	3.40	3.77	18.84	137.5	2,369.8	-
MW/RW-05	11/28/2017	138.1	9.4	7.5	0.0	1.40	5.45	16.14	111.6	540.0	-
MW/RW-05	02/20/2018	72.5	7.1	5.7	0.0	-	-	-	-	-	-
MW/RW-05	02/21/2018	-	-	-	-	4.33	5.96	20.66	96.5	550	-
MW/RW-05	05/21/2018	52.4	8.9	3.8	0.0	-0.03	6.49	14.88	-62.6	1,751	-
MW/RW-05	08/13/2018	9.2	20.5	0.2	0.0	4.13	5.12	24.77	271.4	1,780	-
MW/RW-05	10/18/2018	-	-	-	-	-	6.58	-	-	-	-
MW/RW-05	11/12/2018	282.0	20.8	0.1	0.0	2.1	7.13	15.79	11.4	1,309	-
MW/RW-05	11/27/2018	-	-	-	-	-	6.14	-	-	-	-
MW/RW-05	01/10/2019	-	-	-	-	-	7.07	-	-	-	-
MW/RW-05	02/11/2019	8.6	20.6	0.7	0.0	-	-	-	-	-	-
MW/RW-05	02/13/2019	-	-	-	-	0.08	6.72	13.72	-22.4	1,125	-
MW/RW-05	04/02/2019	-	-	-	-	-	6.45	-	-	-	-
MW/RW-05	05/20/2019	3.6	20.4	1.2	0.0	0.08	6.71	14.25	-76.8	760	-
MW/RW-05	06/18/2019	-	-	-	-	-	6.34	-	-	-	-
MW/RW-05	07/23/2019	-	-	-	-	-	6.50	-	-	-	-
MW/RW-05	08/19/2019	3.2	19.9	0.4	0.0	-	-	-	-	-	-
MW/RW-05	08/21/2019	-	-	-	-	0.26	6.46	16.55	-83.6	794	-
MW/RW-05	11/18/2019	2.9	15.7	4.1	4.9	-	-	-	-	-	-
MW/RW-05	11/22/2019	-	-	-	-	0.43	6.33	16.72	31.6	989	-
MW/RW-05	02/17/2020	1.5	8.9	7.8	8.8	-	-	-	-	-	-
MW/RW-05	02/19/2020	-	-	-	-	1.36	6.55	13.43	-36.6	1,208	-
MW/RW-05	05/11/2020	0.1	18.4	3.2	0.8	-	-	-	-	-	-
MW/RW-05	05/12/2020	-	-	-	-	0.31	6.39	13.61	-44.1	1,655	-
MW/RW-05	08/10/2020	0.0	17.9	3.3	0.5	0.28	6.36	17.33	-60.9	1,411	-
MW-08S	10/13/2014	21.0	14.5	-	-	0.89	6.68	18.18	-123.6	1,488	-
MW-08S	10/13/2014	-	-	-	-	0.81	6.70	18.26	-108.0	1,386	-
MW-08S	10/14/2014	-	-	-	-	0.16	6.77	18.18	-129.0	1,424	-
MW-08S	10/15/2014	8.7	20.4	-	-	0.83	6.68	18.29	-105.8	1,325	-
MW-08S	10/15/2014	-	-	-	-	0.28	6.66	18.23	-113.1	1,408	-
MW-08S	10/20/2014	15.9	10.9	6.2	1.9	-	-	-	-	-	-
MW-08S	10/22/2014	-	-	-	-	1.24	6.59	18.27	-98.8	1,276	-
MW-08S	02/24/2015	49.3	0.4	13.8	15.4	-	-	-	-	-	-
MW-08S	02/25/2015	-	-	-	-	0.09	6.69	16.81	-137.5	1,236	-
MW-08S	08/29/2017	-	-	-	-	-	6.43	18.9	-	-	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-08S	11/28/2017	-	-	-	-	-	6.42	-	-	-	-
MW-08S	02/20/2018	-	-	-	-	-	6.47	-	-	-	-
MW-08S	05/21/2018	-	-	-	-	-	6.23	-	-	-	-
MW-08S	02/11/2019	-	-	-	-	0.37	7.09	15.2	-124.0	1,058	7.40
MW-08S	05/20/2019	-	-	-	-	0.82	6.58	15.91	-63.4	930	-
MW-08S	08/19/2019	-	-	-	-	0.11	6.71	17.81	-104.6	902	-
MW-08S	11/21/2019	-	-	-	-	-	6.67	17.07	-57.5	1,229	-
MW-08S	02/17/2020	-	-	-	-	0.63	6.69	15.28	-31.8	1,649	-
MW-08S	05/11/2020	-	-	-	-	0.25	6.76	14.48	-101.6	1,756	-
MW-08S	08/10/2020	-	-	-	-	0.32	6.21	17.80	-55.6	978	-
MW/RW-10S	10/13/2014	23.1	17.0	-	-	0.75	6.59	18.17	-117.6	1,202	-
MW/RW-10S	10/13/2014	-	-	-	-	0.60	6.60	18.20	-113.0	1,185	-
MW/RW-10S	10/15/2014	8.3	20.4	-	-	0.41	6.54	18.23	-118.5	1,185	-
MW/RW-10S	10/15/2014	-	-	-	-	0.60	6.56	18.30	-104.5	1,189	-
MW/RW-10S	10/16/2014	18.5	20.9	-	-	-	-	-	-	-	-
MW/RW-10S	10/20/2014	25.2	15.2	3.7	0.2	-	-	-	-	-	-
MW/RW-10S	10/22/2014	-	-	-	-	1.30	6.48	18.44	-72.7	1,002	-
MW/RW-10S	02/24/2015	54.5	1.0	14.7	3.4	-	-	-	-	-	-
MW/RW-10S	05/11/2015	22.6	6.5	9.2	7.6	-	-	-	-	-	-
MW/RW-10S	08/04/2015	53.6	4.2	10.6	7.6	0.02	6.73	16.52	-90.0	1,440	-
MW/RW-10S	03/14/2016	134.2	19.4	1.2	0.4	0.14	6.59	15.38	-121.4	1,350	-
MW/RW-10S	04/21/2016	190.3	17.5	2.5	0.5	-	-	-	-	-	-
MW/RW-10S	05/23/2016	44.3	20.9	0.3	0.0	6.87	3.93	15.87	114.8	1,570	-
MW/RW-10S	08/24/2016	45.8	-	-	-	-	-	-	-	-	-
MW/RW-10S	08/30/2016	208.1	20.1	1.2	0.1	6.09	6.45	20.54	65.4	1,410	-
MW/RW-10S	11/28/2016	0.2	20.9	0.0	0.0	6.68	6.75	14.12	218.1	1,300	-
MW/RW-10S	02/21/2017	19.3	20.9	0.0	0.0	0.16	6.91	14.17	20.0	1,480	-
MW/RW-10S	05/22/2017	8.8	19.6	0.2	0.0	1.28	5.66	18.14	-4.9	1,667	-
MW/RW-10S	07/10/2017	-	-	-	-	-	4.99	-	-	-	-
MW/RW-10S	07/19/2017	-	-	-	-	-	5.15	-	-	-	-
MW/RW-10S	08/28/2017	1.3	20.4	0.1	0.0	2.01	5.20	18.69	91.7	2,785.9	-
MW/RW-10S	11/28/2017	10.3	21.4	0.0	0.0	2.77	5.36	16.24	61.8	2,870	-
MW/RW-10S	02/20/2018	0.3	20.9	0.0	0.0	-	-	-	-	-	-
MW/RW-10S	02/21/2018	-	-	-	-	2.93	6.29	17.04	-43.7	2,590	-
MW/RW-10S	05/21/2018	0.2	20.7	0.0	0.0	0.07	6.58	15.89	-37.6	3,229	-
MW/RW-10S	08/13/2018	1.0	16.0	1.6	0.0	0.05	6.27	16.27	-61.7	2,430	-
MW/RW-10S	10/02/2018	-	-	-	-	-	6.07	-	-	-	-
MW/RW-10S	10/18/2018	-	-	-	-	-	6.55	-	-	-	-
MW/RW-10S	11/12/2018	25.9	20.9	0.2	0.0	2.6	5.35	16.21	17.7	781	-
MW/RW-10S	11/27/2018	-	-	-	-	-	5.80	-	-	-	-
MW/RW-10S	01/10/2019	-	-	-	-	-	6.34	-	-	-	-
MW/RW-10S	02/11/2019	3.1	20.6	1.0	0.0	-	-	-	-	-	-
MW/RW-10S	02/15/2019	-	-	-	-	0.26	6.18	14.78	-112.0	926	94.3
MW/RW-10S	04/02/2019	-	-	-	-	-	6.20	-	-	-	-
MW/RW-10S	05/20/2019	8.6	20.9	0.3	0.0	-	-	-	-	-	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-10S	05/22/2019	-	-	-	-	0.13	6.18	15.40	-44.6	574	-
MW/RW-10S	06/18/2019	-	-	-	-	-	5.90	-	-	-	-
MW/RW-10S	07/23/2019	-	-	-	-	-	6.25	-	-	-	-
MW/RW-10S	08/19/2019	10.4	20.5	0.1	0.0	-	-	-	-	-	-
MW/RW-10S	08/21/2019	-	-	-	-	0.08	6.57	18.49	-84.6	730	-
MW/RW-10S	11/18/2019	5.4	14.2	2.7	0.0	-	-	-	-	-	-
MW/RW-10S	11/21/2019	-	-	-	-	0.54	6.96	17.16	-143.5	1,418	-
MW/RW-10S	02/17/2020	3.1	12.9	3.3	0.0	-	-	-	-	-	-
MW/RW-10S	02/19/2020	-	-	-	-	0.18	6.90	15.08	-129.3	1,616	-
MW/RW-10S	05/11/2020	0.4	17.7	1.2	0.0	-	-	-	-	-	-
MW/RW-10S	05/14/2020	-	-	-	-	0.17	6.56	14.53	-106.5	1,337	-
MW/RW-10S	08/10/2020	3.5	20.7	0.0	0.0	-	-	-	-	-	-
MW/RW-10S	08/12/2020	-	-	-	-	0.52	6.60	16.52	-118.2	1,731	-
MW-11	10/13/2014	5.4	19.0	-	-	2.30	6.27	18.16	56.2	324	-
MW-11	10/13/2014	-	-	-	-	3.23	6.14	18.29	48.6	349	-
MW-11	10/15/2014	23.6	15.3	-	-	-	-	-	-	-	-
MW-11	10/20/2014	22.0	11.6	6.3	1.9	-	-	-	-	-	-
MW-11	10/22/2014	-	-	-	-	0.38	5.73	18.38	160.2	323	-
MW-11	02/24/2015	3.2	19.3	3.7	0.1	-	-	-	-	-	-
MW-11	02/25/2015	-	-	-	-	0.12	5.60	17.83	62.6	370	-
MW-11	05/11/2015	0.6	20.6	0.2	0.1	0.07	5.66	17.27	91.2	390	-
MW-11	08/04/2015	4.3	2.5	15.0	26.8	0.09	6.66	18.45	-39.8	1,150	-
MW-11	11/21/2019	-	-	-	-	0.97	6.39	16.51	-2.2	671	-
MW/RW-14	10/13/2014	15.9	17.2	-	-	2.79	6.00	18.13	68.0	368	-
MW/RW-14	10/20/2014	82.4	14.4	3.7	1.3	-	-	-	-	-	-
MW/RW-14	10/22/2014	-	-	-	-	0.26	5.79	18.43	216.2	310	-
MW/RW-14	02/24/2015	188.0	14.4	0.9	0.4	-	-	-	-	-	-
MW/RW-14	02/25/2015	-	-	-	-	0.84	6.25	17.90	-98.6	460	-
MW/RW-14	05/11/2015	166.8	18.4	2.4	0.2	0.07	6.22	17.30	-69.6	420	-
MW/RW-14	08/04/2015	11.9	17.8	3.2	0.3	0.07	6.72	17.10	-69.4	1,100	-
MW/RW-14	03/14/2016	143.4	13.6	5.9	0.8	0.10	6.35	16.95	-84.7	490	-
MW/RW-14	04/21/2016	503.7	20.4	1.5	0.8	PRODUCT					
MW/RW-14	05/23/2016	132.0	20.8	0.3	0.2	PRODUCT					
MW/RW-14	08/24/2016	550.3	-	-	-	7.06	5.76	18.95	103.60	190	-
MW/RW-14	08/30/2016	101.8	21.7	0.0	0.1	-	-	-	-	-	-
MW/RW-14	11/28/2016	0.8	20.9	0.2	0.0	11.69	5.94	14.91	87.9	209	-
MW/RW-14	02/21/2017	61.3	20.9	0.0	0.0	11.32	6.02	15.48	41.6	190	-
MW/RW-14	05/22/2017	58.0	20.5	0.2	0.0	7.60	6.20	17.65	128.7	171	-
MW/RW-14	08/28/2017	10.0	20.9	0.0	0.0	3.99	7.19	18.43	69.1	415.8	-
MW/RW-14	11/28/2017	47.5	20.9	0.1	0.0	8.49	5.72	16.44	86.9	270.0	-
MW/RW-14	02/20/2018	3.4	20.9	0.0	0.0	-	-	-	-	-	-
MW/RW-14	02/21/2018	-	-	-	-	5.68	5.82	17.32	132.2	160	-
MW/RW-14	05/21/2018	1.2	20.7	0.2	0.0	0.18	7.29	16.34	-63.9	454	-
MW/RW-14	08/13/2018	21.3	20.6	0.2	0.0	3.98	5.59	19.85	305.1	240	-
MW/RW-14	10/18/2018	-	-	-	-	-	6.85	-	-	-	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-14	11/12/2018	127.2	20.9	0.0	0.0	2.9	5.04	15.37	27.8	451	-
MW/RW-14	11/27/2018	-	-	-	-	-	5.85	-	-	-	-
MW/RW-14	01/10/2019	-	-	-	-	-	5.43	-	-	-	-
MW/RW-14	02/11/2019	2.1	20.9	1.0	0.0	-	-	-	-	-	-
MW/RW-14	02/13/2019	-	-	-	-	0.23	6.33	15.34	-150.0	720	22.9
MW/RW-14	04/02/2019	-	-	-	-	-	6.10	-	-	-	-
MW/RW-14	05/20/2019	79.5	14.8	4.6	0.0	-	-	-	-	-	-
MW/RW-14	05/22/2019	-	-	-	-	0.16	6.47	15.81	-65.1	473	-
MW/RW-14	06/18/2019	-	-	-	-	-	6.26	-	-	-	-
MW/RW-14	07/23/2019	-	-	-	-	-	6.14	-	-	-	-
MW/RW-14	08/19/2019	54.5	20.5	0.0	0.0	-	-	-	-	-	-
MW/RW-14	08/20/2019	-	-	-	-	0.12	6.21	17.24	58.8	266	-
MW/RW-14	11/18/2019	22.4	17.9	2.9	6.0	-	-	-	-	-	-
MW/RW-14	11/19/2019	-	-	-	-	0.61	6.74	16.17	-99.0	548	-
MW/RW-14	02/17/2020	34.2	17.2	3.9	3.5	-	-	-	-	-	-
MW/RW-14	02/19/2020	-	-	-	-	0.57	6.76	15.31	57.3	808	-
MW/RW-14	05/11/2020	56.3	65.3	4.9	8.0	-	-	-	-	-	-
MW/RW-14	05/14/2020	-	-	-	-	0.32	6.40	14.88	-76.5	722	-
MW/RW-14	08/10/2020	3.9	20.0	0.3	0.0	-	-	-	-	-	-
MW-15S	10/13/2014	34.0	12.4	-	-	0.84	6.32	18.03	-17.1	647	-
MW-15S	10/20/2014	18.2	2.2	11.6	0.0	-	-	-	-	-	-
MW-15S	10/22/2014	-	-	-	-	0.88	6.48	17.61	-37.4	989	-
MW-15S	08/29/2017	-	-	-	-	-	6.73	18.6	-	-	-
MW-15S	02/20/2018	-	-	-	-	-	6.35	-	-	-	-
MW-15S	05/21/2018	-	-	-	-	-	6.07	-	-	-	-
MW-15S	11/13/2018	-	-	-	-	-	6.84	-	-	-	-
MW-15S	11/22/2019	-	-	-	-	0.94	7.00	16.31	57.0	699	-
MW-16S	10/10/2014	9.0	7.2	-	-	-	-	-	-	-	-
MW-16S	02/24/2015	0.0	5.5	12.4	0.1	1.54	6.11	14.50	60.2	1,600	-
MW-16	10/10/2014	11.1	6.9	-	-	0.46	5.88	17.50	162.4	707	-
MW-16	10/22/2014	-	-	-	-	0.87	5.79	17.75	211.0	681	30,200
MW-16	02/24/2015	0.0	20.9	0.3	0.1	2.62	5.92	17.57	101.8	1,010	-
MW-16	05/11/2015	-	-	-	-	0.49	5.83	17.05	112.4	830	-
MW-16	08/30/2017	-	-	-	-	-	5.57	18.6	-	-	-
MW-16	02/20/2018	-	-	-	-	-	5.41	-	-	-	-
MW-16	05/21/2018	-	-	-	-	-	5.78	-	-	-	-
MW-16	08/13/2018	-	-	-	-	-	6.18	-	-	-	-
MW-16	08/15/2018	-	-	-	-	-	5.80	-	-	-	-
MW-16	11/14/2018	-	-	-	-	-	6.32	-	-	-	-
MW-16	02/13/2019	-	-	-	-	4.70	6.81	15.07	93	452	2.3
MW-16	05/21/2019	-	-	-	-	6.57	6.23	16.02	135.1	365	-
MW-16	08/19/2019	-	-	-	-	7.33	6.44	16.75	164.6	359	-
MW-16	11/22/2019	-	-	-	-	5.62	6.32	16.31	170.4	448	-
MW-16	02/18/2020	-	-	-	-	5.21	6.20	14.88	103.1	659	-
MW-16	05/13/2020	-	-	-	-	3.56	5.57	16.10	225.6	655	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-25S	10/13/2014	-	-	-	-	0.96	6.46	18.51	-84.0	914	-
MW-25S	10/13/2014	13.0	20.3	-	-	-	-	-	-	-	-
MW-25S	10/15/2014	192.0	19.3	-	-	-	-	-	-	-	-
MW-25S	10/16/2014	34.4	20.9	-	-	-	-	-	-	-	-
MW-25S	10/20/2014	30.2	16.6	3.4	0.3	-	-	-	-	-	-
MW-25S	02/24/2015	127.0	3.6	12.7	2.3	-	-	-	-	-	-
MW-25S	05/11/2015	51.8	6.5	8.3	6.4	-	-	-	-	-	-
MW-25S	08/04/2015	70.5	4.4	9.5	4.6	-	-	-	-	-	-
MW-25S	07/19/2017	-	-	-	-	-	3.77	-	-	-	-
MW-25S	08/31/2017	-	-	-	-	-	6.15	22.6	-	-	-
MW-25S	11/28/2017	-	-	-	-	-	6.09	-	-	-	-
MW-25S	02/21/2018	-	-	-	-	-	6.54	-	-	-	-
MW-25S	05/21/2018	-	-	-	-	-	6.39	-	-	-	-
MW-25S	08/13/2018	-	-	-	-	-	6.37	-	-	-	-
MW-25S	08/15/2018	-	-	-	-	-	5.97	-	-	-	-
MW-25S	10/02/2018	-	-	-	-	-	6.34	-	-	-	-
MW-25S	10/18/2018	-	-	-	-	-	6.68	-	-	-	-
MW-25S	11/12/2018	-	-	-	-	-	6.54	-	-	-	-
MW-25S	11/27/2018	-	-	-	-	-	5.17	-	-	-	-
MW-25S	01/10/2019	-	-	-	-	-	6.32	-	-	-	-
MW-25S	02/12/2019	-	-	-	-	0.28	6.38	13.5	-90.0	1333	20.3
MW-25S	05/22/2019	-	-	-	-	0.08	6.67	15.21	-122.1	1963	-
MW-25S	08/20/2019	-	-	-	-	0.10	6.84	18.36	-106.1	1362	-
MW-25S	11/19/2019	-	-	-	-	0.01	7.23	17.06	-156.1	1018	-
MW-25S	02/19/2020	-	-	-	-	0.57	7.42	14.24	6.8	1233	-
MW-25S	05/14/2020	-	-	-	-	0.26	6.75	14.60	-121.1	1302	-
MW-25S	08/11/2020	-	-	-	-	0.01	6.85	18.50	-141.1	1572	-
MW/RW-25	10/13/2014	139.0	19.2	-	-	-	-	-	-	-	-
MW/RW-25	10/14/2014	79.0	17.5	-	-	-	-	-	-	-	-
MW/RW-25	10/15/2014	8.4	20.9	-	-	-	-	-	-	-	-
MW/RW-25	10/16/2014	28.2	14.3	-	-	-	-	-	-	-	-
MW/RW-25	02/24/2015	121.0	15.4	5.5	1.3	-	-	-	-	-	-
MW/RW-25	05/11/2015	263.0	11.6	6.7	0.6	-	-	-	-	-	-
MW/RW-25	08/04/2015	118.4	15.8	3.7	0.4	-	-	-	-	-	-
MW/RW-25	12/01/2015	79.5	14.7	5.4	1.1	-	-	-	-	-	-
MW/RW-25	03/14/2016	6.2	10.9	8.9	3.2	-	-	-	-	-	-
MW/RW-25	04/21/2016	50.2	20.9	0.2	0.2	8.30	5.45	16.77	154.2	310	-
MW/RW-25	05/23/2016	23.1	20.7	0.1	0.0	6.45	5.54	17.26	142.1	340	-
MW/RW-25	08/24/2016	54.8	-	-	-	2.58	5.56	18.78	101.8	300	-
MW/RW-25	08/30/2016	79.8	21.7	0.0	0.0	-	-	-	-	-	-
MW/RW-25	11/28/2016	17.8	20.9	0.2	0.0	12.82	5.81	15.46	100.3	332	-
MW/RW-25	02/21/2017	19.4	20.9	0.0	0.0	11.89	5.96	15.66	48.6	330	-
MW/RW-25	05/22/2017	25.6	20.9	0.3	0.0	9.18	6.03	17.50	105.3	308	-
MW/RW-25	08/28/2017	3.6	20.9	0.0	0.0	3.86	6.26	20.44	67.3	230	-
MW/RW-25	11/28/2017	139.3	20.6	0.5	0.0	10.82	5.73	16.57	95.2	230	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-25	02/20/2018	3.8	20.9	0.0	0.0	-	-	-	-	-	-
MW/RW-25	02/21/2018	-	-	-	-	10.03	6.15	17.39	100.4	260	-
MW/RW-25	05/21/2018	46.1	8.5	3.5	0.0	0.03	7.33	16.45	-75.8	679	-
MW/RW-25	08/13/2018	0.6	17.2	1.1	0.0	0.39	6.70	16.84	-27.7	920	-
MW/RW-25	10/18/2018	-	-	-	-	-	6.84	-	-	-	-
MW/RW-25	11/12/2018	20.3	20.9	0.1	0.0	2.2	4.64	16.34	26.4	359	-
MW/RW-25	11/27/2018	-	-	-	-	-	6.17	-	-	-	-
MW/RW-25	01/10/2019	-	-	-	-	-	5.60	-	-	-	-
MW/RW-25	02/11/2019	0.2	16.3	1.8	0.0	-	-	-	-	-	-
MW/RW-25	02/12/2019	-	-	-	-	0.28	6.20	14.60	-53.0	965	22.60
MW/RW-25	04/02/2019	-	-	-	-	-	6.32	-	-	-	-
MW/RW-25	05/20/2019	7.8	16.0	3.1	0.0	0.15	6.05	16.25	-21.6	798	-
MW/RW-25	06/18/2019	-	-	-	-	-	6.16	-	-	-	-
MW/RW-25	07/23/2019	-	-	-	-	-	6.11	-	-	-	-
MW/RW-25	08/19/2019	12.6	20.8	0.0	0.0	-	-	-	-	-	-
MW/RW-25	08/20/2019	-	-	-	-	0.11	6.20	18.03	18.8	723.6	-
MW/RW-25	11/18/2019	6.3	8.7	8.0	3.7	-	-	-	-	-	-
MW/RW-25	11/19/2019	-	-	-	-	0.19	6.46	16.93	-75.6	774	-
MW/RW-25	02/17/2020	9.1	10.2	8.1	3.2	-	-	-	-	-	-
MW/RW-25	02/19/2020	-	-	-	-	0.73	6.42	15.50	95.5	838	-
MW/RW-25	05/11/2020	18.7	14.6	5.1	1.4	0.27	6.10	15.68	-30.5	622	-
MW/RW-25	08/10/2020	0.0	20.5	0.0	0.0	-	-	-	-	-	-
MW-27	10/10/2014	41.5	17.7	-	-	0.28	6.55	17.74	-79.8	1,075	-
MW-27	10/15/2014	7.3	20.9	-	-	0.02	6.51	17.97	-36.3	1,057	-
MW-27	10/15/2014	21.9	16.1	-	-	1.67	6.37	18.18	44.5	831	-
MW-27	10/16/2014	21.9	16.1	-	-	-	-	-	-	-	-
MW-27	10/20/2014	25.3	14.3	6.5	8.6	-	-	-	-	-	-
MW-27	10/23/2014	-	-	-	-	0.54	6.46	17.97	743.0	153	1,540
MW-27	02/24/2015	21.1	2.3	12.2	13.6	-	-	-	-	-	-
MW-27	02/25/2015	-	-	-	-	0.06	6.61	15.83	-85.6	1,228	-
MW-27	05/11/2015	127.3	8.1	7.9	0.0	0.08	6.54	14.84	-110.0	1,300	-
MW-27	08/04/2015	28.5	1.3	13.2	16.6	0.03	6.68	15.93	-49.3	1,260	-
MW-27	12/01/2015	67.4	2.2	16.9	31.9	0.06	6.57	17.28	-51.5	1,190	-
MW-27	03/14/2016	70.8	1.0	15.5	0.6	0.08	6.54	14.77	-142.5	1,390	-
MW-27	04/21/2016	123.2	20.3	1.0	0.3	10.15	6.80	14.65	90.9	740	-
MW-27	05/23/2016	11.4	20.7	0.3	0.0	4.96	6.79	14.39	30.5	780	-
MW-27	08/24/2016	0.8	20.5	0.4	0.0	7.37	6.46	16.42	46.7	1,220	-
MW-27	11/28/2016	0.1	20.9	0.4	0.0	6.38	6.70	18.04	11.3	719	-
MW-27	02/21/2017	1.6	20.9	0.0	0.0	10.14	7.37	16.19	22.0	790	-
MW-27	05/22/2017	6.6	20.9	0.3	0.0	1.35	6.10	16.00	88.1	643	-
MW-27	08/28/2017	0.0	20.9	0.0	0.0	1.50	6.67	17.10	66.3	847.7	-
MW-27	11/28/2017	26.2	20.6	0.2	0.0	3.04	6.66	16.43	12.9	930.0	-
MW-27	02/20/2018	55.3	20.8	0.1	0.0	-	-	-	-	-	-
MW-27	02/21/2018	-	-	-	-	7.97	4.88	16.20	110.2	1,350.0	-
MW-27	05/21/2018	9.7	11.6	2.4	0.0	0.01	5.68	14.68	76.4	1,749.5	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-27	08/13/2018	15.6	2.4	3.9	0.0	0.16	6.36	16.50	-22.6	1,380	-
MW-27	11/12/2018	1.7	18.2	1.9	0.0	1.91	4.84	17.61	122.6	1,489	-
MW-27	02/11/2019	5.0	8.8	10.3	0.0	-	-	-	-	-	-
MW-27	02/14/2019	-	-	-	-	0.26	6.16	13.76	-62.0	1,640	0.1
MW-27	05/20/2019	1.1	12.2	7.4	0.0	-	-	-	-	-	-
MW-27	05/21/2019	-	-	-	-	0.11	6.17	15.66	12.2	1,642	-
MW-27	08/19/2019	1.5	14.3	4.3	0.0	-	-	-	-	-	-
MW-27	08/20/2019	-	-	-	-	0.31	7.24	18.40	-51.8	1,232	-
MW-27	11/18/2019	0.2	1.0	10.1	0.0	-	-	-	-	-	-
MW-27	11/21/2019	-	-	-	-	0.52	6.25	18.07	77.6	1,330	-
MW-27	02/17/2020	36.2	2.6	6.0	0.0	0.46	6.34	15.92	-19.2	1,582	-
MW-27	05/11/2020	22.9	3.3	5.6	0.4	-	-	-	-	-	-
MW-27	05/12/2020	-	-	-	-	0.19	6.00	15.33	-28.1	1,810	-
MW-27	08/10/2020	1.0	14.6	2.2	0.0	-	-	-	-	-	-
MW/RW-31	10/10/2014	120.5	6.2	-	-	0.39	6.97	18.62	-119.7	899	-
MW/RW-31	10/15/2014	62.5	15.0	-	-	0.59	6.83	19.04	-119.9	848	-
MW/RW-31	10/15/2014	0.0	20.9	-	-	0.90	6.61	19.57	-47.6	541	-
MW/RW-31	10/20/2014	11.8	17.4	1.1	0.3	-	-	-	-	-	-
MW/RW-31	10/23/2014	-	-	-	-	0.41	6.98	18.69	-15.9	791	728
MW/RW-31	02/24/2015	179.0	2.1	0.2	0.3	0.02	7.08	14.47	-164.3	927	-
MW/RW-31	05/11/2015	36.9	5.8	4.1	0.1	0.00	7.06	12.74	-129.3	1,010	-
MW/RW-31	08/04/2015	41.3	3.9	5.4	1.7	0.02	7.18	15.92	-13.7	1,010	-
MW/RW-31	05/23/2016	-	-	-	-	7.34	6.69	15.56	82.4	620	-
MW/RW-31	08/31/2017	-	-	-	-	-	6.71	20.1	-	-	-
MW/RW-31	02/14/2019	-	-	-	-	0.38	7.26	11.6	-8.0	504	75.8
MW/RW-31	05/21/2019	-	-	-	-	0.17	7.02	14.62	19.8	546.3	-
MW/RW-31	08/20/2019	-	-	-	-	0.44	7.83	19.36	-63.9	447.0	-
MW/RW-31	11/21/2019	-	-	-	-	0.54	6.71	18.61	129.9	667	-
MW/RW-31	02/17/2020	-	-	-	-	0.73	6.98	13.81	26.8	675	-
MW/RW-31	05/12/2020	-	-	-	-	0.32	6.76	13.61	-42.0	806	-
MW-33	10/10/2014	1.4	9.7	-	-	0.68	5.81	17.97	157.4	654	-
MW-33	10/15/2014	0.5	19.0	-	-	0.09	5.84	18.30	64.9	633	-
MW-33	10/15/2014	0.0	20.9	-	-	0.42	5.86	18.30	92.6	658	-
MW-33	10/20/2014	1.0	12.0	5.4	0.0	-	-	-	-	-	-
MW-33	10/23/2014	-	-	-	-	2.37	6.05	18.24	186.7	698	1,120
MW-33	02/24/2015	0.0	20.6	0.1	0.1	2.35	5.51	15.51	88.7	648	-
MW-33	05/11/2015	21.4	19.0	1.0	0.0	0.47	5.69	14.03	88.0	720	-
MW-33	08/04/2015	1.4	3.3	8.6	0.0	0.05	6.29	15.84	48.5	780	-
MW-33	08/30/2017	-	-	-	-	-	6.08	18.40	-	-	-
MW-33	11/21/2019	-	-	-	-	1.67	6.10	18.49	150.8	769	-
MW-51S	10/13/2014	23.0	5.7	-	-	0.64	6.72	18.32	-120.0	1,457	-
MW-51S	10/13/2014	1.0	-	-	-	0.75	6.65	18.35	-78.8	1,000	-
MW-51S	10/14/2014	-	-	-	-	0.33	6.64	18.46	-71.8	1,047	-
MW-51S	10/15/2014	1.2	20.0	-	-	1.62	6.60	18.43	1.5	566	-
MW-51S	10/15/2014	-	-	-	-	0.74	6.62	18.45	-84.6	1,122	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-51S	10/20/2014	22.3	10.6	6.3	1.5	-	-	-	-	-	-
MW-51S	10/22/2014	-	-	-	-	0.81	6.67	18.47	-93.7	1,153	-
MW-51S	02/24/2015	9.9	0.9	13.5	27.2	-	-	-	-	-	-
MW-51S	02/25/2015	-	-	-	-	0.08	6.70	16.75	-110.9	1,968	-
MW-51S	05/11/2015	40.8	1.2	12.1	28.3	0.02	6.74	16.21	-113.3	1,830	-
MW-51S	08/04/2015	15.2	0.7	13.2	27.5	0.04	6.82	16.33	-96.0	1,440	-
MW-51S	03/14/2016	62.4	4.8	10.6	0.6	0.27	6.63	16.10	-129.3	2,250	-
MW-51S	04/21/2016	12.4	13.2	1.6	0.3	0.06	6.65	16.57	-79.9	1,760	-
MW-51S	05/23/2016	0.0	20.9	0.0	0.0	0.59	6.83	16.74	-96.6	2,290	-
MW-51S	08/24/2016	1.1	-	-	-	0.70	6.74	18.60	-113.7	2,390	-
MW-51S	08/30/2016	153.7	21.7	0.1	0.0	-	-	-	-	-	-
MW-51S	11/28/2016	-	-	-	-	2.26	7.14	19.36	-131.0	1,448	-
MW-51S	12/08/2016	0.2	20.9	0.0	0.0	-	-	-	-	-	-
MW-51S	02/21/2017	20.4	20.9	0.5	0.0	0.06	7.11	17.81	-23.3	1,870	-
MW-51S	05/22/2017	2.1	20.9	0.1	0.0	4.99	6.72	16.76	-40.0	2,207	-
MW-51S	07/19/2017	-	-	-	-	-	6.88	-	-	-	-
MW-51S	08/28/2017	0.4	19.7	0.2	0.0	1.9	7.30	20.12	45.1	2,169.1	-
MW-51S	11/28/2017	0.9	21.4	0.0	0.0	2.3	6.19	16.83	-22.4	2,000	-
MW-51S	02/20/2018	0.1	20.9	0.2	0.0	-	-	-	-	-	-
MW-51S	02/21/2018	-	-	-	-	4.4	6.23	17.23	41.1	1,620	-
MW-51S	05/21/2018	0.0	20.5	0.6	0.0	0.1	7.57	15.92	-109.8	1,844	-
MW-51S	08/13/2018	1.9	8.4	3.8	0.0	0.1	6.27	17.41	-52.9	2,870	-
MW-51S	10/18/2018	-	-	-	-	-	6.94	-	-	-	-
MW-51S	11/12/2018	4.7	20.0	0.6	0.0	9.2	5.82	16.43	-30.4	763	-
MW-51S	11/27/2018	-	-	-	-	-	6.31	-	-	-	-
MW-51S	01/10/2019	-	-	-	-	-	6.43	-	-	-	-
MW-51S	02/11/2019	0.3	20.7	0.4	0.0	-	-	-	-	-	-
MW-51S	02/14/2019	-	-	-	-	0.01	6.80	15.60	-58.1	955	-
MW-51S	05/20/2019	0.6	20.9	0.2	0.0	-	-	-	-	-	-
MW-51S	05/22/2019	-	-	-	-	0.14	7.19	15.66	-181.3	787.1	-
MW-51S	06/18/2019	-	-	-	-	-	6.13	-	-	-	-
MW-51S	08/19/2019	1.1	20.0	0.0	0.0	-	-	-	-	-	-
MW-51S	08/21/2019	-	-	-	-	0.09	7.33	18.65	-202.4	818.9	-
MW-51S	11/18/2019	0.1	6.7	1.8	0.0	-	-	-	-	-	-
MW-51S	11/22/2019	-	-	-	-	0.38	7.22	16.58	-140.4	662	-
MW-51S	02/17/2020	7.9	10.1	4.5	3.5	-	-	-	-	-	-
MW-51S	02/18/2020	-	-	-	-	0.46	7.60	14.29	-24.8	979	-
MW-51S	05/11/2020	3.0	1.2	5.6	5.1	-	-	-	-	-	-
MW-51S	05/13/2020	-	-	-	-	0.31	6.75	14.69	-127.5	1,010	-
MW-51S	08/10/2020	0.0	6.8	3.9	1.2	-	-	-	-	-	-
MW-51S	08/12/2020	-	-	-	-	0.59	6.67	17.23	-125.0	1,317	-
MW/RW-51	10/13/2014	135.0	18.0	-	-	-	-	-	-	-	-
MW/RW-51	10/15/2014	100.8	14.0	-	-	0.33	6.60	18.57	-86.9	1,014	-
MW/RW-51	10/20/2014	31.5	11.6	4.9	3.2	-	-	-	-	-	-
MW/RW-51	02/24/2015	35.1	4.7	11.4	6.0	-	-	-	-	-	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-51	05/11/2015	100.3	1.2	12.6	5.1	-	-	-	-	-	-
MW/RW-51	08/04/2015	104.3	19.6	1.0	1.6	-	-	-	-	-	-
MW/RW-51	12/01/2015	18.5	17.8	2.4	1.2	-	-	-	-	-	-
MW/RW-51	03/14/2016	30.0	19.0	1.7	0.2	-	-	-	-	-	-
MW/RW-51	04/21/2016	59.9	20.9	0.3	0.2	5.13	6.43	16.38	46.7	740	-
MW/RW-51	05/23/2016	33.1	20.6	0.3	0.0	5.43	6.57	17.44	19.6	700	-
MW/RW-51	08/24/2016	47.0	-	-	-	2.22	6.69	18.70	-44.8	650	-
MW/RW-51	08/30/2016	74.9	21.1	0.0	0.0	-	-	-	-	-	-
MW/RW-51	11/28/2016	0.0	20.9	0.3	0.0	12.39	6.80	15.87	-47.0	715	-
MW/RW-51	02/21/2017	26.4	20.9	0.7	0.0	9.58	6.53	15.86	47.6	790	-
MW/RW-51	05/22/2017	33.5	17.0	0.1	0.0	7.03	6.25	18.23	11.4	546	-
MW/RW-51	08/28/2017	7.3	20.9	0.0	0.0	2.70	6.21	19.81	62.9	327.1	-
MW/RW-51	11/28/2017	109.8	20.5	0.6	0.0	9.27	6.54	16.83	22.1	520.0	-
MW/RW-51	02/20/2018	14.3	20.8	0.0	0.0	-	-	-	-	-	-
MW/RW-51	02/21/2018	-	-	-	-	7.82	6.72	17.50	-13.2	560	-
MW/RW-51	05/21/2018	0.5	18.6	0.5	0.0	0.01	7.83	16.71	-151.3	743	-
MW/RW-51	08/13/2018	21.2	20.2	0.6	0.0	2.38	6.10	20.82	84.9	790	-
MW/RW-51	10/18/2018	-	-	-	-	-	7.06	-	-	-	-
MW/RW-51	11/12/2018	104.2	20.9	0.1	0.0	2.9	5.47	15.66	-8.3	594	-
MW/RW-51	11/27/2018	-	-	-	-	-	6.26	-	-	-	-
MW/RW-51	01/10/2019	-	-	-	-	-	6.07	-	-	-	-
MW/RW-51	02/11/2019	2.0	20.4	1.3	0.0	-	-	-	-	-	-
MW/RW-51	02/14/2019	-	-	-	-	0.02	6.49	15.74	0.8	1,117	-
MW/RW-51	04/02/2019	-	-	-	-	-	6.59	-	-	-	-
MW/RW-51	05/20/2019	3.6	20.4	1.5	0.0	-	-	-	-	-	-
MW/RW-51	05/21/2019	-	-	-	-	0.13	6.19	16.11	-29.6	1,065	-
MW/RW-51	07/23/2019	-	-	-	-	-	6.28	-	-	-	-
MW/RW-51	08/19/2019	5.6	18.8	0.8	0.0	-	-	-	-	-	-
MW/RW-51	08/21/2019	-	-	-	-	0.13	6.17	18.60	12.0	1,220	-
MW/RW-51	11/18/2019	142.0	14.6	4.6	0.2	-	-	-	-	-	-
MW/RW-51	11/22/2019	-	-	-	-	0.40	6.55	16.61	-63.7	1,349	-
MW/RW-51	02/17/2020	52.2	9.4	8.4	0.2	-	-	-	-	-	-
MW/RW-51	02/18/2020	-	-	-	-	0.59	7.08	15.29	18.0	1,544	-
MW/RW-51	05/11/2020	100.2	16.0	3.6	0.1	-	-	-	-	-	-
MW/RW-51	05/13/2020	-	-	-	-	0.42	6.61	15.64	-110.4	1,567	-
MW/RW-51	08/10/2020	79.5	18.7	1.3	0.0	-	-	-	-	-	-
MW-52	10/10/2014	5.4	16.3	-	-	1.15	5.87	17.51	45.9	465	-
MW-70	10/10/2014	0.3	16.2	-	-	2.12	5.76	17.30	98.7	843	-
MW-70	02/24/2015	0.0	17.8	1.3	0.2	1.02	5.53	16.71	-36.2	900	-
MW-70	05/11/2015	-	-	-	-	0.40	5.49	16.51	120.7	790	-
MW-70	08/04/2015	-	-	-	-	0.46	5.72	16.24	77.5	820	-
MW-70	08/30/2017	-	-	-	-	-	5.25	19.2	-	-	-
MW/RW-72S	10/10/2014	21.7	5.8	-	-	0.55	6.42	18.41	-98.2	1,331	-
MW/RW-72S	10/15/2014	14.5	14.0	-	-	0.04	6.40	18.56	-85.4	1,340	-
MW/RW-72S	10/15/2014	-	-	-	-	1.70	6.47	18.70	-53.0	1,246	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-72S	10/16/2014	95.0	7.8	-	-	-	-	-	-	-	-
MW/RW-72S	10/20/2014	38.8	9.3	7.4	4.2	-	-	-	-	-	-
MW/RW-72S	10/22/2014	-	-	-	-	1.92	6.39	17.99	-21.2	904	-
MW/RW-72S	02/24/2015	30.6	5.4	11.5	1.6	0.09	6.54	16.13	-101.9	1,325	-
MW/RW-72S	05/11/2015	65.0	6.5	9.4	3.3	0.02	6.49	14.58	-110.6	1,340	-
MW/RW-72S	08/04/2015	8.0	8.2	6.9	0.4	0.11	6.71	16.20	-56.9	1,710	-
MW/RW-72S	03/14/2016	21.4	15.6	4.1	0.1	2.16	6.59	15.02	-101.1	1,960	-
MW/RW-72S	05/23/2016	0.0	20.9	0.2	0.0	NO MEASUREMENTS - BAILER CAUGHT IN WELL (RELEASED NEXT SAMPLE DAY)					
MW/RW-72S	08/24/2016	28.2	-	-	-	-	-	-	-	-	-
MW/RW-72S	08/30/2016	13.8	20.8	0.1	0.0	3.09	4.48	25.13	250.70	1,600	-
MW/RW-72S	11/28/2016	0.2	20.9	0.0	0.0	DRY					
MW/RW-72S	02/21/2017	22.6	20.9	0.0	0.0	DRY					
MW/RW-72S	05/22/2017	4.4	20.2	0.7	0.0	2.96	4.79	15.87	291.50	2,088.9	-
MW/RW-72S	07/19/2017	-	-	-	-	-	4.26	-	-	-	-
MW/RW-72S	08/28/2017	0.1	15.5	1.1	0.0	0.2	4.34	17.4	93.8	3,636	-
MW/RW-72S	08/30/2017	-	-	-	-	-	4.40	18.1	-	-	-
MW/RW-72S	11/28/2017	1.6	21.1	0.1	0.0	0.8	4.39	17.7	140.2	2,710	-
MW/RW-72S	02/20/2018	1.4	12.6	4.0	0.0	-	-	-	-	-	-
MW/RW-72S	02/21/2018	-	-	-	-	0.4	4.35	16.6	136.3	3,100	-
MW/RW-72S	05/21/2018	10.0	6.3	4.8	0.2	-0.03	4.41	14.8	230.6	3,001	-
MW/RW-72S	08/13/2018	0.9	9.9	4.4	0.8	0.08	4.53	16.6	156.0	3,580	-
MW/RW-72S	11/12/2018	1.9	20.9	0.3	0.0	1.76	4.78	18.1	95.6	2,248	-
MW/RW-72S	02/11/2019	0.4	17.6	2.3	0.0	-	-	-	-	-	-
MW/RW-72S	02/14/2019	-	-	-	-	0.16	5.11	15.47	293.0	1,958	-
MW/RW-72S	05/20/2019	1.5	19.8	1.2	0.1	-	-	-	-	-	-
MW/RW-72S	05/22/2019	-	-	-	-	0.31	4.09	14.91	298.9	1,759	-
MW/RW-72S	08/19/2019	3.0	19.0	1.3	0.0	-	-	-	-	-	-
MW/RW-72S	08/22/2019	-	-	-	-	0.50	4.32	20.19	284.4	1,199	-
MW/RW-72S	11/18/2019	2.0	2.9	6.0	0.0	-	-	-	-	-	-
MW/RW-72S	11/19/2019	-	-	-	-	0.11	4.88	16.62	138.3	1,294	-
MW/RW-72S	02/17/2020	12.0	1.8	7.8	0.9	-	-	-	-	-	-
MW/RW-72S	02/18/2020	-	-	-	-	0.26	4.67	16.23	231.9	2,313	-
MW/RW-72S	05/11/2020	5.0	7.0	5.6	0.7	-	-	-	-	-	-
MW/RW-72S	05/13/2020	-	-	-	-	0.19	4.00	16.59	231.1	2,536	-
MW/RW-72S	08/10/2020	1.3	5.5	6.1	0.0	-	-	-	-	-	-
MW/RW-72S	08/12/2020	-	-	-	-	3.78	4.59	20.12	169.0	1,579	-
MW/RW-72	10/10/2014	12.2	6.6	-	-	0.48	5.47	17.86	32.6	743	-
MW/RW-72	10/15/2014	14.8	16.8	-	-	0.14	5.41	18.04	110.3	733	-
MW/RW-72	10/15/2014	-	-	-	-	2.99	5.75	18.09	108.9	739	-
MW/RW-72	10/16/2014	6.9	5.2	-	-	-	-	-	-	-	-
MW/RW-72	10/20/2014	10.5	2.0	16.8	13.0	-	-	-	-	-	-
MW/RW-72	10/22/2014	-	-	-	-	1.77	5.86	17.73	146.2	533	29,800
MW/RW-72	02/24/2015	13.3	14.2	6.9	0.1	0.58	5.48	17.43	82.8	877	-
MW/RW-72	05/11/2015	64.5	20.6	0.2	0.0	0.03	5.82	15.99	-21.9	1,080	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-72	08/04/2015	6.9	12.7	5.0	3.2	0.02	6.68	16.31	-57.3	1,880	-
MW/RW-72	03/14/2016	42.8	19.8	1.0	0.1	0.04	6.62	16.93	-121.3	1,970	-
MW/RW-72	04/21/2016	79.2	20.7	0.6	0.2	10.41	5.98	16.45	143.7	660	-
MW/RW-72	05/23/2016	0.0	20.9	0.0	0.0	7.92	6.42	16.99	112.8	710	-
MW/RW-72	08/24/2016	0.9	20.9	0.1	0.0	4.85	6.63	16.86	72.9	830	-
MW/RW-72	11/28/2016	0.0	20.9	0.0	0.0	8.07	5.36	17.27	103.7	848	-
MW/RW-72	02/21/2017	57.9	20.9	0.0	0.0	9.05	5.61	16.21	55.6	850	-
MW/RW-72	05/22/2017	2.0	19.3	1.0	0.0	0.19	4.37	15.56	176.8	3,591	-
MW/RW-72	08/28/2017	0.2	20.9	0.0	0.0	3.84	4.41	17.36	94.5	2,113.3	-
MW/RW-72	08/30/2017	-	-	-	-	-	4.32	19.6	-	-	-
MW/RW-72	11/30/2017	51.4	20.4	0.3	0.0	3.48	4.40	17.8	162.2	1,899	-
MW/RW-72	02/20/2018	35.5	20.8	0.2	0.0	3.80	4.60	17.5	184.2	1,550	-
MW/RW-72	05/21/2018	16.0	14.1	3.2	0.0	0.06	3.40	16.4	463.7	2,527	-
MW/RW-72	08/13/2018	0.4	2.7	7.6	3.1	0.47	2.45	16.4	264.9	2,850	-
MW/RW-72	11/12/2018	5.3	16.1	2.0	1.6	1.64	4.45	17.1	181.9	1,897	-
MW/RW-72	11/13/2018	-	16.2	2.3	1.7	-	-	-	-	-	-
MW/RW-72	02/11/2019	1.6	5.8	8.0	0.3	-	-	-	-	-	-
MW/RW-72	02/14/2019	-	-	-	-	0.36	3.96	16.15	487.4	2,366	-
MW/RW-72	05/20/2019	4.5	8.8	4.8	0.0	-	-	-	-	-	-
MW/RW-72	05/21/2019	-	-	-	-	0.11	3.07	15.78	384.0	1,900	-
MW/RW-72	08/19/2019	10.6	13.9	3.2	0.4	-	-	-	-	-	-
MW/RW-72	08/22/2019	-	-	-	-	0.15	3.33	18.14	379.6	1,907	-
MW/RW-72	11/18/2019	2.3	9.0	10.6	0.0	-	-	-	-	-	-
MW/RW-72	11/19/2019	-	-	-	-	0.95	3.65	16.76	326.7	1,647	-
MW/RW-72	02/17/2020	4.3	13.2	8.7	0.0	-	-	-	-	-	-
MW/RW-72	02/18/2020	-	-	-	-	0.47	4.00	15.68	361.9	2,163	-
MW/RW-72	05/11/2020	7.6	16.3	3.6	0.0	-	-	-	-	-	-
MW/RW-72	05/13/2020	-	-	-	-	0.43	3.03	17.85	428.0	2,262	-
MW/RW-72	08/10/2020	1.4	20.8	0.0	0.0	-	-	-	-	-	-
MW-100S	10/10/2014	6.5	6.8	-	-	0.40	5.62	18.36	11.8	915	-
MW-100S	02/24/2015	0.0	17.2	3.5	0.2	4.78	5.79	16.07	25.5	160	-
MW-100S	11/28/2016	0.7	8.5	3.9	0.1	0.44	6.24	18.03	-14.6	1,116	-
MW-100S	08/30/2017	-	-	-	-	-	6.02	18.70	-	-	-
MW-100S	11/28/2017	0.8	21.4	0.0	0.0	0.78	5.81	16.79	81.8	1,100	-
MW-100S	02/20/2018	-	-	-	-	-	5.60	-	-	-	-
MW-100S	05/21/2018	-	-	-	-	-	5.67	-	-	-	-
MW-100S	11/12/2018	-	-	-	-	1.73	4.85	18.25	52.9	782	-
MW-100S	11/18/2019	1.2	6.0	8.4	0.3	-	-	-	-	-	-
MW-100S	11/20/2019	-	-	-	-	0.68	5.55	16.58	74.1	963	-
MW-100	10/10/2014	0.3	20.4	-	-	2.23	5.38	17.60	148.8	531	-
MW-100	02/24/2015	0.0	20.4	0.6	0.2	1.02	5.53	16.80	27.5	309	-
MW-100	11/28/2016	0.2	19.0	2.5	0.0	2.26	5.74	16.96	49.6	262	-
MW-100	08/30/2017	-	-	-	-	-	5.72	18.6	-	-	-
MW-100	11/28/2017	1.3	16.3	2.2	0.0	2.47	5.94	16.65	98.8	290	-
MW-100	11/12/2018	-	-	-	-	2.10	4.70	16.82	64.0	291	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-100	11/18/2019	0.9	20.9	0.4	0.0	-	-	-	-	-	-
MW-100	11/20/2019	-	-	-	-	2.80	5.74	16.56	179.9	255	-
MW-102	10/10/2014	0.6	17.7	-	-	2.44	6.10	17.15	68.2	295	-
MW-102	08/30/2017	-	-	-	-	-	6.21	19.1	-	-	-
MW-103	10/10/2014	8.5	19.4	-	-	1.72	6.41	19.90	71.6	610	-
MW-103	10/23/2014	-	-	-	-	7.32	6.15	19.14	149.3	598	-
MW-103	02/24/2015	0.0	19.5	2.4	0.3	-	-	-	-	-	-
MW-103	02/25/2015	-	-	-	-	5.27	6.17	5.08	85.9	720	-
MW-103	05/11/2015	-	-	-	-	0.13	5.95	12.40	82.3	680	-
MW-103	08/30/2017	-	-	-	-	-	6.05	22.6	-	-	-
MW-104	10/10/2014	5.8	18.9	-	-	1.98	6.90	19.47	6.1	452	-
MW-104	10/21/2014	-	-	-	-	2.17	6.93	18.83	102.6	526	3,250
MW-104	02/24/2015	0.0	15.1	1.1	0.3	-	-	-	-	-	-
MW-104	02/25/2015	-	-	-	-	3.75	7.07	9.30	50.4	496	-
MW-104	05/11/2015	-	-	-	-	1.24	6.89	12.25	54.8	740	-
MW-104	08/30/2017	-	-	-	-	-	6.92	22.8	-	-	-
MW-105	10/10/2014	11.5	19.0	-	-	3.96	6.90	19.03	56.8	427	-
MW-105	10/21/2014	-	-	-	-	4.47	6.89	19.20	155.1	393	2,520
MW-105	05/11/2015	-	-	-	-	0.42	5.38	11.11	98.1	27,900	-
MW-105	08/30/2017	-	-	-	-	-	6.94	22.8	-	-	-
MW-106	10/10/2014	9.2	17.1	-	-	1.20	4.66	18.99	122.5	2,231	-
MW-106	10/14/2014	4.3	18.3	-	-	-	-	-	-	-	-
MW-106	10/20/2014	0.2	15.5	3.8	0.0	-	-	-	-	-	-
MW-106	10/23/2014	-	-	-	-	1.29	5.20	18.35	97.7	1,529	-
MW-106	02/24/2015	0.0	7.1	5.4	0.1	1.03	4.63	9.81	62.0	2,156	-
MW-106	05/11/2015	0.7	0.2	7.6	0.2	0.03	5.00	11.73	100.8	2,010	-
MW-106	08/04/2015	1.0	12.6	4.5	0.0	0.09	5.66	17.62	31.8	2,080	-
MW-106	03/14/2016	0.5	19.2	0.7	0.0	0.06	4.76	10.70	113.8	1,740	-
MW-106	04/21/2016	24.7	0.1	8.8	2.9	0.06	6.05	12.10	34.8	1,830	-
MW-106	05/23/2016	120.4	19.2	0.7	0.3	1.29	3.88	13.24	319.2	1,430	-
MW-106	08/24/2016	430.0	20.2	0.2	0.0	5.38	3.93	19.45	192.5	1,680	-
MW-106	11/28/2016	38.3	20.9	0.1	0.0	9.19	4.42	16.70	150.5	2,259	-
MW-106	02/21/2017	35.8	20.9	0.0	0.0	4.40	4.08	12.30	68.0	1,480	-
MW-106	05/22/2017	8.3	20.7	0.6	0.0	3.23	3.27	14.92	383.1	2,334	-
MW-106	08/28/2017	9.5	20.1	0.1	0.0	DRY					
MW-106	11/28/2017	17.1	20.6	0.1	0.0	DRY					
MW-106	02/20/2018	0.9	20.8	0.1	0.0	-	-	-	-	-	-
MW-106	02/21/2018	-	-	-	-	6.94	3.63	12.08	239.20	2,550	-
MW-106	05/21/2018	3.9	11.5	0.8	0.0	5.72	3.52	13.66	414.20	1,507	-
MW-106	08/13/2018	27.1	11.4	3.2	0.0	0.70	3.21	19.80	323.20	2,340	-
MW-106	11/12/2018	0.8	13.4	4.0	0.0	1.95	3.97	17.29	165.80	1,375	-
MW-106	02/11/2019	0.2	14.5	3.4	0.0	-	-	-	-	-	-
MW-106	02/14/2019	-	-	-	-	0.33	3.73	9.61	325	1,700	0.0
MW-106	05/20/2019	5.3	18.2	1.5	0.0	-	-	-	-	-	-
MW-106	05/22/2019	-	-	-	-	0.23	3.51	13.11	345.2	1,943	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-106	08/19/2019	11.8	18.0	2.6	0.0	-	-	-	-	-	-
MW-106	08/22/2019	-	-	-	-	0.16	3.67	20.71	273.9	2,240	-
MW-106	11/18/2019	0.0	17.2	2.1	0.0	-	-	-	-	-	-
MW-106	11/20/2019	-	-	-	-	0.45	3.34	17.77	307.5	2,265	-
MW-106	02/17/2020	3.3	19.6	1.1	0.0	-	-	-	-	-	-
MW-106	02/18/2020	-	-	-	-	2.02	3.30	11.02	421.5	2,082	-
MW-106	05/11/2020	0.7	13.1	3.7	0.0	-	-	-	-	-	-
MW-106	05/14/2020	-	-	-	-	0.15	3.20	13.30	375.8	1,568	-
MW-106	08/10/2020	0.4	20.3	0.4	0.0	-	-	-	-	-	-
MW-107	10/10/2014	10.5	11.8	-	-	0.62	3.51	18.90	348.4	2,063	-
MW-107	10/15/2014	7.3	13.7	-	-	1.51	3.63	19.54	393.0	1,047	-
MW-107	10/15/2014	-	-	-	-	2.52	3.76	19.36	428.9	1,117	-
MW-107	10/20/2014	0.3	7.3	9.4	0.0	-	-	-	-	-	-
MW-107	10/23/2014	-	-	-	-	3.40	2.90	19.05	480.1	1,462	-
MW-107	02/24/2015	0.0	19.3	1.5	0.1	7.33	3.01	11.73	338.5	15,400	-
MW-107	05/11/2015	0.8	9.1	6.7	0.0	0.40	3.36	12.51	425.7	2,010	-
MW-107	08/04/2015	0.5	7.9	8.2	0.0	0.31	3.69	18.19	347.8	2,360	-
MW-108	10/10/2014	9.5	11.6	-	-	-	-	-	-	-	-
MW-109S	10/10/2014	50.0	11.3	-	-	1.43	6.35	18.20	-83.5	827	-
MW-109S	10/20/2014	13.8	3.9	13.2	0.0	-	-	-	-	-	-
MW-109S	10/21/2014	-	-	-	-	0.35	6.03	18.29	59.2	769	-
MW-109S	02/24/2015	12.9	1.3	14.9	0.3	-	-	-	-	-	-
MW-109S	02/25/2015	-	-	-	-	1.35	6.19	13.93	36.7	607	-
MW-109S	05/11/2015	4.0	13.8	4.8	0.0	0.33	5.96	12.89	124.7	460	-
MW-109S	11/28/2017	-	-	-	-	-	5.25	15.16	-	-	-
MW-109S	11/19/2019	-	-	-	-	0.59	4.77	15.51	201.8	742	-
MW-109	10/10/2014	11.8	19.1	-	-	1.65	6.03	17.98	35.0	247	-
MW-109	10/20/2014	0.2	20.8	0.6	0.0	-	-	-	-	-	-
MW-109	10/21/2014	-	-	-	-	0.86	5.81	18.04	133.5	261	-
MW-109	02/24/2015	6.2	18.5	3.2	0.3	-	-	-	-	-	-
MW-109	02/25/2015	-	-	-	-	0.71	5.74	15.75	137.9	248	-
MW-109	11/19/2019	-	-	-	-	5.16	4.66	15.66	193.7	250	-
MW-110S	10/10/2014	9.9	14.4	-	-	0.50	6.32	18.38	-87.8	651	-
MW-110S	02/24/2015	12.7	4.3	12.8	0.3	-	-	-	-	-	-
MW-110S	02/25/2015	-	-	-	-	1.65	6.39	13.79	-19.5	849	-
MW-110S	11/28/2017	-	-	-	-	-	6.37	14.66	-	-	-
MW-110S	11/20/2019	-	-	-	-	0.95	5.61	15.43	149.2	411	-
MW-110	10/10/2014	13.1	16.4	-	-	1.30	5.39	17.98	117.8	215	-
MW-110	02/24/2015	5.8	19.4	1.0	0.4	-	-	-	-	-	-
MW-110	02/25/2015	-	-	-	-	1.70	5.48	15.49	168.1	245	-
MW-110	11/20/2019	-	-	-	-	5.07	5.15	15.63	155.3	250	-
MW-111	10/10/2014	7.3	16.9	-	-	1.70	5.82	17.98	75.9	247	-
MW-111	02/24/2015	0.0	18.7	1.7	0.2	-	-	-	-	-	-
MW-111	02/25/2015	-	-	-	-	1.21	6.05	15.24	122.6	368	-
MW-111	11/19/2019	-	-	-	-	5.39	6.30	15.76	159.4	276	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-112S	10/10/2014	25.0	14.7	-	-	1.95	5.46	18.26	148.5	369	-
MW-112S	10/20/2014	0.0	12.0	7.9	0.0	-	-	-	-	-	-
MW-112S	10/21/2014	-	-	-	-	2.50	5.38	18.27	172.9	333	-
MW-112S	02/24/2015	16.8	6.6	9.7	0.3	-	-	-	-	-	-
MW-112S	02/25/2015	-	-	-	-	3.92	5.41	13.06	207.5	347	-
MW-112S	05/11/2015	2.1	16.3	3.3	0.0	3.37	5.21	13.22	197.2	360	-
MW-112S	11/28/2017	-	-	-	-	-	4.88	14.11	-	-	-
MW-112S	11/19/2019	-	-	-	-	0.78	4.81	14.92	193.4	442	-
MW-112	10/10/2014	14.8	16.3	-	-	2.14	5.56	17.93	157.3	162	-
MW-112	02/24/2015	12.3	19.2	1.3	0.3	-	-	-	-	-	-
MW-112	02/25/2015	-	-	-	-	4.34	5.54	15.13	203.8	171	-
MW-112	11/19/2019	-	-	-	-	5.40	4.91	15.55	180.4	204	-
MW-113	10/10/2014	6.3	19.2	-	-	6.17	6.35	17.97	83.2	352	-
MW-113	02/24/2015	0.0	19.9	1.6	0.2	-	-	-	-	-	-
MW-113	02/25/2015	-	-	-	-	5.96	6.73	14.72	73.5	428	-
MW-113	11/19/2019	-	-	-	-	7.54	6.58	15.70	149.4	225	-
MW-114	10/10/2014	9.0	6.3	-	-	1.50	5.83	17.65	78.0	310	-
MW-114	10/20/2014	0.1	16.0	2.1	0.1	-	-	-	-	-	-
MW-114	10/21/2014	-	-	-	-	1.23	6.04	17.81	154.1	262	-
MW-114	02/24/2015	0.0	20.6	0.3	0.3	-	-	-	-	-	-
MW-114	02/25/2015	-	-	-	-	8.72	6.10	12.05	113.7	326	-
MW-114	05/11/2015	0.0	19.4	1.0	0.0	3.99	5.99	15.33	199.7	300	-
MW-114	11/19/2019	-	-	-	-	4.84	6.25	16.05	139.0	256	-
MW-121	08/04/2015	-	-	-	-	0.02	7.00	17.04	-13.1	890	-
MW-121	12/01/2015	14.8	14.8	3.6	15.2	0.04	6.72	17.44	-91.7	880	-
MW-121	03/14/2016	7.0	13.0	4.5	17.6	0.02	6.84	17.13	-159.0	850	-
MW-121	05/23/2016	251.2	17.6	4.4	0.7	1.54	6.77	17.35	-50.8	1,230	-
MW-121	08/24/2016	1,070.0	2.6	14.6	0.6	0.49	6.80	17.89	-126.4	1,300	-
MW-121	11/28/2016	378.4	5.0	10.0	0.1	0.26	6.72	18.08	-106.2	1,298	-
MW-121	02/21/2017	238.3	15.5	3.5	0.0	0.32	6.72	18.03	-46.1	930	-
MW-121	05/22/2017	4.3	13.4	1.3	0.0	0.15	6.53	17.86	-105.7	1,291	-
MW-121	08/28/2017	0.7	17.8	1.5	0.0	0.03	7.02	18.33	-47.6	796.2	-
MW-121	08/29/2017	-	-	-	-	-	6.80	18.7	-	-	-
MW-121	11/28/2017	287.1	17.1	1.9	0.0	0.90	6.76	17.4	-351.9	530	-
MW-121	02/20/2018	161.6	18.0	2.4	0.0	0.12	6.59	18.2	-65.9	590	-
MW-121	05/21/2018	178.8	9.0	3.2	0.0	-0.02	6.67	16.7	-73.5	871	-
MW-121	08/13/2018	2.8	19.5	0.4	0.0	0.30	6.51	16.9	-62.1	1,050	-
MW-121	11/12/2018	18.1	20.9	0.1	0.0	8.20	7.75	16.9	7.3	11	-
MW-121	02/11/2019	3.4	20.9	0.3	0.0	-	-	-	-	-	-
MW-121	02/13/2019	-	-	-	-	0.09	6.40	16.05	-46.1	1,204	-
MW-121	05/20/2019	14.2	20.9	0.5	0.0	0.17	6.46	16.68	-101.5	1,150	-
MW-121	08/19/2019	31.0	20.5	0.1	0.0	0.16	6.59	17.77	-89.0	1,308.5	-
MW-121	11/18/2019	7.4	20.4	0.7	0.0	-	-	-	-	-	-
MW-121	11/20/2019	-	-	-	-	0.53	6.21	16.41	35.6	1,431	-
MW-121	02/17/2020	3.5	20.0	0.9	0.0	0.75	6.86	15.38	56.5	1,215	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-121	05/11/2020	0.2	9.8	2.3	0.2	0.16	6.36	15.09	-66.6	1,523	-
MW-121	08/10/2020	0.5	20.8	0.0	0.0	-	-	-	-	-	-
MW-122	08/04/2015	-	-	-	-	0.06	7.04	16.73	-6.3	1,020	-
MW-122	12/01/2015	2.2	11.2	4.8	4.8	0.27	6.81	17.06	-86.8	1,130	-
MW-122	03/14/2016	5.7	16.2	2.7	1.1	0.11	7.04	16.50	-127.1	1,000	-
MW-122	05/23/2016	8.4	20.9	0.1	0.0	0.97	6.81	16.84	-77.1	1,090	-
MW-122	08/24/2016	0.4	20.9	0.0	0.0	0.53	6.89	16.99	-127.7	1,040	-
MW-122	11/28/2016	4.5	20.9	4.6	0.0	0.12	6.80	17.29	-105.9	1,090	-
MW-122	02/21/2017	3.5	20.6	1.7	0.0	0.84	7.00	17.62	-23.4	1,000	-
MW-122	05/22/2017	4.7	10.5	1.8	0.0	0.17	6.72	17.52	-61.3	988	-
MW-122	08/28/2017	0.8	20.7	0.2	0.0	0.04	6.93	18.09	-28.3	1,129	-
MW-122	08/30/2017	-	-	-	-	-	6.75	18.6	-	-	-
MW-122	11/28/2017	421.3	16.9	1.7	0.0	5.98	6.42	17.4	116.2	1,220	-
MW-122	02/20/2018	383.5	16.6	1.7	0.0	0.08	6.37	18.1	-5.9	2,530	-
MW-122	05/21/2018	334..6	17.0	1.0	0.0	0.07	6.59	16.9	-73.5	1,327	-
MW-122	08/13/2018	3.5	20.3	0.4	0.0	0.12	6.79	16.8	-66.0	1,230	-
MW-122	11/12/2018	28.1	20.9	0.1	0.0	1.77	7.50	16.6	-10.6	1,236	-
MW-122	02/11/2019	2.7	20.9	0.9	0.0	-	-	-	-	-	-
MW-122	02/12/2019	-	-	-	-	0.78	6.64	15.4	-7.0	1,280	-
MW-122	05/20/2019	14.7	20.9	0.9	0.0	-	-	-	-	-	-
MW-122	05/21/2019	-	-	-	-	0.17	6.46	16.07	-59.8	1,170	-
MW-122	08/19/2019	48.8	19.9	0.2	0.0	0.51	7.37	16.92	-62.0	1,122	-
MW-122	11/18/2019	4.5	20.3	0.5	0.0	-	-	-	-	-	-
MW-122	11/20/2019	-	-	-	-	0.55	6.30	16.61	40.6	1,253	-
MW-122	02/17/2020	3.7	20.7	0.9	0.0	-	-	-	-	-	-
MW-122	02/18/2020	-	-	-	-	0.94	6.65	14.64	103.8	1,210	-
MW-122	05/11/2020	0.2	20.0	0.6	0.0	-	-	-	-	-	-
MW-122	05/12/2020	-	-	-	-	0.36	6.39	15.10	-42.7	1,059	-
MW-122	08/10/2020	0.3	20.8	0.0	0.0	-	-	-	-	-	-
MW/RW-123S	08/04/2015	-	-	-	-	2.66	12.52	16.99	-53.2	15,080	-
MW/RW-123S	12/01/2015	0.2	17.8	2.0	10.5	0.13	6.63	17.68	-46.3	810	-
MW/RW-123S	03/14/2016	73.7	16.8	2.9	3.1	0.86	6.50	15.31	-69.7	770	-
MW/RW-123S	04/21/2016	247.0	16.9	2.5	0.3	7.78	7.21	15.96	21.5	480	-
MW/RW-123S	05/23/2016	0.5	19.9	0.5	0.2	6.87	7.28	16.23	65.1	520	-
MW/RW-123S	08/24/2016	56.2	-	-	-	-	-	-	-	-	-
MW/RW-123S	08/30/2016	167.5	21.6	0.0	0.1	5.25	7.39	20.83	0.6	590	-
MW/RW-123S	11/28/2016	-	-	-	-	1.67	8.21	13.95	-7.7	584	-
MW/RW-123S	12/08/2016	54.4	20.9	0.3	0.0	-	-	-	-	-	-
MW/RW-123S	02/21/2017	19.4	20.9	0.0	0.0	0.64	7.34	12.50	40.2	550	-
MW/RW-123S	05/22/2017	0.1	20.9	0.0	0.0	4.08	6.97	16.72	-147.2	862	-
MW/RW-123S	07/10/2017	-	-	-	-	-	7.04	-	-	-	
MW/RW-123S	08/28/2017	0.3	15.8	0.7	0.0	2.3	6.78	19.01	24.2	1,063	-
MW/RW-123S	11/28/2017	2.3	21.5	0.0	0.0	3.2	6.74	17.78	-123.3	1,070	-
MW/RW-123S	02/01/2018	0.1	20.9	0.0	0.0	-	-	-	-	-	-
MW/RW-123S	02/21/2018	-	-	-	-	3.9	6.20	17.45	-92.8	1,020	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-123S	05/21/2018	0.0	12.1	3.2	0.8	0.03	8.16	16.28	-126.2	1,150	-
MW/RW-123S	08/13/2018	0.4	13.5	4.2	4.0	0.34	6.82	17.54	-90.9	2,100	-
MW/RW-123S	10/02/2018	-	-	-	-	-	6.35	-	-	-	-
MW/RW-123S	10/18/2018	-	-	-	-	-	6.80	-	-	-	-
MW/RW-123S	11/12/2018	14.3	20.9	0.0	0.0	1.71	5.01	16.87	13.6	565	-
MW/RW-123S	11/27/2018	-	-	-	-	-	6.48	-	-	-	-
MW/RW-123S	01/10/2019	-	-	-	-	-	6.60	-	-	-	-
MW/RW-123S	02/11/2019	2.8	20.0	1.9	0.0	-	-	-	-	-	-
MW/RW-123S	02/12/2019	-	-	-	-	0.13	6.86	15.46	-76.1	820	-
MW/RW-123S	04/02/2019	-	-	-	-	-	6.44	-	-	-	-
MW/RW-123S	05/20/2019	4.6	20.2	1.5	0.0	-	-	-	-	-	-
MW/RW-123S	05/21/2019	-	-	-	-	0.23	6.77	15.77	-122.3	736	-
MW/RW-123S	06/18/2019	-	-	-	-	-	6.26	-	-	-	-
MW/RW-123S	07/23/2019	-	-	-	-	-	6.40	-	-	-	-
MW/RW-123S	08/19/2019	3.8	18.9	0.6	0.0	-	-	-	-	-	-
MW/RW-123S	08/20/2019	-	-	-	-	0.44	7.46	17.60	-78.6	620	-
MW/RW-123S	11/18/2019	1.6	1.7	8.5	15.5	-	-	-	-	-	-
MW/RW-123S	11/21/2019	-	-	-	-	0.31	7.31	17.26	-100.6	1,139	-
MW/RW-123S	02/17/2020	2.7	1.8	8.8	28.8	-	-	-	-	-	-
MW/RW-123S	02/19/2020	-	-	-	-	0.25	6.93	13.68	-137.2	1,181	-
MW/RW-123S	05/11/2020	1.6	1.8	8.3	23.7	-	-	-	-	-	-
MW/RW-123S	05/12/2020	-	-	-	-	0.14	6.46	14.97	-114.7	1,123	-
MW/RW-123S	08/10/2020	0.0	18.6	0.8	0.4	0.11	6.55	18.32	-152.5	1,405	-
RW-1	10/13/2014	130.0	19.0	-	-	1.34	6.92	18.45	136.4	495	-
RW-1	10/13/2014	79.0	18.9	-	-	3.41	6.41	18.31	158.0	473	-
RW-1	10/14/2014	55.0	18.9	-	-	0.53	6.49	18.46	129.6	475	-
RW-1	10/15/2014	80.7	19.3	-	-	1.99	6.29	18.43	60.4	292	-
RW-1	10/15/2014	-	-	-	-	1.06	6.31	18.49	96.9	314	-
RW-1	10/20/2014	29.2	16.4	3.2	2.4	-	-	-	-	-	-
RW-1	10/22/2014	-	-	-	-	2.14	6.50	18.07	85.5	311	-
RW-1	02/24/2015	178.0	3.2	4.2	0.2	-	-	-	-	-	-
RW-1	02/25/2015	-	-	-	-	0.03	6.76	17.88	-86.4	900	-
RW-1	12/01/2015	6.9	3.1	8.5	9.5	0.07	6.68	17.28	-57.6	760	-
RW-1	03/14/2016	0.1	15.3	3.8	0.0	0.16	6.50	17.06	-89.0	730	-
RW-1	04/21/2016	197.4	20.7	0.3	0.2	4.04	6.08	16.83	134.6	240	-
RW-1	05/23/2016	0.0	20.9	0.0	0.0	2.36	6.35	17.17	56.0	230	-
RW-1	08/24/2016	2.4	20.9	0.1	0.0	2.60	6.38	17.35	28.8	220	
RW-1	11/28/2016	-	-	-	-	0.13	6.37	17.76	19.6	209	-
RW-1	12/08/2016	1.8	20.9	0.1	0.0	-	-	-	-	-	-
RW-1	02/21/2017	96.5	20.9	0.1	0.0	4.16	7.17	17.68	44.4	240	-
RW-1	05/22/2017	1.0	20.3	0.1	0.0	0.74	6.08	17.64	-17.3	211.8	-
RW-1	08/28/2017	0.5	20.4	0.1	0.0	-0.06	7.26	17.93	-25.7	265.4	-
RW-1	08/29/2017	-	-	-	-	-	6.31	18.2	-	-	-
RW-1	11/28/2017	164.4	19.4	0.9	0.0	0.66	6.62	17.1	-47.2	260	-
RW-1	02/20/2018	0.0	20.9	0.0	0.0	0.13	6.30	17.6	-17.7	270	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-1	05/21/2018	44.9	12.3	0.4	0.0	0.05	7.19	16.6	-76.5	517	-
RW-1	08/13/2018	0.7	9.4	3.3	0.0	0.07	6.66	17.4	-25.1	750	-
RW-1	11/12/2018	2.5	20.9	0.2	0.0	1.31	5.44	16.82	-28.5	835	-
RW-1	02/11/2019	0.9	16.6	3.0	0.0	-	-	-	-	-	-
RW-1	02/12/2019	-	-	-	-	0.32	6.85	14.1	-135	716	6.3
RW-1	05/20/2019	0.7	20.6	0.4	0.0	-	-	-	-	-	-
RW-1	05/22/2019	-	-	-	-	0.12	6.82	16.2	-90.4	577.2	-
RW-1	08/19/2019	1.7	20.6	0.0	0.0	0.15	6.96	18.08	-88.1	692.7	-
RW-1	11/18/2019	4.3	16.5	3.1	0.0	-	-	-	-	-	-
RW-1	11/21/2019	-	-	-	-	0.37	6.57	16.22	18.0	663	-
RW-1	02/17/2020	3.3	17.4	3.0	0.0	-	-	-	-	-	-
RW-1	02/19/2020	-	-	-	-	0.99	6.77	15.45	130.2	680	-
RW-1	05/11/2020	0.8	17.8	2.0	0.0	-	-	-	-	-	-
RW-1	05/12/2020	-	-	-	-	0.33	6.54	15.57	-30.1	681	-
RW-1	08/10/2020	0.5	20.6	0.0	0.0	-	-	-	-	-	-
RW-1	08/11/2020	-	-	-	-	1.45	5.98	19.51	103.8	205	-
RW-05S	08/04/2015	-	-	-	-	0.00	8.88	15.65	-469.6	1,960	-
RW-05S	12/01/2015	193.7	19.2	1.3	3.5	0.04	6.59	17.01	-89.7	1,560	-
RW-05S	03/14/2016	44.2	20.3	0.6	0.3	1.78	6.63	14.38	-98.0	1,260	-
RW-05S	04/21/2016	264.4	19.6	1.2	0.3	6.62	7.09	14.94	-27.4	500	-
RW-05S	05/23/2016	46.1	20.9	0.2	0.0	3.75	6.11	14.74	39.9	710	-
RW-05S	08/24/2016	48.8	-	-	-	-	-	-	-	-	-
RW-05S	08/30/2016	11.2	21.3	0.1	0.1	3.47	6.16	21.27	60.9	940	-
RW-05S	11/28/2016	0.3	20.9	0.0	0.0	DRY					
RW-05S	02/21/2017	21.4	20.9	0.0	0.0	0.10	6.18	13.58	34.80	1,840	-
RW-05S	05/22/2017	0.0	20.9	0.1	0.0	1.70	2.71	15.46	422.80	4,568	-
RW-05S	07/10/2017	-	-	-	-	-	3.03	-	-	-	-
RW-05S	07/19/2017	-	-	-	-	-	3.28	-	-	-	-
RW-05S	08/28/2017	1.7	20.9	0.1	0.0	2.7	3.70	18.5	112.1	2,270.7	-
RW-05S	11/28/2017	2.5	21.4	0.0	0.0	2.8	2.52	15.0	187.8	2,130	-
RW-05S	02/20/2018	0.7	20.5	0.2	0.0	-	-	-	-	-	-
RW-05S	02/21/2018	-	-	-	-	2.5	5.16	16.0	26.7	1,370	-
RW-05S	05/21/2018	0.8	20.5	0.0	0.0	0.05	6.43	14.5	-41.7	1,744.2	-
RW-05S	08/13/2018	0.6	20.5	0.1	0.0	0.22	6.40	16.4	-57.7	2,200	-
RW-05S	10/02/2018	-	-	-	-	-	5.93	-	-	-	-
RW-05S	10/18/2018	-	-	-	-	-	6.72	-	-	-	-
RW-05S	11/12/2018	28.0	20.9	0.1	0.0	2.9	6.14	15.9	-44.3	914	-
RW-05S	11/27/2018	-	-	-	-	-	6.36	-	-	-	-
RW-05S	01/10/2019	-	-	-	-	-	7.23	-	-	-	-
RW-05S	02/11/2019	2.0	20.3	1.0	0.0	-	-	-	-	-	-
RW-05S	02/13/2019	-	-	-	-	0.30	6.88	13.4	-46.9	558	-
RW-05S	04/02/2019	-	-	-	-	-	6.44	-	-	-	-
RW-05S	05/20/2019	3.4	19.7	1.4	0.0	0.05	7.06	14.3	-154.2	400	-
RW-05S	06/18/2019	-	-	-	-	-	6.48	-	-	-	-
RW-05S	07/23/2019	-	-	-	-	-	6.49	-	-	-	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-05S	08/19/2019	3.8	18.9	1.2	0.0	-	-	-	-	-	-
RW-05S	08/21/2019	-	-	-	-	0.10	6.68	17.15	-106.6	415	-
RW-05S	11/18/2019	2.3	19.3	0.9	0.0	-	-	-	-	-	-
RW-05S	11/21/2019	-	-	-	-	0.16	7.70	16.00	-263.1	735	-
RW-05S	02/17/2020	5.2	18.7	1.5	0.0	0.51	7.97	12.80	-56.8	569	-
RW-05S	05/11/2020	0.6	19.8	0.6	0.0	0.23	6.53	13.51	-77.1	700	-
RW-05S	08/10/2020	0.1	20.8	0.0	0.0	0.04	6.11	18.98	-64.2	979	-
RW-25S	08/04/2015	3.9	2.1	14.7	59.9	DRY					
RW-25S	12/01/2015	111.1	13.1	6.5	9.7	-	-	-	-	-	-
RW-25S	03/14/2016	55.5	18.8	1.4	0.5	-	-	-	-	-	-
RW-25S	04/21/2016	117.1	13.3	2.8	0.8	-	-	-	-	-	-
RW-25S	05/23/2016	72.1	20.9	0.3	0.0	DRY					
RW-25S	08/24/2016	66.5	-	-	-	-	-	-	-	-	-
RW-25S	08/30/2016	399.2	19.3	1.2	0.1	2.02	6.70	21.67	-52.6	1,310	-
RW-25S	11/28/2016	-	-	-	-	0.15	7.54	15.77	-141.8	847	-
RW-25S	12/08/2016	37.3	20.9	0.1	0.0	-	-	-	-	-	-
RW-25S	02/21/2017	17.6	20.9	0.0	0.0	DRY					
RW-25S	05/22/2017	1.8	20.9	0.2	0.0	2.30	6.46	16.30	-40.90	2,781	-
RW-25S	08/28/2017	1.1	20.1	0.1	0.0	DRY					
RW-25S	11/28/2017	5.6	21.2	0.1	0.0	DRY					
RW-25S	02/20/2018	0.2	16.6	3.0	0.0	-	-	-	-	-	-
RW-25S	02/21/2018	-	-	-	-	2.94	6.19	16.62	-33.20	620	-
RW-25S	05/21/2018	0.7	20.7	0.3	0.0	0.16	7.35	15.89	-105.40	809	-
RW-25S	08/13/2018	0.8	20.6	0.6	0.0	0.21	6.75	16.88	-105.9	1,480	-
RW-25S	10/02/2018	-	-	-	-	-	6.29	-	-	-	-
RW-25S	10/18/2018	-	-	-	-	-	6.86	-	-	-	-
RW-25S	11/12/2018	6.1	20.9	0.4	0.0	2.50	4.91	16.70	37.0	1,549	-
RW-25S	11/27/2018	-	-	-	-	-	6.13	-	-	-	-
RW-25S	01/10/2019	-	-	-	-	-	5.91	-	-	-	-
RW-25S	02/11/2019	1.3	20.9	0.7	0.0	-	-	-	-	-	-
RW-25S	02/12/2019	-	-	-	-	0.35	6.65	13.53	-102	1,640	103
RW-25S	04/02/2019	-	-	-	-	-	6.41	-	-	-	-
RW-25S	05/20/2019	2.0	20.9	0.4	0.0	0.14	6.80	15.39	-133.4	1,594	-
RW-25S	06/18/2019	-	-	-	-	-	6.38	-	-	-	-
RW-25S	07/23/2019	-	-	-	-	-	6.39	-	-	-	-
RW-25S	08/19/2019	2.3	20.5	0.0	0.0	-	-	-	-	-	-
RW-25S	08/20/2019	-	-	-	-	0.37	7.56	18.36	-89.4	1,799	-
RW-25S	11/18/2019	9.1	15.7	3.1	0.0	-	-	-	-	-	-
RW-25S	02/17/2020	8.1	17.9	2.3	0.0	-	-	-	-	-	-
RW-25S	05/11/2020	3.1	20.1	0.4	0.0	-	-	-	-	-	-
RW-25S	08/10/2020	0.1	20.4	0.2	0.0	0.44	5.98	16.98	-60.3	1,374	-
RW-28S	08/04/2015	48.5	13.8	1.4	0.3	0.17	6.22	16.59	-12.0	1,610	-
RW-28S	12/01/2015	31.8	17.6	1.6	0.1	0.24	6.50	17.31	-48.20	1,590	-
RW-28S	03/14/2016	68.8	17.6	2.1	0.2	2.25	6.75	12.79	-86.50	1,330	-
RW-28S	04/21/2016	9.6	20.8	0.1	0.1	8.47	7.12	15.50	92.30	1,450	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-28S	05/23/2016	7.4	20.9	0.1	0.0	6.93	7.18	15.77	85.4	1,360	-
RW-28S	08/24/2016	13.6	-	-	-	-	-	-	-	-	-
RW-28S	08/30/2016	20.1	21.8	0.0	0.1	5.80	7.10	21.31	45.0	1,400	-
RW-28S	11/28/2016	-	-	-	-	7.37	7.62	13.91	32.4	1,793	-
RW-28S	12/08/2016	0.4	20.9	0.0	0.0	-	-	-	-	-	-
RW-28S	02/21/2017	10.8	20.9	0.0	0.0	9.50	7.13	10.78	49.7	1,710	-
RW-28S	05/22/2017	7.6	20.8	0.2	0.0	0.33	6.21	14.56	-64.9	1,763	-
RW-28S	07/10/2017	-	-	-	-	-	6.70	-	-	-	-
RW-28S	08/28/2017	1.2	19.8	0.5	0.0	0.12	6.69	20.26	68.6	1,591.4	-
RW-28S	11/28/2017	1.4	21.2	0.1	0.0	8.67	6.79	16.03	-57.5	1,170	-
RW-28S	02/20/2018	0.2	20.8	0.0	0.0	-	-	-	-	-	-
RW-28S	02/21/2018	-	-	-	-	3.95	6.45	16.23	42.6	1,390	-
RW-28S	05/21/2018	3.8	17.4	0.7	0.0	0.64	6.30	12.83	52.7	1,452.9	-
RW-28S	08/13/2018	0.4	10.3	0.9	0.0	0.31	6.81	18.84	223.5	1,720	-
RW-28S	11/12/2018	1.1	19.8	0.3	0.0	6.02	4.71	18.33	105.5	21	-
RW-28S	02/11/2019	0.9	19.8	0.5	0.0	-	-	-	-	-	-
RW-28S	02/14/2019	-	-	-	-	0.55	7.03	10.72	-26	2,090	226
RW-28S	05/20/2019	0.1	20.9	0.4	0.0	-	-	-	-	-	-
RW-28S	05/21/2019	-	-	-	-	0.88	6.82	14.72	-24.4	1,345	-
RW-28S	08/19/2019	1.0	18.6	1.0	0.0	-	-	-	-	-	-
RW-28S	08/20/2019	-	-	-	-	0.30	7.69	21.09	-88.1	965	-
RW-28S	11/18/2019	0.6	7.6	2.6	0.0	-	-	-	-	-	-
RW-28S	11/19/2019	-	-	-	-	0.17	7.06	17.96	-76.2	1,078	-
RW-28S	02/17/2020	1.5	4.8	1.8	0.0	0.76	6.89	12.89	-2.5	1,840	-
RW-28S	05/11/2020	3.5	6.1	1.6	0.0	-	-	-	-	-	-
RW-28S	05/12/2020	-	-	-	-	0.56	6.42	14.56	86.0	2,045	-
RW-28S	08/10/2020	4.4	14.2	2.5	0.0	-	-	-	-	-	-
RW-28S	08/11/2020	-	-	-	-	0.18	6.43	21.04	-19.1	1,258	-
RW-30S	10/10/2014	6.8	7.6	-	-	0.31	6.64	18.50	-59.9	1,155	-
RW-30S	10/15/2014	15.5	17.2	-	-	-	6.69	19.02	-114.8	1,084	-
RW-30S	10/15/2014	74.4	10.5	-	-	0.69	6.61	19.43	-60.0	1,030	-
RW-30S	10/20/2014	2.8	11.5	4.0	0.0	-	-	-	-	-	-
RW-30S	02/24/2015	16.5	12.8	0.3	0.2	0.40	6.74	14.15	-51.7	742	-
RW-30S	05/11/2015	49.6	13.4	2.9	0.0	0.81	6.70	13.04	7.0	680	-
RW-30S	08/04/2015	18.3	16.0	0.5	1.1	1.96	7.12	16.90	-93.7	780	-
RW-30S	12/01/2015	32.1	15.7	2.6	0.1	0.27	6.75	17.86	-68.4	1,040	-
RW-30S	03/14/2016	16.4	18.4	2.1	0.3	DRY					
RW-30S	04/21/2016	122.4	20.2	0.6	0.2	-	-	-	-	-	-
RW-30S	05/23/2016	36.4	20.6	0.4	0.0	DRY					
RW-30S	08/24/2016	86.5	-	-	-	-	-	-	-	-	-
RW-30S	08/30/2016	134.3	21.2	0.3	0.0	DRY					
RW-30S	11/28/2016	-	-	-	-	7.59	8.02	14.77	-22.00	875	-
RW-30S	12/08/2016	0.3	20.9	0.0	0.0	-	-	-	-	-	-
RW-30S	02/21/2017	13.4	20.9	0.0	0.0	8.68	7.90	11.57	50.5	1,140	-
RW-30S	05/22/2017	15.9	20.9	0.1	0.0	DRY					

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-30S	07/10/2017	-	-	-	-	-	6.90	-	-	-	-
RW-30S	08/28/2017	0.3	19.9	0.2	0.0	DRY					
RW-30S	11/28/2017	4.5	21.4	0.1	0.0	DRY					
RW-30S	02/20/2018	16.3	20.9	0.0	0.0	-	-	-	-	-	-
RW-30S	02/21/2018	-	-	-	-	DRY					
RW-30S	05/21/2018	3.0	18.6	0.1	0.0	2.02	6.58	12.96	42.50	855.50	-
RW-30S	08/13/2018	0.8	16.0	0.9	0.0	2.00	6.69	17.29	1.60	1,330	-
RW-30S	11/12/2018	0.4	19.7	1.2	0.0	1.51	4.35	18.94	68.90	1,093	-
RW-30S	02/11/2019	0.4	17.6	2.5	0.0	-	-	-	-	-	-
RW-30S	02/13/2019	-	-	-	-	0.31	7.05	13.23	12.40	810	-
RW-30S	05/20/2019	0.2	20.9	0.1	0.0	-	-	-	-	-	-
RW-30S	05/21/2019	-	-	-	-	0.34	7.07	15.75	36.0	796	-
RW-30S	08/19/2019	0.8	20.0	0.1	0.0	-	-	-	-	-	-
RW-30S	08/20/2019	-	-	-	-	2.35	7.95	21.00	8.3	822	-
RW-30S	11/18/2019	0.0	7.9	3.7	0.0	-	-	-	-	-	-
RW-30S	11/19/2019	-	-	-	-	1.82	7.23	18.46	-93.4	693	-
RW-30S	02/17/2020	2.3	7.2	3.7	0.0	-	-	-	-	-	-
RW-30S	05/11/2020	2.3	12.5	2.7	0.0	-	-	-	-	-	-
RW-30S	08/10/2020	0.0	20.8	0.0	0.0	-	-	-	-	-	-
RW-116S	08/04/2015	3.8	13.8	3.9	0.6	0.07	6.68	16.35	-77.4	1,710	-
RW-116S	12/01/2015	50.7	18.8	0.6	1.2	0.06	6.62	16.97	-78.7	1,350	-
RW-116S	03/14/2016	25.1	20.2	0.8	0.2	0.65	6.59	14.49	-92.3	1,150	-
RW-116S	04/21/2016	157.5	17.9	1.6	0.3	6.24	6.71	14.11	18.4	700	-
RW-116S	05/23/2016	29.5	20.9	0.1	0.0	7.89	6.56	14.51	55.8	620	-
RW-116S	08/24/2016	45.7	-	-	-	6.47	3.15	19.33	427.7	1,560	-
RW-116S	08/30/2016	110.3	22.0	0.0	0.0	-	-	-	-	-	-
RW-116S	11/28/2016	-	-	-	-	8.59	3.09	13.74	212.4	1,157	-
RW-116S	12/08/2016	12.2	20.9	0.1	0.0	-	-	-	-	-	-
RW-116S	02/21/2017	8.5	20.9	0.0	0.0	4.30	6.57	12.84	31.8	680	-
RW-116S	05/22/2017	0.0	20.7	0.4	0.0	4.62	6.95	15.24	-6.3	603	-
RW-116S	07/10/2017	-	-	-	-	-	4.33	-	-	-	-
RW-116S	07/19/2017	-	-	-	-	-	4.42	-	-	-	-
RW-116S	08/28/2017	9.4	20.9	0.1	0.0	DRY					
RW-116S	11/28/2017	3.7	21.2	0.0	0.0	2.19	6.79	16.61	-63.2	1,580	-
RW-116S	02/20/2018	10.5	2.3	6.4	0.0	-	-	-	-	-	-
RW-116S	02/21/2018	-	-	-	-	3.43	6.22	16.34	-36.6	2,340	-
RW-116S	05/21/2018	2.5	19.3	0.7	0.0	0.15	6.42	14.88	-16.7	1,477	-
RW-116S	08/13/2018	2.9	20.6	0.0	0.0	0.25	4.55	16.48	169.2	3,830	-
RW-116S	10/18/2018	-	-	-	-	-	6.52	-	-	-	-
RW-116S	11/12/2018	8.5	20.9	0.2	0.0	2.5	5.07	16.11	56.7	304	-
RW-116S	11/27/2018	-	-	-	-	-	5.60	-	-	-	-
RW-116S	01/10/2019	-	-	-	-	-	6.19	-	-	-	-
RW-116S	02/11/2019	0.2	20.9	0.7	0.0	-	-	-	-	-	-
RW-116S	02/13/2019	-	-	-	-	0.44	6.43	13.28	37.8	357	-
RW-116S	04/02/2019	-	-	-	-	-	6.10	-	-	-	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-116S	05/20/2019	0.7	20.4	0.7	0.0	-	-	-	-	-	-
RW-116S	05/23/2019	-	-	-	-	0.19	6.32	13.58	-88.1	347	-
RW-116S	06/18/2019	-	-	-	-	-	6.28	-	-	-	-
RW-116S	07/23/2019	-	-	-	-	-	6.47	-	-	-	-
RW-116S	08/19/2019	17.6	20.3	0.0	0.0	-	-	-	-	-	-
RW-116S	08/21/2019	-	-	-	-	0.11	6.88	17.72	-102.4	438	-
RW-116S	11/18/2019	19.2	9.4	6.2	0.0	-	-	-	-	-	-
RW-116S	11/22/2019	-	-	-	-	0.39	6.95	16.67	-45.9	1,322	-
RW-116S	02/17/2020	19.2	2.1	10.8	0.0	-	-	-	-	-	-
RW-116S	02/19/2020	-	-	-	-	0.29	6.59	12.63	-84.2	2,381	-
RW-116S	05/11/2020	0.4	19.8	0.5	0.0	-	-	-	-	-	-
RW-116S	05/14/2020	-	-	-	-	0.26	5.86	13.36	-20.1	2,838	-
RW-116S	08/10/2020	0.0	20.7	0.0	0.0	-	-	-	-	-	-
RW-116S	08/11/2020	-	-	-	-	0.12	6.20	17.25	-22.7	2,685	-
RW-117S	08/04/2015	3.2	20.5	0.0	0.0	0.27	6.92	16.29	-76.5	1,740	-
RW-117S	12/01/2015	422.3	17.3	3.1	2.1	0.06	6.64	17.06	-100.6	1,420	-
RW-117S	03/14/2016	84.0	19.6	1.2	0.2	DRY					
RW-117S	04/21/2016	74.5	20.8	0.1	0.2	DRY					
RW-117S	05/23/2016	54.0	20.9	0.2	0.0	DRY					
RW-117S	08/24/2016	52.0	-	-	-	DRY					
RW-117S	08/30/2016	290.6	21.2	0.3	0.0	6.21	5.62	21.90	131.90	1,320	-
RW-117S	11/28/2016	-	-	-	-	2.83	7.19	15.87	-59.60	1,124	-
RW-117S	12/08/2016	16.9	20.9	0.1	0.0	-	-	-	-	-	-
RW-117S	02/21/2017	9.1	20.9	0.0	0.0	DRY					
RW-117S	05/22/2017	0.0	20.3	0.3	0.0	DRY					
RW-117S	08/28/2017	0.0	20.9	0.0	0.0	2.85	7.08	18.97	65.9	2,806.7	-
RW-117S	08/31/2017	-	-	-	-	-	4.97	21.6	-	-	-
RW-117S	11/28/2017	0.3	21.6	0.0	0.0	DRY					
RW-117S	02/20/2018	1.8	14.0	4.2	0.0	-	-	-	-	-	-
RW-117S	02/21/2018	-	-	-	-	DRY					
RW-117S	05/21/2018	0.2	20.7	0.0	0.0	DRY					
RW-117S	08/13/2018	0.8	19.7	0.7	0.0	0.59	6.55	16.46	-45.10	2790	-
RW-117S	10/02/2018	-	-	-	-	-	6.13	-	-	-	-
RW-117S	10/18/2018	-	-	-	-	-	6.64	-	-	-	-
RW-117S	11/12/2018	20.6	20.9	0.3	0.0	2.7	4.90	16.04	61.70	503	-
RW-117S	11/27/2018	-	-	-	-	-	5.93	-	-	-	-
RW-117S	01/10/2019	-	-	-	-	-	5.72	-	-	-	-
RW-117S	02/11/2019	3.1	9.1	4.7	0.0	-	-	-	-	-	-
RW-117S	02/13/2019	-	-	-	-	0.19	6.47	13.85	-112	516	90.2
RW-117S	04/02/2019	-	-	-	-	-	5.90	-	-	-	-
RW-117S	05/20/2019	64.8	6.8	5.9	0.0	-	-	-	-	-	-
RW-117S	05/22/2019	-	-	-	-	0.25	6.51	14.02	-66.7	511	-
RW-117S	06/18/2019	-	-	-	-	-	5.72	-	-	-	-
RW-117S	08/19/2019	12.3	20.4	0.1	0.0	-	-	-	-	-	-
RW-117S	08/21/2019	-	-	-	-	0.12	6.71	17.71	-125.0	598	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-117S	11/18/2019	8.8	16.0	2.6	0.0	-	-	-	-	-	-
RW-117S	11/19/2019	-	-	-	-	1.75	6.74	16.64	-73.2	659	-
RW-117S	02/17/2020	27.2	2.6	11.9	0.0	-	-	-	-	-	-
RW-117S	05/11/2020	4.8	6.6	8.6	0.0	-	-	-	-	-	-
RW-117S	08/10/2020	0.3	17.5	1.5	0.0	0.62	6.07	15.21	-51.0	1,913	-
RW-118S	08/04/2015	19.6	6.4	7.3	0.1	0.14	6.78	16.32	-59.8	1,350	-
RW-118S	08/29/2017	-	-	-	-	-	6.12	18.1	-	-	-
RW-118S	11/28/2017	-	-	-	-	-	6.23	-	-	-	-
RW-118S	02/13/2019	-	-	-	-	0.21	6.18	13.9	-64	646	14.7
RW-118S	05/22/2019	-	-	-	-	0.10	6.27	14.26	-39	635	-
RW-118S	08/11/2020	-	-	-	-	0.01	5.79	18.48	20.4	1,358	-
RW-119S	08/04/2015	2.4	12.8	3.4	2.1	0.03	6.69	16.60	-15.9	1,020	-
RW-119S	07/10/2017	-	-	-	-	-	6.48	-	-	-	-
RW-119S	11/28/2017	-	-	-	-	-	6.87	-	-	-	-
RW-119S	02/12/2019	-	-	-	-	0.38	6.83	14.97	8.6	874	-
RW-119S	05/20/2019	-	-	-	-	0.14	6.90	15.35	-19.0	811	-
RW-119S	08/19/2019	-	-	-	-	0.52	7.71	17.30	-43.7	780	-
RW-119S	11/22/2019	-	-	-	-	0.54	7.22	16.07	-133.5	995	-
RW-119S	02/19/2020	-	-	-	-	0.47	7.11	11.87	-111.9	1,192	-
RW-119S	05/14/2020	-	-	-	-	0.22	6.66	15.02	-95.5	1,090	-
RW-119S	08/11/2020	-	-	-	-	0.13	6.22	17.21	28.4	1,054	-
TW-02	10/13/2014	0.3	17.4	-	-	1.01	6.43	18.32	-	523	-
TW-02	10/23/2014	-	-	-	-	0.65	6.70	17.24	-63.8	1,189	-
TW-02	02/24/2015	0.0	19.9	0.3	0.3	-	-	-	-	-	-
TW-02	02/25/2015	-	-	-	-	1.56	6.24	8.82	96.2	991	-
TW-02	05/11/2015	-	-	-	-	1.62	6.60	21.64	-49.5	1,230	-
TW-02	08/05/2015	-	-	-	-	0.27	6.82	18.28	-68.9	792	31.9
TW-02	08/24/2016	-	-	-	-	0.34	7.10	17.85	-133.2	849	3.95
TW-02	11/28/2017	-	-	-	-	0.14	6.87	17.80	-138.8	474	6.27
TW-02*	02/13/2019	-	-	-	-	1.89	8.61	13.81	-430.6	508	50.0
TW-02*	05/20/2019	-	-	-	-	0.04	6.30	15.22	92.2	869	45.7
TW-02*	08/20/2019	-	-	-	-	0.04	6.46	17.70	-105.6	612	3.38
TW-02*	11/18/2019	-	-	-	-	0.22	9.46	16.95	-146.0	640	7.52
TW-02*	02/18/2020	-	-	-	-	0.28	6.52	15.22	206.3	798	4.02
TW-02*	05/12/2020	-	-	-	-	0.21	6.73	14.46	-81.0	739	5.67
TW-02*	08/11/2020	-	-	-	-	0.14	7.09	18.43	-49.1	473	3.56
TW-03	10/13/2014	0.3	19.5	-	-	1.86	5.73	19.23	-	503	-
TW-03	10/23/2014	-	-	-	-	0.71	6.12	18.54	38.1	489	-
TW-03	02/24/2015	0.0	3.1	10.4	0.3	-	-	-	-	-	-
TW-03	02/25/2015	-	-	-	-	0.75	6.21	8.92	64.8	609	-
TW-03	05/11/2015	0.0	8.5	10.2	0.0	2.03	5.77	20.61	110.5	480	-
TW-03	08/04/2015	0.0	7.8	14.3	0.0	0.26	5.40	21.76	80.4	602	70.6
TW-03	03/14/2016	0.0	9.2	8.0	0.1	-	-	-	-	-	-
TW-03	05/23/2016	WELL OPEN & BEING SAMPLED UPON ARRIVAL, NEVER RECEIVED LOW-FLOW SAMPLING DATA									

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
TW-03	08/24/2016	164.4	-	-	-	-	-	-	-	-	-
TW-03	08/25/2016	-	-	-	-	0.24	5.33	22.34	92.4	762	5.87
TW-03	08/30/2016	132.6	21.8	0.1	0.0	-	-	-	-	-	-
TW-03	11/28/2016	5.7	19.0	1.8	0.0	0.93	5.68	18.07	98.1	629	4.42
TW-03	02/21/2017	0.4	19.4	0.9	0.0	3.39	5.84	12.94	48.5	470	-
TW-03	05/22/2017	1.0	14.5	1.3	0.0	0.56	5.43	15.99	105.6	971	10.0
TW-03	08/28/2017	0.9	10.1	6.1	0.0	1.07	7.19	19.79	60.2	590	-
TW-03	11/28/2017	0.2	19.5	1.0	0.0	1.04	5.69	19.24	32.5	1,179	8.7
TW-03	02/20/2018	0.2	18.5	0.5	0.0	-	-	-	-	-	-
TW-03	02/21/2018	-	-	-	-	3.98	6.70	20.57	121.9	970	-
TW-03	05/21/2018	0.2	17.9	0.3	0.0	0.95	5.62	15.49	77.5	1,131	-
TW-03	08/13/2018	0.5	6.0	14.1	0.0	0.14	5.48	20.79	83.5	1,169	4.6
TW-03	11/12/2018	0.1	9.4	9.8	0.0	0.13	5.74	17.83	171.3	1,110	2.69
TW-03	02/11/2019	0.0	8.8	2.2	0.0	-	-	-	-	-	-
TW-03*	02/13/2019	-	-	-	-	2.50	6.21	10.62	-293.5	952	3.13
TW-03*	05/20/2019	0.0	20.6	1.6	0.0	0.19	5.53	15.91	197.3	671	20.0
TW-03	08/19/2019	0.0	9.4	12.0	0.0	-	-	-	-	-	-
TW-03*	08/21/2019	-	-	-	-	0.23	5.34	21.66	76.4	1,030	1.28
TW-03	11/18/2019	0.0	12.2	7.0	0.0	-	-	-	-	-	-
TW-03*	11/19/2019	-	-	-	-	0.38	6.06	16.95	7.3	1,050	5.41
TW-03	02/17/2020	2.1	20.0	1.0	0.0	-	-	-	-	-	-
TW-03*	02/18/2020	-	-	-	-	0.47	5.24	12.16	259.3	1,104	2.18
TW-03	05/11/2020	0.1	17.5	2.8	0.0	-	-	-	-	-	-
TW-03*	05/12/2020	-	-	-	-	0.39	5.38	13.88	42.0	1,108	0.88
TW-03	08/10/2020	0.4	11.8	7.7	0.0	-	-	-	-	-	-
TW-03*	08/11/2020	-	-	-	-	0.19	4.83	23.09	92.6	453	56.5
TW-04	10/13/2014	2.0	19.2	-	-	1.67	5.73	19.08	-	1,344	-
TW-04	10/23/2014	-	-	-	-	0.70	5.76	18.95	35.0	1,232	-
TW-04	02/24/2015	1.2	15.7	4.4	0.3	-	-	-	-	-	-
TW-04	02/25/2015	-	-	-	-	2.36	5.86	6.96	65.1	1,862	-
TW-04	05/11/2015	-	-	-	-	1.92	6.19	19.77	-22.7	1,390	-
TW-04	08/04/2015	-	-	-	-	0.16	6.23	19.04	-35.7	1,203	210
TW-04	08/24/2016	-	-	-	-	0.75	6.17	20.20	-23.4	1,534	6.96
TW-04	08/30/2016	77.1	21.6	0.0	0.0	-	-	-	-	-	-
TW-04	11/28/2017	-	-	-	-	4.60	5.59	17.69	32.1	2,194	over range
TW-04*	02/11/2019	-	-	-	-	1.82	5.98	10.61	26.9	824	75.2
TW-04*	05/20/2019	-	-	-	-	1.21	5.59	14.61	94.5	1,055	23.8
TW-04*	08/20/2019	-	-	-	-	1.45	5.66	19.52	9.9	1,765	9.41
TW-04*	11/18/2019	-	-	-	-	1.99	7.00	17.42	28.5	1,876	4.19
TW-04*	02/17/2020	-	-	-	-	6.89	5.22	12.71	287.6	1,516	6.88
TW-04*	05/11/2020	-	-	-	-	8.00	5.36	13.43	39.0	1,381	4.04
TW-04*	08/10/2020	-	-	-	-	0.57	4.07	14.60	177.2	1,221	-
TW-05	10/13/2014	129.3	17.0	-	-	1.26	5.23	18.64	61.2	1,204	-
TW-05	10/15/2014	8.7	20.5	-	-	-	-	-	-	-	-
TW-05	10/20/2014	16.0	20.6	0.1	0.0	-	-	-	-	-	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
TW-05	10/23/2014	-	-	-	-	0.85	5.73	19.04	49.2	1,121	-
TW-05	02/24/2015	16.0	11.1	8.6	0.7	-	-	-	-	-	-
TW-05	02/25/2015	-	-	-	-	0.85	6.19	7.42	37.1	992	-
TW-05	05/11/2015	22.1	4.6	12.9	0.0	0.15	5.60	18.61	54.0	800	-
TW-05	08/04/2015	8.2	7.2	13.3	0.0	0.38	5.86	19.61	21.5	901	87.0
TW-05	03/14/2016	0.3	12.3	6.5	0.0	-	-	-	-	-	-
TW-05	05/23/2016	31.7	20.8	0.2	0.0	DID NOT RECEIVE LOW-FLOW SAMPLING DATA					
TW-05	08/25/2016	21.2	20.1	0.3	0.0	6.97	6.15	22.25	-1.1	1,303	171
TW-05	11/28/2016	0.8	20.9	0.0	0.0	-	-	-	-	-	-
TW-05	11/29/2016	-	-	-	-	5.11	6.06	17.85	21.0	1,076	36.5
TW-05	02/21/2017	3.1	20.9	0.0	0.0	2.75	6.17	12.44	27.0	1,040	-
TW-05	05/22/2017	0.8	20.9	0.2	0.1	0.47	6.03	15.39	32.1	1,423	50.8
TW-05	08/28/2017	13.9	19.9	0.1	0.0	1.50	5.65	21.33	75.7	1,329	-
TW-05	11/28/2017	0.4	20.9	0.0	0.0	3.99	5.23	17.14	44.9	1,853	2,195
TW-05	02/20/2018	0.4	20.5	0.0	0.0	-	-	-	-	-	-
TW-05	02/21/2018	-	-	-	-	2.70	4.35	15.48	204.4	2,060	-
TW-05	05/21/2018	6.7	19.8	0.0	0.0	-	-	-	-	-	-
TW-05	08/13/2018	399.2	19.4	0.6	0.0	-	-	-	-	-	-
TW-05	10/02/2018	-	-	-	-	-	6.71	-	-	-	-
TW-05	11/12/2018	1.6	20.9	0.0	0.0	1.0	5.11	16.61	194.7	640	36.2
TW-05	01/10/2019	-	-	-	-	-	4.12	-	-	-	-
TW-05	02/11/2019	0.0	20.9	1.2	0.0	-	-	-	-	-	-
TW-05*	02/13/2019	-	-	-	-	4.13	5.97	10.53	-303.5	840	2.64
TW-05	04/02/2019	-	-	-	-	-	5.80	-	-	-	-
TW-05*	05/20/2019	0.6	20.6	0.1	0.0	1.78	4.76	15.18	296.9	915	97.4
TW-05	06/18/2019	-	-	-	-	-	4.87	-	-	-	-
TW-05	07/23/2019	-	-	-	-	-	4.35	-	-	-	-
TW-05	08/19/2019	53.0	11.1	7.1	0.0	-	-	-	-	-	-
TW-05*	08/21/2019	-	-	-	-	4.39	4.88	21.37	9.9	1,385	35.9
TW-05	11/18/2019	22.5	7.6	10.1	0.0	-	-	-	-	-	-
TW-05*	11/19/2019	-	-	-	-	3.74	5.07	17.25	122.3	1,652	17.6
TW-05	02/17/2020	0.9	20.9	0.1	0.0	-	-	-	-	-	-
TW-05*	02/18/2020	-	-	-	-	4.32	5.20	11.75	277.7	1,090	3.19
TW-05	05/11/2020	0.2	15.0	5.6	0.0	-	-	-	-	-	-
TW-05*	05/11/2020	-	-	-	-	5.94	5.69	13.58	93.7	953	18.2
TW-05	08/10/2020	0.1	19.3	1.0	0.0	-	-	-	-	-	-
TW-06	10/13/2014	39.8	14.4	-	-	1.31	6.42	18.99	-	983	-
TW-06	10/15/2014	78.9	11.0	-	-	1.33	6.54	21.65	-65.0	873	-
TW-06	10/15/2014	-	-	-	-	0.31	6.28	19.79	-46.8	986	-
TW-06	10/20/2014	0.8	5.4	12.0	0.0	-	-	-	-	-	-
TW-06	10/23/2014	-	-	-	-	0.84	6.51	18.95	-68.8	823	-
TW-06	02/24/2015	0.7	5.0	8.9	0.3	-	-	-	-	-	-
TW-06	02/25/2015	-	-	-	-	0.84	6.75	7.20	-32.9	882	-
TW-06	05/11/2015	-	-	-	-	1.33	6.49	18.61	-69.1	710	-
TW-06	08/04/2015	-	-	-	-	0.22	6.17	19.07	-36.8	975	30.5

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
TW-06	12/01/2015	4.7	1.1	14.5	0.0	-	-	-	-	-	-
TW-06	03/14/2016	0.0	11.6	4.1	0.1	-	-	-	-	-	-
TW-06	04/21/2016	0.6	10.3	5.6	0.2	1.45	6.32	16.91	-24.4	620	-
TW-06	05/23/2016	0.0	20.8	0.1	0.0	-	-	-	-	-	-
TW-06	05/24/2016	-	-	-	-	0.08	6.62	15.82	-17.3	921	-
TW-06	08/24/2016	0.5	16.8	2.4	0.0	-	-	-	-	-	-
TW-06	08/25/2016	-	-	-	-	0.17	6.02	21.24	-51.9	1,713	6.70
TW-06	11/28/2016	29.5	16.7	1.3	0.1	-	-	-	-	-	-
TW-06	11/29/2016	-	-	-	-	0.86	5.81	18.29	-13.5	1,708	3.21
TW-06	02/21/2017	1.5	19.8	0.6	0.0	1.69	6.48	12.81	18.0	1,320	-
TW-06	05/22/2017	1.7	19.4	0.3	0.0	0.45	6.13	15.77	-12.6	1,386	1.41
TW-06	08/28/2017	4.5	16.3	1.3	0.0	1.62	5.49	21.06	77.0	1,567.1	-
TW-06	11/28/2017	0.1	20.8	0.0	0.0	0.26	4.39	19.12	142.3	2,413	16.20
TW-06	02/20/2018	3.4	19.5	0.1	0.0	-	-	-	-	-	-
TW-06	02/21/2018	-	-	-	-	2.88	4.87	16.65	142.8	1,160	-
TW-06	05/21/2018	1.0	19.0	0.0	0.0	0.78	5.32	15.59	127.5	708	-
TW-06	08/13/2018	12.2	13.6	2.5	0.0	0.23	5.03	19.18	109.3	512	2.74
TW-06	11/12/2018	0.2	20.9	0.2	0.0	1.91	6.08	15.33	184.1	356	2.01
TW-06	02/11/2019	0.0	20.9	0.2	0.0	-	-	-	-	-	-
TW-06*	02/13/2019	-	-	-	-	2.69	6.20	11.82	-321.4	659	1.35
TW-06*	05/20/2019	0.3	20.9	0.1	0.0	0.06	5.72	14.87	194.2	567	12.6
TW-06	08/19/2019	3.1	16.6	3.7	0.0	-	-	-	-	-	-
TW-06*	08/21/2019	-	-	-	-	0.26	5.86	20.42	23.7	1,071	6.64
TW-06	11/18/2019	0.0	11.9	5.2	0.0	-	-	-	-	-	-
TW-06*	11/19/2019	-	-	-	-	0.27	6.72	17.68	2.8	1,275	8.64
TW-06	02/17/2020	4.1	20.9	0.1	0.0	-	-	-	-	-	-
TW-06*	02/18/2020	-	-	-	-	0.54	5.84	12.15	257.5	625	2.89
TW-06	05/11/2020	0.1	10.9	4.5	0.0	-	-	-	-	-	-
TW-06*	05/12/2020	-	-	-	-	0.24	6.24	13.64	-2.8	634	1.59
TW-06	08/10/2020	1.3	3.7	9.1	0.0	-	-	-	-	-	-
TW-06*	08/10/2020	-	-	-	-	0.05	5.93	19.18	31.0	522	9.56
TW-07	10/13/2014	33.5	16.4	-	-	1.40	4.96	19.08	-	580	-
TW-07	10/15/2014	15.6	15.4	-	-	0.40	4.94	20.81	97.9	569	-
TW-07	10/20/2014	0.0	14.6	5.0	0.0	-	-	-	-	-	-
TW-07	10/23/2014	-	-	-	-	0.41	4.99	19.04	139.5	415	-
TW-07	02/24/2015	0.0	14.4	7.2	0.3	-	-	-	-	-	-
TW-07	02/25/2015	-	-	-	-	1.53	5.07	7.15	244.8	640	-
TW-07	05/11/2015	0.0	9.0	11.0	0.0	2.02	4.70	20.64	202.2	660	-
TW-07	08/04/2015	0.0	7.2	16.9	0.0	0.20	4.39	22.88	150.0	629	65.8
TW-07	03/14/2016	0.0	18.8	2.3	0.1	-	-	-	-	-	-
TW-07	05/23/2016	2.3	19.9	0.7	0.0	-	-	-	-	-	-
TW-07	05/24/2016	-	-	-	-	0.90	4.85	15.88	206.9	653	-
TW-07	08/24/2016	1.6	-	-	-	-	-	-	-	-	-
TW-07	08/25/2016	-	-	-	-	6.99	4.58	24.52	223.9	722	45
TW-07	08/30/2016	98.2	21.7	0.0	0.0	-	-	-	-	-	-

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
TW-07	11/28/2016	0.5	20.9	1.0	0.0	-	-	-	-	-	-
TW-07	11/30/2016	-	-	-	-	6.66	4.60	15.79	172.6	524	3.92
TW-07	02/21/2017	0.2	20.0	0.5	0.0	2.27	4.90	11.29	56.2	580	-
TW-07	05/22/2017	0.8	18.9	0.9	0.0	0.89	4.89	17.01	149.0	788	20.0
TW-07	08/28/2017	0.1	20.0	0.3	0.0	1.92	5.97	21.69	74.2	1,011.5	-
TW-07	11/28/2017	0.0	20.6	0.3	0.0	2.25	5.11	16.23	121.0	922.0	3,373 (au)
TW-07	02/20/2018	0.1	20.3	0.2	0.0	-	-	-	-	-	-
TW-07	02/21/2018	-	-	-	-	3.25	6.13	18.48	94.5	420	-
TW-07	05/21/2018	0.0	19.7	0.0	0.0	1.13	5.52	17.54	91.7	606	-
TW-07	08/13/2018	1.0	9.3	10.5	0.0	0.81	5.00	22.62	151.5	626	0.70
TW-07	11/12/2018	0.0	13.8	3.4	0.0	0.88	4.87	16.24	55.8	730	1.75
TW-07*	02/11/2019	0.0	20.9	0.2	0.0	4.46	5.39	7.81	83.9	420	6.34
TW-07*	05/20/2019	0.0	20.9	0.1	0.0	0.23	5.46	17.46	199.5	361	72.8
TW-07	08/19/2019	0.0	19.0	1.6	0.0	-	-	-	-	-	-
TW-07*	08/21/2019	-	-	-	-	3.53	4.70	24.59	151.6	1,186	2.11
TW-07	11/18/2019	0.0	19.6	1.5	0.0	-	-	-	-	-	-
TW-07*	11/18/2019	-	-	-	-	3.00	6.44	13.68	46.3	1,101	1.85
TW-07	02/17/2020	2.8	17.2	3.2	0.0	-	-	-	-	-	-
TW-07*	02/17/2020	-	-	-	-	3.39	5.31	10.52	338.7	746	9.92
TW-07	05/11/2020	0.2	2.8	11.3	0.0	-	-	-	-	-	-
TW-07*	05/11/2020	-	-	-	-	2.09	5.72	14.29	-11.4	586	636 (au)
TW-07	08/10/2020	0.3	19.5	1.0	0.0	-	-	-	-	-	-
TW-07*	08/10/2020	-	-	-	-	0.70	5.22	25.68	113.5	554	639 (au)
TW-12S	10/10/2014	0.8	18.5	-	-	-	-	-	-	-	-
TW-12S	02/24/2015	0.0	15.0	2.8	0.3	-	-	-	-	-	-
TW-14	10/10/2014	2.3	19.5	-	-	-	-	-	-	-	-
TW-14	10/20/2014	0.0	20.0	0.7	0.0	-	-	-	-	-	-
TW-14	10/23/2014	-	-	-	-	1.99	7.48	19.13	-47.2	561.9	-
TW-14	02/24/2015	0.0	20.3	0.3	0.3	-	-	-	-	-	-
TW-14	02/25/2015	-	-	-	-	3.80	7.18	3.96	-6.1	465.3	-
TW-14	05/11/2015	-	-	-	-	1.16	7.14	22.53	-114.6	760	-
TW-14	08/06/2015	-	-	-	-	0.73	6.88	24.20	-107.8	828	-
TW-14	08/24/2016	-	-	-	-	1.20	7.20	24.48	-58.7	517	1.17
TW-14	08/30/2017	-	-	-	-	8.66	6.52	21.9	-61.9	852	680 (au)
TW-14	11/12/2018	-	-	-	-	3.35	7.12	13.2	24.5	410	0.38
TW-14*	02/13/2019	-	-	-	-	1.25	6.91	5.5	-18.3	501	71.00
TW-14*	05/20/2019	-	-	-	-	0.49	6.89	17.98	-61.7	693	12.1
TW-14*	08/20/2019	-	-	-	-	1.83	6.79	15.5	-115.1	871	72.90
TW-14*	02/17/2020	-	-	-	-	3.32	7.33	7.1	225.3	577	0.65
TW-14*	05/11/2020	-	-	-	-	1.40	7.27	13.5	-24.2	554	1.01
TW-14*	08/10/2020	-	-	-	-	0.50	6.60	23.1	-82.2	874	55

Notes:

- = Not available
% = Percent
µS/cm = Microsiemens per centimeter
mV = Millivolts
ORP = Oxidation-Reduction Potential
ppm = Parts per million

Table 4

HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)

deg C = Degrees Celsius
mg/L = Milligrams per liter
(cont.) = continued
AU = Attenuation Unit. The light is measured at 180 degrees to incident beam, versus and unlike NTU, which is measured at 90 degrees to incident beam.
NTU = Nephelometric Turbidity Unit
DRY = Not enough water in well to take measurements.
PRODUCT = No measurements taken due to product in the well.
* = Select measurements (dissolved oxygen, temperature, pH, ORP, specific conductance, turbidity) were collected by Geosyntec during low-flow sampling.

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW-01S	10/22/2014	4,200	-	-	130	0.044 J	0.037 J	306	31.4	-
MW-01S	3/16/2016	4,500	-	-	27.9	<0.040	0.017 J	367	9.3	14.5
MW-01S	8/25/2016	1,200	-	-	257	<0.040	<0.015	226	15.1	10.4
MW-01S	2/22/2017	500	-	-	312	<0.040	0.030 J	138	33.5	8.49
MW-01S	5/24/2017	528	-	-	174	<0.11	<0.010	221	17.4	7.79
MW-01S	8/29/2017	2,730	46.6	-	170	<0.11	<0.010	292	2.3	10.1
MW-01S	11/29/2017	2,330	-	-	29	<0.11	<0.010	437	3.4	9.54
MW-01S	2/22/2018	5,030	-	-	119	<0.11	<0.010	374	0.2	12.6
MW-01S	5/24/2018	2,130	-	-	22.8	0.16	0.023	258	<0.2	5.86
MW-01S	8/14/2018	1,400	-	-	208	<0.040	<0.015	195	43.4	14.8
MW-01S	2/12/2019	680 E	-	-	170	<0.040	<0.015	260	50.8	10.2
MW-01S	5/20/2019	1,200	-	-	199	<0.040	<0.015	274	29.7	11.1
MW-01S	8/20/2019	390	-	-	189	<0.040	<0.015	284	19.9	11.9
MW-01S	11/20/2019	47	-	-	243	<0.040	<0.015	204	53.6	8.45
MW-01S	2/18/2020	4.3 J	-	-	228	<0.040	0.034 J	171	31.3	6.26
MW-01S	5/11/2020	440	-	-	187	<0.040	<0.015	211	46.6	6.92
MW-01S	8/12/2020	3500	-	-	86	<0.040	<0.015	320	26	5.6
MW-08S	8/29/2017	-	202	-	696	-	-	122	-	-
MW-08S	11/29/2017	-	-	-	524	-	-	-	-	-
MW-08S	2/20/2018	-	-	-	444	-	-	-	-	-
MW-08S	5/21/2018	-	-	-	643	-	-	-	-	-
MW/RW-10S	10/22/2014	1,100	-	-	33.1	<0.040	0.037 J	461	62.8	-
MW/RW-10S	3/14/2016	1,800	-	-	193	<0.040	0.088	427	129	4.04
MW/RW-10S	5/24/2016	11	-	-	716	<0.040	<0.015	0.7 J	31.2	4.85
MW/RW-10S	8/25/2016	<3.0	-	-	824	0.076 J	<0.015	25.5	5.1	3.6
MW/RW-10S	11/29/2016	<3.0	-	-	488	0.21	<0.015	128	206	2.83
MW/RW-10S	8/29/2017	3.9	442	-	2,150	0.64	<0.010	<5	199	8.89
MW/RW-10S	11/30/2017	<0.11	-	-	1,640	<0.11	<0.010	75.2	242	10.8
MW/RW-10S	2/22/2018	16.7	-	-	1,240	<0.11	<0.010	90.3	257	9.85
MW/RW-10S	5/24/2018	10.1	-	-	763	<0.11	<0.010	115	182	5.73
MW/RW-10S	8/14/2018	54	-	-	838	0.93	0.059	248	136	6.66
MW/RW-10S	11/13/2018	9.7	-	-	407	<0.040	<0.015	<1.7	66.4	3.38
MW/RW-10S	2/15/2019	31	-	-	291	<0.040	<0.015	39.4	86.4	3.93
MW/RW-10S	5/22/2019	19	-	-	197	<0.040	<0.015	46.8	42	2.51
MW/RW-10S	8/21/2019	25	-	-	261	<0.040	<0.015	45.9	48.4	3.92
MW/RW-10S	11/21/2019	32	-	-	310	<0.040	0.047 J	256	176	6.58
MW/RW-10S	2/19/2020	170	-	-	505	<0.040	0.025 J	208	188	4.54
MW/RW-10S	5/14/2020	110	-	-	467	<0.040	<0.015	226	197	5.27
MW/RW-10S	8/12/2020	75	-	-	380	<0.040	0.016 J	450	150	5.3
MW-11	10/22/2014	120	-	-	71.9	<0.040	<0.015	55	0.059	-
MW-11	2/26/2015	200	-	-	79.8	<0.040	<0.015	39	0.37	1.64
MW-11	5/12/2015	280	-	-	70.5	<0.040	<0.015	40.8	0.75	1.73
MW-11	8/6/2015	450	-	-	118	<0.040	0.049 J	356	21.9	5.67

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW-11	11/13/2018	2,000	-	-	190	0.089 J	<0.015	162	41.0	11.2
MW/RW-14	2/25/2015	230	-	-	51.4	0.7	<0.015	63	2.5	8.66
MW/RW-14	5/12/2015	660	-	-	44.3	0.6	0.023 J	76.8	6.3	8.54
MW/RW-14	8/6/2015	1,800	-	-	45.9	0.15	0.11	304	18	15.1
MW/RW-14	3/15/2016	5,800	-	-	23.8	<0.040	0.050 J	171	22.2	6.81
MW/RW-14	8/25/2016	<3.0	-	-	42.5	1.8	<0.015	10.9	0.12	0.485
MW/RW-14	11/29/2016	<3.0	-	-	37.9	1.60	<0.015	8.8	0.029 J	0.107
MW/RW-14	2/22/2017	6	-	-	40.3	1.50	<0.015	9.1	0.20	0.190
MW/RW-14	5/22/2017	1.5	-	-	37.7	1.80	<0.010	8.8	<0.20	0.044
MW/RW-14	11/30/2017	0.11	-	-	41.4	1.80	<0.010	6.7	<0.20	<0.015
MW/RW-14	2/21/2018	0.11	-	-	37.6	1.80	<0.010	8.1	<0.20	0.0191
MW/RW-14	5/24/2018	64.80	-	-	45.2	0.79	<0.010	58.9	13.80	1.62
MW/RW-14	8/15/2018	<3.0	-	-	36.7	1.60	<0.015	9.7	0.36	0.32
MW/RW-14	11/13/2018	850	-	-	83.5	<0.040	<0.015	74.5	40.7	2.32
MW/RW-14	2/13/2019	2,200	-	-	41.8	<0.040	<0.015	198	62.5	3.88
MW/RW-14	5/22/2019	1,500	-	-	56.9	0.21	<0.015	95.1	30.7	1.46
MW/RW-14	8/20/2019	530	-	-	40.8	0.088 J	<0.015	48.3	5.88	0.373
MW/RW-14	11/19/2019	7,200	-	-	19.9	<0.040	0.075	190.0	50.3	2.81
MW/RW-14	2/19/2020	12,000	-	-	17.3	<0.040	0.028 J	265	-	-
MW/RW-14	5/14/2020	9,700	-	-	17.6	<0.040	<0.015	277	94.7	6.32
MW-15S	8/29/2017	-	72.9	-	270	-	-	487	-	-
MW-15S	2/20/2018	-	-	-	73.2	-	-	-	-	-
MW-15S	5/22/2018	-	-	-	352	-	-	-	-	-
MW-16	8/30/2017	-	55.6	<0.2	212	-	-	39.5	-	-
MW-16	11/30/2017	-	-	-	222	-	-	22.7	-	-
MW-16	2/20/2018	-	-	-	243	-	-	-	-	-
MW-16	5/22/2018	-	-	-	275	-	-	-	-	-
MW-25S	11/29/2017	-	-	-	-	-	-	364	-	-
MW-25S	11/12/2018	-	-	-	-	-	-	15.2	-	-
MW-25S	2/12/2019	-	-	-	-	-	-	42.2	-	-
MW-25S	5/22/2019	-	-	-	-	-	-	47.9	-	-
MW-25S	8/20/2019	-	-	-	-	-	-	51.3	-	-
MW-25S	11/19/2019	-	-	-	-	-	-	294	-	-
MW-25S	2/19/2020	-	-	-	-	-	-	384	-	-
MW-25S	5/14/2020	-	-	-	-	-	-	320	-	-
MW-25S	8/11/2020	-	-	-	-	-	-	380	-	-
MW/RW-25	11/30/2017	-	-	-	-	-	-	14.4	-	-
MW/RW-25	11/12/2018	-	-	-	-	-	-	40.8	-	-
MW/RW-25	2/12/2019	73	-	-	338	<0.040	<0.015	90.9	30.4	3.94
MW/RW-25	5/20/2019	220	-	-	264	<0.040	<0.015	76.3	19.0	3.34
MW/RW-25	8/20/2019	340	-	-	246	<0.040	<0.15	59.2	17.8	2.95
MW/RW-25	11/19/2019	1,200	-	-	227	<0.040	0.082	130	28.5	3.26
MW/RW-25	2/19/2020	960		-	186	<0.040	<0.015	183	27.5	2.88

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW/RW-25	5/11/2020	450	-	-	168	<0.040	<0.015	152	22.0	2.39
MW-27	12/3/2015	2,500	-	-	112	<0.040	<0.015	424	33.4	10.9
MW-27	3/15/2016		-	-	214	<0.040	0.022 J	439	34	10.3
MW-27	5/25/2016	<3.0	-	-	452	<0.040	<0.015	44.3	4.4	6.85
MW-27	8/25/2016	<3.0	-	-	604	<0.040	<0.015	16.3	1.3	12.4
MW-27	11/29/2016	<3.0	-	-	293	0.16	<0.015	33.4	0.8	5.84
MW-27	2/22/2017	<3.0	-	-	322	<0.040	<0.015	15.4	0.53	5.51
MW-27	5/23/2017	1.4	-	-	352	<0.11	<0.010	42.0	0.61	8.12
MW-27	11/29/2017	0.27	-	-	384	<0.11	<0.010	79.8	0.90	4.61
MW-27	2/21/2018	0.33	-	-	890	<0.11	<0.010	5.6	0.66	8.18
MW-27	5/24/2018	39.8	-	-	957	<0.11	<0.010	80.0	37.5	14.3
MW-27	8/14/2018	270	-	-	1,020	<0.040	<0.015	74.3	58.1	20.5
MW-27	11/14/2018	560	-	-	1,020	<0.040	<0.015	72.2	53.5	14.2
MW-27	2/14/2019	-	-	-	-	-	-	148	-	-
MW-27	5/21/2019	430	-	-	987	<0.040	<0.015	149	15.3	12.8
MW-27	8/20/2019	870	-	-	515	<0.040	0.16 J	195	25.0	10.8
MW-27	11/21/2019	720	-	-	659	<0.040	0.039 J	169	59.3	10.4
MW-27	2/17/2020	870	-	-	699	<0.040	0.069	177	82.4	13.3
MW-27	5/12/2020	770	-	-	826	<0.040	<0.015	140	83.0	15.6
MW/RW-31	10/23/2014	4,300	-	-	57.2	<0.040	<0.015	416	2.6	-
MW/RW-31	2/25/2015	5,000	-	-	69.7	<0.040	<0.015	487	9.3	9.84
MW/RW-31	5/13/2015	5,700	-	-	70.1	<0.040	<0.015	510	15.4	10.8
MW/RW-31	8/5/2015	5,400	-	-	85.3	<0.040	<0.015	482	10	5.52
MW/RW-31	11/30/2017	-	-	-	-	-	-	102	-	-
MW-33	10/23/2014	43	-	-	253	1.9	<0.015	119	0.068	-
MW-33	2/25/2015	9.8	-	-	235	2.5	<0.015	55.6	0.030 J	1.23
MW-33	5/13/2015	7.3	-	-	254	2	<0.015	81.7	0.075	0.975
MW-33	8/5/2015	17	-	-	253	1.8	<0.015	97.7	<0.010	0.605
MW-33	8/30/2017	-	-	-	-	-	-	41.5	-	-
MW-51S	10/22/2014	7,100	-	-	36.3	0.047 J	<0.015	564	28.7	-
MW-51S	2/26/2015	8,900	-	-	6.2	<0.040	0.12	518	82.4	4.49
MW-51S	5/13/2015	11,000	-	-	<1.5	<0.040	0.2	676	77.3	1.74
MW-51S	8/6/2015	10,000	-	-	26.1	<0.040	0.046	480	48.3	1.03
MW-51S	3/15/2016	13,000	-	-	535	<0.040	0.049 J	585	69	4.64
MW-51S	5/24/2016	3,800	-	-	884	<0.040	0.039 J	335	32	3.46
MW-51S	8/25/2016	1,700	-	-	895	<0.040	0.11	354	22	10.3
MW-51S	11/29/2016	4,800	-	-	138	<0.040	0.039 J	617	6.5	2.11
MW-51S	2/21/2017	2,400	-	-	60	<0.40	<0.15	477	2.4	4.08
MW-51S	5/24/2017	20.4	-	-	1,160	0.12	<0.010	52.5	80.8	14.1
MW-51S	8/29/2017	29.3	223	-	836	<0.11	<0.010	169	90.1	10.9
MW-51S	11/29/2017	418	-	-	464	<0.11	<0.010	493	135	5.7
MW-51S	2/22/2018	436	-	-	577	<0.11	<0.010	287	7.7	5.8
MW-51S	5/21/2018	-	-	-	604	-	-	341	-	-

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW-51S	5/24/2018	204	-	-	-	<0.11	<0.010	-	<0.20	6.54
MW-51S	8/15/2018	1,400	-	-	481	<0.040	<0.015	233	99.7	7.17
MW-51S	11/13/2018	86	-	-	384	<0.040	<0.015	108	102	7.35
MW-51S	2/14/2019	700	-	-	1,400	<0.040	<0.015	111	61.2	3.94
MW-51S	5/22/2019	490	-	-	199	<0.040	<0.015	133	59.3	3.89
MW-51S	8/21/2019	1,200	-	-	192	<0.040	<0.015	151	60.1	2.83
MW-51S	11/20/2019	3,100	-	-	73	<0.040	<0.015	222	37.0	1.19
MW-51S	2/18/2020	2,800	-	-	22.5	<0.040	<0.015	354	74.2	1.37
MW-51S	5/13/2020	2,500	-	-	51.4	<0.040	<0.015	342	78.7	0.58
MW-51S	8/12/2020	770	-	-	390	<0.040	<0.015	210	130	4.0
MW/RW-51	11/30/2017	-	-	-	-	-	-	70	-	-
MW/RW-51	2/21/2018	-	-	-	157	-	-	-	-	-
MW/RW-51	5/22/2018	-	-	-	57.6	-	-	-	-	-
MW/RW-51	11/13/2018	-	-	-	-	-	-	79.0	-	-
MW/RW-51	2/14/2019	260	-	-	314	0.14	<0.015	125	29.4	14.8
MW/RW-51	5/22/2019	77	-	-	465	0.051 J	<0.015	55.4	42.7	27.2
MW/RW-51	8/21/2019	30	-	-	556	<0.040	0.019 J	39.8	46.0	31.7
MW/RW-51	11/20/2019	130	-	-	493	<0.040	0.11	184	85.0	23.3
MW/RW-51	2/18/2020	310	-	-	358	<0.040	0.038 J	296	104	35.3
MW/RW-51	5/13/2020	910	-	-	185	<0.040	<0.015	455	120	15.8
MW-52	8/28/2017	-	-	-	-	-	-	93.8	-	-
MW-70	2/26/2015	<3.0	-	-	361	0.71	<0.015	35.1	0.048 J	2.62
MW-70	5/12/2015	3.4 J	-	-	357	0.7	<0.015	40.7	<0.50	6.13
MW-70	8/6/2015	<3.0	-	-	365	0.73	<0.015	29.6	0.089	1.29
MW-70	8/28/2017	-	-	-	-	-	-	24.6	-	-
MW/RW-72S	10/22/2014	4,400	-	-	80.3	0.093 J	0.019 J	328	9.1	-
MW/RW-72S	2/25/2015	3,600	-	-	64.5	<0.040	<0.015	615	16.7	8.49
MW/RW-72S	5/13/2015	4,100	-	-	130	<0.040	0.097	597	24.6	8.46
MW/RW-72S	8/5/2015	2,300	-	-	207	<0.040	0.067	697	30.7	11.7
MW/RW-72S	3/14/2016	310	-	-	508	<0.040	0.054	543	71.4	16.7
MW/RW-72S	5/25/2016	20	-	-	1,500	<0.040	<0.015	<0.7	51.9	34.8
MW/RW-72S	8/25/2016	15	-	-	982	<0.040	<0.015	<1.7	78.9	24.5
MW/RW-72S	5/23/2017	14	-	-	2,320	<0.11	<0.010	<5.0	238	56.6
MW/RW-72S	8/30/2017	16.1	657	-	3,260	<0.11	<0.010	<5.0	120	50.2
MW/RW-72S	11/30/2017	23.1	-	-	1,880	<0.11	<0.010	<5.0	110	34.5
MW/RW-72S	2/21/2018	0.28	-	-	2,010	0.36	0.043	<5.0	4.4	58.3
MW/RW-72S	5/24/2018	51.4	-	-	2,030	<0.11	<0.010	<5.0	35.2	27
MW/RW-72S	8/14/2018	990	-	-	1,500	<0.040	<0.015	<1.7	99.3	13.4
MW/RW-72S	11/14/2018	240	-	-	1,480	0.22	<0.015	<1.7	30.2	14.1
MW/RW-72S	2/14/2019	1,000	-	-	1,160	<0.040	<0.015	<1.7	88.0	8.71
MW/RW-72S	5/22/2019	1,200	-	-	928	<0.040	<0.015	<1.7	26.8	6.56
MW/RW-72S	8/22/2019	2,100	-	-	621	<0.040	0.020 J	<2.6	49.3	3.76
MW/RW-72S	11/19/2019	190	-	-	1,120	<0.040	0.025 J	<2.6	56.5	8.82

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW/RW-72S	2/18/2020	260	-	-	1,210	<0.040	0.045 J	<2.6	153	12.9
MW/RW-72S	5/13/2020	190	-	-	1,520	<0.040	<0.015	<2.6	75.8	11.5
MW/RW-72S	8/12/2020	140	-	-	1,200	<0.040	0.021 J	<2.6	89	7.5
MW/RW-72	10/22/2014	2,200	-	-	389	<0.040	<0.015	65.5	0.33	-
MW/RW-72	2/25/2015	490	-	-	396	<0.040	<0.015	72.7	4.8	18.8
MW/RW-72	5/13/2015	540	-	-	434	<0.040	0.057	101	10.8	17.5
MW/RW-72	8/5/2015	1,400	-	-	393	<0.040	<0.015	548	14.3	13.5
MW/RW-72	5/24/2016	<3.0	-	-	246	0.25	<0.015	24	0.073	1.72
MW/RW-72	8/25/2016	<3.0	-	-	351	0.12	<0.015	25.1	0.085	3.6
MW/RW-72	11/29/2016	<3.0	-	-	438	0.14	0.025 J	4 J	0.5	14.6
MW/RW-72	2/22/2017	<3.0	-	-	372	0.42	<0.015	2.8 J	0.017 J	1.88
MW/RW-72	5/23/2017	0.90	-	-	1,450	<0.11	<0.010	<5.0	0.58	34.9
MW/RW-72	11/29/2017	0.22	-	-	1,080	0.27	<0.010	<5.0	<0.20	22.8
MW/RW-72	2/21/2018	0.28	-	-	879	0.28	<0.010	<5.0	<0.20	5.24
MW/RW-72	5/24/2018	17.4	-		1,390	<0.11	<0.010	<5.0	2.8	23.8
MW/RW-72	8/14/2018	220	-	-	1,720	<0.040	<0.015	<1.7	12.2	30.7
MW/RW-72	11/14/2018	390	-	-	1,130	<0.040	<0.015	<1.7	10.5	25.2
MW/RW-72	2/14/2019	80	-	-	1,160	<0.040	<0.015	<1.7	2.82	14.1
MW/RW-72	5/21/2019	360	-	-	1,130	<0.040	<0.015	<1.7	17.0	13.4
MW/RW-72	8/22/2019	750	-	-	922	0.044 J	<0.015	<2.6	28.9	12.7
MW/RW-72	11/19/2019	230	-	-	970	<0.040	<0.015	<2.6	3.7	25.4
MW/RW-72	2/18/2020	360	-	-	1,180	<0.040	<0.015	<2.6	5.48	29.7
MW/RW-72	5/13/2020	360	-	-	1,260	<0.040	<0.015	<2.6	9.63	26.5
MW-100S	11/29/2016	25	-	-	353	<0.040	0.20 J	37.5	71.6	11.5
MW-100S	8/30/2017	-	74	<0.2	269	-	-	116	-	-
MW-100S	11/30/2017	16.5	-	-	319	<0.11	<0.010	46.4	16.5	9.31
MW-100S	2/20/2018	-	-	-	333	-	-	-	-	-
MW-100S	5/22/2018	-	-	-	268	-	-	-	-	-
MW-100S	11/14/2018	51	-	-	256	0.47	0.038 J	84.2	5.61	2.20
MW-100S	11/20/2019	14	-	-	366	<0.040	0.030 J	39.5	57.6	11.50
MW-100	11/29/2016	12	-	-	56.3	2.60	0.061	29.2	0.19	0.902
MW-100	8/30/2017	-	7.15	<0.2	22.1	-	-	38.5	-	-
MW-100	11/30/2017	<0.11	-	-	47.3	1.9	<0.010	21.6	<1.0	0.446
MW-100	11/14/2018	5.1	-	-	55.3	2.4	<0.015	25.8	0.112	0.978
MW-100	11/20/2019	<3.0	-	-	39.6	3	<0.015	27.3	<0.0150	0.0102
MW-102	8/30/2017	-	-	-	-	-	-	44.6	-	-
MW-103	8/30/2017	-	-	-	-	-	-	55.4	-	-
MW-104	8/30/2017	-	9.28	-	29.2	-	-	256	-	-
MW-105	8/30/2017	-	-	-	-	-	-	117	-	-
MW-106	2/25/2015	260	-	-	1,600	<0.040	0.021 J	<7.0	122	2.23
MW-106	5/12/2015	960	-	-	1,160	<0.040	0.15	<0.70	50.1	1.49
MW-106	8/5/2015	2,100	-	-	1,010	<0.040	<0.015	35.1	32.7	1.38
MW-106	3/15/2016	1,600	-	-	1,250	<0.040	0.016 J	<0.70	25.1	1.67

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW-106	5/24/2016	3 J	-	-	1,310	<0.040	<0.015	<0.7	4.4	2.69
MW-106	8/25/2016	<3.0	-	-	1,270	<0.040	<0.015	<1.7	3.3	1.42
MW-106	11/29/2016	6.9	-	-	1,410	<0.040	<0.015	<1.7	9.6	1.55
MW-106	2/22/2017	4.3 J	-	-	1,310	<0.040	<0.015	<1.7	3.4	1.78
MW-106	5/23/2017	11.3	-	-	1,690	0.38	0.013	<5.0	5.2	4.28
MW-106	2/21/2018	0.14	-	-	1,700	<0.11	<0.010	<5.0	2.9	3.11
MW-106	5/24/2018	<0.11	-	-	823	0.24	<0.010	<5.0	<0.20	0.136
MW-106	8/14/2018	7.8	-	-	1,680	0.13	<0.015	<1.7	6.6	2.71
MW-106	11/13/2018	12	-	-	992	0.42	<0.015	<1.7	5.07	1.77
MW-106	2/14/2019	44	-	-	974	<0.040	<0.015	<1.7	14.9	1.54
MW-106	5/22/2019	47	-	-	1,140	<0.040	<0.015	<1.7	10.1	1.86
MW-106	8/22/2019	140	-	-	1,340	<0.040	<0.015	<2.6	155	3.32
MW-106	11/20/2019	170	-	-	1,320	<0.040	0.023 J	<2.6	183	4.31
MW-106	2/18/2020	61	-	-	1,130	0.12	<0.015	<2.6	11.8	1.71
MW-106	5/14/2020	110	-	-	901	<0.040	<0.015	<2.6	18.3	1.05
MW-109S	10/20/2014	1,000	-	-	18.8	<0.040	0.037 J	368	8	-
MW-109S	2/26/2015	140	-	-	55.4	<0.040	<0.015	196	3.1	2.64
MW-109S	5/12/2015	11	-	-	62.7	<0.040	<0.015	126	0.5	2.34
MW-112S	10/20/2014	4.1 J	-	-	99	0.71	<0.015	25	0.13	-
MW-112S	2/26/2015	<3.0	-	-	86.7	2.3	<0.015	13.3	0.029 J	0.649
MW-112S	5/12/2015	<3.0	-	-	98.9	2.5	<0.015	13.8	<0.010	0.597
MW-114	10/20/2014	16	-	-	40.5	1.5	0.16	66.7	0.066	-
MW-114	2/26/2015	<3.0	-	-	42.7	1.7	<0.015	68	0.016 J	0.102
MW-114	5/12/2015	<3.0	-	-	42.4	1.7	<0.015	68.2	0.035 J	0.0465
MW-121	12/2/2015	12,000	-	-	38.7	<0.040	0.033 J	353	66.7	28
MW-121	5/25/2016	3,300	-	-	115	<0.040	<0.015	374	81.4	22
MW-121	8/25/2016	100	-	-	186	<0.040	<0.015	331	14.5	12.6
MW-121	11/29/2016	1,500	-	-	227	<0.040	<0.015	302	24.7	10.3
MW-121	2/22/2017	490	-	-	297	<0.040	0.045 J	262	15.9	12.5
MW-121	5/24/2017	452	-	-	163	<0.11	<0.010	288	3.2	7.06
MW-121	8/29/2017	35.5	34.1	-	122	<0.11	<0.01	158	0.52	4.4
MW-121	11/29/2017	4	-	-	83.3	<0.11	0.015	113	1.4	4.02
MW-121	2/22/2018	7.4	-	-	117	<0.11	<0.010	157	<0.2	5.32
MW-121	5/24/2018	28.8	-	-	131	<0.11	<0.010	250	14.6	9.64
MW-121	8/15/2018	23	-	-	55.5	<0.040	<0.015	293	79.9	9.28
MW-121	11/14/2018	60	-	-	241	<0.040	0.092	208	45.8	12.1
MW-121	2/13/2019	84	-	-	118	<0.040	0.027 J	361	122	7.79
MW-121	5/20/2019	100	-	-	278	<0.040	<0.015	276	107	10.3
MW-121	8/19/2019	190	-	-	293	<0.040	<0.015	317	94.6	9.95
MW-121	11/20/2019	290	-	-	194	<0.040	0.11	352	132	7.00
MW-121	2/17/2020	450	-	-	252	<0.040	0.090	353	119	7.93
MW-121	5/11/2020	290	-	-	251	<0.040	<0.015	372	134	7.94
MW-122	12/2/2015	1,000	-	-	94.3	<0.040	<0.015	451	7.2	13.1

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW-122	5/25/2016	450	-	-	188	0.048 J	<0.015	300	90.8	16.3
MW-122	8/25/2016	280	-	-	182	<0.040	<0.015	272	9.1	4.12
MW-122	11/29/2016	450	-	-	180	<0.040	<0.015	284	11.1	3.64
MW-122	2/22/2017	350	-	-	190	<0.040	<0.015	291	2.8	4.87
MW-122	5/24/2017	6.2	-	-	239	<0.11	<0.010	257	<0.20	3.71
MW-122	8/30/2017	-	94	<0.20	-	-	-	-	-	-
MW-122	11/29/2017	1.3	-	-	383	<0.11	<0.010	86.5	<0.20	12.3
MW-122	2/22/2018	8.1	-	-	1,210	<0.11	<0.010	47.2	1.5	35.8
MW-122	5/24/2018	10.1	-	-	753	<0.11	<0.010	469	46.4	18.4
MW-122	8/15/2018	24	-	-	221	<0.040	<0.015	427	40.8	6.58
MW-122	11/14/2018	87	-	-	273	<0.040	<0.015	346	33.9	87
MW-122	2/12/2019	210	-	-	251	<0.040	<0.015	331	36.9	11.8
MW-122	5/21/2019	380	-	-	308	<0.040	<0.015	318	36.4	9.45
MW-122	8/19/2019	520	-	-	245	<0.040	<0.015	331	39.4	7.05
MW-122	11/20/2019	740	-	-	198	<0.040	0.07	345	41.9	6.35
MW-122	2/18/2020	1,200	-	-	165	<0.040	0.026 J	341	52.5	5.95
MW-122	5/12/2020	1,700	-	-	166	<0.040	<0.015	306	48.6	5.14
RW-123S	8/29/2017	-	74.9	-	236	-	-	165	-	-
RW-123S	11/29/2017	-	-	-	77.2	-	-	-	-	-
RW-123S	2/22/2018	-	-	-	154	-	-	-	-	-
RW-123S	5/23/2018	-	-	-	86.1	-	-	-	-	-
RW-123S	11/13/2018	-	-	-	-	-	-	160	-	-
RW-123S	2/12/2019	-	-	-	51.4	-	-	267	-	-
RW-123S	11/21/2019	6,500	-	-	-	-	-	-	-	-
RW-1	8/29/2017	-	5.22	-	15.3	-	-	50.8	-	-
RW-1	2/22/2018	-	-	-	25.5	-	-	46.2	-	-
RW-1	5/22/2018	-	-	-	5.2	-	-	164	-	-
RW-1	8/15/2018	-	-	-	47	-	-	233	-	-
RW-1	11/14/2018	-	-	-	86.9	-	-	207	-	-
RW-1	2/12/2019	-	-	-	70.3	-	-	209	-	-
RW-1	5/22/2019	-	-	-	81.3	-	-	175	-	-
RW-1	8/19/2019	-	-	-	93.6	-	-	210	-	-
RW-1	11/21/2019	-	-	-	53.9	-	-	210	-	-
RW-1	2/19/2020	-	-	-	38.1	-	-	240	-	-
RW-1	5/12/2020	-	-	-	33.2	-	-	249	-	-
RW-1	8/11/2020	-	-	-	28	-	-	30	-	-
RW-05S	8/29/2017	-	446	-	-	-	-	-	-	-
RW-05S	2/22/2018	-	-	-	744	-	-	<5.0	-	-
RW-05S	5/22/2018	-	-	-	692	-	-	267	-	-
RW-05S	8/14/2018	-	-	-	1,030	-	-	200	-	-
RW-05S	11/12/2018	-	-	-	-	-	-	6.8	-	-
RW-05S	2/13/2019	-	-	-	78.2	-	-	89.4	-	-
RW-05S	5/20/2019	-	-	-	50.5	-	-	91.5	-	-

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
RW-05S	8/21/2019	-	-	-	45.8	-	-	80.3	-	-
RW-05S	11/21/2019	-	-	-	<1.5	-	-	220	-	-
RW-05S	2/17/2020	-	-	-	60	-	-	119	-	-
RW-05S	5/11/2020	-	-	-	104	-	-	113	-	-
RW-05S	8/10/2020	-	-	-	300	-	-	150	-	-
MW/RW-05	11/28/2017	-	-	-	-	-	-	21.1	-	-
MW/RW-05	11/12/2018	-	-	-	-	-	-	41.2	-	-
MW/RW-05	2/13/2019	6,000	-	-	297	<0.040	<0.015	83.9	34.7	1.22
MW/RW-05	5/20/2019	7,900	-	-	288	<0.040	<0.015	101	30.1	3.00
MW/RW-05	8/21/2019	6,300	-	-	224	<0.040	<0.015	116	22.2	2.74
MW/RW-05	11/22/2019	-	-	-	-	-	-	195	-	-
MW/RW-05	2/19/2020	10,000	-	-	304	<0.040	<0.015	265	36.2	2.96
MW/RW-05	5/12/2020	-	-	-	-	-	-	254	-	-
MW/RW-05	8/10/2020	-	-	-	-	-	-	290	-	-
RW-25S	2/22/2018	-	-	-	286	-	-	140	-	-
RW-25S	5/21/2018	-	-	-	58.6	-	-	320	-	-
RW-25S	8/14/2018	-	-	-	284	-	-	451	-	-
RW-25S	11/12/2018	-	-	-	-	-	-	112	-	-
RW-25S	2/12/2019	-	-	-	514	-	-	223	-	-
RW-25S	5/20/2019	-	-	-	280	-	-	455	-	-
RW-25S	8/20/2019	-	-	-	508	-	-	316	-	-
RW-25S	8/10/2020	-	-	-	260	-	-	160	-	-
RW-28S	2/22/2018	-	-	-	756	-	-	86.3	-	-
RW-28S	5/22/2018	-	-	-	876	-	-	113	-	-
RW-28S	8/14/2018	-	-	-	1,250	-	-	111	-	-
RW-28S	11/14/2018	-	-	-	887	-	-	148	-	-
RW-28S	2/14/2019	-	-	-	1,150	-	-	102	-	-
RW-28S	5/21/2019	-	-	-	1,060	-	-	133	-	-
RW-28S	8/20/2019	-	-	-	370	-	-	201	-	-
RW-28S	11/18/2019	-	-	-	410	-	-	252	-	-
RW-28S	2/17/2020	-	-	-	911	-	-	165	-	-
RW-28S	5/12/2020	-	-	-	852	-	-	151	-	-
RW-28S	8/11/2020	-	-	-	4600	-	-	240	-	-
RW-116S	2/22/2018	-	-	-	909	-	-	40.6	-	-
RW-116S	5/21/2018	-	-	-	491	-	-	88.2	-	-
RW-116S	8/14/2018	-	-	-	3,850	-	-	<1.7	-	-
RW-116S	11/12/2018	-	-	-	-	-	-	<1.7	-	-
RW-116S	2/13/2019	-	-	-	91.4	-	-	23.9	-	-
RW-116S	5/23/2019	-	-	-	86.8	-	-	37.9	-	-
RW-116S	8/21/2019	-	-	-	134.0	-	-	36.5	-	-
RW-116S	11/22/2019	-	-	-	400	-	-	121	-	-
RW-116S	2/19/2020	-	-	-	1,090	-	-	94.6	-	-
RW-116S	5/14/2020	-	-	-	1,300	-	-	62.2	-	-

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
RW-116S	8/11/2020	-	-	-	1,300	-	-	130.0	-	-
RW-117S	11/12/2018	-	-	-	-	-	-	<1.7	-	-
RW-117S	2/13/2019	-	-	-	-	-	-	45.4	-	-
RW-117S	5/22/2019	-	-	-	117	-	-	16.0	-	-
RW-117S	8/21/2019	-	-	-	90	-	-	78.8	-	-
RW-117S	11/18/2019	-	-	-	140	-	-	95.5	-	-
RW-117S	8/10/2020	-	-	-	290	-	-	200.0	-	-
RW-118S	8/29/2017	-	-	-	-	-	-	57.9	-	-
RW-118S	8/14/2018	-	-	-	1,980	-	-	83	-	-
RW-118S	11/13/2018	-	-	-	582	-	-	93.6	-	-
RW-118S	2/13/2019	-	-	-	184	-	-	91.1	-	-
RW-118S	5/22/2019	-	-	-	211	-	-	46.6	-	-
RW-118S	8/20/2019	-	-	-	211	-	-	58.9	-	-
RW-118S	11/18/2019	-	-	-	260	-	-	83.4	-	-
RW-118S	5/14/2020	-	-	-	555	-	-	28.2	-	-
RW-118S	8/11/2020	-	-	-	530	-	-	100	-	-
RW-119S	8/28/2017	-	109	<0.2	403	-	-	117	-	-
RW-119S	11/29/2017	-	-	-	17.3	-	-	-	-	-
RW-119S	2/20/2018	-	-	-	356	-	-	214	-	-
RW-119S	5/21/2018	-	-	-	533	-	-	399	-	-
RW-119S	8/14/2018	-	-	-	587	-	-	214	-	-
RW-119S	11/13/2018	-	-	-	317	-	-	98.1	-	-
RW-119S	2/12/2019	-	-	-	243	-	-	142	-	-
RW-119S	5/21/2019	-	-	-	255	-	-	172	-	-
RW-119S	8/19/2019	-	-	-	197	-	-	204	-	-
RW-119S	11/22/2019	-	-	-	166	-	-	378	-	-
RW-119S	2/19/2020	-	-	-	112	-	-	419	-	-
RW-119S	5/14/2020	-	-	-	84.9	-	-	408	-	-
RW-119S	8/11/2020	-	-	-	330	-	-	140	-	-
TW-02	8/30/2017	-	-	-	-	-	-	146	-	-
TW-03	3/4/2015	2,500	-	-	269	<0.040	0.083	49.7	29.7	5.24
TW-03	5/13/2015	2,200	-	-	298	<0.040	0.13	39	24.6	4.32
TW-03	8/6/2015	1,800	-	-	289	<0.040	0.07	<0.70	32.3	4.61
TW-03	3/16/2016	1,600	-	-	345	<0.040	0.029 J	24.7	21.9	4.99
TW-03	5/23/2016	410	-	-	365	<0.040	0.043 J	31.2	29.1	7.88
TW-03	8/25/2016	220	-	-	276	<0.040	<0.015	16.7	40.7	6.86
TW-03	11/29/2016	130	-	-	269	<0.040	0.015 J	41.2	38	7.19
TW-03	2/22/2017	75	-	-	255	<0.040	0.047 J	10.5	37.9	5.46
TW-03	5/23/2017	87	-	-	402	<0.11	<0.010	7.7	41.7	6.08
TW-03	8/30/2017	13.1	109	<0.2	370	<0.11	<0.01	<5	42.9	6.51
TW-03	11/29/2017	13.6	-	-	616	<0.11	<0.010	43.3	102	12.1
TW-03	2/21/2018	18.8	-	-	650	<0.11	<0.010	<5.0	12.1	7.71
TW-03	5/22/2018	-	-	-	547	-	-	41	-	-

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
TW-03	5/24/2018	11.8	-	-	-	<0.11	<0.010	-	15.1	10.2
TW-03	8/14/2018	110	-	-	546	<0.040	<0.015	24.6	59.3	7.69
TW-03	11/13/2018	93	-	-	549	<0.040	<0.015	39.2	59.2	7.92
TW-03	2/13/2019	49	-	-	244	<0.040	<0.015	20.5	33.9	7.13
TW-03	5/21/2019	89	-	-	447	<0.040	<0.015	22.6	57.9	6.85
TW-03	8/21/2019	58	-	-	413	<0.040	0.056	<2.6	91.5	7.53
TW-03	11/19/2019	44	-	-	364	<0.040	0.039 J	13.9	68.1	7.77
TW-03	2/18/2020	87	-	-	500	<0.040	0.032 J	11.4	53.1	7.09
TW-03	5/12/2020	95	-	-	492	<0.040	<0.015	8.8	57.8	6.63
TW-03	8/11/2020	17	-	-	160	<0.040	<0.015	<2.6	21	2.4
TW-04	8/30/2017	-	-	-	-	-	-	<5	-	-
TW-05	3/4/2015	2,800	-	-	367	<0.040	0.13	89.4	72.6	5.28
TW-05	5/13/2015	1,300	-	-	463	0.052 J	0.18	66.2	58.6	4.77
TW-05	8/6/2015	3,000	-	-	388	-	-	-	-	-
TW-05	8/13/2015	-	-	-	-	<0.040	0.091	16.1	84.5	3.55
TW-05	3/14/2016	460	-	-	410	0.12	0.042 J	114	41.5	3.05
TW-05	8/25/2016	-	-	-	515	<0.040	<0.015	68.7	54.5	4.91
TW-05	11/29/2016	400	-	-	524	<0.040	0.020 J	105	90.5	7.04
TW-05	2/22/2017	2,100	-	-	631	<0.040	0.084	73.4	151	10.9
TW-05	5/22/2017	583	-	-	860	<0.11	<0.010	16.6	63.8	10.2
TW-05	8/30/2017	33	263	<0.2	943	<0.11	<0.01	<5	122	31.6
TW-05	11/30/2017	-	-	-	1,140	-	-	<5	-	-
TW-05	2/21/2018	2.3	-	-	861	<0.11	<0.010	<5.0	50.9	18.8
TW-05	6/26/2018	22.4	-	-	1090	<0.11	<0.010	<10	79.6	14.8
TW-05	11/13/2018	20	-	-	349	0.13	<0.015	2.1 J	58.9	2.72
TW-05	2/13/2019	18	-	-	432	<0.040	<0.015	<1.7	108	4.34
TW-05	5/21/2019	28	-	-	883	<0.040	<0.015	<1.7	167	4.38
TW-05	8/21/2019	49	-	-	654	<0.040	0.038 J	<2.6	191	4.66
TW-05	11/19/2019	43	-	-	1,190	<0.040	0.033 J	<2.6	184	6.07
TW-05	2/18/2020	22	-	-	523	<0.040	0.047 J	4.9 J	95.8	5.03
TW-05	5/11/2020	8.2	-	-	543	<0.040	<0.015	25.9	98.4	4.35
TW-06	12/2/2015	7,000	-	-	279	<0.040	0.027 J	194	58.4	1.93
TW-06	3/15/2016	3,600	-	-	224	<0.040	0.039 J	128	53.9	1.46
TW-06	5/24/2016	3,400	-	-	402	<0.040	0.036 J	72	46	2.1
TW-06	8/25/2016	-	-	-	931	<0.040	0.017 J	36	144	6.32
TW-06	11/29/2016	1,100	-	-	1,160	<0.040	0.041 J	27.1	249	8.28
TW-06	2/22/2017	630	-	-	794	<0.040	0.059	<1.7	121	7.46
TW-06	5/23/2017	372	-	-	535	<0.11	<0.010	<5	97.9	4.44
TW-06	8/30/2017	39.4	226	<0.2	1,530	<0.11	<0.01	<5	247	6.68
TW-06	11/28/2017	20.1	-	-	1,840	<0.11	<0.010	<5.0	299	12.7
TW-06	2/21/2018	7.1	-	-	822	0.46	<0.010	<5.0	95.6	6.32
TW-06	5/22/2018	-	-	-	321	-	-	<5.0	-	-
TW-06	5/24/2018	4.8	-	-	-	1.40	<0.010	-	1.2	0.17

Table 5

HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
TW-06	8/14/2018	52	-	-	420	<0.040	<0.015	7.5	77.1	1.85
TW-06	11/13/2018	12	-	-	131	0.48	<0.015	55.6	10.8	0.288
TW-06	2/13/2019	40	-	-	266	0.14	0.018 J	25.8	67.0	1.17
TW-06	5/21/2019	47	-	-	393	<0.040	<0.015	26.1	71.8	1.27
TW-06	8/21/2019	99	-	-	956	<0.25	-	<2.6	123	2.40
TW-06	11/19/2019	120	-	-	587	<0.040	0.042 J	26.4	142	2.83
TW-06	2/18/2020	54	-	-	235	0.15	0.051	63.2	44.0	0.927
TW-06	5/12/2020	43	-	-	210	<0.040	<0.015	55.6	54.0	0.99
TW-06	8/10/2020	44	-	-	310 J	<0.040	0.022 J	79	53	0.88
TW-07	3/4/2015	1,300	-	-	258	<0.040	0.034 J	1.6 J	14.1	4.3
TW-07	5/13/2015	800	-	-	323	<0.040	0.046 J	1.1 J	9.5	5.62
TW-07	8/6/2015	2,700	-	-	304	<0.040	0.018 J	2.7	8.7	4.51
TW-07	8/30/2017	-	-	-	-	-	-	<5	-	-
TW-07	2/21/2018	-	-	-	296	-	-	<6	-	-
TW-07	5/22/2018	-	-	-	289	-	-	5.1	-	-
TW-07	8/13/2018	-	-	-	-	-	-	13.3	-	-
TW-07	11/12/2018	-	-	-	431	-	-	21	-	-
TW-07	2/11/2019	-	-	-	285	-	-	11.3	-	-
TW-07	5/20/2019	85	-	-	335	0.31	<0.015	17.2	25.9	4.09
TW-07	8/20/2019	110	-	-	674	0.27	0.029 J	<2.6	79.2	9.87
TW-07	11/18/2019	27	-	-	488	0.2	0.032 J	9.4	83.6	7.74
TW-07	2/17/2020	60	-	-	380	<0.040	0.028 J	10.4	31.0	4.77
TW-07	5/12/2020	81	-	-	345	<0.040	<0.015	12.9	24.6	3.64
TW-14	8/30/2017	-	-	-	-	-	-	217	-	-

Notes:

J = Detected between the Method Detection Limit and the Reporting Limit; therefore, the result is an estimated value.
- = No Data
<# = Less than the method detection limit of #
µg/L = Micrograms per liter
mg/L = Milligrams per liter

Table 6

TOTAL PHASE EXTRACTION OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation			Vapor Recovery							Groundwater Recovery		
	Period (days)	Operating Days	Operating Hours	Applied Vacuum	Vapor Flow Rate	PID Reading	Influent C1-C10 Hydrocarbon Concentration	Hydrocarbon Recovery Per Day	Hydrocarbon Recovery Per Period	Cumulative Hydrocarbon Recovery	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery
				(in. Hg)	(scfm)	(ppm-v)	(mg/m^3)	(lbs/day)	(lbs)	(lbs)	(gpm)	(gal)	(gal)
March 14, 2016	-	-	-	15.8	325	-	830	-	-	-	-	2,572	539
March 15, 2016	0.1	0.1	2	14.5	340	-		**25.4**	2.1	2	0.73		627
March 16, 2016	0.3	0.3	10	14.0	340	150		**25.4**	8.5	11	0.52		875
March 17, 2016	0.4	0.4	19	13.7	360	313		**26.9**	10.1	21	0.22		993
March 21, 2016	1.3	1.3	49	15.1	320	189		**23.9**	29.8	50	0.20		1,358
March 24, 2016	3	2.5	108	-	-	-		-	-	-	0.16		1,920
March 30, 2016	6	5.4	238	15.1	360	210		**26.9**	212	262	0.08		2,572
Q1 2016	**11**	**10**		**14.7**	**341**	**216**			**262**		**0.18**	**2,572**	
April 7, 2016	8	7.8	426	14.7	350	120	135	**4.2**	33	295	0.14	4,671	4,207
April 13, 2016	6	5.9	568	13.7	380	71	-	21.7	129	424	0.14		5,375
April 20, 2016	7	6.3	718	14.7	360	63	-	18.0	113	537	0.12		6,431
April 27, 2016	7	5.5	851	15.1	330	59	-	15.7	87	624	0.10		7,243
May 5, 2016	8	7.7	1035	15.7	330	105	74	**2.2**	17	640	0.12	4,121	8,530
May 18, 2016	13	8.9	1248	14.4	350	48	-	13.4	119	759	0.12		10,084
May 25, 2016	7	4.8	1362	15.3	340	-	-	**2.3**	11	770	0.19		11,364
June 8, 2016	14	8.8	1573	16.5	340	37	0	**0.0**	0	770	0.15	5,196	13,273
June 21, 2016	13	12.6	1876	15.2	360	24.4	-	7.0	89	859	0.18		16,560
Q2 2016	**83**	**68**		**15.0**	**349**	**66**			**597**		**0.14**	**13,988**	
July 12, 2016	21	21.0	2379	15.8	350	44.0	<53	12.3	259	1118	0.22	9,218	23,064
July 21, 2016	9	8.8	2589	16.3	330	80.2	-	21.2	186	1303	0.22		25,778
August 4, 2016	14	14.0	2926	16.5	350	26.4	70	**2.2**	31	1334	0.30	10,131	31,745
August 15, 2016	11	7.4	3103	16.0	350	-	-	**2.2**	16	1350	0.38		35,795
August 17, 2016	2	0.2	3108	14.5	325	46.4	-	12.1	3	1353	0.38		35,909
September 1, 2016	15	10.7	3365	15.8	340	34.2	71	**2.2**	23	1376	0.24	11,516	39,684
September 22, 2016	21	20.8	3865	16.6	345	23.7	-	6.6	136	1513	0.20		45,749
September 30, 2016	8	8.0	4056	-	345	-	-	**2.2**	18	1530	0.15		47,425
Q3 2016	**101**	**91**		**15.9**	**342**	**42**			**671**		**0.24**	**30,865**	

Table 6

TOTAL PHASE EXTRACTION OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation			Vapor Recovery							Groundwater Recovery		
	Period (days)	Operating Days	Operating Hours	Applied Vacuum	Vapor Flow Rate	PID Reading	Influent C1-C10 Hydrocarbon Concentration	Hydrocarbon Recovery Per Day	Hydrocarbon Recovery Per Period	Cumulative Hydrocarbon Recovery	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery
				(in. Hg)	(scfm)	(ppm-v)	(mg/m^3)	(lbs/day)	(lbs)	(lbs)	(gpm)	(gal)	(gal)
October 5, 2016	5	4.9	4173	16.9	360	13.2	<53	3.8	19	1549	0.18	4,062	48,699
October 20, 2016	15	13.8	4505	17.2	340	16.9	-	4.6	64	1612	0.14		51,487
November 3, 2016	14	13.0	4817	16.8	360	17.6	29	**0.9**	12	1625	0.13	4,897	53,850
November 22, 2016	19	19.0	5273	17.2	365	28.9	-	8.5	161	1785	0.09		56,384
December 7, 2016	15	14.8	5627	16.6	370	31.6	<53	9.4	138	1923	0.07	2,753	57,895
December 22, 2016	15	9.1	5845	16.6	345	42.7	-	11.8	107	2031	0.09		59,137
Q4 2016	**83**	**75**		**16.9**	**357**	**25**			**500**		**0.11**	**11,712**	
January 9, 2017	18	17.2	6257	17.0	350	31.0	<53	8.7	149	2180	0.13	8,266	62,275
January 30, 2017	21	20.4	6747	16.2	360	31.6	-	9.1	186	2366	0.17		67,403
February 6, 2017	7	6.9	6913	15.9	370	32.0	<53	9.5	66	2432	0.13	2,619	68,680
February 22, 2017	16	15.9	7295	15.9	380	17.7	-	5.4	86	2517	0.06		70,022
March 7, 2017	13	12.1	7585	15.7	360	33.3	<53	9.6	116	2633	0.07	3,230	71,195
March 29, 2017	22	21.8	8107	15.9	350	13.4	-	3.8	82	2715	0.07		73,252
Q1 2017	**97**	**94**		**16.1**	**362**	**27**			**685**		**0.10**	**14,115**	
April 10, 2017	12	5.5	8240	14.2	370	10.4	140	**4.7**	26	2741	0.08	1,351	73,890
April 18, 2017	8	2.9	8310	14.1	370	14.6	-	4.3	13	2754	0.17		74,603
May 2, 2017	14	14.0	8645	14.2	370	11.3	22.4	3.4	47	2800	0.07	2,673	75,985
May 18, 2017	16	16.0	9030	16.0	325	2.0	-	0.5	8	2809	0.06		77,276
June 7, 2017	14*	5.7	9167	15.3	360	27.4	35.3	7.9	45	2854	0.24	4,594	79,285
June 22, 2017	15	12.1	9457	14.8	375	4.2	-	1.3	15	2869	0.15		81,870
Q2 2017	**79**	**56**		**14.8**	**362**	**12**			**154**		**0.11**	**8,618**	
July 6, 2017	14	9.1	9675	13.25	400	17.3	34.5	**1.2**	11	2880	0.13	4,696	83,603
July 19, 2017	13	11.9	9960	15.9	275	9.6	-	2.1	25	2905	0.11		85,484
July 28, 2017	9	3.6	10047	16.0	275	NR	-	2.1	8	2913	0.21		86,566
August-17	System Off												
September-17	System Off												
Q3 2017	**36**	**25**		**15.1**	**317**	**13**			**44**		**0.13**	**4,696**	

Table 6

TOTAL PHASE EXTRACTION OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation			Vapor Recovery							Groundwater Recovery		
	Period (days)	Operating Days	Operating Hours	Applied Vacuum	Vapor Flow Rate	PID Reading	Influent C1-C10 Hydrocarbon Concentration	Hydrocarbon Recovery Per Day	Hydrocarbon Recovery Per Period	Cumulative Hydrocarbon Recovery	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery
				(in. Hg)	(scfm)	(ppm-v)	(mg/m^3)	(lbs/day)	(lbs)	(lbs)	(gpm)	(gal)	(gal)
October-17	System Off												
November-17	System Off												
December-17	System Off												
Q4 2017	**System Off**												
January-18	System Off												
February-18	System Off												
March-18	System Off												
Q1 2018	**System Off**												
April-18	System Off												
May-18	System Off												
June-18	System Off												
Q2 2018	**System Off**												
July-18	System Off												
August-18	System Off												
September 21, 2018	-	-	10083	19.0	190	-	-	**10.1**	-	-	-		86,781
September 25, 2018	4	0.1	10085	18.0	250	22.4	590	**13.3**	1.3	2914	20.73	4335	89,268
September 27, 2018	2	0.4	10095	17.0	300	-	-	**15.9**	6.4	2921	2.72		90,901
Q3 2018	**6**	**1**		**18.0**	**247**	**22**			**7.7**		**6.02**	**4,335**	
October 2, 2018	5	1.3	10126	17.0	310	24.6	-	6.1	8	2929	2.68	31699	95,891
October 24, 2018	22	5.5	10258	15.5	350	3.1	-	0.9	5	2933	3.37		122,600
November 1, 2018	8	5.9	10399	15.8	350	1.5	-	0.4	2	2936	3.22	109287	149,844
November 28, 2018	27	14.0	10734	17.0	300	2.2	-	0.5	7	2943	4.08		231,887
December 11, 2018	13	6.0	10879	17.0	315	2.8	-	0.7	4	2948	5.44	101737	279,230
December 27, 2018	16	8.2	11076	17.1	330	-	-	0.7	6	2954	4.60		333,624
Q4 2018	**91**	**41**		**16.6**	**326**	**7**			**32.9**		**4.12**	**242,723**	

Table 6

TOTAL PHASE EXTRACTION OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation			Vapor Recovery							Groundwater Recovery		
	Period (days)	Operating Days	Operating Hours	Applied Vacuum	Vapor Flow Rate	PID Reading	Influent C1-C10 Hydrocarbon Concentration	Hydrocarbon Recovery Per Day	Hydrocarbon Recovery Per Period	Cumulative Hydrocarbon Recovery	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery
				(in. Hg)	(scfm)	(ppm-v)	(mg/m^3)	(lbs/day)	(lbs)	(lbs)	(gpm)	(gal)	(gal)
January 10, 2019	14	7.0	11244	17.0	360	-	-	0.3	2	2956	4.80	72161	382,037
January 24, 2019	14	6.9	11410	7.3	340	1.2	-	0.3	2	2958	2.38		405,785
February 15, 2019	22	7.2	11583	16.8	350	-	-	0.3	2	2961	1.46	16073	420,922
February 21, 2019	6	0.2	11588	16.3	375	-	-	0.6	0	2961	3.12		421,858
March 7, 2019	14	7.1	11759	16.5	375	2.0	-	0.6	4	2965	2.70	66844	449,529
March 19, 2019	12	7.3	11934	16.0	330	1.2	-	0.3	2	2967	3.73		488,702
Q1 2019	**82**	**36**		**15.0**	**355**	**1**			**13.8**		**3.01**	**155,078**	
April 2, 2019	14	6.6	12092	17.0	310	2.2	-	0.5	4	2971	2.49	58453	512,280
April 22, 2019	20	6.3	12244	17.0	330	2.0	-	0.5	3	2974	3.82		547,155
May 6, 2019	14	7.8	12432	17.0	340	-	-	0.5	4	2979	3.32	56882	584,613
May 23, 2019	17	4.5	12541	17.0	350	-	-	1.0	5	2983	2.97		604,037
June 4, 2019	12	9.5	12768	16.6	375	3.6	-	1.1	10	2994	2.68	66208	640,522
June 18, 2019	14	7.0	12936	17.0	300	3.1	-	0.7	5	2999	2.95		670,245
Q2 2019	**91**	**42**		**16.9**	**334**	**3**			**31.2**		**3.02**	**181,543**	
July 9, 2019	21	7.0	13104	17.0	310	2.2	-	0.5	4	3003	3.17	66696	702,182
July 23, 2019	14	7.3	13280	17.0	305	1.8	-	0.4	3	3006	3.29		736,941
August 9, 2019	17	0.3	13287	17.0	320		-	0.5	0	3006	4.52	38066	738,839
August 22, 2019	13	6.2	13436	16.0	360	-	-	0.5	3	3009	4.05		775,007
September 3, 2019	12	7.1	13607	15.7	370	-	-	0.5	4	3013	3.43	113318	810,165
September 17, 2019	14	9.3	13829	15.7	365	-	-	0.5	5	3018	2.75		846,821
September 29, 2019	12	11.9	14114	-	-	-	-	-	-	-	2.43		888,325
Q3 2019	**91**	**49**		**16.4**	**338**	**2**			**19.1**		**3.09**	**218,080**	
October-19	System Off												
November-19	System Off												
December-19	System Off												
Q4 2019	**System Off**												
January-20	System Off												
February-20	System Off												
March-20	System Off												
Q1 2020	**System Off**												

Table 6

TOTAL PHASE EXTRACTION OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation			Vapor Recovery							Groundwater Recovery		
	Period (days)	Operating Days	Operating Hours	Applied Vacuum	Vapor Flow Rate	PID Reading	Influent C1-C10 Hydrocarbon Concentration	Hydrocarbon Recovery Per Day	Hydrocarbon Recovery Per Period	Cumulative Hydrocarbon Recovery	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery
				(in. Hg)	(scfm)	(ppm-v)	(mg/m^3)	(lbs/day)	(lbs)	(lbs)	(gpm)	(gal)	(gal)
April-20	System Off												
May-20	System Off												
June-20	System Off												
Q2 2020	**System Off**												
July-20	System Off												
August-20	System Off												
September-20	System Off												
Q3 2020	**System Off**												

Notes:

PID - photoionization detector
in. Hg - inches of mercury
scfm - standard cubic feet per minute
ppm-v - parts per million by volume
mg/m^3 - milligrams per cubic meter
lbs - pounds
gal - gallons
gpm - gallons per minute
NR - not recorded

Bold hydrocarbon recovery per day values indicate the result is from analytical results (sum of C1-C4 and >C4-C10 hydrocarbons). Other a PID reading is used.

* The remediation system was shut for 6 days prior to and during the groundwater sampling event.

Estimate of TPE vapor >C4-C10 hydrocarbon recovery using analytical results in units of mg/m^3 :

Pounds = Vapor Flow Rate (scfm) x Influent >C4-C10 Hydrocarbons (mg/m^3) x Period (days) x c

c = conversion factors, 1440 min/day, 0.02832 m^3/ft^3, 2.2046E-6 lb/mg

Estimate of hydrocarbon recovery per day using PID reading:

Pounds = VOC concentration (ppm) / 1 million x MW (g/mol) / MV (mol/L)] x vapor flow rate (scfm) x c

MW = molecular weight, assumed at 200 grams/mol for diesel

MV = molar volume, 22.4 at standard temperature and pressure (25 deg. Celsius, 1 atm)

c = conversion factors, 1440 min/day, 0.0022 lb/g, 28.3 L/ft^3

Estimate of recovery using analytical results in units of mg/L:

Pounds = Total Monthly Flow (gal) x Concentration (mg/L) x c

c = conversion factors, 3.7854 L/gal, 2.2046E-6 lb/mg

Table 7

PUMP AND TREAT OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation			Groundwater Recovery			Recovery Wells											
	Period (days)	Operating Days	Operating Hours	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	RW-05		RW-25		RW-31		RW-51		RW-72		RW-14	
				(gpm)	(gal)	(gal)	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute
March 14, 2016	-	-	-	-	43,907	536	692	-	6,213	-	3,309	-	5,987	-	4,157	-		
March 15, 2016	0.2	0.2	6	0.5		729	1,120	1.8	10,090	16	9,063	24	10,880	20	7,307	13		
March 16, 2016	0.4	0.4	15	4.6		3,220	1,299	0.3	14,530	8	11,994	5	15,925	9	8,755	3		
March 17, 2016	0.3	0.3	22	3.3		4,595	1,436	0.3	21,226	16	16,785	11	23,056	17	9,825	3		
March 21, 2016	1.3	1.3	54	1.1		6,677	1,505	0.0	31,176	5	18,124	1	29,238	3	16,073	3		
March 24, 2016	3.0	2.3	108	1.8		12,539	1,625	0.0	-	-	-	-	-	-	-	-		
March 30, 2016	6.0	5.2	232	4.2		43,907	11,823	1.4	212,345	17	151,623	12	205,395	16	39,882	2		
Q1 2016	**11**	**10**		**3.2**	**43,907**		**11,823**	**0.9**	**212,345**	**15**	**151,623**	**11**	**205,395**	**15**	**39,882**	**3**		
April 7, 2016	8	7.8	418	3.3	117,175	81,177	17,696	0.5	430,776	20	244,598	8	431,044	20	51,551	1.0		
April 13, 2016	6	5.5	551	3.6		109,780	26,045	1.0	589,447	20	347,559	13	591,420	20	62,240	1.3		
April 20, 2016	7	6.3	701	3.1		137,844	34,325	0.9	773,123	20	355,229	1	775,119	20	69,772	0.8		
April 27, 2016	7	5.1	824	3.1		161,082	37,883	0.5	918,471	20	407,031	7	921,715	20	80,116	1.4		
May 5, 2016	8	7.5	1,005	3.0	87,572	193,885	39,826	0.2	1,138,059	20	471,149	6	1,136,789	20	90,455	1.0		
May 10, 2016	5	1.1	1,031	3.1		198,662	40,882	0.7	1,168,873	20	500,383	19	1,167,296	20	91,887	0.9		
May 18, 2016	8	7.2	1,204	2.7		226,298	60,355	1.9	1,387,605	21	525,551	2	1,381,275	21	97,943	0.6		
May 25, 2016	7	6.5	1,360	2.4		248,654	-	-	-	-	-	-	-	-	-	-		
June 2, 2016	8	5.5	1,493	2.1	61,464	265,336	90,911	1.8	1,760,840	22	777,780	15	1,743,745	21	112,951	0.0		
June 8, 2016	6	3.3	1,571	2.1		275,335	97,569	1.4	1,861,909	22	844,068	14	1,841,688	21	117,805	1.0		
June 14, 2016	6.0	6.0	1,714	1.9		291,227	110,555	1.5	2,069,338	24	948,955	12	2,035,824	23	127,548	1.1		
June 21, 2016	7.0	6.8	1,877	1.9		310,118	143,720	3.4	2,299,257	24	1,075,182	13	2,259,050	23	137,772	1.0		
Q2 2016	**83**	**69**		**2.7**	**266,211**		**131,897**	**1.3**	**2,086,912**	**21**	**923,559**	**9**	**2,053,655**	**21**	**97,890**	**1**		
July 12, 2016	21	21.0	2,380	2.2	90,967	375,524	621,945	15.8	3,046,598	25	1,501,331	14	2,963,874	23	163,265	0.8		
July 21, 2016	9	8.8	2,591	2.0		401,085	965,118	27.1	3,336,362	23	1,703,585	16	3,245,984	22	172,720	0.7		
August 4, 2016	14	14.0	2,927	2.0	66,632	441,884	1,504,724	26.8	3,784,552	22	2,035,460	16	3,692,700	22	188,936	0.8	188,936	-
August 15, 2016	11	8.0	3,118	2.2		466,850	1,780,380	24.1	3,986,072	18	2,200,705	14	3,916,870	20			274,167	7.4
August 17, 2016	2	0.2	3,123	2.9		467,717	1,784,800	14.7	3,991,637	19	2,204,352	12	3,922,639	19			276,953	9.3
September 1, 2016	15	12.3	3,418	1.8	97,504	499,541	2,110,116	18.4	4,141,750	8	2,252,093	3	4,205,454	16			456,696	10.2
September 22, 2016	21	21.0	3,921	1.6		547,172	2,402,720	9.7	4,809,103	22	2,252,895	0	4,833,693	21			700,754	8.1
September 30, 2016	8	7.8	4,108	1.6		565,221	2,404,744	0.2	-	-	2,253,087	0	-				-	-
Q3 2016	**101**	**93**		**1.9**	**255,103**		**2,261,024**	**16.9**	**2,509,846**	**20**	**1,177,905**	**9**	**2,574,643**	**21**	**51,164**	**1**	**511,818**	**9**
October 5, 2016	5	4.9	4,226	2.5	62,337	583,206	2,406,092	0.2	4,985,425	10	2,380,012	18	5,204,070	20			897,581	11
October 20, 2016	15	13.8	4,558	2.2		627,558	2,410,677	0.2	5,430,437	22	2,759,561	19	5,620,685	21			1,074,660	9
November 3, 2016	14	13.0	4,870	2.0	74,361	665,013	2,414,200	0.2	5,830,392	21	3,089,438	18	5,999,578	20			1,245,397	9
November 22, 2016	19	19.0	5,326	1.3		701,919	2,421,950	0.3	6,450,887	23	3,309,768	8	6,423,209	15			1,401,129	6
December 7, 2016	15	14.6	5,677	1.7	55,598	738,594	2,445,294	1.1	6,928,011	23	3,587,633	13	6,740,188	15			1,656,410	12
December 22, 2016	15	9.3	5,900	1.4		757,517	2,478,549	2.5	7,242,904	24	3,696,939	8	6,946,164	15			1,690,554	3
Q4 2016	**83**	**75**		**1.8**	**192,296**		**73,805**	**0.7**	**2,433,801**	**23**	**1,443,852**	**13**	**2,112,471**	**20**	**0**	**0**	**989,800**	**9**

Table 7

PUMP AND TREAT OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation			Groundwater Recovery			Recovery Wells											
	Period (days)	Operating Days	Operating Hours	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	RW-05		RW-25		RW-31		RW-51		RW-72		RW-14	
				(gpm)	(gal)	(gal)	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute
January 9, 2017	18	17.2	6,312	1.1	27,603	784,463	2,494,287	0.6	7,829,388	24	3,815,194	5	7,211,328	11			1,853,106	7
January 19, 2017	10	0.7	6,328	0.7		785,120	2,494,860	0.6	7,851,610	23	3,828,163	14	7,230,971	20			1,856,756	4
February 6, 2017	18	6.7	6,489	1.7	45,008	801,393	2,495,498	0.1	8,070,030	23	3,933,692	11	7,421,271	20			1,884,884	3
February 22, 2017	16	15.9	6,871	1.3		830,128	2,496,043	0.02	8,623,835	24	4,141,969	9	7,558,931	6			2,114,207	10
March 7, 2017	13	12.1	7,161	1.3	63,709	851,954	2,496,525	0.03	9,020,300	23	4,241,925	6	7,838,994	16			2,219,822	6
March 29, 2017	22	21.9	7,686	1.3		893,837	2,506,402	0.3	9,393,785	12	4,746,021	16	8,681,479	27			2,286,621	2
Q1 2017	**97**	**74**		**1.3**	**136,320**		**27,853**	**0.3**	**2,150,881**	**20**	**1,049,082**	**10**	**1,735,315**	**16**	**0**	**0**	**596,067**	**6**
April 10, 2017	12	11.7	7,967	1.4	33,068	918,041	2,514,214	0.5	10,125,850	43	4,947,186	12	9,556,777	52			2,438,043	9
April 18, 2017	8	4.2	8,067	1.5		926,905	2,523,654	1.6	10,260,855	23	5,041,960	16	9,659,267	17			2,452,180	2
May 2, 2017	14	13.5	8,390	1.5	67,507	955,134	2,558,928	1.8	10,700,135	23	5,358,699	16	9,976,314	16			2,488,966	2
May 18, 2017	16	16.0	8,775	1.7		994,412	2,773,700	9.3	11,201,156	22	5,742,876	17	10,340,804	16			2,912,156	18
June 7, 2017	15*	14.1	9,114	1.5	39,790	1,025,509	2,948,465	8.6	11,639,850	22	6,037,220	14	10,619,527	14			3,425,060	25
June 22, 2017	15	11.6	9,392	0.5		1,034,202	2,948,771	0.0	12,064,871	25	6,114,629	5	10,747,764	8			3,733,091	18
Q2 2017	**80**	**71**		**1.4**	**140,365**		**442,369**	**4.3**	**2,671,086**	**26**	**1,368,608**	**13**	**2,066,285**	**20**	**0**	**0**	**1,446,470**	**14**
July 7, 2017	15	10.5	9,644	0.2	7,329	1,037,554	2,948,828	0.0	12,236,542	11	6,117,984	0.2	10,816,747	5			3,733,091	0
July 19, 2017	12	12.5	9,943	0.2		1,041,531	2,948,856	0.0	12,376,875	8	6,121,005	0.2	10,902,614	5			3,733,091	0
August 9, 2017	21	17.8	10,371	0.2	8,959	1,046,508	2,948,878	0.0	12,602,437	9	6,126,678	0.2	11,037,287	5			3,733,095	0
August 21, 2017	12	11.5	10,646	0.2		1,050,490	2,960,235	0.7	12,798,127	12	6,128,644	0.1	11,140,402	6			3,865,276	8
September 5, 2017	15	3.2	10,723	0.1	7,520	1,051,027	2,963,181	0.6	12,831,995	7	6,129,433	0.2	11,156,633	4			3,895,853	7
September 20, 2017	15	14.8	11,078	0.3		1,058,010	3,099,965	6.4	12,887,393	3	6,141,855	0.6	11,267,437	5			4,115,111	10
Q3 2017	**90**	**70**		**0.2**	**23,808**		**151,194**	**1.5**	**822,522**	**8**	**27,226**	**0.3**	**519,673**	**5**	**0**	**0**	**382,020**	**4**
October 3, 2017	13	12.3	11,372	0.1	13,545	1,060,140	3,518,731	23.7	13,046,133	9	6,144,871	0.2	11,374,255	6			4,124,063	1
October 17, 2017	14	13.8	11,704	0.6		1,071,555	3,531,896	0.7	13,254,085	10	6,158,757	0.7	11,516,361	7			4,190,623	3
November 2, 2017	16	15.4	12,074	1.0	67,496	1,093,414	3,533,318	0.1	13,533,646	13	6,360,635	9	11,697,764	8			4,352,876	7
November 30, 2017	28	28.0	12,747	1.1		1,139,051	3,567,226	0.8	14,053,988	13	6,942,169	14	12,041,703	9			4,667,761	8
December 5, 2017	5	4.9	12,864	1.1	22,392	1,146,659	3,567,280	0.0	14,151,750	14	7,075,109	19	12,103,352	9			4,726,270	8
December 19, 2017	14	13.7	13,192	0.8		1,161,443	3,567,464	0.0	14,384,237	12	7,293,257	11	12,230,206	6			4,856,464	7
Q4 2017	**90**	**88**		**0.8**	**103,433**		**467,499**	**3.7**	**1,496,844**	**12**	**1,151,402**	**9.1**	**962,769**	**8**	**0**	**0**	**741,353**	**6**
January 3, 2018	15	12.7	13,497	0.5	17,623	1,170,138	3,567,719	0.0	14,562,902	10	7,376,972	67.5	12,299,218	4			4,926,260	4
January 26, 2018	23	10.3	13,745	0.6		1,179,066	3,567,863	0.0	14,682,365	8	7,472,814	6.4	12,349,921	3			4,995,038	5
February 1, 2018	6	5.9	13,886	1.3	56,832	1,189,808	3,570,120	0.3	14,760,435	9	7,563,659	11	12,424,651	9			5,041,233	5
February 22, 2018	21	20.8	14,385	1.5		1,235,898	3,570,232	0.0	15,079,952	11	7,919,430	12	12,732,520	10			5,354,633	10
March 6, 2018	12	6.1	14,531	1.8	15,419	1,251,317	3,570,832	0.1	15,223,241	16	7,932,007	1	12,804,732	8			5,494,518	16
March 29, 2018	System Off																	
Q1 2018	**100**	**56**		**1.1**	**89,874**		**3,368**	**0.0**	**839,004**	**10**	**638,750**	**8.0**	**574,526**	**7**	**0**	**0**	**638,054**	**8**

Table 7

PUMP AND TREAT OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation			Groundwater Recovery			Recovery Wells											
	Period (days)	Operating Days	Operating Hours	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	RW-05		RW-25		RW-31		RW-51		RW-72		RW-14	
				(gpm)	(gal)	(gal)	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute
April 11, 2018	System Off																	
April 23, 2018	System Off																	
May 3, 2018	System Off																	
May 24, 2018	System Off																	
June 12, 2018	System Off																	
June 26, 2018	System Off																	
Q2 2018	**System Off**																	
July 3, 2018	System Off																	
July 18, 2018	System Off																	
August 6, 2018	-	-	14,531	-	152,150	1,251,317	3,570,832	-	15,223,241	-			12,804,732	-			5,494,518	-
August 29, 2018	23	14.4	14,876	2.3		1,298,809	3,673,976	5.0	15,224,097	0			13,043,671	12			5,768,404	13
September 4, 2018	6	3.4	14,957	2.6	28,930	1,311,227	3,701,827	5.7	15,224,116	0			13,112,499	14			5,844,857	16
September 21, 2018	17	3.7	15,045	3.1		1,327,739	3,724,471	4.3	15,308,624	16			13,178,706	13			5,918,745	14
Q3 2018	**46**	**21**		**5.9**	**181,080**		**157,191**	**5.1**	**1,156,874**	**38**	**0**	**0.0**	**1,075,354**	**35**	**0**	**0**	**1,192,475**	**39**
October 2, 2018	System Off																	
October 24, 2018	System Off																	
November 1, 2018	System Off																	
November 28, 2018	System Off																	
December 11, 2018	System Off																	
December 27, 2018	System Off																	
Q4 2018	**System Off**																	
January 10, 2019	System Off																	
January 24, 2019	System Off																	
February 15, 2019	System Off																	
February 21, 2019	System Off																	
March 7, 2019	System Off																	
March 19, 2019	System Off																	
Q1 2019	**System Off**																	
April 2, 2019	System Off																	
April 22, 2019	System Off																	
May 6, 2019	System Off																	
May 23, 2019	System Off																	
June 4, 2019	System Off																	
June 18, 2019	System Off																	
Q2 2019	**System Off**																	

Table 7

PUMP AND TREAT OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation			Groundwater Recovery			Recovery Wells											
	Period (days)	Operating Days	Operating Hours	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	RW-05		RW-25		RW-31		RW-51		RW-72		RW-14	
				(gpm)	(gal)	(gal)	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute	Cumulative Pump Cycles	Cycles per Minute
July 9, 2019	System Off																	
July 23, 2019	System Off																	
August 9, 2019	System Off																	
August 22, 2019	System Off																	
September 3, 2019	System Off																	
September 17, 2019	System Off																	
September 29, 2019	System Off																	
Q3 2019	**System Off**																	
October 1, 2019	System Off																	
November 22, 2019	System Off																	
December 5, 2019	System Off																	
Q4 2019	**System Off**																	
January 14, 2020	System Off																	
February 17, 2020	System Off																	
March 10, 2020	System Off																	
Q1 2020	**System Off**																	
April, 2020	System Off																	
May, 2020	System Off																	
June, 2020	System Off																	
Q2 2020	**System Off**																	
July, 2020	System Off																	
August, 2020	System Off																	
September, 2020	System Off																	
Q3 2020	**System Off**																	

Notes:

gal - gallons
gpm - gallons per minute
Pump Cycles - Cycle counters at each pneumatic well pump are used as relative measurements to estimate proportion of total flow and evaluate changes in flow rates over time.
* - The remediation system was shut for 6 days prior to and during the groundwater sampling event.

Table 8

BIOSPARGE OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation		Biosparge Injection Points														
	Period (days)	Operating Days	SP-01	SP-02	SP-03	SP-04	SP-05	SP-06	SP-07	SP-08	SP-09	SP-10	SP-11	SP-12	SP-13	SP-14	SP-15
			Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)
March 15, 2016	0.0	0.0	0.8	0.7	0.6	0.8	0.8	0.6	0.8	0.7							
March 16, 2016	0.4	0.4	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.7							
March 17, 2016	0.9	0.9	0.7	0.75	0.7	0.7	0.7	0.7	0.75	0.75							
March 21, 2016	1.3	1.3	1.0	1.0	1.0	1.0	1.2	1.1	1.0	1.0							
March 30, 2016	9.0	8.3	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8							
Q1 2016	**12**	**11**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**							
April-16	28	27.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8							
May-16	28	23.4	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.5	0.5	0.5	0.5	0.5	0.5	0.5
June-16	27	22.7	0.8	0.75	0.8	0.8	0.8	0.75	0.75	0.8	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Q2 2016	**83**	**73**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**
July-16	30	30.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.5	0.5	0.5	0.5	0.5	0.5	0.5
August-16	27	22.2	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
September-16	44	42.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0	0
Q3 2016	**101**	**95**	**0.6**	**0.6**	**0.6**	**0.6**	**0.6**	**0.6**	**0.6**	**0.6**	**0.4**	**0.4**	**0.4**	**0.4**	**0.4**	**0.3**	**0.3**
October-16	20	18.9	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0	0
November-16	33	32.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0	0
December-16	30	24.3	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0	0
Q4 2016	**83**	**75**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**	**0.3**	**0.3**	**0.3**	**0.3**	**0.3**	**0.0**	**0.0**
January-17	39	18.0	0.5	0.5	0.5	0.5	0.5	0.75	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0.3
February-17	23	22.6	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.5	0.5	0.5	0.5	0.3	0.3	0.3
March-17	35	35.0	0.75	0.75	0.75	0.75	0.75	0.3	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.3	0.3
Q1 2017	**97**	**76**	**0.7**	**0.7**	**0.7**	**0.7**	**0.7**	**0.6**	**0.7**	**0.7**	**0.5**	**0.4**	**0.4**	**0.4**	**0.4**	**0.3**	**0.3**
April-17	20	16.4	0.75	0.75	0.75	0.75	0.75	0.3	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.3	0.3
May-17	36*	36.0	0.75	0.75	0.75	0.75	0.75	0.3	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.3	0.3
June-17	23	20.1	0.75	0.75	0.75	0.75	0.75	0.3	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.3	0.3
Q2 2017	**79**	**73**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**	**0.3**	**0.8**	**0.8**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**	**0.3**	**0.3**

Table 8

BIOSPARGE OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation		Biosparge Injection Points														
	Period (days)	Operating Days	SP-01 Flow (scfm)	SP-02 Flow (scfm)	SP-03 Flow (scfm)	SP-04 Flow (scfm)	SP-05 Flow (scfm)	SP-06 Flow (scfm)	SP-07 Flow (scfm)	SP-08 Flow (scfm)	SP-09 Flow (scfm)	SP-10 Flow (scfm)	SP-11 Flow (scfm)	SP-12 Flow (scfm)	SP-13 Flow (scfm)	SP-14 Flow (scfm)	SP-15 Flow (scfm)
July-17	34	29.0	0.75	0.75	0.75	0.75	0.75	0.3	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.3	0.3
August-17	30	29.0	OFF								0.5	0.5	0.5	0.5	0.5	0.3	0.3
September-17	26	14.9	0.75	0.75	0.75	0.75	0.75	OFF	0.75	OFF	0.5	0.5	0.5	0.5	0.5	0.3	0.3
Q3 2017	**90**	**73**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**	**0.3**	**0.8**	**0.8**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**	**0.3**	**0.3**
October-17	27	26.8	0.75	0.75	0.75	0.75	0.75	OFF	0.75	OFF	0.5	0.5	0.5	0.5	0.5	0.3	0.3
November-17	44	41.8	0.75	0.75	0.75	0.75	0.75	OFF	0.75	OFF	0.5	0.5	0.5	0.5	0.5	0.3	0.3
December-17	19	18.5	0.75	0.75	0.75	0.75	0.75	OFF	0.75	OFF	0.5	0.5	0.5	0.5	0.5	0.3	0.3
Q4 2017	**90**	**87**	**0.8**	**0.8**	**0.8**	**0.8**	**0.8**	**OFF**	**0.8**	**OFF**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**	**0.3**	**0.3**
January-18	38	25.0	OFF	0.75	0.75	0.75	0.75	OFF	OFF	OFF	0.5	0.5	0.5	0.5	0.5	0.3	0.3
February-18	27	26.9	OFF	0.75	0.75	0.75	0.75	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
March-18	35	11.0	System Off														
Q1 2018	**100**	**63**	**OFF**	**0.8**	**0.8**	**0.8**	**0.8**	**OFF**	**OFF**	**OFF**	**0.5**	**0.5**	**0.5**	**0.5**	**0.5**	**0.3**	**0.3**
April-18	32	0.0	System Off														
May-18	31	0.0	System Off														
June-18	30	0.0	System Off														
Q2 2018	**93**	**0**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**
July-18	31	0.0	System Off														
August-18	23	0.0	System Off														
September-18	17	0.0	System Off														
Q3 2018	**71**	**0**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**
October-18	27	0.0	System Off														
November-18	36	0.0	System Off														
December-18	29	0.0	System Off														
Q4 2018	**92**	**0**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**
January-19	28	0.0	System Off														
February-19	28	0.0	System Off														
March-19	26	0.0	System Off														
Q1 2019	**82**	**0**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**

Table 8

BIOSPARGE OPERATIONAL SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	Operation		Biosparge Injection Points														
	Period (days)	Operating Days	SP-01 Flow (scfm)	SP-02 Flow (scfm)	SP-03 Flow (scfm)	SP-04 Flow (scfm)	SP-05 Flow (scfm)	SP-06 Flow (scfm)	SP-07 Flow (scfm)	SP-08 Flow (scfm)	SP-09 Flow (scfm)	SP-10 Flow (scfm)	SP-11 Flow (scfm)	SP-12 Flow (scfm)	SP-13 Flow (scfm)	SP-14 Flow (scfm)	SP-15 Flow (scfm)
April-19	34	0.0	System Off														
May-19	31	0.0	System Off														
June-19	26	0.0	System Off														
Q2 2019	**91**	**0**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**
July-19	35	0.0	System Off														
August-19	30	0.0	System Off														
September-19	26	0.0	System Off														
Q3 2019	**91**	**0**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**
October-19	34	0.0	System Off														
November-19	30	0.0	System Off														
December-19	30	0.0	System Off														
Q4 2019	**94**	**0**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**
January-20	25	0.0	System Off														
February-20	34	0.0	System Off														
March-20	22	0.0	System Off														
Q1 2020	**81**	**0**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**
April-20	30	0.0	System Off														
May-20	31	0.0	System Off														
June-20	30	0.0	System Off														
Q2 2020	**91**	**0**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**
July-20	30	0.0	System Off														
August-20	31	0.0	System Off														
September-20	30	0.0	System Off														
Q3 2020	**91**	**0**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**	**OFF**

Notes:

scfm - standard cubic feet per minute

Table 9

HYDROCARBON RECOVERY SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	TPE			P&T			LNAPL		Cumulative Hydrocarbon Recovery					
	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	LNAPL Thickness in Drum[1]	Monthly Recovered LNAPL	Dissolved-Phase		Liquid-Phase	Vapor-Phase[2]	Total	
									TPE	P&T				
	(gal)	(mg/L)	(lbs)	(gal)	(mg/L)	(lbs)	(ft)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(gal)
March-16	2,572	250	5.4	43,907	56	20.5	0.39	56.8	5	21	57	262	345	47
Q1 2016			**5.4**			**20.5**		**56.8**						
April-16	4,671	10	0.4	117,175	2.4	2.3	0.41	2.9	6	23	60	624	712	97
May-16	4,121	69	2.4	87,572	2.8	2.0	0.43	21.2	8	25	81	770	884	121
June-16	5,196	18	0.8	61,464	0.7	0.3	0.43	0.0	9	25	81	859	974	133
Q2 2016			**3.5**			**4.7**		**24.1**						
July-16	9,218	73	5.6	90,967	23	17.5	0.46	4.4	15	43	85	1303	1446	197
August-16	10,131	83	7.0	66,632	6.7	3.7	0.46	0	22	46	85	1353	1506	206
September-16	11,516	100	9.6	97,504	5.4	4.4	0.46	0	31	51	85	1530	1697	232
Q3 2016			**22.2**			**25.6**		**4.4**						
October-16	4,062	36	1.2	62,337	11	5.7	0.46	0	32	57	85	1612	1787	244
November-16	4,897	68	2.8	74,361	1.2	0.7	0.46	0	35	57	85	1785	1963	268
December-16	2,753	81	1.9	55,598	0.42	0.2	0.46	0	37	57	85	2031	2210	302
Q4 2016			**5.9**			**6.7**		**0**						
January-17	8,266	51	3.5	27,603	0.32	0.1	0.00*	0	41	58	85	2366	2549	348
February-17	2,619	8.3	0.2	45,008	0.46	0.2	0	0	41	58	85	2517	2701	369
March-17	3,230	5	0.1	63,709	0.56	0.3	0	0	41	58	85	2715	2899	396
Q1 2017			**3.8**			**0.5**		**0**						
April-17	1,351	1.3	0.01	33,068	55	15.2	0	0	41	73	85	2754	2953	403
May-17	2,673	25.3	0.6	67,507	31.6	17.8	0	0	41	91	85	2809	3026	413
June-17	4,594	11.8	0.5	39,790	0.83	0.3	0	0	42	91	85	2869	3087	421
Q2 2017			**1.0**			**33.3**		**0**						
July-17	4,696	17.4	0.68	7,329	0.832	0.1	0	0	43	91	85	2913	3132	428
August-17	0	0	0	8,959	0.20	0.0	0	0	43	91	85	2913	3132	428
September-17	0	0	0	7,520	1.59	0.1	0	0	43	91	85	2913	3132	428
Q3 2017			**0.7**			**0.2**		**0**						
October-17	0	0	0	13,545	0.757	0.1	0	0	43	92	85	2913	3132	428
November-17	0	0	0	67,496	0.189	0.1	0	0	43	92	85	2913	3133	428
December-17	0	0	0	22,392	2.49	0.5	0	0	43	92	85	2913	3133	428
Q4 2017			**0**			**0.7**		**0**						

Table 9

HYDROCARBON RECOVERY SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	TPE			P&T			LNAPL		Cumulative Hydrocarbon Recovery					
	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	LNAPL Thickness in Drum[1]	Monthly Recovered LNAPL	Dissolved-Phase		Liquid-Phase	Vapor-Phase[2]	Total	
									TPE	P&T				
	(gal)	(mg/L)	(lbs)	(gal)	(mg/L)	(lbs)	(ft)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(gal)
January-18	0	0	0	17,623	0.134	0.0	0	0	43	92	85	2913	3133	428
February-18	0	0	0	56,832	0.353	0.2	0	0	43	92	85	2913	3133	428
March-18	0	0	0	15,419	NS	0.05**	0	0	43	92	85	2913	3133	428
Q1 2018			**0**			**0.2**		**0**						
April-18	0	0	0	0	0	0.0	0	0	43	92	85	2913	3133	428
May-18	0	0	0	0	0	0.0	0	0	43	92	85	2913	3133	428
June-18	0	0	0	0	0	0.0	0	0	43	92	85	2913	3133	428
Q2 2018			**0**			**0.0**		**0**						
July-18	0	0	0	0	0	0.0	0	0	43	92	85	2913	3133	428
August-18	0	0	0	152,150	0.960	1.2	0	0	43	94	85	2913	3134	428
September-18	4,335	19	0.69	28,930	0.540	0.1	0	0	43	94	85	2921	3143	429
Q3 2018			**0.7**			**1.3**		**0**						
October-18	31,699	10	3	0	0	0.0	0	0	46	94	85	2933	3158	431
November-18	109,287	NS	9.12**	0	0	0.0	0	0	55	94	85	2943	3177	434
December-18	101,737	NS	8.49**	0	0	0.0	0	0	64	94	85	2954	3196	436
Q4 2018			**20.3**			**0.0**		**0**						
January-19	72,161	6.5	3.91	0	0	0.0	0	0	67	94	85	2958	3205	437
February-19	16,073	NS	0.87**	0	0	0.0	0	0	68	94	85	2961	3208	438
March-19	66,844	3.9	2.18	0	0	0.0	0	0	70	94	85	2967	3217	439
Q1 2019			**7.0**			**0.0**		**0**						
April-19	58,453	NS	1.9**	0	0	0.0	0	0	72	94	85	2974	3226	440
May-19	56,882	NS	7.6**	0	0	0.0	0	0	80	94	85	2983	3242	443
June-19	66,208	16	8.84	0	0	0.0	0	0	89	94	85	2999	3267	446
Q2 2019			**18.3**			**0.0**		**0**						
July-19	66,696	NS	8.91**	0	0	0.0	0	0	98	94	85	3006	3282	448
August-19	38,066	5.8	1.84	0	0	0.0	0	0	100	94	85	3009	3288	449
September-19	113,318	NS	5.48**	0	0	0.0	0	0	105	94	85	3018	3302	451
Q3 2019			**16.2**			**0.0**		**0**						
October-19	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
November-19	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
December-19	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451

Table 9

HYDROCARBON RECOVERY SUMMARY

Potomac River Generating Station
1400 North Royal St
Alexandria, VA

DATE	TPE			P&T			LNAPL		Cumulative Hydrocarbon Recovery					
	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	LNAPL Thickness in Drum[1]	Monthly Recovered LNAPL	Dissolved-Phase		Liquid-Phase	Vapor-Phase[2]	Total	
									TPE	P&T				
	(gal)	(mg/L)	(lbs)	(gal)	(mg/L)	(lbs)	(ft)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(gal)
Q4 2019			**0**			**0.0**		**0**						
January-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
February-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
March-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
Q1 2020			**0**			**0.0**		**0**						
April-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
May-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
June-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
Q2 2020			**0**			**0.0**		**0**						
July-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
August-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
September-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
Q3 2020			**0**			**0.0**		**0**						

Notes:

TPE - total phase extraction
P&T - pump & treat
TPH-DRO - total petroleum hydrocarbons - diesel range organics
LNAPL - light non-aqueous phase liquid
gal - gallon
mg/L - milligrams per liter
lbs - pounds
ft - feet
NS - not sampled

[1] - LNAPL drum includes LNAPL bailed previously during well gauge and bail events

[2] - Vapor-Phase recovery values are calculated within the Total Phase Extraction Operational Summary Table

* - The LNAPL drum was emptied during an oil/water separator cleaning event.

** - Groundwater was not be sampled. The prior or following month concentration was used for recovery calculations.

Italics - May LNAPL recovery includes LNAPL removed from the oil/water separator during a cleaning event.

Estimate of dissolved-phase recovery using analytical results in units of mg/L:

Pounds = Total Monthly Flow (gal) x Concentration (mg/L) x c
c = conversion factors, 3.7854 L/gal, 2.2046E-6 lb/mg

Estimate of recovered LNAPL in drum using product thickness in units of ft:

Pounds = LNAPL Thickness (ft) x Drum Radius^2 (ft^2) x π x LNAPL Density (lb/ft^3)
drum diameter = 1.875 feet
Density of LNAPL (#2 fuel oil) is 54.81 lb/ft^3 based on an average from LNAPL samples from MW-05 and MW-25

Conversion of recovered hydrocarbons from pounds to gallons:

Gallons = Total Hydrocarbons (lbs) / Denisty of LNAPL (54.8 lb/ft^3) x 7.48 gal/ft^3)

Attachment A – Concentration Trend Graphs

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

CONCENTRATION TREND GRAPHS

NRG PRGS
1400 North Royal Street
Alexandria, VA



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

Attachment B – Monitored Natural Attenuation Trend Graphs


Dissolved Oxygen vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
DO (mg/L)
10.00
9.00
8.00
7.00
6.00
5.00
4.00
3.00
2.00
1.00
0.00
06/2014
10/2015
02/2017
07/2018
11/2019
Date
MW-01S
MW-08S
MW/RW-10S
MW-51S
MW/RW-72S
MW/RW-123S
RW-05S
RW-25S
RW-28S
RW-30S
RW-116S
RW-117S
TW-14
MW-110S
MW-16S
MW-25S
RW-118S
RW-119S


Dissolved Oxygen vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
DO (mg/L)
Date
06/2014
10/2015
02/2017
07/2018
11/2019
0
2
4
6
8
10
12
14
MW/RW-05
MW/RW-14
MW-16
MW/RW-25
MW-27
MW/RW-31
MW/RW-51
MW/RW-72
MW-106
MW-121
MW-122
RW-1
TW-03
TW-05
TW-06
TW-07
MW-11
TW-02
MW-33
MW-100
TW-04


ORP vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
400.0
200.0
0.0
-200.0
-400.0
-600.0
ORP (mV)
06/2014
10/2015
02/2017
07/2018
11/2019
Date
MW-01S
MW-08S
MW/RW-10S
MW-51S
MW/RW-72S
MW/RW-123S
RW-05S
RW-25S
RW-28S
RW-30S
RW-116S
RW-117S
TW-14
MW/RW-10S
MW-16S
MW-25S
RW-118S
RW-119S


ORP vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
700.0
500.0
300.0
100.0
-100.0
-300.0
-500.0
ORP (mV)
06/2014
10/2015
02/2017
07/2018
11/2019
Date
MW/RW-05
MW/RW-14
MW-16
MW/RW-25
MW-27
MW/RW-31
MW/RW-51
MW/RW-72
MW-106
MW-121
MW-122
RW-1
TW-02
TW-03
TW-04
TW-05
TW-06
TW-07


Alkalinity vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Alkalinity (mg/L as CaCO3)
800
700
600
500
400
300
200
100
0
08/2013
12/2014
05/2016
09/2017
02/2019
06/2020
10/2021
Date
MW-01S
MW/RW-10S
MW-51S
MW/RW-72S
RW-123S
RW-05S
RW-25S
RW-28S
RW-116S
RW-117S
RW-119S
RW-118S


Alkalinity vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Alkalinity (mg/L as CaCO3)
600
500
400
300
200
100
0
08/2013
12/2014
05/2016
09/2017
02/2019
06/2020
10/2021
Date
MW/RW-14
MW-27
MW/RW-51
MW/RW-72
MW-106
MW-121
MW-122
RW-1
MW/RW-05
TW-03
TW-05
TW-06
TW-07


pH vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
14.00
12.00
10.00
8.00
6.00
4.00
2.00
0.00
pH
06/2014
10/2015
02/2017
07/2018
11/2019
Date
MW-01S
MW-08S
MW/RW-10S
MW-25S
MW-51S
MW/RW-72S
MW/RW-123S
RW-05S
RW-25S
RW-28S
RW-30S
RW-116S
RW-117S
TW-14
RW-118S
RW-119S


pH vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
9.00
8.00
7.00
6.00
5.00
4.00
3.00
2.00
1.00
0.00
pH
06/2014
10/2015
02/2017
07/2018
11/2019
Date
MW/RW-05
MW/RW-14
MW-16
MW/RW-25
MW-27
MW/RW-31
MW/RW-51
MW/RW-72
MW-106
MW-121
MW-122
RW-1
TW-03
TW-05
TW-06
TW-07


Dissolved Nitrate vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Dissolved Notrate (mg/L)
1
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0
08/2013
12/2014
05/2016
09/2017
02/2019
06/2020
10/2021
Date
MW-01S
MW/RW-10S
MW-51S
MW/RW-72S


Dissolved Nitrate vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Dissolved Nitrate (mg/L)
2
1.8
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
08/2013
12/2014
05/2016
09/2017
02/2019
06/2020
10/2021
Date
MW/RW-14
MW-27
MW/RW-72
MW-106
MW-121
MW-122
MW/RW-05
TW-03
TW-05
TW-06
TW-07


Dissolved Nitrite vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Dissolved Nitrite (mg/L)
0.25
0.2
0.15
0.1
0.05
0
08/2013
12/2014
05/2016
09/2017
02/2019
06/2020
10/2021
Date
MW-01S
MW/RW-10S
MW-51S
MW/RW-72S


Dissolved Nitrite vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Dissolved Nitrite (mg/L)
0.2
0.18
0.16
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
8/14/2013
12/27/2014
5/10/2016
9/22/2017
2/4/2019
6/18/2020
10/31/2021
Date
MW/RW-14
MW-27
MW/RW-72
MW-106
MW-121
MW-122
TW-03
TW-05
TW-06
TW-07
MW/RW-51


Dissolved Manganese vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Dissolved Manganese (mg/L)
70
60
50
40
30
20
10
0
12/2014
05/2016
09/2017
02/2019
06/2020
10/2021
Date
MW-01S
MW/RW-10S
MW-51S
MW/RW-72S


Dissolved Manganese vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Dissolved Manganese (mg/L)
100
90
80
70
60
50
40
30
20
10
0
12/27/2014
5/10/2016
9/22/2017
2/4/2019
6/18/2020
10/31/2021
Date
MW/RW-14
MW-27
MW/RW-51
MW/RW-72
MW-106
MW-121
MW-122
TW-03
TW-05
TW-06
TW-07


Dissolved Ferrous Iron vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Ferrous Iron (mg/L)
300
250
200
150
100
50
0
06/2014
10/2015
03/2017
07/2018
12/2019
04/2021
Date
MW-01S
MW/RW-10S
MW-51S
MW/RW-72S


Ferrous Iron vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Ferrous Iron (mg/L)
350
300
250
200
150
100
50
0
12/27/2014
5/10/2016
9/22/2017
2/4/2019
6/18/2020
10/31/2021
Date
MW/RW-14
MW-27
MW/RW-51
MW/RW-72
MW-106
MW-121
MW-122
TW-03
TW-05
TW-06
TW-07


Dissolved Sulfate vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Dissolved Sulfate (mg/L)
5000
4500
4000
3500
3000
2500
2000
1500
1000
500
0
08/2013
12/2014
05/2016
09/2017
02/2019
06/2020
10/2021
Date
MW-01S
MW-08S
MW/RW-10S
MW-51S
MW/RW-72S
RW-123S
RW-05S
RW-25S
RW-28S
RW-116S
RW-117S
RW-118S
RW-119S


Dissolved Sulfate vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
Dissolved Sulfate (mg/L)
2000
1800
1600
1400
1200
1000
800
600
400
200
0
08/2013
12/2014
05/2016
09/2017
02/2019
06/2020
10/2021
Date
MW-11
MW/RW-14
MW-27
MW/RW-51
MW/RW-72
MW-106
MW-121
MW-122
RW-1
MW/RW-05
TW-03
TW-05
TW-06
TW-07


Methane Headspace vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
Methane %
06/2014
10/2015
02/2017
07/2018
11/2019
Date
MW-01S
MW/RW-10S
MW-51S
MW/RW-72S
MW/RW-123S
RW-05S
RW-25S
RW-28S
RW-30S
RW-116S
RW-117S


Methane Headspace vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
35.0
30.0
25.0
20.0
15.0
10.0
5.0
0.0
Methane %
06/2014
10/2015
02/2017
07/2018
11/2019
Date
MW/RW-05
MW/RW-14
MW/RW-25
MW-27
MW/RW-31
MW/RW-51
MW/RW-72
MW-106
MW-121
MW-122
RW-1
TW-03
TW-05
TW-06
TW-07


Dissolved Methane vs Time - Shallow Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
14,000
12,000
10,000
8,000
6,000
4,000
2,000
0
Methane (ug/L)
06/2014
10/2015
02/2017
07/2018
11/2019
Date
MW-01S
MW/RW-10S
MW-51S
MW/RW-72S


Dissolved Methane vs Time - Deep Zone
System Startup
Trial System Shutdown
System Restart
System Shutdown
14,000
12,000
10,000
8,000
6,000
4,000
2,000
0
Dissolved Methane (µg/L)
08/2013
12/2014
05/2016
09/2017
02/2019
06/2020
10/2021
Date
MW/RW-14
MW-27
MW/RW-72
MW-106
MW-121
MW-122
TW-03
TW-05
TW-06
TW-07
MW/RW-51

Attachment C – Laboratory Analytical Reports and Chains of Custody Documentation - August 10-12, 2020 Groundwater Monitoring Events

eurofins | Environment Testing America

ANALYTICAL REPORT

Eurofins Lancaster Laboratories Env, LLC
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717)656-2300

Laboratory Job ID: 410-10312-1
Client Project/Site: NRG PRGS
Sampling Event: GES - NRG Quarterly GW

For:
Groundwater & Environmental Services Inc
1350 Blair Drive
Suite A
Odenton, Maryland 21113

Attn: Ashley Bell

Lynn M. Frederiksen

Authorized for release by:
9/14/2020 4:02:19 PM

Lynn Frederiksen, Principal Project Manager
(717)556-7255
lynnfrederiksen@eurofinsus.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

* QC recoveries that exceed the upper limits and are associated with non-detect samples are qualified but no further narration is needed since the bias is high and does not change a non-detect result.

* Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.

* Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANACASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Lynn Frederiksen
Principal Project Manager
9/14/2020 4:02:19 PM

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 7
Surrogate Summary 8
QC Sample Results 9
QC Association Summary 10
Lab Chronicle 11
Certification Summary 12
Method Summary 13
Sample Summary 14
Chain of Custody 15
Receipt Checklists 16

Definitions/Glossary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10312-1
Project/Site: NRG PRGS

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Groundwater & Environmental Services Inc
Job ID: 410-10312-1
Project/Site: NRG PRGS

Job ID: 410-10312-1

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Narrative

Job Narrative
410-10312-1

Comments
No additional comments.

Receipt
The sample was received on 8/11/2020 5:20 PM; the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.8º C.

GC Semi VOA
Method 8015D: The laboratory control sample (LCS) for preparation batch 410-33470 and analytical batch 410-34658 recovered outside control limits for the following analytes: DRO (C10-C28). The client was contacted and the data reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10312-1
Project/Site: NRG PRGS

Client Sample ID: RW-123S
Lab Sample ID: 410-10312-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28)	8500	*	110	59	ug/L	1		8015D	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample Results

Client: Groundwater & Environmental Services Inc
Job ID: 410-10312-1
Project/Site: NRG PRGS

Client Sample ID: RW-123S
Lab Sample ID: 410-10312-1

Date Collected: 08/10/20 13:35
Matrix: Water

Date Received: 08/11/20 17:20

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	8500	*	110	59	ug/L		08/15/20 05:18	08/19/20 00:23	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*83*		*52 - 132*	*08/15/20 05:18*	*08/19/20 00:23*	*1*

Surrogate Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10312-1
Project/Site: NRG PRGS

Method: 8015D - Diesel Range Organics (DRO) (GC)

Matrix: Water
Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	OTP (52-132)							
410-10312-1	RW-123S	83							
LCS 410-33470/2-A	Lab Control Sample	80							
LCSD 410-33470/3-A	Lab Control Sample Dup	121							
MB 410-33470/1-A	Method Blank	91							

Surrogate Legend

OTP = o- terphenyl (Surr)

Method: 8015D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 410-33470/1-A
Matrix: Water
Analysis Batch: 34658

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 33470

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	ND		110	59	ug/L		08/15/20 05:18	08/18/20 23:12	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*91*		*52 - 132*	*08/15/20 05:18*	*08/18/20 23:12*	*1*

Lab Sample ID: LCS 410-33470/2-A
Matrix: Water
Analysis Batch: 34658

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 33470

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
DRO (C10-C28)			2720	3610	*	ug/L		133	47 - 116		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
o- terphenyl (Surr)	*80*		*52 - 132*

Lab Sample ID: LCSD 410-33470/3-A
Matrix: Water
Analysis Batch: 34658

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 33470

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
DRO (C10-C28)			2760	3160		ug/L		114	47 - 116	13	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
o- terphenyl (Surr)	*121*		*52 - 132*

QC Association Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10312-1
Project/Site: NRG PRGS

GC Semi VOA

Prep Batch: 33470

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10312-1	RW-123S	Total/NA	Water	3511	
MB 410-33470/1-A	Method Blank	Total/NA	Water	3511	
LCS 410-33470/2-A	Lab Control Sample	Total/NA	Water	3511	
LCSD 410-33470/3-A	Lab Control Sample Dup	Total/NA	Water	3511	

Analysis Batch: 34658

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10312-1	RW-123S	Total/NA	Water	8015D	33470
MB 410-33470/1-A	Method Blank	Total/NA	Water	8015D	33470
LCS 410-33470/2-A	Lab Control Sample	Total/NA	Water	8015D	33470
LCSD 410-33470/3-A	Lab Control Sample Dup	Total/NA	Water	8015D	33470

Lab Chronicle

Client: Groundwater & Environmental Services Inc
Job ID: 410-10312-1
Project/Site: NRG PRGS

Client Sample ID: RW-123S
Lab Sample ID: 410-10312-1

Date Collected: 08/10/20 13:35
Matrix: Water

Date Received: 08/11/20 17:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33470	08/15/20 05:18	UMAD	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 00:23	IUSB	ELLE

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10312-1
Project/Site: NRG PRGS

Laboratory: Eurofins Lancaster Laboratories Env, LLC

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Virginia	NELAP	10561	06-14-21

Method Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10312-1
Project/Site: NRG PRGS

Method	Method Description	Protocol	Laboratory
8015D	Diesel Range Organics (DRO) (GC)	SW846	ELLE
3511	Microextraction of Organic Compounds	SW846	ELLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10312-1
Project/Site: NRG PRGS

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
410-10312-1	RW-123S	Water	08/10/20 13:35	08/11/20 17:20	

Envi... Request/Chain of Custody

eurofins | Lancaster Laboratories Environmental

Ac 410-10312 Chain of Custody ...ple #

| | | |

Login Sample Receipt Checklist

Client: Groundwater & Environmental Services Inc

Job Number: 410-10312-1

Login Number: 10312
List Number: 1
Creator: Sanchez, Melvin E

List Source: Eurofins Lancaster Laboratories Env

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable (</=6C, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable (</=6C, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	N/A	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified.	N/A	
Residual Chlorine Checked.	N/A	
Sample custody seals are intact.	N/A	

eurofins | Environment Testing America

ANALYTICAL REPORT

Eurofins Lancaster Laboratories Env, LLC
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717)656-2300

Laboratory Job ID: 410-10506-1
Client Project/Site: NRG PRGS
Sampling Event: GES - NRG Quarterly GW

For:
Groundwater & Environmental Services Inc
1350 Blair Drive
Suite A
Odenton, Maryland 21113

Attn: Ashley Bell

Lynn M. Frederiksen

Authorized for release by:
9/15/2020 1:18:15 PM

Lynn Frederiksen, Principal Project Manager
(717)556-7255
lynnfrederiksen@eurofinsus.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

* QC recoveries that exceed the upper limits and are associated with non-detect samples are qualified but no further narration is needed since the bias is high and does not change a non-detect result.
* Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
* Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANACASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Lynn Frederiksen
Principal Project Manager
9/15/2020 1:18:15 PM

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 7
Surrogate Summary 14
QC Sample Results 15
QC Association Summary 18
Lab Chronicle 20
Certification Summary 22
Method Summary 23
Sample Summary 24
Chain of Custody 25
Receipt Checklists 26

Definitions/Glossary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
E	Result exceeded calibration range.

General Chemistry

Qualifier	Qualifier Description
^	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC is outside acceptance limits.
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Job ID: 410-10506-1

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Narrative

Job Narrative
410-10506-1

Comments
No additional comments.

Receipt
The samples were received on 8/12/2020 6:10 PM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.0º C.

HPLC/IC
Method 300.0: The result for Chloride was above the upper calibration range and is reported as an Estimated ("E") value in samples: TW-03 (410-10506-4) and RW-28S (410-10506-7)
This is the best analytical result available as the holding time has expired.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC VOA
Method RSK-175: The method requirement for no headspace was not met. The following volatile sample was analyzed with significant headspace in the sample container(s): TW-03 (410-10506-4). Significant headspace is defined as a bubble greater than 6 mm in diameter.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC Semi VOA
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Metals
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Client Sample ID: RW-119S — Lab Sample ID: 410-10506-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28)	540		110	58	ug/L	1		8015D	Total/NA
Sulfate	330		100	30	mg/L	100		EPA 300.0 R2.1	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	140		8.0	2.6	mg/L	1		2320B-2011	Total/NA

Client Sample ID: RW-116S — Lab Sample ID: 410-10506-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28)	18000		110	59	ug/L	1		8015D	Total/NA
Sulfate	1300		500	150	mg/L	500		EPA 300.0 R2.1	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	130		8.0	2.6	mg/L	1		2320B-2011	Total/NA

Client Sample ID: RW-118S — Lab Sample ID: 410-10506-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28)	8500		110	59	ug/L	1		8015D	Total/NA
Sulfate	530		200	60	mg/L	200		EPA 300.0 R2.1	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	100		8.0	2.6	mg/L	1		2320B-2011	Total/NA

Client Sample ID: TW-03 — Lab Sample ID: 410-10506-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (1C)	17		5.0	3.0	ug/L	1		RSK-175	Total/NA
Sulfate	160	E	10	3.0	mg/L	10		EPA 300.0 R2.1	Total/NA
Manganese	2.4		0.010	0.0030	mg/L	1		6010D	Total Recoverable
Ferrous Iron	21	HF	1.0	0.30	mg/L	20		3500 Fe B-2011	Total/NA

Client Sample ID: MW-25S — Lab Sample ID: 410-10506-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28)	10000		110	59	ug/L	1		8015D	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	380		8.0	2.6	mg/L	1		2320B-2011	Total/NA

Client Sample ID: RW-1 — Lab Sample ID: 410-10506-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28)	1300		110	59	ug/L	1		8015D	Total/NA
Sulfate	28		5.0	1.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	30		8.0	2.6	mg/L	1		2320B-2011	Total/NA

Client Sample ID: RW-28S — Lab Sample ID: 410-10506-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28)	3500		110	59	ug/L	1		8015D	Total/NA
Sulfate	4600	E	200	60	mg/L	200		EPA 300.0 R2.1	Total/NA
Total Alkalinity as CaCO3 to pH 4.5	240		8.0	2.6	mg/L	1		2320B-2011	Total/NA

This Detection Summary does not include radiochemical test results.

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Client Sample ID: RW-119S
Lab Sample ID: 410-10506-1
Date Collected: 08/11/20 09:20
Matrix: WG
Date Received: 08/12/20 18:10

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	540		110	58	ug/L		08/15/20 05:33	08/19/20 10:43	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*88*		*52 - 132*	*08/15/20 05:33*	*08/19/20 10:43*	*1*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	330		100	30	mg/L			08/15/20 14:27	100

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	140		8.0	2.6	mg/L			08/14/20 00:04	1

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Client Sample ID: RW-116S
Lab Sample ID: 410-10506-2
Date Collected: 08/11/20 10:20
Matrix: WG
Date Received: 08/12/20 18:10

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	18000		110	59	ug/L		08/15/20 05:33	08/19/20 11:06	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*59*		*52 - 132*	*08/15/20 05:33*	*08/19/20 11:06*	*1*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1300		500	150	mg/L			08/15/20 15:19	500

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	130		8.0	2.6	mg/L			08/13/20 23:40	1

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Client Sample ID: RW-118S
Lab Sample ID: 410-10506-3
Date Collected: 08/11/20 11:30
Matrix: WG
Date Received: 08/12/20 18:10

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	8500		110	59	ug/L		08/15/20 05:33	08/19/20 11:30	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*96*		*52 - 132*	*08/15/20 05:33*	*08/19/20 11:30*	*1*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	530		200	60	mg/L			08/15/20 15:36	200

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	100		8.0	2.6	mg/L			08/13/20 23:46	1

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Client Sample ID: TW-03
Lab Sample ID: 410-10506-4
Date Collected: 08/11/20 11:55
Matrix: WG
Date Received: 08/12/20 18:10

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (1C)	**17**		5.0	3.0	ug/L		08/14/20 08:53	08/14/20 12:15	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Propene (1C)	*81*		*28 - 140*	*08/14/20 08:53*	*08/14/20 12:15*	*1*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	**160**	**E**	10	3.0	mg/L			08/15/20 15:53	10

Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	**2.4**		0.010	0.0030	mg/L		08/13/20 02:34	08/19/20 19:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	ND		8.0	2.6	mg/L			08/14/20 00:17	1
Ferrous Iron	**21**	**HF**	1.0	0.30	mg/L			08/17/20 11:38	20
Nitrate as N	ND		0.10	0.040	mg/L			08/26/20 13:59	1
Nitrite as N	ND	^	0.050	0.015	mg/L			08/13/20 07:23	1

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Client Sample ID: MW-25S
Lab Sample ID: 410-10506-5
Date Collected: 08/11/20 12:30
Matrix: WG
Date Received: 08/12/20 18:10

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	10000		110	59	ug/L		08/15/20 05:33	08/19/20 11:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*68*		*52 - 132*	*08/15/20 05:33*	*08/19/20 11:54*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	380		8.0	2.6	mg/L			08/15/20 03:16	1

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Client Sample ID: RW-1
Lab Sample ID: 410-10506-6
Date Collected: 08/11/20 13:15
Matrix: WG
Date Received: 08/12/20 18:10

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	1300		110	59	ug/L		08/15/20 05:33	08/19/20 12:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*97*		*52 - 132*	*08/15/20 05:33*	*08/19/20 12:18*	*1*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	28		5.0	1.5	mg/L			08/15/20 16:44	5

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	30		8.0	2.6	mg/L			08/14/20 00:23	1

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Client Sample ID: RW-28S
Lab Sample ID: 410-10506-7
Date Collected: 08/11/20 13:45
Matrix: WG
Date Received: 08/12/20 18:10

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	3500		110	59	ug/L		08/15/20 05:33	08/19/20 12:42	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*69*		*52 - 132*	*08/15/20 05:33*	*08/19/20 12:42*	*1*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	4600	E	200	60	mg/L			08/15/20 17:01	200

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	240		8.0	2.6	mg/L			08/13/20 23:34	1

Surrogate Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Method: RSK-175 - Dissolved Gases (GC)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)								
Lab Sample ID	Client Sample ID	Propene1 (28-140)								
LCS 410-33216/2-A	Lab Control Sample	95								
LCSD 410-33216/3-A	Lab Control Sample Dup	96								
MB 410-33216/1-A	Method Blank	96								

Surrogate Legend

Propene = Propene

Method: RSK-175 - Dissolved Gases (GC)

Matrix: WG **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)								
Lab Sample ID	Client Sample ID	Propene1 (28-140)								
410-10506-4	TW-03	81								

Surrogate Legend

Propene = Propene

Method: 8015D - Diesel Range Organics (DRO) (GC)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)								
Lab Sample ID	Client Sample ID	OTP (52-132)								
LCS 410-33471/2-A	Lab Control Sample	83								
MB 410-33471/1-A	Method Blank	63								

Surrogate Legend

OTP = o- terphenyl (Surr)

Method: 8015D - Diesel Range Organics (DRO) (GC)

Matrix: WG **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)								
Lab Sample ID	Client Sample ID	OTP (52-132)								
410-10506-1	RW-119S	88								
410-10506-2	RW-116S	59								
410-10506-3	RW-118S	96								
410-10506-5	MW-25S	68								
410-10506-6	RW-1	97								
410-10506-7	RW-28S	69								

Surrogate Legend

OTP = o- terphenyl (Surr)

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 410-33216/1-A
Matrix: Water
Analysis Batch: 33222

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 33216

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (1C)	ND		5.0	3.0	ug/L		08/14/20 08:53	08/14/20 10:24	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Propene (1C)	*96*		*28 - 140*	*08/14/20 08:53*	*08/14/20 10:24*	*1*

Lab Sample ID: LCS 410-33216/2-A
Matrix: Water
Analysis Batch: 33222

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 33216

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methane (1C)	59.4	58.5		ug/L		98	85 - 115

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Propene (1C)	*95*		*28 - 140*

Lab Sample ID: LCSD 410-33216/3-A
Matrix: Water
Analysis Batch: 33222

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 33216

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methane (1C)	59.4	58.3		ug/L		98	85 - 115	0	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Propene (1C)	*96*		*28 - 140*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 410-33471/1-A
Matrix: Water
Analysis Batch: 34658

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 33471

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	ND		110	58	ug/L		08/15/20 05:33	08/19/20 09:07	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*63*		*52 - 132*	*08/15/20 05:33*	*08/19/20 09:07*	*1*

Lab Sample ID: LCS 410-33471/2-A
Matrix: Water
Analysis Batch: 34658

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 33471

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
DRO (C10-C28)	2810	2860		ug/L		102	47 - 116

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
o- terphenyl (Surr)	*83*		*52 - 132*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Lab Sample ID: MB 410-33614/37
Matrix: Water
Analysis Batch: 33614

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		1.0	0.30	mg/L			08/15/20 19:53	1

Lab Sample ID: LCS 410-33614/38
Matrix: Water
Analysis Batch: 33614

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	7.50	7.53		mg/L		100	90 - 110

Lab Sample ID: 410-10506-4 MS
Matrix: WG
Analysis Batch: 33614

Client Sample ID: TW-03
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	160	E	50.0	204	E	mg/L		95	90 - 110

Lab Sample ID: 410-10506-4 DU
Matrix: WG
Analysis Batch: 33614

Client Sample ID: TW-03
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Sulfate	160	E	155	E	mg/L		1	15

Method: 6010D - Metals (ICP)

Lab Sample ID: MB 410-32642/1-A
Matrix: Water
Analysis Batch: 35083

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 32642

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	ND		0.010	0.0030	mg/L		08/13/20 02:34	08/19/20 17:52	1

Lab Sample ID: LCS 410-32642/2-A
Matrix: Water
Analysis Batch: 35083

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 32642

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Manganese	0.0200	0.0217		mg/L		109	80 - 120

Method: 2320B-2011 - Alkalinity, Total

Lab Sample ID: MB 410-33366/58
Matrix: Water
Analysis Batch: 33366

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	ND		8.0	2.6	mg/L			08/13/20 22:48	1

Method: 2320B-2011 - Alkalinity, Total (Continued)

Lab Sample ID: LCS 410-33366/59
Matrix: Water
Analysis Batch: 33366

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	189	167		mg/L		89	82 - 106

Lab Sample ID: MB 410-34069/51
Matrix: Water
Analysis Batch: 34069

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	ND		8.0	2.6	mg/L			08/15/20 00:17	1

Lab Sample ID: LCS 410-34069/52
Matrix: Water
Analysis Batch: 34069

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	189	183		mg/L		97	82 - 106

Method: 3500 Fe B-2011 - Iron, Ferrous and Ferric

Lab Sample ID: MB 410-34032/14
Matrix: Water
Analysis Batch: 34032

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ferrous Iron	ND		0.050	0.015	mg/L			08/17/20 09:34	1

Lab Sample ID: LCS 410-34032/13
Matrix: Water
Analysis Batch: 34032

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	1.00	1.00		mg/L		100	90 - 110

Method: 353.2 - Nitrogen, Nitrite

Lab Sample ID: MB 410-32867/17
Matrix: Water
Analysis Batch: 32867

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite as N	ND	^	0.050	0.015	mg/L			08/13/20 07:15	1

Lab Sample ID: LCS 410-32867/60
Matrix: Water
Analysis Batch: 32867

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite as N	0.700	0.719	^	mg/L		103	90 - 110

GC VOA

Prep Batch: 33216

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-4	TW-03	Total/NA	WG	RSK-175	
MB 410-33216/1-A	Method Blank	Total/NA	Water	RSK-175	
LCS 410-33216/2-A	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 410-33216/3-A	Lab Control Sample Dup	Total/NA	Water	RSK-175	

Analysis Batch: 33222

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-4	TW-03	Total/NA	WG	RSK-175	33216
MB 410-33216/1-A	Method Blank	Total/NA	Water	RSK-175	33216
LCS 410-33216/2-A	Lab Control Sample	Total/NA	Water	RSK-175	33216
LCSD 410-33216/3-A	Lab Control Sample Dup	Total/NA	Water	RSK-175	33216

GC Semi VOA

Prep Batch: 33471

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-1	RW-119S	Total/NA	WG	3511	
410-10506-2	RW-116S	Total/NA	WG	3511	
410-10506-3	RW-118S	Total/NA	WG	3511	
410-10506-5	MW-25S	Total/NA	WG	3511	
410-10506-6	RW-1	Total/NA	WG	3511	
410-10506-7	RW-28S	Total/NA	WG	3511	
MB 410-33471/1-A	Method Blank	Total/NA	Water	3511	
LCS 410-33471/2-A	Lab Control Sample	Total/NA	Water	3511	

Analysis Batch: 34658

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-1	RW-119S	Total/NA	WG	8015D	33471
410-10506-2	RW-116S	Total/NA	WG	8015D	33471
410-10506-3	RW-118S	Total/NA	WG	8015D	33471
410-10506-5	MW-25S	Total/NA	WG	8015D	33471
410-10506-6	RW-1	Total/NA	WG	8015D	33471
410-10506-7	RW-28S	Total/NA	WG	8015D	33471
MB 410-33471/1-A	Method Blank	Total/NA	Water	8015D	33471
LCS 410-33471/2-A	Lab Control Sample	Total/NA	Water	8015D	33471

HPLC/IC

Analysis Batch: 33614

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-1	RW-119S	Total/NA	WG	EPA 300.0 R2.1	
410-10506-2	RW-116S	Total/NA	WG	EPA 300.0 R2.1	
410-10506-3	RW-118S	Total/NA	WG	EPA 300.0 R2.1	
410-10506-4	TW-03	Total/NA	WG	EPA 300.0 R2.1	
410-10506-6	RW-1	Total/NA	WG	EPA 300.0 R2.1	
410-10506-7	RW-28S	Total/NA	WG	EPA 300.0 R2.1	
MB 410-33614/37	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-33614/38	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
410-10506-4 MS	TW-03	Total/NA	WG	EPA 300.0 R2.1	
410-10506-4 DU	TW-03	Total/NA	WG	EPA 300.0 R2.1	

Metals

Prep Batch: 32642

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-4	TW-03	Total Recoverable	WG	3005A	
MB 410-32642/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 410-32642/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Analysis Batch: 35083

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-4	TW-03	Total Recoverable	WG	6010D	32642
MB 410-32642/1-A	Method Blank	Total Recoverable	Water	6010D	32642
LCS 410-32642/2-A	Lab Control Sample	Total Recoverable	Water	6010D	32642

General Chemistry

Analysis Batch: 32867

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-4	TW-03	Total/NA	WG	353.2	
MB 410-32867/17	Method Blank	Total/NA	Water	353.2	
LCS 410-32867/60	Lab Control Sample	Total/NA	Water	353.2	

Analysis Batch: 33366

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-1	RW-119S	Total/NA	WG	2320B-2011	
410-10506-2	RW-116S	Total/NA	WG	2320B-2011	
410-10506-3	RW-118S	Total/NA	WG	2320B-2011	
410-10506-4	TW-03	Total/NA	WG	2320B-2011	
410-10506-6	RW-1	Total/NA	WG	2320B-2011	
410-10506-7	RW-28S	Total/NA	WG	2320B-2011	
MB 410-33366/58	Method Blank	Total/NA	Water	2320B-2011	
LCS 410-33366/59	Lab Control Sample	Total/NA	Water	2320B-2011	

Analysis Batch: 34032

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-4	TW-03	Total/NA	WG	3500 Fe B-2011	
MB 410-34032/14	Method Blank	Total/NA	Water	3500 Fe B-2011	
LCS 410-34032/13	Lab Control Sample	Total/NA	Water	3500 Fe B-2011	

Analysis Batch: 34069

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-5	MW-25S	Total/NA	WG	2320B-2011	
MB 410-34069/51	Method Blank	Total/NA	Water	2320B-2011	
LCS 410-34069/52	Lab Control Sample	Total/NA	Water	2320B-2011	

Analysis Batch: 38277

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10506-4	TW-03	Total/NA	WG	353.2	

Lab Chronicle

Client: Groundwater & Environmental Services Inc
Project/Site: NRG PRGS

Job ID: 410-10506-1

Client Sample ID: RW-119S
Date Collected: 08/11/20 09:20
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10506-1
Matrix: WG

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 10:43	IUSB	ELLE
Total/NA	Analysis	EPA 300.0 R2.1		100	33614	08/15/20 14:27	GJ35	ELLE
Total/NA	Analysis	2320B-2011		1	33366	08/14/20 00:04	JB	ELLE

Client Sample ID: RW-116S
Date Collected: 08/11/20 10:20
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10506-2
Matrix: WG

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 11:06	IUSB	ELLE
Total/NA	Analysis	EPA 300.0 R2.1		500	33614	08/15/20 15:19	GJ35	ELLE
Total/NA	Analysis	2320B-2011		1	33366	08/13/20 23:40	JB	ELLE

Client Sample ID: RW-118S
Date Collected: 08/11/20 11:30
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10506-3
Matrix: WG

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 11:30	IUSB	ELLE
Total/NA	Analysis	EPA 300.0 R2.1		200	33614	08/15/20 15:36	GJ35	ELLE
Total/NA	Analysis	2320B-2011		1	33366	08/13/20 23:46	JB	ELLE

Client Sample ID: TW-03
Date Collected: 08/11/20 11:55
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10506-4
Matrix: WG

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	RSK-175			33216	08/14/20 08:53	IYN5	ELLE
Total/NA	Analysis	RSK-175		1	33222	08/14/20 12:15	IYN5	ELLE
Total/NA	Analysis	EPA 300.0 R2.1		10	33614	08/15/20 15:53	GJ35	ELLE
Total Recoverable	Prep	3005A			32642	08/13/20 02:34	UJL8	ELLE
Total Recoverable	Analysis	6010D		1	35083	08/19/20 19:13	UCIG	ELLE
Total/NA	Analysis	2320B-2011		1	33366	08/14/20 00:17	JB	ELLE
Total/NA	Analysis	3500 Fe B-2011		20	34032	08/17/20 11:38	L8MI	ELLE
Total/NA	Analysis	353.2		1	38277	08/26/20 13:59	QU5I	ELLE
Total/NA	Analysis	353.2		1	32867	08/13/20 07:23	P684	ELLE

Lab Chronicle

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Client Sample ID: MW-25S
Lab Sample ID: 410-10506-5
Date Collected: 08/11/20 12:30
Matrix: WG
Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 11:54	IUSB	ELLE
Total/NA	Analysis	2320B-2011		1	34069	08/15/20 03:16	JB	ELLE

Client Sample ID: RW-1
Lab Sample ID: 410-10506-6
Date Collected: 08/11/20 13:15
Matrix: WG
Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 12:18	IUSB	ELLE
Total/NA	Analysis	EPA 300.0 R2.1		5	33614	08/15/20 16:44	GJ35	ELLE
Total/NA	Analysis	2320B-2011		1	33366	08/14/20 00:23	JB	ELLE

Client Sample ID: RW-28S
Lab Sample ID: 410-10506-7
Date Collected: 08/11/20 13:45
Matrix: WG
Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 12:42	IUSB	ELLE
Total/NA	Analysis	EPA 300.0 R2.1		200	33614	08/15/20 17:01	GJ35	ELLE
Total/NA	Analysis	2320B-2011		1	33366	08/13/20 23:34	JB	ELLE

Laboratory References:
ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Virginia	NELAP	10561	06-14-21

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
3500 Fe B-2011		WG	Ferrous Iron

Method Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10506-1
Project/Site: NRG PRGS

Method	Method Description	Protocol	Laboratory
RSK-175	Dissolved Gases (GC)	RSK	ELLE
8015D	Diesel Range Organics (DRO) (GC)	SW846	ELLE
EPA 300.0 R2.1	Anions, Ion Chromatography	EPA	ELLE
6010D	Metals (ICP)	SW846	ELLE
2320B-2011	Alkalinity, Total	SM	ELLE
3500 Fe B-2011	Iron, Ferrous and Ferric	SM	ELLE
353.2	Nitrate by Calculation	EPA	ELLE
353.2	Nitrogen, Nitrite	MCAWW	ELLE
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	ELLE
3511	Microextraction of Organic Compounds	SW846	ELLE
RSK-175	Dissolved Gases Prep	RSK	ELLE

Protocol References:

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: Groundwater & Environmental Services Inc
Project/Site: NRG PRGS

Job ID: 410-10506-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
410-10506-1	RW-119S	WG	08/11/20 09:20	08/12/20 18:10	
410-10506-2	RW-116S	WG	08/11/20 10:20	08/12/20 18:10	
410-10506-3	RW-118S	WG	08/11/20 11:30	08/12/20 18:10	
410-10506-4	TW-03	WG	08/11/20 11:55	08/12/20 18:10	
410-10506-5	MW-25S	WG	08/11/20 12:30	08/12/20 18:10	
410-10506-6	RW-1	WG	08/11/20 13:15	08/12/20 18:10	
410-10506-7	RW-28S	WG	08/11/20 13:45	08/12/20 18:10	

Envir Request/Chain of Custody

eurofins | Lancaster Laboratories Environmental

Acct. 410-10506 Chain of Custody

Client: Groundwater & Env. Services, Inc.			
Project Name/#: NRG PRGS	Site ID #: NRG PRGS		
Project Manager: Anne Ashley Bell	P.O. #: 0402919/51/206		
Sampler: Jeff Plummer	PWSID #:		
Phone #: 800-220-3606 x 3704	Quote #:		
State where sample(s) were collected: 1400 North Royal St, Alexandria, VA			

Sample Identification	Collection Date	Collection Time	Grab	Composite	Matrix: Soil	Sediment	Potable Water	Ground Water	NPDES	Surface Water	Other:	Total # of Containers	TPH-DRO C-10-28 (SW-846 8015B) H	Alkalinity (SM 2320B) -	Nitrate NO3 -1 & Nitrite NO-2(EPA 353.2) -/S	Manganese (6010) N	Ferrous Iron Fe2+ (SM 3500-Fe B modified-1997) H	Sulfate SO4 2- (EPA 300.0) -	Methane (RSKSOP-175 modified) H
RW-11S	8-11-20	0920	X				X					4	X	X				X	
RW-16S		1020										4	X	X				X	
RW-18S		1130										4	X	X				X	
TW-03		1155										2		X	X	X	X	X	X
MW-25S		1230										3	X	X					
RW-1		1315										4	X	X				X	
RW-28S	8-11-20	1345	X				X					4	X	X				X	

Analyses Requested — Preservation Codes

Preservation Codes: H = HCl; T = Thiosulfate; N = HNO_3; B = NaOH; S = H_2SO_4; P = H_3PO_4; O = Other

For Lab Use Only: SF #: ; SCR #:

Remarks

Turnaround Time Requested (TAT) (please check): Standard ☑ Rush ☐
(Rush TAT is subject to laboratory approval and surcharges.)

Date results are needed:

Rush results requested by (please check): E-Mail ☑ Phone ☐

E-mail Address: midatlantic@gesonline.com & ges@equisonline.com

Phone:

Data Package Options (please check if required)

Type I (Validation/non-CLP) ☐ MA MCP ☐
Type III (Reduced non-CLP) ☐ CT RCP ☐
Type VI (Raw Data Only) ☐ TX TRRP-13 ☐
NYSDEC Category ☐ A or ☐ B

EDD Required? Yes ☑ No ☐ If yes, format: GES EQEDD
EQEDD Name: NRG PRGS.*Lab report* #.25800.EQEDD.zip

Relinquished by:	Date	Time	Received by:	Date	Time
Jeff Plummer	8-12-2020	0700	Denise Wooding	8-12-20	0740
Denise Wooding	8-12-20	13:33			13:33
	8/14/20	18:00			

Relinquished by Commercial Carrier:

UPS _____ FedEx _____ Other _____

Temperature upon receipt 1.0 °C

Login Sample Receipt Checklist

Client: Groundwater & Environmental Services Inc

Job Number: 410-10506-1

Login Number: 10506
List Number: 1
Creator: Mathers, William

List Source: Eurofins Lancaster Laboratories Env

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable (</=6C, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable (</=6C, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	N/A	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified.	N/A	
Residual Chlorine Checked.	N/A	
Sample custody seals are intact.	N/A	

eurofins | Environment Testing America

ANALYTICAL REPORT

Eurofins Lancaster Laboratories Env, LLC
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717)656-2300

Laboratory Job ID: 410-10614-1
Client Project/Site: NRG PRGS
Sampling Event: GES - NRG Quarterly GW

For:
Groundwater & Environmental Services Inc
1350 Blair Drive
Suite A
Odenton, Maryland 21113

Attn: Ashley Bell

Lynn M. Frederiksen

Authorized for release by:
9/11/2020 3:54:50 PM

Lynn Frederiksen, Principal Project Manager
(717)556-7255
lynnfrederiksen@eurofinsus.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

* QC recoveries that exceed the upper limits and are associated with non-detect samples are qualified but no further narration is needed since the bias is high and does not change a non-detect result.

* Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.

* Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANACASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Lynn Frederiksen
Principal Project Manager
9/11/2020 3:54:50 PM

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 7
Surrogate Summary 13
QC Sample Results 14
QC Association Summary 18
Lab Chronicle 21
Certification Summary 23
Method Summary 24
Sample Summary 25
Chain of Custody 26
Receipt Checklists 27

Definitions/Glossary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 410-10614-1

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Narrative

Job Narrative
410-10614-1

Receipt
The samples were received on 8/13/2020 3:30 PM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.3º C.

HPLC/IC
Method 300.0: The result for Sulfate was above the upper calibration range and is reported as an Estimated ("E") value in samples: MW-51S (410-10614-2), RW-10S (410-10614-3) and MW-72S (410-10614-4). This is the best analytical result available as holding time has expired.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC VOA
Method RSK-175: The method requirement for no headspace was not met. The following volatile sample was analyzed with significant headspace in the sample container(s): MW-72S (410-10614-4). Significant headspace is defined as a bubble greater than 6 mm in diameter.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC Semi VOA
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Metals
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep
Method 3511: The Following samples were observed to have Headspace during preparation for method 3511_14D:
MW-01S (410-10614-1), MW-51S (410-10614-2), RW-10S (410-10614-3), MW-72S (410-10614-4), MW-01S-Grab (410-10614-5) and TW-06-Grab (410-10614-6)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Client Sample ID: MW-01S — Lab Sample ID: 410-10614-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (1C)	3500		100	60	ug/L	20		RSK-175	Total/NA
DRO (C10-C28)	2300		110	59	ug/L	1		8015D	Total/NA
Sulfate	86		20	6.0	mg/L	20		EPA 300.0 R2.1	Total/NA
Manganese	5.6		0.010	0.0030	mg/L	1		6010D	Total Recoverable
Total Alkalinity as CaCO3 to pH 4.5	320		8.0	2.6	mg/L	1		2320B-2011	Total/NA
Ferrous Iron	26	HF	1.0	0.30	mg/L	20		3500 Fe B-2011	Total/NA

Client Sample ID: MW-51S — Lab Sample ID: 410-10614-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (1C)	770		25	15	ug/L	5		RSK-175	Total/NA
DRO (C10-C28)	27000		110	60	ug/L	1		8015D	Total/NA
Sulfate	390	E	5.0	1.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Manganese	4.0		0.010	0.0030	mg/L	1		6010D	Total Recoverable
Total Alkalinity as CaCO3 to pH 4.5	210		8.0	2.6	mg/L	1		2320B-2011	Total/NA
Ferrous Iron	130	HF	5.0	1.5	mg/L	100		3500 Fe B-2011	Total/NA

Client Sample ID: RW-10S — Lab Sample ID: 410-10614-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (1C)	75		5.0	3.0	ug/L	1		RSK-175	Total/NA
DRO (C10-C28)	26000		110	58	ug/L	1		8015D	Total/NA
Sulfate	380	E	5.0	1.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Manganese	5.3		0.010	0.0030	mg/L	1		6010D	Total Recoverable
Total Alkalinity as CaCO3 to pH 4.5	450		8.0	2.6	mg/L	1		2320B-2011	Total/NA
Ferrous Iron	150	HF	5.0	1.5	mg/L	100		3500 Fe B-2011	Total/NA
Nitrite as N	0.016	J	0.050	0.015	mg/L	1		353.2	Total/NA

Client Sample ID: MW-72S — Lab Sample ID: 410-10614-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (1C)	140		5.0	3.0	ug/L	1		RSK-175	Total/NA
DRO (C10-C28)	1500		110	57	ug/L	1		8015D	Total/NA
Sulfate	1200	E	5.0	1.5	mg/L	5		EPA 300.0 R2.1	Total/NA
Manganese	7.5		0.010	0.0030	mg/L	1		6010D	Total Recoverable
Ferrous Iron	89	HF	2.5	0.75	mg/L	50		3500 Fe B-2011	Total/NA
Nitrite as N	0.021	J	0.050	0.015	mg/L	1		353.2	Total/NA

Client Sample ID: MW-01S-Grab — Lab Sample ID: 410-10614-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28)	2300		120	62	ug/L	1		8015D	Total/NA

Client Sample ID: TW-06-Grab — Lab Sample ID: 410-10614-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28)	2600		110	59	ug/L	1		8015D	Total/NA

This Detection Summary does not include radiochemical test results.

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Client Sample ID: MW-01S
Lab Sample ID: 410-10614-1
Date Collected: 08/12/20 09:05
Matrix: Water
Date Received: 08/13/20 15:30

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (1C)	3500		100	60	ug/L		08/17/20 08:59	08/17/20 13:12	20

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Propene (1C)	*87*		*28 - 140*	*08/17/20 08:59*	*08/17/20 13:12*	*20*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	2300		110	59	ug/L		08/16/20 11:40	08/19/20 19:02	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*79*		*52 - 132*	*08/16/20 11:40*	*08/19/20 19:02*	*1*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	86		20	6.0	mg/L			08/16/20 01:36	20

Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	5.6		0.010	0.0030	mg/L		08/15/20 11:06	08/20/20 10:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	320		8.0	2.6	mg/L			08/15/20 03:10	1
Ferrous Iron	26	HF	1.0	0.30	mg/L			08/17/20 11:36	20
Nitrate as N	ND		0.10	0.040	mg/L			08/25/20 05:49	1
Nitrite as N	ND		0.050	0.015	mg/L			08/14/20 07:22	1

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Client Sample ID: MW-51S
Date Collected: 08/12/20 10:00
Date Received: 08/13/20 15:30

Lab Sample ID: 410-10614-2
Matrix: Water

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (1C)	770		25	15	ug/L		08/17/20 08:59	08/17/20 13:30	5

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Propene (1C)	*78*		*28 - 140*	*08/17/20 08:59*	*08/17/20 13:30*	*5*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	27000		110	60	ug/L		08/16/20 11:40	08/19/20 19:26	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*130*		*52 - 132*	*08/16/20 11:40*	*08/19/20 19:26*	*1*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	390	E	5.0	1.5	mg/L			08/16/20 02:10	5

Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	4.0		0.010	0.0030	mg/L		08/15/20 11:06	08/20/20 10:29	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	210		8.0	2.6	mg/L			08/15/20 03:02	1
Ferrous Iron	130	HF	5.0	1.5	mg/L			08/17/20 12:51	100
Nitrate as N	ND		0.10	0.040	mg/L			08/25/20 05:49	1
Nitrite as N	ND		0.050	0.015	mg/L			08/14/20 07:24	1

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Client Sample ID: RW-10S
Lab Sample ID: 410-10614-3
Date Collected: 08/12/20 11:00
Matrix: Water
Date Received: 08/13/20 15:30

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (1C)	75		5.0	3.0	ug/L		08/14/20 08:58	08/14/20 18:45	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Propene (1C)	*60*		*28 - 140*	*08/14/20 08:58*	*08/14/20 18:45*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	26000		110	58	ug/L		08/16/20 11:40	08/19/20 19:50	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*114*		*52 - 132*	*08/16/20 11:40*	*08/19/20 19:50*	*1*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	380	E	5.0	1.5	mg/L			08/16/20 03:36	5

Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	5.3		0.010	0.0030	mg/L		08/15/20 11:06	08/20/20 10:38	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	450		8.0	2.6	mg/L			08/15/20 02:51	1
Ferrous Iron	150	HF	5.0	1.5	mg/L			08/17/20 12:52	100
Nitrate as N	ND		0.10	0.040	mg/L			08/25/20 05:54	1
Nitrite as N	0.016	J	0.050	0.015	mg/L			08/14/20 07:25	1

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Client Sample ID: MW-72S
Lab Sample ID: 410-10614-4
Date Collected: 08/12/20 12:10
Matrix: Water
Date Received: 08/13/20 15:30

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (1C)	**140**		5.0	3.0	ug/L		08/14/20 08:58	08/14/20 19:03	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Propene (1C)	*70*		*28 - 140*	*08/14/20 08:58*	*08/14/20 19:03*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	**1500**		110	57	ug/L		08/16/20 11:40	08/19/20 20:13	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*96*		*52 - 132*	*08/16/20 11:40*	*08/19/20 20:13*	*1*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	**1200**	**E**	5.0	1.5	mg/L			08/16/20 01:53	5

Method: 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	**7.5**		0.010	0.0030	mg/L		08/14/20 05:08	08/17/20 20:57	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	ND		8.0	2.6	mg/L			08/15/20 02:56	1
Ferrous Iron	**89**	**HF**	2.5	0.75	mg/L			08/17/20 12:29	50
Nitrate as N	ND		0.10	0.040	mg/L			08/25/20 05:54	1
Nitrite as N	**0.021**	**J**	0.050	0.015	mg/L			08/14/20 07:26	1

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Client Sample ID: MW-01S-Grab
Lab Sample ID: 410-10614-5
Date Collected: 08/12/20 12:40
Matrix: Water
Date Received: 08/13/20 15:30

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	2300		120	62	ug/L		08/16/20 11:40	08/19/20 20:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*83*		*52 - 132*	*08/16/20 11:40*	*08/19/20 20:37*	*1*

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Client Sample ID: TW-06-Grab
Lab Sample ID: 410-10614-6
Date Collected: 08/12/20 13:20
Matrix: Water
Date Received: 08/13/20 15:30

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	2600		110	59	ug/L		08/16/20 11:40	08/19/20 21:01	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*98*		*52 - 132*	*08/16/20 11:40*	*08/19/20 21:01*	*1*

Surrogate Summary

Client: Groundwater & Environmental Services Inc
Project/Site: NRG PRGS

Job ID: 410-10614-1

Method: RSK-175 - Dissolved Gases (GC)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	Propene1 (28-140)
410-10614-1	MW-01S	87
410-10614-2	MW-51S	78
410-10614-3	RW-10S	60
410-10614-4	MW-72S	70
LCS 410-33217/2-A	Lab Control Sample	92
LCS 410-33890/2-A	Lab Control Sample	92
LCSD 410-33217/3-A	Lab Control Sample Dup	97
LCSD 410-33890/3-A	Lab Control Sample Dup	97
MB 410-33217/1-A	Method Blank	96
MB 410-33890/1-A	Method Blank	97

Surrogate Legend

Propene = Propene

Method: 8015D - Diesel Range Organics (DRO) (GC)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	OTP (52-132)
410-10614-1	MW-01S	79
410-10614-2	MW-51S	130
410-10614-3	RW-10S	114
410-10614-4	MW-72S	96
410-10614-5	MW-01S-Grab	83
410-10614-6	TW-06-Grab	98
LCS 410-33681/2-A	Lab Control Sample	74
LCSD 410-33681/3-A	Lab Control Sample Dup	80
MB 410-33681/1-A	Method Blank	62

Surrogate Legend

OTP = o- terphenyl (Surr)

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 410-33217/1-A
Matrix: Water
Analysis Batch: 33222

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 33217

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (1C)	ND		5.0	3.0	ug/L		08/14/20 08:58	08/14/20 16:37	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Propene (1C)	*96*		*28 - 140*	*08/14/20 08:58*	*08/14/20 16:37*	*1*

Lab Sample ID: LCS 410-33217/2-A
Matrix: Water
Analysis Batch: 33222

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 33217

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Methane (1C)			59.4	58.5		ug/L		98	85 - 115		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Propene (1C)	*92*		*28 - 140*

Lab Sample ID: LCSD 410-33217/3-A
Matrix: Water
Analysis Batch: 33222

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 33217

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methane (1C)			59.4	58.5		ug/L		99	85 - 115	0	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Propene (1C)	*97*		*28 - 140*

Lab Sample ID: MB 410-33890/1-A
Matrix: Water
Analysis Batch: 33923

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 33890

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (1C)	ND		5.0	3.0	ug/L		08/17/20 08:59	08/17/20 11:22	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Propene (1C)	*97*		*28 - 140*	*08/17/20 08:59*	*08/17/20 11:22*	*1*

Lab Sample ID: LCS 410-33890/2-A
Matrix: Water
Analysis Batch: 33923

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 33890

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Methane (1C)			59.4	58.3		ug/L		98	85 - 115		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Propene (1C)	*92*		*28 - 140*

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCSD 410-33890/3-A
Matrix: Water
Analysis Batch: 33923

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 33890

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methane (1C)			59.4	60.6		ug/L		102	85 - 115	4	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Propene (1C)	*97*		*28 - 140*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 410-33681/1-A
Matrix: Water
Analysis Batch: 34658

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 33681

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28)	ND		110	61	ug/L		08/16/20 11:40	08/19/20 16:39	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr)	*62*		*52 - 132*	*08/16/20 11:40*	*08/19/20 16:39*	*1*

Lab Sample ID: LCS 410-33681/2-A
Matrix: Water
Analysis Batch: 34658

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 33681

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
DRO (C10-C28)			2860	1800		ug/L		63	47 - 116		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
o- terphenyl (Surr)	*74*		*52 - 132*

Lab Sample ID: LCSD 410-33681/3-A
Matrix: Water
Analysis Batch: 34658

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 33681

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
DRO (C10-C28)			2860	2140		ug/L		75	47 - 116	17	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
o- terphenyl (Surr)	*80*		*52 - 132*

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Lab Sample ID: MB 410-33574/4
Matrix: Water
Analysis Batch: 33574

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		1.0	0.30	mg/L			08/15/20 21:02	1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 410-33574/3
Matrix: Water
Analysis Batch: 33574

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Sulfate			7.50	7.63		mg/L		102	90 - 110		

Lab Sample ID: 410-10614-2 MS
Matrix: Water
Analysis Batch: 33574

Client Sample ID: MW-51S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Sulfate	390	E	25.0	413	E 4	mg/L		73	90 - 110		

Lab Sample ID: 410-10614-2 DU
Matrix: Water
Analysis Batch: 33574

Client Sample ID: MW-51S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
Sulfate	390	E	395	E	mg/L				0.1	15

Method: 6010D - Metals (ICP)

Lab Sample ID: MB 410-33091/1-A
Matrix: Water
Analysis Batch: 34176

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 33091

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	ND		0.010	0.0030	mg/L		08/14/20 05:08	08/17/20 19:20	1

Lab Sample ID: LCS 410-33091/2-A
Matrix: Water
Analysis Batch: 34176

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 33091

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Manganese			0.0200	0.0209		mg/L		105	80 - 120		

Lab Sample ID: MB 410-33570/1-A
Matrix: Water
Analysis Batch: 35380

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 33570

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	ND		0.010	0.0030	mg/L		08/15/20 11:06	08/20/20 09:22	1

Lab Sample ID: LCS 410-33570/2-A
Matrix: Water
Analysis Batch: 35380

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 33570

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Manganese			0.0200	0.0208		mg/L		104	80 - 120		

Method: 2320B-2011 - Alkalinity, Total

Lab Sample ID: MB 410-34069/51
Matrix: Water
Analysis Batch: 34069

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	ND		8.0	2.6	mg/L			08/15/20 00:17	1

Lab Sample ID: LCS 410-34069/52
Matrix: Water
Analysis Batch: 34069

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	189	183		mg/L		97	82 - 106

Method: 3500 Fe B-2011 - Iron, Ferrous and Ferric

Lab Sample ID: MB 410-34032/14
Matrix: Water
Analysis Batch: 34032

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ferrous Iron	ND		0.050	0.015	mg/L			08/17/20 09:34	1

Lab Sample ID: LCS 410-34032/13
Matrix: Water
Analysis Batch: 34032

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	1.00	1.00		mg/L		100	90 - 110

Method: 353.2 - Nitrogen, Nitrite

Lab Sample ID: MB 410-33306/17
Matrix: Water
Analysis Batch: 33306

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite as N	ND		0.050	0.015	mg/L			08/14/20 07:05	1

Lab Sample ID: LCS 410-33306/16
Matrix: Water
Analysis Batch: 33306

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite as N	0.700	0.688		mg/L		98	90 - 110

GC VOA

Prep Batch: 33217

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-3	RW-10S	Total/NA	Water	RSK-175	
410-10614-4	MW-72S	Total/NA	Water	RSK-175	
MB 410-33217/1-A	Method Blank	Total/NA	Water	RSK-175	
LCS 410-33217/2-A	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 410-33217/3-A	Lab Control Sample Dup	Total/NA	Water	RSK-175	

Analysis Batch: 33222

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-3	RW-10S	Total/NA	Water	RSK-175	33217
410-10614-4	MW-72S	Total/NA	Water	RSK-175	33217
MB 410-33217/1-A	Method Blank	Total/NA	Water	RSK-175	33217
LCS 410-33217/2-A	Lab Control Sample	Total/NA	Water	RSK-175	33217
LCSD 410-33217/3-A	Lab Control Sample Dup	Total/NA	Water	RSK-175	33217

Prep Batch: 33890

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total/NA	Water	RSK-175	
410-10614-2	MW-51S	Total/NA	Water	RSK-175	
MB 410-33890/1-A	Method Blank	Total/NA	Water	RSK-175	
LCS 410-33890/2-A	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 410-33890/3-A	Lab Control Sample Dup	Total/NA	Water	RSK-175	

Analysis Batch: 33923

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total/NA	Water	RSK-175	33890
410-10614-2	MW-51S	Total/NA	Water	RSK-175	33890
MB 410-33890/1-A	Method Blank	Total/NA	Water	RSK-175	33890
LCS 410-33890/2-A	Lab Control Sample	Total/NA	Water	RSK-175	33890
LCSD 410-33890/3-A	Lab Control Sample Dup	Total/NA	Water	RSK-175	33890

GC Semi VOA

Prep Batch: 33681

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total/NA	Water	3511	
410-10614-2	MW-51S	Total/NA	Water	3511	
410-10614-3	RW-10S	Total/NA	Water	3511	
410-10614-4	MW-72S	Total/NA	Water	3511	
410-10614-5	MW-01S-Grab	Total/NA	Water	3511	
410-10614-6	TW-06-Grab	Total/NA	Water	3511	
MB 410-33681/1-A	Method Blank	Total/NA	Water	3511	
LCS 410-33681/2-A	Lab Control Sample	Total/NA	Water	3511	
LCSD 410-33681/3-A	Lab Control Sample Dup	Total/NA	Water	3511	

Analysis Batch: 34658

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total/NA	Water	8015D	33681
410-10614-2	MW-51S	Total/NA	Water	8015D	33681
410-10614-3	RW-10S	Total/NA	Water	8015D	33681
410-10614-4	MW-72S	Total/NA	Water	8015D	33681
410-10614-5	MW-01S-Grab	Total/NA	Water	8015D	33681

GC Semi VOA (Continued)

Analysis Batch: 34658 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-6	TW-06-Grab	Total/NA	Water	8015D	33681
MB 410-33681/1-A	Method Blank	Total/NA	Water	8015D	33681
LCS 410-33681/2-A	Lab Control Sample	Total/NA	Water	8015D	33681
LCSD 410-33681/3-A	Lab Control Sample Dup	Total/NA	Water	8015D	33681

HPLC/IC

Analysis Batch: 33574

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total/NA	Water	EPA 300.0 R2.1	
410-10614-2	MW-51S	Total/NA	Water	EPA 300.0 R2.1	
410-10614-3	RW-10S	Total/NA	Water	EPA 300.0 R2.1	
410-10614-4	MW-72S	Total/NA	Water	EPA 300.0 R2.1	
MB 410-33574/4	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 410-33574/3	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
410-10614-2 MS	MW-51S	Total/NA	Water	EPA 300.0 R2.1	
410-10614-2 DU	MW-51S	Total/NA	Water	EPA 300.0 R2.1	

Metals

Prep Batch: 33091

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-4	MW-72S	Total Recoverable	Water	3005A	
MB 410-33091/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 410-33091/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Prep Batch: 33570

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total Recoverable	Water	3005A	
410-10614-2	MW-51S	Total Recoverable	Water	3005A	
410-10614-3	RW-10S	Total Recoverable	Water	3005A	
MB 410-33570/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 410-33570/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Analysis Batch: 34176

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-4	MW-72S	Total Recoverable	Water	6010D	33091
MB 410-33091/1-A	Method Blank	Total Recoverable	Water	6010D	33091
LCS 410-33091/2-A	Lab Control Sample	Total Recoverable	Water	6010D	33091

Analysis Batch: 35380

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total Recoverable	Water	6010D	33570
410-10614-2	MW-51S	Total Recoverable	Water	6010D	33570
410-10614-3	RW-10S	Total Recoverable	Water	6010D	33570
MB 410-33570/1-A	Method Blank	Total Recoverable	Water	6010D	33570
LCS 410-33570/2-A	Lab Control Sample	Total Recoverable	Water	6010D	33570

General Chemistry

Analysis Batch: 33306

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total/NA	Water	353.2	
410-10614-2	MW-51S	Total/NA	Water	353.2	
410-10614-3	RW-10S	Total/NA	Water	353.2	
410-10614-4	MW-72S	Total/NA	Water	353.2	
MB 410-33306/17	Method Blank	Total/NA	Water	353.2	
LCS 410-33306/16	Lab Control Sample	Total/NA	Water	353.2	

Analysis Batch: 34032

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total/NA	Water	3500 Fe B-2011	
410-10614-2	MW-51S	Total/NA	Water	3500 Fe B-2011	
410-10614-3	RW-10S	Total/NA	Water	3500 Fe B-2011	
410-10614-4	MW-72S	Total/NA	Water	3500 Fe B-2011	
MB 410-34032/14	Method Blank	Total/NA	Water	3500 Fe B-2011	
LCS 410-34032/13	Lab Control Sample	Total/NA	Water	3500 Fe B-2011	

Analysis Batch: 34069

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total/NA	Water	2320B-2011	
410-10614-2	MW-51S	Total/NA	Water	2320B-2011	
410-10614-3	RW-10S	Total/NA	Water	2320B-2011	
410-10614-4	MW-72S	Total/NA	Water	2320B-2011	
MB 410-34069/51	Method Blank	Total/NA	Water	2320B-2011	
LCS 410-34069/52	Lab Control Sample	Total/NA	Water	2320B-2011	

Analysis Batch: 36780

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-1	MW-01S	Total/NA	Water	353.2	
410-10614-2	MW-51S	Total/NA	Water	353.2	

Analysis Batch: 36790

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10614-3	RW-10S	Total/NA	Water	353.2	
410-10614-4	MW-72S	Total/NA	Water	353.2	

Lab Chronicle

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Client Sample ID: MW-01S
Lab Sample ID: 410-10614-1
Date Collected: 08/12/20 09:05
Matrix: Water
Date Received: 08/13/20 15:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	RSK-175			33890	08/17/20 08:59	IYN5	ELLE
Total/NA	Analysis	RSK-175		20	33923	08/17/20 13:12	IYN5	ELLE
Total/NA	Prep	3511			33681	08/16/20 11:40	GC5R	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 19:02	IUSB	ELLE
Total/NA	Analysis	EPA 300.0 R2.1		20	33574	08/16/20 01:36	GJ35	ELLE
Total Recoverable	Prep	3005A			33570	08/15/20 11:06	UJLA	ELLE
Total Recoverable	Analysis	6010D		1	35380	08/20/20 10:41	ULJC	ELLE
Total/NA	Analysis	2320B-2011		1	34069	08/15/20 03:10	JB	ELLE
Total/NA	Analysis	3500 Fe B-2011		20	34032	08/17/20 11:36	L8MI	ELLE
Total/NA	Analysis	353.2		1	33306	08/14/20 07:22	L8MI	ELLE
Total/NA	Analysis	353.2		1	36780	08/25/20 05:49	P684	ELLE

Client Sample ID: MW-51S
Lab Sample ID: 410-10614-2
Date Collected: 08/12/20 10:00
Matrix: Water
Date Received: 08/13/20 15:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	RSK-175			33890	08/17/20 08:59	IYN5	ELLE
Total/NA	Analysis	RSK-175		5	33923	08/17/20 13:30	IYN5	ELLE
Total/NA	Prep	3511			33681	08/16/20 11:40	GC5R	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 19:26	IUSB	ELLE
Total/NA	Analysis	EPA 300.0 R2.1		5	33574	08/16/20 02:10	GJ35	ELLE
Total Recoverable	Prep	3005A			33570	08/15/20 11:06	UJLA	ELLE
Total Recoverable	Analysis	6010D		1	35380	08/20/20 10:29	ULJC	ELLE
Total/NA	Analysis	2320B-2011		1	34069	08/15/20 03:02	JB	ELLE
Total/NA	Analysis	3500 Fe B-2011		100	34032	08/17/20 12:51	L8MI	ELLE
Total/NA	Analysis	353.2		1	33306	08/14/20 07:24	L8MI	ELLE
Total/NA	Analysis	353.2		1	36780	08/25/20 05:49	P684	ELLE

Client Sample ID: RW-10S
Lab Sample ID: 410-10614-3
Date Collected: 08/12/20 11:00
Matrix: Water
Date Received: 08/13/20 15:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	RSK-175			33217	08/14/20 08:58	IYN5	ELLE
Total/NA	Analysis	RSK-175		1	33222	08/14/20 18:45	IYN5	ELLE
Total/NA	Prep	3511			33681	08/16/20 11:40	GC5R	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 19:50	IUSB	ELLE
Total/NA	Analysis	EPA 300.0 R2.1		5	33574	08/16/20 03:36	GJ35	ELLE
Total Recoverable	Prep	3005A			33570	08/15/20 11:06	UJLA	ELLE
Total Recoverable	Analysis	6010D		1	35380	08/20/20 10:38	ULJC	ELLE
Total/NA	Analysis	2320B-2011		1	34069	08/15/20 02:51	JB	ELLE
Total/NA	Analysis	3500 Fe B-2011		100	34032	08/17/20 12:52	L8MI	ELLE

Lab Chronicle

Client: Groundwater & Environmental Services Inc
Project/Site: NRG PRGS

Job ID: 410-10614-1

Client Sample ID: RW-10S
Date Collected: 08/12/20 11:00
Date Received: 08/13/20 15:30

Lab Sample ID: 410-10614-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	33306	08/14/20 07:25	L8MI	ELLE
Total/NA	Analysis	353.2		1	36790	08/25/20 05:54	P684	ELLE

Client Sample ID: MW-72S
Date Collected: 08/12/20 12:10
Date Received: 08/13/20 15:30

Lab Sample ID: 410-10614-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	RSK-175			33217	08/14/20 08:58	IYN5	ELLE
Total/NA	Analysis	RSK-175		1	33222	08/14/20 19:03	IYN5	ELLE
Total/NA	Prep	3511			33681	08/16/20 11:40	GC5R	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 20:13	IUSB	ELLE
Total/NA	Analysis	EPA 300.0 R2.1		5	33574	08/16/20 01:53	GJ35	ELLE
Total Recoverable	Prep	3005A			33091	08/14/20 05:08	UAMX	ELLE
Total Recoverable	Analysis	6010D		1	34176	08/17/20 20:57	UEFS	ELLE
Total/NA	Analysis	2320B-2011		1	34069	08/15/20 02:56	JB	ELLE
Total/NA	Analysis	3500 Fe B-2011		50	34032	08/17/20 12:29	L8MI	ELLE
Total/NA	Analysis	353.2		1	33306	08/14/20 07:26	L8MI	ELLE
Total/NA	Analysis	353.2		1	36790	08/25/20 05:54	P684	ELLE

Client Sample ID: MW-01S-Grab
Date Collected: 08/12/20 12:40
Date Received: 08/13/20 15:30

Lab Sample ID: 410-10614-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33681	08/16/20 11:40	GC5R	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 20:37	IUSB	ELLE

Client Sample ID: TW-06-Grab
Date Collected: 08/12/20 13:20
Date Received: 08/13/20 15:30

Lab Sample ID: 410-10614-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33681	08/16/20 11:40	GC5R	ELLE
Total/NA	Analysis	8015D		1	34658	08/19/20 21:01	IUSB	ELLE

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Virginia	NELAP	10561	06-14-21

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
3500 Fe B-2011		Water	Ferrous Iron

Method Summary

Client: Groundwater & Environmental Services Inc
Job ID: 410-10614-1
Project/Site: NRG PRGS

Method	Method Description	Protocol	Laboratory
RSK-175	Dissolved Gases (GC)	RSK	ELLE
8015D	Diesel Range Organics (DRO) (GC)	SW846	ELLE
EPA 300.0 R2.1	Anions, Ion Chromatography	EPA	ELLE
6010D	Metals (ICP)	SW846	ELLE
2320B-2011	Alkalinity, Total	SM	ELLE
3500 Fe B-2011	Iron, Ferrous and Ferric	SM	ELLE
353.2	Nitrate by Calculation	EPA	ELLE
353.2	Nitrogen, Nitrite	MCAWW	ELLE
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	ELLE
3511	Microextraction of Organic Compounds	SW846	ELLE
RSK-175	Dissolved Gases Prep	RSK	ELLE

Protocol References:

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: Groundwater & Environmental Services Inc
Project/Site: NRG PRGS

Job ID: 410-10614-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
410-10614-1	MW-01S	Water	08/12/20 09:05	08/13/20 15:30	
410-10614-2	MW-51S	Water	08/12/20 10:00	08/13/20 15:30	
410-10614-3	RW-10S	Water	08/12/20 11:00	08/13/20 15:30	
410-10614-4	MW-72S	Water	08/12/20 12:10	08/13/20 15:30	
410-10614-5	MW-01S-Grab	Water	08/12/20 12:40	08/13/20 15:30	
410-10614-6	TW-06-Grab	Water	08/12/20 13:20	08/13/20 15:30	

E [barcode] sis Request/Chain of Custody

410-10614 Chain of Custody

eurofins | Lancaster Laboratories Environmental

Acct. # _____ Group # _____ Sample # _____

Client: Groundwater & Env. Services, Inc.			
Project Name/#: NRG PRGS	Site ID #: NRG PRGS		
Project Manager: Anne Ashley Bell	P.O. #: 0402919/51/206		
Sampler: Jeff Plummer	PWSID #:		
Phone #: 800-220-3606 x 3704	Quote #:		
State where sample(s) were collected: 1400 North Royal St, Alexandria, VA			

Sample Identification	Collection Date	Collection Time	Grab	Composite	Matrix: Soil	Sediment	Water: Potable	Water: Ground	Water: NPDES	Water: Surface	Other:	Total # of Containers	TPH-DRO C-10-28 (SW-846 8015B) Preservation: H	Alkalinity (SM 2320B) -:	Nitrate NO3 -1 & Nitrite NO-2(EPA 353.2) -/S	Manganese (6010) N	Ferrous Iron Fe2+ (SM 3500-Fe B modified-1997) H	Sulfate SO4 2- (EPA 300.0) -:	Methane (RSKSOP-175 modified) H	Remarks
MW-01S	8-12-20	0905	X				X					10	X	X	X	X	X	X	X	
MW-51S		1000										10	X	X	X	X	X	X	X	
RW-10S		1100										10	X	X	X	X	X	X	X	
MW-72S		1210										10	X	X	X	X	X	X	X	
MW-01S-Grab		1240										2	X							
TW-06 - Grab	8-12-20	1320	X				X					2	X							

For Lab Use Only
SF #: _____
SCR #: _____

Preservation Codes: H = HCl; T = Thiosulfate; N = HNO_3; B = NaOH; S = H_2SO_4; P = H_3PO_4; O = Other

Turnaround Time Requested (TAT) (please check): Standard ☑ Rush ☐
(Rush TAT is subject to laboratory approval and surcharges.)

Date results are needed:

Rush results requested by (please check): E-Mail ☑ Phone ☐

E-mail Address: midatlantic@gesonline.com & ges@equisonline.com

Phone:

Data Package Options (please check if required)

Type I (Validation/non-CLP) ☐ MA MCP ☐
Type III (Reduced non-CLP) ☐ CT RCP ☐
Type VI (Raw Data Only) ☐ TX TRRP-13 ☐
NYSDEC Category ☐ A or ☐ B

EDD Required? Yes ☑ No ☐ If yes, format: GES EQEDD
EQEDD Name: NRG PRGS.*Lab report #*.25800.EQEDD.zip

Relinquished by:	Date	Time	Received by:	Date	Time
Jeff Plummer	8-12-2020	1500	Denise Woodring	8-12-20	0800
Denise Woodring	8-13-20	1030	[signature]	8/13/20	1030
[signature]	8/13/20	1515	[signature]	8-13-20	1530

Relinquished by Commercial Carrier:

UPS _____ FedEx _____ Other _____

Temperature upon receipt 1.3 °C

Eurofins Lancaster Laboratories Environmental, LLC • 2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300

KAM 7045 0614

ES

Login Sample Receipt Checklist

Client: Groundwater & Environmental Services Inc

Job Number: 410-10614-1

Login Number: 10614
List Number: 1
Creator: Sanchez, Melvin E

List Source: Eurofins Lancaster Laboratories Env

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable (</=6C, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable (</=6C, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	N/A	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified.	N/A	
Residual Chlorine Checked.	N/A	
Sample custody seals are intact.	N/A	

eurofins | Environment Testing America

ANALYTICAL REPORT

Eurofins Lancaster Laboratories Env, LLC
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717)656-2300

Laboratory Job ID: 410-10524-1
Client Project/Site: NRG PRGS

For:
Geosyntec Consultants, Inc.
10211 Wincopin Circle
4'th Floor
Columbia, Maryland 21044

Attn: Mr. Mark Bauer

Elizabeth M. Zanar

Authorized for release by:
9/11/2020 11:48:16 AM

Elizabeth Zanar, Project Manager
(717)556-7290
elizabethmzanar@eurofinsus.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

* QC recoveries that exceed the upper limits and are associated with non-detect samples are qualified but no further narration is needed since the bias is high and does not change a non-detect result.

* Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.

* Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANACASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Elizabeth M. Zanar

Elizabeth Zanar
Project Manager
9/11/2020 11:48:16 AM

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 6
Detection Summary 7
Client Sample Results 9
Surrogate Summary 22
QC Sample Results 25
QC Association Summary 35
Lab Chronicle 38
Certification Summary 42
Method Summary 43
Sample Summary 44
Chain of Custody 45
Receipt Checklists 47

Definitions/Glossary

Client: Geosyntec Consultants, Inc. Job ID: 410-10524-1
Project/Site: NRG PRGS

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
X	Surrogate recovery exceeds control limits

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC Semi VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
*1	LCS/LCSD RPD exceeds control limits.
X	Surrogate recovery exceeds control limits

General Chemistry

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 410-10524-1

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Narrative

Job Narrative
410-10524-1

Comments
No additional comments.

Receipt
The samples were received on 8/12/2020 6:10 PM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 1.3º C, 1.4º C and 2.8º C.

GC/MS VOA
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC/MS Semi VOA
Method 8270C SIM: The continuing calibration verification (CCV) associated with analytical batch 410-34711 recovered above the upper control limit for Indeno[1,2,3-cd]pyrene and Dibenz(a,h)anthracene. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Method 8270C SIM: Surrogate recovery for the following samples were outside control limits: TW06 (410-10524-1) and DUP20200810 (410-10524-2). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC VOA
Method 8015B: The method requirement for no headspace was not met. The following volatile samples were analyzed with headspace in the sample container(s): TB20212 (410-10524-6) and TW14 (410-10524-7). The sample container was received with headspace.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC Semi VOA
Method 8015B: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 410-33470 and analytical batch 410-34659 recovered outside control limits for the following analytes: DRO (C10-C28). The sample was re-extracted past hold and the LCS/LCSD is within control limits. All results are reported from the initial trial.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep
Method 3511: The Following sample was observed to have Headspace during preparation for method 3511_14D:

TW05 (410-10524-15)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: Geosyntec Consultants, Inc.
Project/Site: NRG PRGS

Job ID: 410-10524-1

Client Sample ID: TW06 — Lab Sample ID: 410-10524-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Pyrene	0.26		0.10	0.040	ug/L	1		8270C SIM	Total/NA
GRO (1C)	43	J	50	23	ug/L	1		8015B	Total/NA
DRO (C10-C28) (1C)	3100	* *1	110	59	ug/L	1		8015B	Total/NA
HEM (Oil & Grease)	2.0	J	5.4	1.5	mg/L	1		1664B	Total/NA

Client Sample ID: DUP20200810 — Lab Sample ID: 410-10524-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Pyrene	0.25		0.10	0.041	ug/L	1		8270C SIM	Total/NA
GRO (1C)	43	J	50	23	ug/L	1		8015B	Total/NA
DRO (C10-C28) (1C)	3000		110	61	ug/L	1		8015B	Total/NA
HEM (Oil & Grease)	2.9	J	5.6	1.6	mg/L	1		1664B	Total/NA

Client Sample ID: EB20200810 — Lab Sample ID: 410-10524-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28) (1C)	200		110	57	ug/L	1		8015B	Total/NA
HEM (Oil & Grease)	1.7	J	5.6	1.6	mg/L	1		1664B	Total/NA

Client Sample ID: TW02 — Lab Sample ID: 410-10524-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.12		0.11	0.045	ug/L	1		8270C SIM	Total/NA
Fluoranthene	0.16		0.11	0.045	ug/L	1		8270C SIM	Total/NA
Pyrene	0.16		0.11	0.045	ug/L	1		8270C SIM	Total/NA
HEM (Oil & Grease)	1.9	J	6.0	1.7	mg/L	1		1664B	Total/NA

Client Sample ID: TW03 — Lab Sample ID: 410-10524-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Phenanthrene	0.070	J	0.16	0.041	ug/L	1		8270C SIM	Total/NA
Pyrene	0.076	J	0.10	0.041	ug/L	1		8270C SIM	Total/NA
HEM (Oil & Grease)	2.5	J	5.6	1.6	mg/L	1		1664B	Total/NA

Client Sample ID: TB20212 — Lab Sample ID: 410-10524-6

No Detections.

Client Sample ID: TW14 — Lab Sample ID: 410-10524-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.85	J	1.0	0.20	ug/L	1		8260B/UST	Total/NA
GRO (1C)	810		500	230	ug/L	10		8015B	Total/NA
DRO (C10-C28) (1C)	1500		110	57	ug/L	1		8015B	Total/NA

Client Sample ID: TW04 — Lab Sample ID: 410-10524-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
GRO (1C)	25	J	50	23	ug/L	1		8015B	Total/NA
DRO (C10-C28) (1C)	350		110	58	ug/L	1		8015B	Total/NA

Client Sample ID: TW07 — Lab Sample ID: 410-10524-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28) (1C)	270		110	58	ug/L	1		8015B	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: Geosyntec Consultants, Inc.
Project/Site: NRG PRGS

Job ID: 410-10524-1

Client Sample ID: TW04 — Lab Sample ID: 410-10524-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.34		0.21	0.082	ug/L	1		8270C SIM	Total/NA
Acenaphthene	0.84		0.21	0.082	ug/L	1		8270C SIM	Total/NA
Anthracene	0.11	J	0.21	0.082	ug/L	1		8270C SIM	Total/NA
Dibenzofuran	0.12	J	0.21	0.082	ug/L	1		8270C SIM	Total/NA
Fluoranthene	0.11	J	0.21	0.082	ug/L	1		8270C SIM	Total/NA
Fluorene	0.24		0.21	0.082	ug/L	1		8270C SIM	Total/NA
Naphthalene	0.28	J	0.33	0.082	ug/L	1		8270C SIM	Total/NA
Pyrene	0.24		0.21	0.082	ug/L	1		8270C SIM	Total/NA

Client Sample ID: TW14 — Lab Sample ID: 410-10524-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Methylnaphthalene	0.15	J	0.16	0.045	ug/L	1		8270C SIM	Total/NA
Acenaphthylene	1.1		0.11	0.045	ug/L	1		8270C SIM	Total/NA
Benzo[a]pyrene	0.046	J	0.11	0.045	ug/L	1		8270C SIM	Total/NA
Fluoranthene	0.054	J	0.11	0.045	ug/L	1		8270C SIM	Total/NA
Pyrene	0.15		0.11	0.045	ug/L	1		8270C SIM	Total/NA
GRO (1C)	74		50	23	ug/L	1		8015B	Total/NA

Client Sample ID: TW07 — Lab Sample ID: 410-10524-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
HEM (Oil & Grease)	5.3	J	6.4	1.8	mg/L	1		1664B	Total/NA

Client Sample ID: TW14 — Lab Sample ID: 410-10524-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
HEM (Oil & Grease)	3.9	J	8.5	2.4	mg/L	1		1664B	Total/NA

Client Sample ID: TW05 — Lab Sample ID: 410-10524-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
DRO (C10-C28) (1C)	180000		2200	1200	ug/L	20		8015B	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: TW06

Date Collected: 08/10/20 12:30
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-1

Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/22/20 04:15	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/22/20 04:15	1
Benzene	ND		1.0	0.20	ug/L			08/22/20 04:15	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/22/20 04:15	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/22/20 04:15	1
Toluene	ND		1.0	0.20	ug/L			08/22/20 04:15	1
Xylene (total)	ND		3.0	0.80	ug/L			08/22/20 04:15	1
t-Butyl alcohol	ND		25	10	ug/L			08/22/20 04:15	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*87*		*80 - 120*		*08/22/20 04:15*	*1*
4-Bromofluorobenzene (Surr)	*91*		*80 - 120*		*08/22/20 04:15*	*1*
Dibromofluoromethane (Surr)	*95*		*80 - 120*		*08/22/20 04:15*	*1*
Toluene-d8 (Surr)	*97*		*80 - 120*		*08/22/20 04:15*	*1*

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
2-Methylnaphthalene	ND		0.14	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Acenaphthene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Acenaphthylene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Anthracene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Benzo[a]anthracene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Benzo[a]pyrene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Benzo[b]fluoranthene	ND		0.18	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Benzo[e]pyrene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Benzo[g,h,i]perylene	ND		0.14	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Benzo[k]fluoranthene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Biphenyl	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Chrysene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Dibenz(a,h)anthracene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Dibenzofuran	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Dibenzothiophene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Fluoranthene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Fluorene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Indeno[1,2,3-cd]pyrene	ND		0.18	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Naphthalene	ND		0.16	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Naphthobenzothiophene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Perylene	ND		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Phenanthrene	ND		0.16	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1
Pyrene	**0.26**		0.10	0.040	ug/L		08/17/20 17:44	08/19/20 13:03	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Methylnaphthalene-d10 (Surr)	*332*	*X*	*30 - 108*	*08/17/20 17:44*	*08/19/20 13:03*	*1*
Benzo(a)pyrene-d12 (Surr)	*67*		*31 - 99*	*08/17/20 17:44*	*08/19/20 13:03*	*1*
Fluoranthene-d10 (Surr)	*62*		*38 - 109*	*08/17/20 17:44*	*08/19/20 13:03*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	**43**	**J**	50	23	ug/L			08/17/20 21:39	1

Client Sample ID: TW06

Date Collected: 08/10/20 12:30
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-1
Matrix: Ground Water

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*88*		*63 - 135*		*08/17/20 21:39*	*1*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	3100	* *1	110	59	ug/L		08/15/20 05:18	08/19/20 03:57	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*116*		*52 - 132*	*08/15/20 05:18*	*08/19/20 03:57*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM (Oil & Grease)	2.0	J	5.4	1.5	mg/L			08/18/20 16:12	1

Client Sample ID: DUP20200810

Date Collected: 08/10/20 00:00
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-2
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/22/20 04:41	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/22/20 04:41	1
Benzene	ND		1.0	0.20	ug/L			08/22/20 04:41	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/22/20 04:41	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/22/20 04:41	1
Toluene	ND		1.0	0.20	ug/L			08/22/20 04:41	1
Xylene (total)	ND		3.0	0.80	ug/L			08/22/20 04:41	1
t-Butyl alcohol	ND		25	10	ug/L			08/22/20 04:41	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*87*		*80 - 120*		*08/22/20 04:41*	*1*
4-Bromofluorobenzene (Surr)	*92*		*80 - 120*		*08/22/20 04:41*	*1*
Dibromofluoromethane (Surr)	*96*		*80 - 120*		*08/22/20 04:41*	*1*
Toluene-d8 (Surr)	*99*		*80 - 120*		*08/22/20 04:41*	*1*

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
2-Methylnaphthalene	ND		0.14	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Acenaphthene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Acenaphthylene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Anthracene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Benzo[a]anthracene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Benzo[a]pyrene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Benzo[b]fluoranthene	ND		0.18	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Benzo[e]pyrene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Benzo[g,h,i]perylene	ND		0.14	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Benzo[k]fluoranthene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Biphenyl	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Chrysene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Dibenz(a,h)anthracene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Dibenzofuran	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Dibenzothiophene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1

Client Sample ID: DUP20200810

Date Collected: 08/10/20 00:00
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-2
Matrix: Ground Water

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Fluorene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Indeno[1,2,3-cd]pyrene	ND		0.18	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Naphthalene	ND		0.16	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Naphthobenzothiophene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Perylene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Phenanthrene	ND		0.16	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1
Pyrene	**0.25**		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 13:45	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Methylnaphthalene-d10 (Surr)	*300*	*X*	*30 - 108*	*08/17/20 17:44*	*08/19/20 13:45*	*1*
Benzo(a)pyrene-d12 (Surr)	*63*		*31 - 99*	*08/17/20 17:44*	*08/19/20 13:45*	*1*
Fluoranthene-d10 (Surr)	*63*		*38 - 109*	*08/17/20 17:44*	*08/19/20 13:45*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	**43**	**J**	50	23	ug/L			08/17/20 22:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*87*		*63 - 135*		*08/17/20 22:05*	*1*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	**3000**		110	61	ug/L		08/15/20 05:33	08/19/20 13:06	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*109*		*52 - 132*	*08/15/20 05:33*	*08/19/20 13:06*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM (Oil & Grease)	**2.9**	**J**	5.6	1.6	mg/L			08/18/20 16:12	1

Client Sample ID: EB20200810

Date Collected: 08/10/20 14:50
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-3
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/21/20 23:29	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/21/20 23:29	1
Benzene	ND		1.0	0.20	ug/L			08/21/20 23:29	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/21/20 23:29	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/21/20 23:29	1
Toluene	ND		1.0	0.20	ug/L			08/21/20 23:29	1
Xylene (total)	ND		3.0	0.80	ug/L			08/21/20 23:29	1
t-Butyl alcohol	ND		25	10	ug/L			08/21/20 23:29	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*89*		*80 - 120*		*08/21/20 23:29*	*1*
4-Bromofluorobenzene (Surr)	*93*		*80 - 120*		*08/21/20 23:29*	*1*
Dibromofluoromethane (Surr)	*95*		*80 - 120*		*08/21/20 23:29*	*1*
Toluene-d8 (Surr)	*100*		*80 - 120*		*08/21/20 23:29*	*1*

Client: Geosyntec Consultants, Inc.
Project/Site: NRG PRGS

Job ID: 410-10524-1

Client Sample ID: EB20200810

Date Collected: 08/10/20 14:50
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-3

Matrix: Ground Water

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
2-Methylnaphthalene	ND		0.15	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Acenaphthene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Acenaphthylene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Anthracene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Benzo[a]anthracene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Benzo[a]pyrene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Benzo[b]fluoranthene	ND		0.19	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Benzo[e]pyrene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Benzo[g,h,i]perylene	ND		0.15	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Benzo[k]fluoranthene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Biphenyl	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Chrysene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Dibenz(a,h)anthracene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Dibenzofuran	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Dibenzothiophene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Fluoranthene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Fluorene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Indeno[1,2,3-cd]pyrene	ND		0.19	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Naphthalene	ND		0.17	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Naphthobenzothiophene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Perylene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Phenanthrene	ND		0.17	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1
Pyrene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 14:27	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Methylnaphthalene-d10 (Surr)	*67*		*30 - 108*	*08/17/20 17:44*	*08/19/20 14:27*	*1*
Benzo(a)pyrene-d12 (Surr)	*68*		*31 - 99*	*08/17/20 17:44*	*08/19/20 14:27*	*1*
Fluoranthene-d10 (Surr)	*74*		*38 - 109*	*08/17/20 17:44*	*08/19/20 14:27*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	ND		50	23	ug/L			08/17/20 16:04	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*87*		*63 - 135*		*08/17/20 16:04*	*1*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	**200**		110	57	ug/L		08/15/20 05:33	08/19/20 13:29	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*82*		*52 - 132*	*08/15/20 05:33*	*08/19/20 13:29*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM (Oil & Grease)	**1.7**	**J**	5.6	1.6	mg/L			08/18/20 16:12	1

Client: Geosyntec Consultants, Inc.
Project/Site: NRG PRGS

Job ID: 410-10524-1

Client Sample ID: TW02
Date Collected: 08/11/20 14:00
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-4
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/23/20 06:01	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/23/20 06:01	1
Benzene	ND		1.0	0.20	ug/L			08/23/20 06:01	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/23/20 06:01	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/23/20 06:01	1
Toluene	ND		1.0	0.20	ug/L			08/23/20 06:01	1
Xylene (total)	ND		3.0	0.80	ug/L			08/23/20 06:01	1
t-Butyl alcohol	ND		25	10	ug/L			08/23/20 06:01	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*88*		*80 - 120*		*08/23/20 06:01*	*1*
4-Bromofluorobenzene (Surr)	*94*		*80 - 120*		*08/23/20 06:01*	*1*
Dibromofluoromethane (Surr)	*97*		*80 - 120*		*08/23/20 06:01*	*1*
Toluene-d8 (Surr)	*99*		*80 - 120*		*08/23/20 06:01*	*1*

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
2-Methylnaphthalene	ND		0.16	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Acenaphthene	**0.12**		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Acenaphthylene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Anthracene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Benzo[a]anthracene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Benzo[a]pyrene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Benzo[b]fluoranthene	ND		0.20	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Benzo[e]pyrene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Benzo[g,h,i]perylene	ND		0.16	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Benzo[k]fluoranthene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Biphenyl	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Chrysene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Dibenz(a,h)anthracene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Dibenzofuran	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Dibenzothiophene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Fluoranthene	**0.16**		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Fluorene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Indeno[1,2,3-cd]pyrene	ND		0.20	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Naphthalene	ND		0.18	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Naphthobenzothiophene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Perylene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Phenanthrene	ND		0.18	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1
Pyrene	**0.16**		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 10:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Methylnaphthalene-d10 (Surr)	*70*		*30 - 108*	*08/17/20 17:44*	*08/19/20 10:58*	*1*
Benzo(a)pyrene-d12 (Surr)	*68*		*31 - 99*	*08/17/20 17:44*	*08/19/20 10:58*	*1*
Fluoranthene-d10 (Surr)	*78*		*38 - 109*	*08/17/20 17:44*	*08/19/20 10:58*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	ND		50	23	ug/L			08/17/20 19:04	1

Client Sample ID: TW02

Date Collected: 08/11/20 14:00
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-4
Matrix: Ground Water

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*87*		*63 - 135*		*08/17/20 19:04*	*1*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	ND		110	58	ug/L		08/15/20 05:33	08/19/20 13:53	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*85*		*52 - 132*	*08/15/20 05:33*	*08/19/20 13:53*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM (Oil & Grease)	**1.9**	**J**	6.0	1.7	mg/L			08/18/20 16:12	1

Client Sample ID: TW03

Date Collected: 08/11/20 11:55
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-5
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/23/20 07:13	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/23/20 07:13	1
Benzene	ND		1.0	0.20	ug/L			08/23/20 07:13	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/23/20 07:13	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/23/20 07:13	1
Toluene	ND		1.0	0.20	ug/L			08/23/20 07:13	1
Xylene (total)	ND		3.0	0.80	ug/L			08/23/20 07:13	1
t-Butyl alcohol	ND		25	10	ug/L			08/23/20 07:13	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*88*		*80 - 120*		*08/23/20 07:13*	*1*
4-Bromofluorobenzene (Surr)	*93*		*80 - 120*		*08/23/20 07:13*	*1*
Dibromofluoromethane (Surr)	*97*		*80 - 120*		*08/23/20 07:13*	*1*
Toluene-d8 (Surr)	*99*		*80 - 120*		*08/23/20 07:13*	*1*

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
2-Methylnaphthalene	ND		0.14	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Acenaphthene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Acenaphthylene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Anthracene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Benzo[a]anthracene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Benzo[a]pyrene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Benzo[b]fluoranthene	ND		0.19	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Benzo[e]pyrene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Benzo[g,h,i]perylene	ND		0.14	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Benzo[k]fluoranthene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Biphenyl	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Chrysene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Dibenz(a,h)anthracene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Dibenzofuran	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Dibenzothiophene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1

Client Sample ID: TW03

Date Collected: 08/11/20 11:55
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-5
Matrix: Ground Water

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Fluorene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Indeno[1,2,3-cd]pyrene	ND		0.19	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Naphthalene	ND		0.16	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Naphthobenzothiophene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Perylene	ND		0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Phenanthrene	**0.070**	**J**	0.16	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1
Pyrene	**0.076**	**J**	0.10	0.041	ug/L		08/17/20 17:44	08/19/20 15:09	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Methylnaphthalene-d10 (Surr)	*70*		*30 - 108*	*08/17/20 17:44*	*08/19/20 15:09*	*1*
Benzo(a)pyrene-d12 (Surr)	*60*		*31 - 99*	*08/17/20 17:44*	*08/19/20 15:09*	*1*
Fluoranthene-d10 (Surr)	*84*		*38 - 109*	*08/17/20 17:44*	*08/19/20 15:09*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	ND		250	120	ug/L			08/17/20 22:31	5

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*86*		*63 - 135*		*08/17/20 22:31*	*5*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	ND		110	58	ug/L		08/16/20 11:40	08/19/20 17:51	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*71*		*52 - 132*	*08/16/20 11:40*	*08/19/20 17:51*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM (Oil & Grease)	**2.5**	**J**	5.6	1.6	mg/L			08/18/20 16:12	1

Client Sample ID: TB20212

Date Collected: 08/10/20 00:00
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-6
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/21/20 23:55	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/21/20 23:55	1
Benzene	ND		1.0	0.20	ug/L			08/21/20 23:55	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/21/20 23:55	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/21/20 23:55	1
Toluene	ND		1.0	0.20	ug/L			08/21/20 23:55	1
Xylene (total)	ND		3.0	0.80	ug/L			08/21/20 23:55	1
t-Butyl alcohol	ND		25	10	ug/L			08/21/20 23:55	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*88*		*80 - 120*		*08/21/20 23:55*	*1*
4-Bromofluorobenzene (Surr)	*90*		*80 - 120*		*08/21/20 23:55*	*1*
Dibromofluoromethane (Surr)	*96*		*80 - 120*		*08/21/20 23:55*	*1*
Toluene-d8 (Surr)	*99*		*80 - 120*		*08/21/20 23:55*	*1*

Client Sample ID: TB20212

Date Collected: 08/10/20 00:00
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-6
Matrix: Ground Water

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	ND		50	23	ug/L			08/17/20 16:30	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*86*		*63 - 135*		*08/17/20 16:30*	*1*

Client Sample ID: TW14

Date Collected: 08/10/20 15:30
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-7
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/22/20 05:07	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/22/20 05:07	1
Benzene	**0.85**	**J**	1.0	0.20	ug/L			08/22/20 05:07	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/22/20 05:07	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/22/20 05:07	1
Toluene	ND		1.0	0.20	ug/L			08/22/20 05:07	1
Xylene (total)	ND		3.0	0.80	ug/L			08/22/20 05:07	1
t-Butyl alcohol	ND		25	10	ug/L			08/22/20 05:07	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*88*		*80 - 120*		*08/22/20 05:07*	*1*
4-Bromofluorobenzene (Surr)	*91*		*80 - 120*		*08/22/20 05:07*	*1*
Dibromofluoromethane (Surr)	*96*		*80 - 120*		*08/22/20 05:07*	*1*
Toluene-d8 (Surr)	*98*		*80 - 120*		*08/22/20 05:07*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	**810**		500	230	ug/L			08/17/20 22:56	10

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*87*		*63 - 135*		*08/17/20 22:56*	*10*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	**1500**		110	57	ug/L		08/15/20 05:33	08/19/20 15:04	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*117*		*52 - 132*	*08/15/20 05:33*	*08/19/20 15:04*	*1*

Client Sample ID: TW04

Date Collected: 08/10/20 16:05
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-8
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/22/20 05:33	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/22/20 05:33	1
Benzene	ND		1.0	0.20	ug/L			08/22/20 05:33	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/22/20 05:33	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/22/20 05:33	1
Toluene	ND		1.0	0.20	ug/L			08/22/20 05:33	1

Client Sample ID: TW04

Date Collected: 08/10/20 16:05
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-8
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylene (total)	ND		3.0	0.80	ug/L			08/22/20 05:33	1
t-Butyl alcohol	ND		25	10	ug/L			08/22/20 05:33	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*87*		*80 - 120*		*08/22/20 05:33*	*1*
4-Bromofluorobenzene (Surr)	*92*		*80 - 120*		*08/22/20 05:33*	*1*
Dibromofluoromethane (Surr)	*96*		*80 - 120*		*08/22/20 05:33*	*1*
Toluene-d8 (Surr)	*99*		*80 - 120*		*08/22/20 05:33*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	**25**	**J**	50	23	ug/L			08/17/20 23:22	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*87*		*63 - 135*		*08/17/20 23:22*	*1*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	**350**		110	58	ug/L		08/15/20 05:33	08/19/20 15:28	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*93*		*52 - 132*	*08/15/20 05:33*	*08/19/20 15:28*	*1*

Client Sample ID: TW07

Date Collected: 08/11/20 09:30
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-9
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/23/20 07:37	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/23/20 07:37	1
Benzene	ND		1.0	0.20	ug/L			08/23/20 07:37	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/23/20 07:37	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/23/20 07:37	1
Toluene	ND		1.0	0.20	ug/L			08/23/20 07:37	1
Xylene (total)	ND		3.0	0.80	ug/L			08/23/20 07:37	1
t-Butyl alcohol	ND		25	10	ug/L			08/23/20 07:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*87*		*80 - 120*		*08/23/20 07:37*	*1*
4-Bromofluorobenzene (Surr)	*93*		*80 - 120*		*08/23/20 07:37*	*1*
Dibromofluoromethane (Surr)	*96*		*80 - 120*		*08/23/20 07:37*	*1*
Toluene-d8 (Surr)	*100*		*80 - 120*		*08/23/20 07:37*	*1*

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
2-Methylnaphthalene	ND		0.15	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Acenaphthene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Acenaphthylene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Anthracene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Benzo[a]anthracene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1

Client Sample ID: TW07

Date Collected: 08/11/20 09:30
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-9
Matrix: Ground Water

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]pyrene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Benzo[b]fluoranthene	ND		0.19	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Benzo[e]pyrene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Benzo[g,h,i]perylene	ND		0.15	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Benzo[k]fluoranthene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Biphenyl	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Chrysene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Dibenz(a,h)anthracene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Dibenzofuran	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Dibenzothiophene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Fluoranthene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Fluorene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Indeno[1,2,3-cd]pyrene	ND		0.19	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Naphthalene	ND		0.17	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Naphthobenzothiophene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Perylene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Phenanthrene	ND		0.17	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1
Pyrene	ND		0.10	0.042	ug/L		08/17/20 17:44	08/19/20 15:50	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Methylnaphthalene-d10 (Surr)	*75*		*30 - 108*	*08/17/20 17:44*	*08/19/20 15:50*	*1*
Benzo(a)pyrene-d12 (Surr)	*63*		*31 - 99*	*08/17/20 17:44*	*08/19/20 15:50*	*1*
Fluoranthene-d10 (Surr)	*84*		*38 - 109*	*08/17/20 17:44*	*08/19/20 15:50*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	ND		50	23	ug/L			08/17/20 23:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*86*		*63 - 135*		*08/17/20 23:48*	*1*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	**270**		110	58	ug/L		08/16/20 11:40	08/19/20 18:14	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*74*		*52 - 132*	*08/16/20 11:40*	*08/19/20 18:14*	*1*

Client Sample ID: TW04

Date Collected: 08/11/20 10:10
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-10
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/23/20 08:03	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/23/20 08:03	1
Benzene	ND		1.0	0.20	ug/L			08/23/20 08:03	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/23/20 08:03	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/23/20 08:03	1
Toluene	ND		1.0	0.20	ug/L			08/23/20 08:03	1
Xylene (total)	ND		3.0	0.80	ug/L			08/23/20 08:03	1

Client Sample ID: TW04

Date Collected: 08/11/20 10:10
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-10
Matrix: Ground Water

Method: 8260B/UST - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
t-Butyl alcohol	ND		25	10	ug/L			08/23/20 08:03	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*86*		*80 - 120*		*08/23/20 08:03*	*1*
4-Bromofluorobenzene (Surr)	*90*		*80 - 120*		*08/23/20 08:03*	*1*
Dibromofluoromethane (Surr)	*96*		*80 - 120*		*08/23/20 08:03*	*1*
Toluene-d8 (Surr)	*98*		*80 - 120*		*08/23/20 08:03*	*1*

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	**0.34**		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
2-Methylnaphthalene	ND		0.29	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Acenaphthene	**0.84**		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Acenaphthylene	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Anthracene	**0.11**	**J**	0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Benzo[a]anthracene	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Benzo[a]pyrene	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Benzo[b]fluoranthene	ND		0.37	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Benzo[e]pyrene	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Benzo[g,h,i]perylene	ND		0.29	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Benzo[k]fluoranthene	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Biphenyl	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Chrysene	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Dibenz(a,h)anthracene	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Dibenzofuran	**0.12**	**J**	0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Dibenzothiophene	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Fluoranthene	**0.11**	**J**	0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Fluorene	**0.24**		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Indeno[1,2,3-cd]pyrene	ND		0.37	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Naphthalene	**0.28**	**J**	0.33	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Naphthobenzothiophene	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Perylene	ND		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Phenanthrene	ND		0.33	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1
Pyrene	**0.24**		0.21	0.082	ug/L		08/17/20 17:44	08/19/20 16:32	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Methylnaphthalene-d10 (Surr)	*77*		*30 - 108*	*08/17/20 17:44*	*08/19/20 16:32*	*1*
Benzo(a)pyrene-d12 (Surr)	*69*		*31 - 99*	*08/17/20 17:44*	*08/19/20 16:32*	*1*
Fluoranthene-d10 (Surr)	*76*		*38 - 109*	*08/17/20 17:44*	*08/19/20 16:32*	*1*

Client Sample ID: TW14

Date Collected: 08/11/20 16:10
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-11
Matrix: Ground Water

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
2-Methylnaphthalene	**0.15**	**J**	0.16	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Acenaphthene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Acenaphthylene	**1.1**		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Anthracene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1

Client Sample ID: TW14

Date Collected: 08/11/20 16:10
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-11

Matrix: Ground Water

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Benzo[a]pyrene	**0.046**	**J**	0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Benzo[b]fluoranthene	ND		0.20	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Benzo[e]pyrene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Benzo[g,h,i]perylene	ND		0.16	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Benzo[k]fluoranthene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Biphenyl	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Chrysene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Dibenz(a,h)anthracene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Dibenzofuran	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Dibenzothiophene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Fluoranthene	**0.054**	**J**	0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Fluorene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Indeno[1,2,3-cd]pyrene	ND		0.20	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Naphthalene	ND		0.18	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Naphthobenzothiophene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Perylene	ND		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Phenanthrene	ND		0.18	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1
Pyrene	**0.15**		0.11	0.045	ug/L		08/17/20 17:44	08/19/20 17:14	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Methylnaphthalene-d10 (Surr)	*116*	*X*	*30 - 108*	*08/17/20 17:44*	*08/19/20 17:14*	*1*
Benzo(a)pyrene-d12 (Surr)	*66*		*31 - 99*	*08/17/20 17:44*	*08/19/20 17:14*	*1*
Fluoranthene-d10 (Surr)	*75*		*38 - 109*	*08/17/20 17:44*	*08/19/20 17:14*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	**74**		50	23	ug/L			08/17/20 17:16	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*85*		*63 - 135*		*08/17/20 17:16*	*1*

Client Sample ID: TW07

Date Collected: 08/12/20 08:40
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-12

Matrix: Ground Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM (Oil & Grease)	**5.3**	**J**	6.4	1.8	mg/L			08/18/20 16:12	1

Client Sample ID: TW14

Date Collected: 08/12/20 09:55
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-14

Matrix: Ground Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM (Oil & Grease)	**3.9**	**J**	8.5	2.4	mg/L			08/18/20 16:12	1

Client: Geosyntec Consultants, Inc.
Project/Site: NRG PRGS

Job ID: 410-10524-1

Client Sample ID: TW05
Date Collected: 08/11/20 10:35
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-15
Matrix: Ground Water

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	180000		2200	1200	ug/L		08/16/20 11:40	08/20/20 07:02	20

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*184*	*X*	*52 - 132*	*08/16/20 11:40*	*08/20/20 07:02*	*20*

Surrogate Summary

Client: Geosyntec Consultants, Inc.
Project/Site: NRG PRGS

Job ID: 410-10524-1

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Matrix: Ground Water — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(80-120)	(80-120)	(80-120)	(80-120)
410-10524-1	TW06	87	91	95	97
410-10524-2	DUP20200810	87	92	96	99
410-10524-3	EB20200810	89	93	95	100
410-10524-4	TW02	88	94	97	99
410-10524-4 MS	TW02 MS	90	95	96	99
410-10524-4 MSD	TW02 MSD	89	95	96	100
410-10524-5	TW03	88	93	97	99
410-10524-6	TB20212	88	90	96	99
410-10524-7	TW14	88	91	96	98
410-10524-8	TW04	87	92	96	99
410-10524-9	TW07	87	93	96	100
410-10524-10	TW04	86	90	96	98

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Matrix: Water — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(80-120)	(80-120)	(80-120)	(80-120)
LCS 410-36039/4	Lab Control Sample	89	95	94	98
LCS 410-36169/4	Lab Control Sample	90	95	95	100
LCSD 410-36039/5	Lab Control Sample Dup	90	94	95	100
LCSD 410-36169/5	Lab Control Sample Dup	90	95	96	100
MB 410-36039/7	Method Blank	89	92	95	100
MB 410-36169/7	Method Blank	89	92	97	99

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Matrix: Ground Water — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)		
		MNPd10	BAPd12	FLN10
Lab Sample ID	Client Sample ID	(30-108)	(31-99)	(38-109)
410-10524-1	TW06	332 X	67	62
410-10524-2	DUP20200810	300 X	63	63
410-10524-3	EB20200810	67	68	74
410-10524-4	TW02	70	68	78
410-10524-4 MS	TW02 MS	78	56	78
410-10524-4 MSD	TW02 MSD	74	62	78
410-10524-5	TW03	70	60	84

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM) (Continued)

Matrix: Ground Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	MNPd10 (30-108)	BAPd12 (31-99)	FLN10 (38-109)
410-10524-9	TW07	75	63	84
410-10524-10	TW04	77	69	76
410-10524-11	TW14	116 X	66	75

Surrogate Legend

MNPd10 = 1-Methylnaphthalene-d10 (Surr)
BAPd12 = Benzo(a)pyrene-d12 (Surr)
FLN10 = Fluoranthene-d10 (Surr)

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	MNPd10 (30-108)	BAPd12 (31-99)	FLN10 (38-109)
LCS 410-34112/2-A	Lab Control Sample	73	65	80
MB 410-34112/1-A	Method Blank	71	75	84

Surrogate Legend

MNPd10 = 1-Methylnaphthalene-d10 (Surr)
BAPd12 = Benzo(a)pyrene-d12 (Surr)
FLN10 = Fluoranthene-d10 (Surr)

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Ground Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	TFT-F1 (63-135)
410-10524-1	TW06	88
410-10524-2	DUP20200810	87
410-10524-3	EB20200810	87
410-10524-4	TW02	87
410-10524-4 MS	TW02 MS	78
410-10524-4 MSD	TW02 MSD	77
410-10524-5	TW03	86
410-10524-6	TB20212	86
410-10524-7	TW14	87
410-10524-8	TW04	87
410-10524-9	TW07	86
410-10524-11	TW14	85

Surrogate Legend

TFT-F = a,a,a-Trifluorotoluene (fid)

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	TFT-F1 (63-135)
LCS 410-33974/5	Lab Control Sample	79
LCS 410-33985/5	Lab Control Sample	88

Surrogate Summary

Client: Geosyntec Consultants, Inc. Job ID: 410-10524-1
Project/Site: NRG PRGS

Method: 8015B - Gasoline Range Organics - (GC) (Continued)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	TFT-F1 (63-135)
LCSD 410-33974/6	Lab Control Sample Dup	79
LCSD 410-33985/6	Lab Control Sample Dup	87
MB 410-33974/4	Method Blank	87
MB 410-33985/4	Method Blank	92

Surrogate Legend

TFT-F = a,a,a-Trifluorotoluene (fid)

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Ground Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	OTP1 (52-132)
410-10524-1	TW06	116
410-10524-2	DUP20200810	109
410-10524-3	EB20200810	82
410-10524-4	TW02	85
410-10524-4 MS	TW02 MS	80
410-10524-4 MSD	TW02 MSD	91
410-10524-5	TW03	71
410-10524-7	TW14	117
410-10524-8	TW04	93
410-10524-9	TW07	74
410-10524-15	TW05	184 X

Surrogate Legend

OTP = o- terphenyl (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	OTP1 (52-132)
LCS 410-33470/2-A	Lab Control Sample	80
LCS 410-33471/2-A	Lab Control Sample	83
LCS 410-33681/2-A	Lab Control Sample	74
LCSD 410-33470/3-A	Lab Control Sample Dup	121
LCSD 410-33681/3-A	Lab Control Sample Dup	80
MB 410-33470/1-A	Method Blank	91
MB 410-33471/1-A	Method Blank	63
MB 410-33681/1-A	Method Blank	62

Surrogate Legend

OTP = o- terphenyl (Surr)

Method: 8260B/UST - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 410-36039/7
Matrix: Water
Analysis Batch: 36039

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/21/20 23:05	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/21/20 23:05	1
Benzene	ND		1.0	0.20	ug/L			08/21/20 23:05	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/21/20 23:05	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/21/20 23:05	1
Toluene	ND		1.0	0.20	ug/L			08/21/20 23:05	1
Xylene (total)	ND		3.0	0.80	ug/L			08/21/20 23:05	1
t-Butyl alcohol	ND		25	10	ug/L			08/21/20 23:05	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*89*		*80 - 120*		*08/21/20 23:05*	*1*
4-Bromofluorobenzene (Surr)	*92*		*80 - 120*		*08/21/20 23:05*	*1*
Dibromofluoromethane (Surr)	*95*		*80 - 120*		*08/21/20 23:05*	*1*
Toluene-d8 (Surr)	*100*		*80 - 120*		*08/21/20 23:05*	*1*

Lab Sample ID: LCS 410-36039/4
Matrix: Water
Analysis Batch: 36039

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2-Dibromoethane	20.0	17.0		ug/L		85	77 - 120
1,2-Dichloroethane	20.0	16.7		ug/L		83	73 - 124
Benzene	20.0	19.0		ug/L		95	80 - 120
Ethylbenzene	20.0	18.5		ug/L		92	80 - 120
Methyl tertiary butyl ether	20.0	16.5		ug/L		83	69 - 122
Toluene	20.0	18.8		ug/L		94	80 - 120
Xylene (total)	60.0	56.8		ug/L		95	80 - 120
m&p-Xylene	40.0	37.8		ug/L		94	80 - 120
o-Xylene	20.0	19.0		ug/L		95	80 - 120
t-Butyl alcohol	200	173		ug/L		86	60 - 130

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*89*		*80 - 120*
4-Bromofluorobenzene (Surr)	*95*		*80 - 120*
Dibromofluoromethane (Surr)	*94*		*80 - 120*
Toluene-d8 (Surr)	*98*		*80 - 120*

Lab Sample ID: LCSD 410-36039/5
Matrix: Water
Analysis Batch: 36039

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,2-Dibromoethane	20.0	17.2		ug/L		86	77 - 120	1	30
1,2-Dichloroethane	20.0	16.6		ug/L		83	73 - 124	0	30
Benzene	20.0	18.8		ug/L		94	80 - 120	1	30
Ethylbenzene	20.0	18.4		ug/L		92	80 - 120	1	30
Methyl tertiary butyl ether	20.0	17.7		ug/L		89	69 - 122	7	30
Toluene	20.0	18.8		ug/L		94	80 - 120	0	30

Method: 8260B/UST - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 410-36039/5
Matrix: Water
Analysis Batch: 36039

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Xylene (total)			60.0	56.1		ug/L		94	80 - 120	1	30
m&p-Xylene			40.0	37.4		ug/L		93	80 - 120	1	30
o-Xylene			20.0	18.7		ug/L		94	80 - 120	1	30
t-Butyl alcohol			200	169		ug/L		85	60 - 130	2	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*90*		*80 - 120*
4-Bromofluorobenzene (Surr)	*94*		*80 - 120*
Dibromofluoromethane (Surr)	*95*		*80 - 120*
Toluene-d8 (Surr)	*100*		*80 - 120*

Lab Sample ID: MB 410-36169/7
Matrix: Water
Analysis Batch: 36169

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	ND		1.0	0.30	ug/L			08/22/20 23:30	1
1,2-Dichloroethane	ND		5.0	2.0	ug/L			08/22/20 23:30	1
Benzene	ND		1.0	0.20	ug/L			08/22/20 23:30	1
Ethylbenzene	ND		1.0	0.20	ug/L			08/22/20 23:30	1
Methyl tertiary butyl ether	ND		1.0	0.20	ug/L			08/22/20 23:30	1
Toluene	ND		1.0	0.20	ug/L			08/22/20 23:30	1
Xylene (total)	ND		3.0	0.80	ug/L			08/22/20 23:30	1
t-Butyl alcohol	ND		25	10	ug/L			08/22/20 23:30	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*89*		*80 - 120*		*08/22/20 23:30*	*1*
4-Bromofluorobenzene (Surr)	*92*		*80 - 120*		*08/22/20 23:30*	*1*
Dibromofluoromethane (Surr)	*97*		*80 - 120*		*08/22/20 23:30*	*1*
Toluene-d8 (Surr)	*99*		*80 - 120*		*08/22/20 23:30*	*1*

Lab Sample ID: LCS 410-36169/4
Matrix: Water
Analysis Batch: 36169

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
1,2-Dibromoethane			20.0	16.8		ug/L		84	77 - 120		
1,2-Dichloroethane			20.0	15.9		ug/L		80	73 - 124		
Benzene			20.0	18.1		ug/L		91	80 - 120		
Ethylbenzene			20.0	17.5		ug/L		88	80 - 120		
Methyl tertiary butyl ether			20.0	17.3		ug/L		86	69 - 122		
Toluene			20.0	17.8		ug/L		89	80 - 120		
Xylene (total)			60.0	54.0		ug/L		90	80 - 120		
m&p-Xylene			40.0	36.0		ug/L		90	80 - 120		
o-Xylene			20.0	18.0		ug/L		90	80 - 120		
t-Butyl alcohol			200	165		ug/L		83	60 - 130		

Method: 8260B/UST - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 410-36169/4
Matrix: Water
Analysis Batch: 36169

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		80 - 120
4-Bromofluorobenzene (Surr)	95		80 - 120
Dibromofluoromethane (Surr)	95		80 - 120
Toluene-d8 (Surr)	100		80 - 120

Lab Sample ID: LCSD 410-36169/5
Matrix: Water
Analysis Batch: 36169

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,2-Dibromoethane			20.0	16.8		ug/L		84	77 - 120	0	30
1,2-Dichloroethane			20.0	16.0		ug/L		80	73 - 124	0	30
Benzene			20.0	17.9		ug/L		89	80 - 120	1	30
Ethylbenzene			20.0	17.6		ug/L		88	80 - 120	0	30
Methyl tertiary butyl ether			20.0	17.5		ug/L		87	69 - 122	1	30
Toluene			20.0	17.8		ug/L		89	80 - 120	0	30
Xylene (total)			60.0	54.2		ug/L		90	80 - 120	0	30
m&p-Xylene			40.0	36.2		ug/L		91	80 - 120	1	30
o-Xylene			20.0	18.0		ug/L		90	80 - 120	0	30
t-Butyl alcohol			200	164		ug/L		82	60 - 130	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		80 - 120
4-Bromofluorobenzene (Surr)	95		80 - 120
Dibromofluoromethane (Surr)	96		80 - 120
Toluene-d8 (Surr)	100		80 - 120

Lab Sample ID: 410-10524-4 MS
Matrix: Ground Water
Analysis Batch: 36169

Client Sample ID: TW02 MS
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		80 - 120
4-Bromofluorobenzene (Surr)	95		80 - 120
Dibromofluoromethane (Surr)	96		80 - 120
Toluene-d8 (Surr)	99		80 - 120

Lab Sample ID: 410-10524-4 MSD
Matrix: Ground Water
Analysis Batch: 36169

Client Sample ID: TW02 MSD
Prep Type: Total/NA

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		80 - 120
4-Bromofluorobenzene (Surr)	95		80 - 120
Dibromofluoromethane (Surr)	96		80 - 120
Toluene-d8 (Surr)	100		80 - 120

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Lab Sample ID: MB 410-34112/1-A
Matrix: Water
Analysis Batch: 34711

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 34112

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
2-Methylnaphthalene	ND		0.070	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Acenaphthene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Acenaphthylene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Anthracene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Benzo[a]anthracene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Benzo[a]pyrene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Benzo[b]fluoranthene	ND		0.090	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Benzo[e]pyrene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Benzo[g,h,i]perylene	ND		0.070	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Benzo[k]fluoranthene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Biphenyl	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Chrysene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Dibenz(a,h)anthracene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Dibenzofuran	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Dibenzothiophene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Fluoranthene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Fluorene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Indeno[1,2,3-cd]pyrene	ND		0.090	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Naphthalene	ND		0.080	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Naphthobenzothiophene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Perylene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Phenanthrene	ND		0.080	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1
Pyrene	ND		0.050	0.020	ug/L		08/17/20 17:44	08/19/20 09:34	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Methylnaphthalene-d10 (Surr)	*71*		*30 - 108*	*08/17/20 17:44*	*08/19/20 09:34*	*1*
Benzo(a)pyrene-d12 (Surr)	*75*		*31 - 99*	*08/17/20 17:44*	*08/19/20 09:34*	*1*
Fluoranthene-d10 (Surr)	*84*		*38 - 109*	*08/17/20 17:44*	*08/19/20 09:34*	*1*

Lab Sample ID: LCS 410-34112/2-A
Matrix: Water
Analysis Batch: 34711

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 34112

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1-Methylnaphthalene	1.00	0.675		ug/L		68	54 - 106
2-Methylnaphthalene	1.00	0.767		ug/L		76	43 - 114
Acenaphthene	1.01	0.746		ug/L		74	39 - 125
Acenaphthylene	1.01	0.856		ug/L		85	50 - 110
Anthracene	1.01	0.780		ug/L		77	56 - 111
Benzo[a]anthracene	0.999	0.904		ug/L		91	68 - 116
Benzo[a]pyrene	1.00	0.756		ug/L		76	63 - 118
Benzo[b]fluoranthene	1.01	1.02		ug/L		101	62 - 125
Benzo[e]pyrene	1.00	0.971		ug/L		97	66 - 115
Benzo[g,h,i]perylene	1.00	0.801		ug/L		80	66 - 109
Benzo[k]fluoranthene	1.01	0.814		ug/L		81	55 - 121
Biphenyl	1.00	0.791		ug/L		79	74 - 101
Chrysene	1.01	0.836		ug/L		83	66 - 108

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM) (Continued)

Lab Sample ID: LCS 410-34112/2-A
Matrix: Water
Analysis Batch: 34711

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 34112

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dibenz(a,h)anthracene	1.00	0.785		ug/L		78	62 - 117
Dibenzofuran	1.01	0.787		ug/L		78	52 - 106
Dibenzothiophene	1.00	0.800		ug/L		80	76 - 111
Fluoranthene	1.00	0.843		ug/L		84	67 - 109
Fluorene	1.00	0.824		ug/L		82	53 - 115
Indeno[1,2,3-cd]pyrene	1.01	0.903		ug/L		90	69 - 117
Naphthalene	1.01	0.791		ug/L		78	26 - 122
Perylene	1.00	0.992		ug/L		99	70 - 130
Phenanthrene	1.01	0.891		ug/L		89	64 - 111
Pyrene	1.01	0.837		ug/L		83	65 - 107

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Methylnaphthalene-d10 (Surr)	*73*		*30 - 108*
Benzo(a)pyrene-d12 (Surr)	*65*		*31 - 99*
Fluoranthene-d10 (Surr)	*80*		*38 - 109*

Lab Sample ID: 410-10524-4 MS
Matrix: Ground Water
Analysis Batch: 34711

Client Sample ID: TW02 MS
Prep Type: Total/NA
Prep Batch: 34112

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1-Methylnaphthalene	ND		2.13	1.57		ug/L		73	54 - 106
2-Methylnaphthalene	ND		2.14	1.82		ug/L		85	43 - 114
Acenaphthene	0.12		2.14	1.68		ug/L		73	39 - 125
Acenaphthylene	ND		2.15	1.82		ug/L		85	50 - 110
Anthracene	ND		2.15	1.70		ug/L		79	56 - 111
Benzo[a]anthracene	ND		2.13	1.87		ug/L		88	68 - 116
Benzo[a]pyrene	ND		2.13	1.55		ug/L		73	63 - 118
Benzo[b]fluoranthene	ND		2.15	1.85		ug/L		86	62 - 125
Benzo[e]pyrene	ND		2.13	1.94		ug/L		91	66 - 115
Benzo[g,h,i]perylene	ND		2.13	1.57		ug/L		74	66 - 109
Benzo[k]fluoranthene	ND		2.14	1.79		ug/L		84	55 - 121
Biphenyl	ND		2.13	1.77		ug/L		83	74 - 101
Chrysene	ND		2.15	1.76		ug/L		82	66 - 108
Dibenz(a,h)anthracene	ND		2.13	1.81		ug/L		85	62 - 117
Dibenzofuran	ND		2.14	1.69		ug/L		79	52 - 106
Dibenzothiophene	ND		2.14	1.74		ug/L		81	76 - 111
Fluoranthene	0.16		2.14	1.90		ug/L		81	67 - 109
Fluorene	ND		2.13	1.79		ug/L		84	53 - 115
Indeno[1,2,3-cd]pyrene	ND		2.14	1.92		ug/L		90	69 - 117
Naphthalene	ND		2.15	1.77		ug/L		82	26 - 122
Perylene	ND		2.13	2.00		ug/L		94	70 - 130
Phenanthrene	ND		2.14	1.89		ug/L		88	64 - 111
Pyrene	0.16		2.14	1.96		ug/L		84	65 - 107

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Methylnaphthalene-d10 (Surr)	*78*		*30 - 108*
Benzo(a)pyrene-d12 (Surr)	*56*		*31 - 99*

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM) (Continued)

Lab Sample ID: 410-10524-4 MS
Matrix: Ground Water
Analysis Batch: 34711

Client Sample ID: TW02 MS
Prep Type: Total/NA
Prep Batch: 34112

Surrogate	MS %Recovery	MS Qualifier	Limits
Fluoranthene-d10 (Surr)	*78*		*38 - 109*

Lab Sample ID: 410-10524-4 MSD
Matrix: Ground Water
Analysis Batch: 34711

Client Sample ID: TW02 MSD
Prep Type: Total/NA
Prep Batch: 34112

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1-Methylnaphthalene	ND		2.12	1.46		ug/L		69	54 - 106	7	30
2-Methylnaphthalene	ND		2.13	1.73		ug/L		81	43 - 114	5	30
Acenaphthene	0.12		2.13	1.76		ug/L		77	39 - 125	5	30
Acenaphthylene	ND		2.14	1.82		ug/L		85	50 - 110	0	30
Anthracene	ND		2.14	1.72		ug/L		80	56 - 111	1	30
Benzo[a]anthracene	ND		2.12	1.89		ug/L		89	68 - 116	1	30
Benzo[a]pyrene	ND		2.12	1.59		ug/L		75	63 - 118	3	30
Benzo[b]fluoranthene	ND		2.14	1.86		ug/L		87	62 - 125	1	30
Benzo[e]pyrene	ND		2.12	1.99		ug/L		94	66 - 115	2	30
Benzo[g,h,i]perylene	ND		2.12	1.61		ug/L		76	66 - 109	2	30
Benzo[k]fluoranthene	ND		2.13	1.84		ug/L		86	55 - 121	2	30
Biphenyl	ND		2.12	1.72		ug/L		81	74 - 101	3	30
Chrysene	ND		2.14	1.76		ug/L		82	66 - 108	0	30
Dibenz(a,h)anthracene	ND		2.12	1.87		ug/L		88	62 - 117	3	30
Dibenzofuran	ND		2.13	1.71		ug/L		80	52 - 106	1	30
Dibenzothiophene	ND		2.13	1.78		ug/L		84	76 - 111	2	30
Fluoranthene	0.16		2.13	1.95		ug/L		84	67 - 109	3	30
Fluorene	ND		2.12	1.80		ug/L		85	53 - 115	0	30
Indeno[1,2,3-cd]pyrene	ND		2.13	2.00		ug/L		94	69 - 117	4	30
Naphthalene	ND		2.14	1.66		ug/L		78	26 - 122	7	30
Perylene	ND		2.12	2.04		ug/L		96	70 - 130	2	30
Phenanthrene	ND		2.13	1.88		ug/L		88	64 - 111	1	30
Pyrene	0.16		2.13	1.93		ug/L		83	65 - 107	1	30

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1-Methylnaphthalene-d10 (Surr)	*74*		*30 - 108*
Benzo(a)pyrene-d12 (Surr)	*62*		*31 - 99*
Fluoranthene-d10 (Surr)	*78*		*38 - 109*

Method: 8015B - Gasoline Range Organics - (GC)

Lab Sample ID: MB 410-33974/4
Matrix: Water
Analysis Batch: 33974

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	ND		50	23	ug/L			08/17/20 13:56	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene (fid) (1C)	*87*		*63 - 135*		*08/17/20 13:56*	*1*

Method: 8015B - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: LCS 410-33974/5
Matrix: Water
Analysis Batch: 33974

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
GRO (1C)			1100	1010		ug/L		92	70 - 123		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
a,a,a-Trifluorotoluene (fid) (1C)	*79*		*63 - 135*

Lab Sample ID: LCSD 410-33974/6
Matrix: Water
Analysis Batch: 33974

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
GRO (1C)			1100	1000		ug/L		91	70 - 123	1	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
a,a,a-Trifluorotoluene (fid) (1C)	*79*		*63 - 135*

Lab Sample ID: 410-10524-4 MS
Matrix: Ground Water
Analysis Batch: 33974

Client Sample ID: TW02 MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
GRO (1C)	ND		1120	1150		ug/L		103	70 - 123		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
a,a,a-Trifluorotoluene (fid) (1C)	*78*		*63 - 135*

Lab Sample ID: 410-10524-4 MSD
Matrix: Ground Water
Analysis Batch: 33974

Client Sample ID: TW02 MSD
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
GRO (1C)	ND		1120	1110		ug/L		100	70 - 123	3	30

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
a,a,a-Trifluorotoluene (fid) (1C)	*77*		*63 - 135*

Lab Sample ID: MB 410-33985/4
Matrix: Water
Analysis Batch: 33985

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (1C)	ND		50	23	ug/L			08/17/20 14:04	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene (fid) (1C)	*92*		*63 - 135*		*08/17/20 14:04*	*1*

Method: 8015B - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: LCS 410-33985/5
Matrix: Water
Analysis Batch: 33985

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
GRO (1C)			1100	1040		ug/L		95	70 - 123		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
a,a,a-Trifluorotoluene (fid) (1C)	*88*		*63 - 135*

Lab Sample ID: LCSD 410-33985/6
Matrix: Water
Analysis Batch: 33985

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
GRO (1C)			1100	1030		ug/L		94	70 - 123	1	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
a,a,a-Trifluorotoluene (fid) (1C)	*87*		*63 - 135*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 410-33470/1-A
Matrix: Water
Analysis Batch: 34659

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 33470

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	ND		110	59	ug/L		08/15/20 05:18	08/18/20 23:12	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*91*		*52 - 132*	*08/15/20 05:18*	*08/18/20 23:12*	*1*

Lab Sample ID: LCS 410-33470/2-A
Matrix: Water
Analysis Batch: 34659

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 33470

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
DRO (C10-C28) (1C)			2720	3610	*	ug/L		133	47 - 116		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
o- terphenyl (Surr) (1C)	*80*		*52 - 132*

Lab Sample ID: LCSD 410-33470/3-A
Matrix: Water
Analysis Batch: 34659

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 33470

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
DRO (C10-C28) (1C)			2760	3160		ug/L		114	47 - 116	13	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
o- terphenyl (Surr) (1C)	*121*		*52 - 132*

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 410-33471/1-A
Matrix: Water
Analysis Batch: 34659

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 33471

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	ND		110	58	ug/L		08/15/20 05:33	08/19/20 09:07	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*63*		*52 - 132*	*08/15/20 05:33*	*08/19/20 09:07*	*1*

Lab Sample ID: LCS 410-33471/2-A
Matrix: Water
Analysis Batch: 34659

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 33471

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
DRO (C10-C28) (1C)	2810	2860		ug/L		102	47 - 116

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
o- terphenyl (Surr) (1C)	*83*		*52 - 132*

Lab Sample ID: 410-10524-4 MS
Matrix: Ground Water
Analysis Batch: 34659

Client Sample ID: TW02 MS
Prep Type: Total/NA
Prep Batch: 33471

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
DRO (C10-C28) (1C)	ND		2770	2410		ug/L		87	47 - 116

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
o- terphenyl (Surr) (1C)	*80*		*52 - 132*

Lab Sample ID: 410-10524-4 MSD
Matrix: Ground Water
Analysis Batch: 34659

Client Sample ID: TW02 MSD
Prep Type: Total/NA
Prep Batch: 33471

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
DRO (C10-C28) (1C)	ND		2790	2420		ug/L		86	47 - 116	0	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
o- terphenyl (Surr) (1C)	*91*		*52 - 132*

Lab Sample ID: MB 410-33681/1-A
Matrix: Water
Analysis Batch: 34659

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 33681

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO (C10-C28) (1C)	ND		110	61	ug/L		08/16/20 11:40	08/19/20 16:39	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o- terphenyl (Surr) (1C)	*62*		*52 - 132*	*08/16/20 11:40*	*08/19/20 16:39*	*1*

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 410-33681/2-A
Matrix: Water
Analysis Batch: 34659

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 33681

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
DRO (C10-C28) (1C)			2860	1800		ug/L		63	47 - 116		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
o- terphenyl (Surr) (1C)	*74*		*52 - 132*

Lab Sample ID: LCSD 410-33681/3-A
Matrix: Water
Analysis Batch: 34659

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 33681

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
DRO (C10-C28) (1C)			2860	2140		ug/L		75	47 - 116	17	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
o- terphenyl (Surr) (1C)	*80*		*52 - 132*

Method: 1664B - HEM and SGT-HEM

Lab Sample ID: MB 410-34557/1
Matrix: Water
Analysis Batch: 34557

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM (Oil & Grease)	ND		5.0	1.4	mg/L			08/18/20 16:12	1

Lab Sample ID: LCS 410-34557/2
Matrix: Water
Analysis Batch: 34557

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
HEM (Oil & Grease)			40.0	33.3		mg/L		83	78 - 114		

Lab Sample ID: LCSD 410-34557/3
Matrix: Water
Analysis Batch: 34557

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
HEM (Oil & Grease)			40.0	33.3		mg/L		83	78 - 114	0	13

Lab Sample ID: 410-10524-4 MS
Matrix: Ground Water
Analysis Batch: 34557

Client Sample ID: TW02 MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
HEM (Oil & Grease)	1.9	J	47.6	42.3		mg/L		85	78 - 114		

GC/MS VOA

Analysis Batch: 36039

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-1	TW06	Total/NA	Ground Water	8260B/UST	
410-10524-2	DUP20200810	Total/NA	Ground Water	8260B/UST	
410-10524-3	EB20200810	Total/NA	Ground Water	8260B/UST	
410-10524-6	TB20212	Total/NA	Ground Water	8260B/UST	
410-10524-7	TW14	Total/NA	Ground Water	8260B/UST	
410-10524-8	TW04	Total/NA	Ground Water	8260B/UST	
MB 410-36039/7	Method Blank	Total/NA	Water	8260B/UST	
LCS 410-36039/4	Lab Control Sample	Total/NA	Water	8260B/UST	
LCSD 410-36039/5	Lab Control Sample Dup	Total/NA	Water	8260B/UST	

Analysis Batch: 36169

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-4	TW02	Total/NA	Ground Water	8260B/UST	
410-10524-5	TW03	Total/NA	Ground Water	8260B/UST	
410-10524-9	TW07	Total/NA	Ground Water	8260B/UST	
410-10524-10	TW04	Total/NA	Ground Water	8260B/UST	
MB 410-36169/7	Method Blank	Total/NA	Water	8260B/UST	
LCS 410-36169/4	Lab Control Sample	Total/NA	Water	8260B/UST	
LCSD 410-36169/5	Lab Control Sample Dup	Total/NA	Water	8260B/UST	
410-10524-4 MS	TW02 MS	Total/NA	Ground Water	8260B/UST	
410-10524-4 MSD	TW02 MSD	Total/NA	Ground Water	8260B/UST	

GC/MS Semi VOA

Prep Batch: 34112

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-1	TW06	Total/NA	Ground Water	3510C	
410-10524-2	DUP20200810	Total/NA	Ground Water	3510C	
410-10524-3	EB20200810	Total/NA	Ground Water	3510C	
410-10524-4	TW02	Total/NA	Ground Water	3510C	
410-10524-5	TW03	Total/NA	Ground Water	3510C	
410-10524-9	TW07	Total/NA	Ground Water	3510C	
410-10524-10	TW04	Total/NA	Ground Water	3510C	
410-10524-11	TW14	Total/NA	Ground Water	3510C	
MB 410-34112/1-A	Method Blank	Total/NA	Water	3510C	
LCS 410-34112/2-A	Lab Control Sample	Total/NA	Water	3510C	
410-10524-4 MS	TW02 MS	Total/NA	Ground Water	3510C	
410-10524-4 MSD	TW02 MSD	Total/NA	Ground Water	3510C	

Analysis Batch: 34711

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-1	TW06	Total/NA	Ground Water	8270C SIM	34112
410-10524-2	DUP20200810	Total/NA	Ground Water	8270C SIM	34112
410-10524-3	EB20200810	Total/NA	Ground Water	8270C SIM	34112
410-10524-4	TW02	Total/NA	Ground Water	8270C SIM	34112
410-10524-5	TW03	Total/NA	Ground Water	8270C SIM	34112
410-10524-9	TW07	Total/NA	Ground Water	8270C SIM	34112
410-10524-10	TW04	Total/NA	Ground Water	8270C SIM	34112
410-10524-11	TW14	Total/NA	Ground Water	8270C SIM	34112
MB 410-34112/1-A	Method Blank	Total/NA	Water	8270C SIM	34112
LCS 410-34112/2-A	Lab Control Sample	Total/NA	Water	8270C SIM	34112

GC/MS Semi VOA (Continued)

Analysis Batch: 34711 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-4 MS	TW02 MS	Total/NA	Ground Water	8270C SIM	34112
410-10524-4 MSD	TW02 MSD	Total/NA	Ground Water	8270C SIM	34112

GC VOA

Analysis Batch: 33974

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-1	TW06	Total/NA	Ground Water	8015B	
410-10524-2	DUP20200810	Total/NA	Ground Water	8015B	
410-10524-3	EB20200810	Total/NA	Ground Water	8015B	
410-10524-4	TW02	Total/NA	Ground Water	8015B	
410-10524-5	TW03	Total/NA	Ground Water	8015B	
410-10524-6	TB20212	Total/NA	Ground Water	8015B	
410-10524-7	TW14	Total/NA	Ground Water	8015B	
410-10524-8	TW04	Total/NA	Ground Water	8015B	
410-10524-9	TW07	Total/NA	Ground Water	8015B	
MB 410-33974/4	Method Blank	Total/NA	Water	8015B	
LCS 410-33974/5	Lab Control Sample	Total/NA	Water	8015B	
LCSD 410-33974/6	Lab Control Sample Dup	Total/NA	Water	8015B	
410-10524-4 MS	TW02 MS	Total/NA	Ground Water	8015B	
410-10524-4 MSD	TW02 MSD	Total/NA	Ground Water	8015B	

Analysis Batch: 33985

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-11	TW14	Total/NA	Ground Water	8015B	
MB 410-33985/4	Method Blank	Total/NA	Water	8015B	
LCS 410-33985/5	Lab Control Sample	Total/NA	Water	8015B	
LCSD 410-33985/6	Lab Control Sample Dup	Total/NA	Water	8015B	

GC Semi VOA

Prep Batch: 33470

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-1	TW06	Total/NA	Ground Water	3511	
MB 410-33470/1-A	Method Blank	Total/NA	Water	3511	
LCS 410-33470/2-A	Lab Control Sample	Total/NA	Water	3511	
LCSD 410-33470/3-A	Lab Control Sample Dup	Total/NA	Water	3511	

Prep Batch: 33471

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-2	DUP20200810	Total/NA	Ground Water	3511	
410-10524-3	EB20200810	Total/NA	Ground Water	3511	
410-10524-4	TW02	Total/NA	Ground Water	3511	
410-10524-7	TW14	Total/NA	Ground Water	3511	
410-10524-8	TW04	Total/NA	Ground Water	3511	
MB 410-33471/1-A	Method Blank	Total/NA	Water	3511	
LCS 410-33471/2-A	Lab Control Sample	Total/NA	Water	3511	
410-10524-4 MS	TW02 MS	Total/NA	Ground Water	3511	
410-10524-4 MSD	TW02 MSD	Total/NA	Ground Water	3511	

GC Semi VOA

Prep Batch: 33681

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-5	TW03	Total/NA	Ground Water	3511	
410-10524-9	TW07	Total/NA	Ground Water	3511	
410-10524-15	TW05	Total/NA	Ground Water	3511	
MB 410-33681/1-A	Method Blank	Total/NA	Water	3511	
LCS 410-33681/2-A	Lab Control Sample	Total/NA	Water	3511	
LCSD 410-33681/3-A	Lab Control Sample Dup	Total/NA	Water	3511	

Analysis Batch: 34659

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-1	TW06	Total/NA	Ground Water	8015B	33470
410-10524-2	DUP20200810	Total/NA	Ground Water	8015B	33471
410-10524-3	EB20200810	Total/NA	Ground Water	8015B	33471
410-10524-4	TW02	Total/NA	Ground Water	8015B	33471
410-10524-5	TW03	Total/NA	Ground Water	8015B	33681
410-10524-7	TW14	Total/NA	Ground Water	8015B	33471
410-10524-8	TW04	Total/NA	Ground Water	8015B	33471
410-10524-9	TW07	Total/NA	Ground Water	8015B	33681
410-10524-15	TW05	Total/NA	Ground Water	8015B	33681
MB 410-33470/1-A	Method Blank	Total/NA	Water	8015B	33470
MB 410-33471/1-A	Method Blank	Total/NA	Water	8015B	33471
MB 410-33681/1-A	Method Blank	Total/NA	Water	8015B	33681
LCS 410-33470/2-A	Lab Control Sample	Total/NA	Water	8015B	33470
LCS 410-33471/2-A	Lab Control Sample	Total/NA	Water	8015B	33471
LCS 410-33681/2-A	Lab Control Sample	Total/NA	Water	8015B	33681
LCSD 410-33470/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	33470
LCSD 410-33681/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	33681
410-10524-4 MS	TW02 MS	Total/NA	Ground Water	8015B	33471
410-10524-4 MSD	TW02 MSD	Total/NA	Ground Water	8015B	33471

General Chemistry

Analysis Batch: 34557

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-10524-1	TW06	Total/NA	Ground Water	1664B	
410-10524-2	DUP20200810	Total/NA	Ground Water	1664B	
410-10524-3	EB20200810	Total/NA	Ground Water	1664B	
410-10524-4	TW02	Total/NA	Ground Water	1664B	
410-10524-5	TW03	Total/NA	Ground Water	1664B	
410-10524-12	TW07	Total/NA	Ground Water	1664B	
410-10524-14	TW14	Total/NA	Ground Water	1664B	
MB 410-34557/1	Method Blank	Total/NA	Water	1664B	
LCS 410-34557/2	Lab Control Sample	Total/NA	Water	1664B	
LCSD 410-34557/3	Lab Control Sample Dup	Total/NA	Water	1664B	
410-10524-4 MS	TW02 MS	Total/NA	Ground Water	1664B	

Client Sample ID: TW06

Lab Sample ID: 410-10524-1

Date Collected: 08/10/20 12:30

Matrix: Ground Water

Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/UST		1	36039	08/22/20 04:15	USEJ	ELLE
Total/NA	Prep	3510C			34112	08/17/20 17:44	SJ89	ELLE
Total/NA	Analysis	8270C SIM		1	34711	08/19/20 13:03	UJM0	ELLE
Total/NA	Analysis	8015B		1	33974	08/17/20 21:39	UMDJ	ELLE
Total/NA	Prep	3511			33470	08/15/20 05:18	UMAD	ELLE
Total/NA	Analysis	8015B		1	34659	08/19/20 03:57	IUSB	ELLE
Total/NA	Analysis	1664B		1	34557	08/18/20 16:12	QT6L	ELLE

Client Sample ID: DUP20200810

Lab Sample ID: 410-10524-2

Date Collected: 08/10/20 00:00

Matrix: Ground Water

Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/UST		1	36039	08/22/20 04:41	USEJ	ELLE
Total/NA	Prep	3510C			34112	08/17/20 17:44	SJ89	ELLE
Total/NA	Analysis	8270C SIM		1	34711	08/19/20 13:45	UJM0	ELLE
Total/NA	Analysis	8015B		1	33974	08/17/20 22:05	UMDJ	ELLE
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015B		1	34659	08/19/20 13:06	IUSB	ELLE
Total/NA	Analysis	1664B		1	34557	08/18/20 16:12	QT6L	ELLE

Client Sample ID: EB20200810

Lab Sample ID: 410-10524-3

Date Collected: 08/10/20 14:50

Matrix: Ground Water

Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/UST		1	36039	08/21/20 23:29	USEJ	ELLE
Total/NA	Prep	3510C			34112	08/17/20 17:44	SJ89	ELLE
Total/NA	Analysis	8270C SIM		1	34711	08/19/20 14:27	UJM0	ELLE
Total/NA	Analysis	8015B		1	33974	08/17/20 16:04	UMDJ	ELLE
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015B		1	34659	08/19/20 13:29	IUSB	ELLE
Total/NA	Analysis	1664B		1	34557	08/18/20 16:12	QT6L	ELLE

Client Sample ID: TW02

Lab Sample ID: 410-10524-4

Date Collected: 08/11/20 14:00

Matrix: Ground Water

Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/UST		1	36169	08/23/20 06:01	USEJ	ELLE
Total/NA	Prep	3510C			34112	08/17/20 17:44	SJ89	ELLE
Total/NA	Analysis	8270C SIM		1	34711	08/19/20 10:58	UJM0	ELLE
Total/NA	Analysis	8015B		1	33974	08/17/20 19:04	UMDJ	ELLE

Client Sample ID: TW02

Lab Sample ID: 410-10524-4

Date Collected: 08/11/20 14:00

Matrix: Ground Water

Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015B		1	34659	08/19/20 13:53	IUSB	ELLE
Total/NA	Analysis	1664B		1	34557	08/18/20 16:12	QT6L	ELLE

Client Sample ID: TW03

Lab Sample ID: 410-10524-5

Date Collected: 08/11/20 11:55

Matrix: Ground Water

Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/UST		1	36169	08/23/20 07:13	USEJ	ELLE
Total/NA	Prep	3510C			34112	08/17/20 17:44	SJ89	ELLE
Total/NA	Analysis	8270C SIM		1	34711	08/19/20 15:09	UJM0	ELLE
Total/NA	Analysis	8015B		5	33974	08/17/20 22:31	UMDJ	ELLE
Total/NA	Prep	3511			33681	08/16/20 11:40	GC5R	ELLE
Total/NA	Analysis	8015B		1	34659	08/19/20 17:51	IUSB	ELLE
Total/NA	Analysis	1664B		1	34557	08/18/20 16:12	QT6L	ELLE

Client Sample ID: TB20212

Lab Sample ID: 410-10524-6

Date Collected: 08/10/20 00:00

Matrix: Ground Water

Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/UST		1	36039	08/21/20 23:55	USEJ	ELLE
Total/NA	Analysis	8015B		1	33974	08/17/20 16:30	UMDJ	ELLE

Client Sample ID: TW14

Lab Sample ID: 410-10524-7

Date Collected: 08/10/20 15:30

Matrix: Ground Water

Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/UST		1	36039	08/22/20 05:07	USEJ	ELLE
Total/NA	Analysis	8015B		10	33974	08/17/20 22:56	UMDJ	ELLE
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015B		1	34659	08/19/20 15:04	IUSB	ELLE

Client Sample ID: TW04

Lab Sample ID: 410-10524-8

Date Collected: 08/10/20 16:05

Matrix: Ground Water

Date Received: 08/12/20 18:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/UST		1	36039	08/22/20 05:33	USEJ	ELLE
Total/NA	Analysis	8015B		1	33974	08/17/20 23:22	UMDJ	ELLE
Total/NA	Prep	3511			33471	08/15/20 05:33	UMAD	ELLE
Total/NA	Analysis	8015B		1	34659	08/19/20 15:28	IUSB	ELLE

Client Sample ID: TW07
Date Collected: 08/11/20 09:30
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-9
Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/UST		1	36169	08/23/20 07:37	USEJ	ELLE
Total/NA	Prep	3510C			34112	08/17/20 17:44	SJ89	ELLE
Total/NA	Analysis	8270C SIM		1	34711	08/19/20 15:50	UJM0	ELLE
Total/NA	Analysis	8015B		1	33974	08/17/20 23:48	UMDJ	ELLE
Total/NA	Prep	3511			33681	08/16/20 11:40	GC5R	ELLE
Total/NA	Analysis	8015B		1	34659	08/19/20 18:14	IUSB	ELLE

Client Sample ID: TW04
Date Collected: 08/11/20 10:10
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-10
Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/UST		1	36169	08/23/20 08:03	USEJ	ELLE
Total/NA	Prep	3510C			34112	08/17/20 17:44	SJ89	ELLE
Total/NA	Analysis	8270C SIM		1	34711	08/19/20 16:32	UJM0	ELLE

Client Sample ID: TW14
Date Collected: 08/11/20 16:10
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-11
Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			34112	08/17/20 17:44	SJ89	ELLE
Total/NA	Analysis	8270C SIM		1	34711	08/19/20 17:14	UJM0	ELLE
Total/NA	Analysis	8015B		1	33985	08/17/20 17:16	UMDJ	ELLE

Client Sample ID: TW07
Date Collected: 08/12/20 08:40
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-12
Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	1664B		1	34557	08/18/20 16:12	QT6L	ELLE

Client Sample ID: TW14
Date Collected: 08/12/20 09:55
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-14
Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	1664B		1	34557	08/18/20 16:12	QT6L	ELLE

Client Sample ID: TW05
Date Collected: 08/11/20 10:35
Date Received: 08/12/20 18:10

Lab Sample ID: 410-10524-15
Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3511			33681	08/16/20 11:40	GC5R	ELLE
Total/NA	Analysis	8015B		20	34659	08/20/20 07:02	IUSB	ELLE

Lab Chronicle

Client: Geosyntec Consultants, Inc.
Project/Site: NRG PRGS

Job ID: 410-10524-1

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: Geosyntec Consultants, Inc. Job ID: 410-10524-1
Project/Site: NRG PRGS

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Virginia	NELAP	10561	06-14-21

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
1664B		Ground Water	HEM (Oil & Grease)
8015B		Ground Water	GRO (1C)
8015B	3511	Ground Water	DRO (C10-C28) (1C)
8260B/UST		Ground Water	1,2-Dibromoethane
8260B/UST		Ground Water	1,2-Dichloroethane
8260B/UST		Ground Water	Benzene
8260B/UST		Ground Water	Ethylbenzene
8260B/UST		Ground Water	Methyl tertiary butyl ether
8260B/UST		Ground Water	t-Butyl alcohol
8260B/UST		Ground Water	Toluene
8260B/UST		Ground Water	Xylene (total)
8270C SIM	3510C	Ground Water	1-Methylnaphthalene
8270C SIM	3510C	Ground Water	2-Methylnaphthalene
8270C SIM	3510C	Ground Water	Acenaphthene
8270C SIM	3510C	Ground Water	Acenaphthylene
8270C SIM	3510C	Ground Water	Anthracene
8270C SIM	3510C	Ground Water	Benzo[a]anthracene
8270C SIM	3510C	Ground Water	Benzo[a]pyrene
8270C SIM	3510C	Ground Water	Benzo[b]fluoranthene
8270C SIM	3510C	Ground Water	Benzo[e]pyrene
8270C SIM	3510C	Ground Water	Benzo[g,h,i]perylene
8270C SIM	3510C	Ground Water	Benzo[k]fluoranthene
8270C SIM	3510C	Ground Water	Biphenyl
8270C SIM	3510C	Ground Water	Chrysene
8270C SIM	3510C	Ground Water	Dibenz(a,h)anthracene
8270C SIM	3510C	Ground Water	Dibenzofuran
8270C SIM	3510C	Ground Water	Dibenzothiophene
8270C SIM	3510C	Ground Water	Fluoranthene
8270C SIM	3510C	Ground Water	Fluorene
8270C SIM	3510C	Ground Water	Indeno[1,2,3-cd]pyrene
8270C SIM	3510C	Ground Water	Naphthalene
8270C SIM	3510C	Ground Water	Naphthobenzothiophene
8270C SIM	3510C	Ground Water	Perylene
8270C SIM	3510C	Ground Water	Phenanthrene
8270C SIM	3510C	Ground Water	Pyrene

Method Summary

Client: Geosyntec Consultants, Inc.
Project/Site: NRG PRGS

Job ID: 410-10524-1

Method	Method Description	Protocol	Laboratory
8260B/UST	Volatile Organic Compounds (GC/MS)	SW846	ELLE
8270C SIM	Semivolatile Organic Compounds (GC/MS SIM)	SW846	ELLE
8015B	Gasoline Range Organics - (GC)	SW846	ELLE
8015B	Diesel Range Organics (DRO) (GC)	SW846	ELLE
1664B	HEM and SGT-HEM	1664B	ELLE
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	ELLE
3511	Microextraction of Organic Compounds	SW846	ELLE
5030B	Purge and Trap	SW846	ELLE
5030C	Purge and Trap	SW846	ELLE

Protocol References:

1664B = EPA-821-98-002

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: Geosyntec Consultants, Inc.
Project/Site: NRG PRGS

Job ID: 410-10524-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
410-10524-1	TW06	Ground Water	08/10/20 12:30	08/12/20 18:10	
410-10524-2	DUP20200810	Ground Water	08/10/20 00:00	08/12/20 18:10	
410-10524-3	EB20200810	Ground Water	08/10/20 14:50	08/12/20 18:10	
410-10524-4	TW02	Ground Water	08/11/20 14:00	08/12/20 18:10	
410-10524-5	TW03	Ground Water	08/11/20 11:55	08/12/20 18:10	
410-10524-6	TB20212	Ground Water	08/10/20 00:00	08/12/20 18:10	
410-10524-7	TW14	Ground Water	08/10/20 15:30	08/12/20 18:10	
410-10524-8	TW04	Ground Water	08/10/20 16:05	08/12/20 18:10	
410-10524-9	TW07	Ground Water	08/11/20 09:30	08/12/20 18:10	
410-10524-10	TW04	Ground Water	08/11/20 10:10	08/12/20 18:10	
410-10524-11	TW14	Ground Water	08/11/20 16:10	08/12/20 18:10	
410-10524-12	TW07	Ground Water	08/12/20 08:40	08/12/20 18:10	
410-10524-14	TW14	Ground Water	08/12/20 09:55	08/12/20 18:10	
410-10524-15	TW05	Ground Water	08/11/20 10:35	08/12/20 18:10	

Chain of Custody Rec

410-10524 Chain of Custody

eurofins Environment Testing America

Client Information	Sampler: A. Ambrosino	Lab PM: Zanar, El	COC No: 410-8805-2383.1
Client Contact: Mr. Mark Bauer	Phone:	E-Mail: elizabethi	Page: Page 1 of 2
Company: Geosyntec Consultants, Inc.			Job #:
Address: 10211 Wincopin Circle 4'th Floor	Due Date Requested:		
City: Columbia	TAT Requested (days):		
State, Zip: MD, 21044			
Phone: 410-381-4333(Tel)	PO #: MATCH COC		
Email: mbauer@geosyntec.com	WO #:		
Project Name: PRGS Quarterly	Project #: 41001123		
Site: Virginia	SSOW#:		

Analysis Requested

Preservation Codes:

A - HCL	M - Hexane
B - NaOH	N - None
C - Zn Acetate	O - AsNaO2
D - Nitric Acid	P - Na2O4S
E - NaHSO4	Q - Na2SO3
F - MeOH	R - Na2S2O3
G - Amchlor	S - H2SO4
H - Ascorbic Acid	T - TSP Dodecahydrate
I - Ice	U - Acetone
J - DI Water	V - MCAA
K - EDTA	W - pH 4-5
L - EDA	Z - other (specify)

Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	1664B_NP - HEM Only	8260B_UST - 8260 - TBA, EDB, [illegible] MTBE	8015B_GRO - (MOD) Gasoline Range Organics (C6-C10)	8270C_SIM_Alkyl - PAHs & aPAHs (24)	8015B_DRO - Diesel Range Organics (C10-C28)	VOCs 5 mL Waterkey 8260B List DRO microextraction master	Total Number of containers	Special Instructions/Note:
			Preservation Code:				A	A	A	N	N			
TW06	8-10-20	1230	G	Water	N	N	X		X	X		X	X	12
DUP20200810	8-10-20	—	G	Water	N	N	X		X	X		X	X	12
EB20200810	8-10-20	1450	G	Water	N	N	X		X	X		X	X	12
TW02	8-11-20	1400	G	Water	N	Y	X		X	X		X	X	12
TW02 MS	8-11-20	1400	G	Water	N	Y	X		X	X		X	X	12
TW02 MSD	8-11-20	1400	G	Water	N	Y	X		X	X		X	X	12
TW03	8-11-20	1155	G	Water	N	N	X		X	X		X	X	12
TB20212	—	—	—	Water	N	N	X		X	X		X	X	6
				Water										
				Water										
				Water										

Possible Hazard Identification

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Relinquished by	Date/Time	Company	Received by	Date/Time	Company
1	[signature]	8/12/20 1513		[signature]	8/12/20 1520	GLC
2	[signature]	8/12/20 17:00		[signature]		
3	[signature]			[signature]	8-12-2020 1810	GLC

Custody Seals Intact: Δ Yes Δ No

Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks: 1.3 – 2.8

INM

Ver: 01/16/2019

Chain of Custody Record

eurofins Environment Testing America

Client Information	Sampler: A. Ambrosino	Lab PM: Zanar, Elizabeth M	Carrier Tracking No(s):	COC No: 410-8805-2383.2
Client Contact: Mr. Mark Bauer	Phone:	E-Mail: elizabethmzanar@eurofinsus.com		Page: Page 2 of 2
Company: Geosyntec Consultants, Inc.				Job #:
Address: 10211 Wincopin Circle 4'th Floor	Due Date Requested:			
City: Columbia	TAT Requested (days):			
State, Zip: MD, 21044				
Phone: 410-381-4333(Tel)	PO #: MATCH COC			
Email: mbauer@geosyntec.com	WO #:			
Project Name: PRGS Quarterly	Project #: 41001123			
Site: Virginia	SSOW#:			

Analysis Requested

Preservation Codes:

A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Z - other (specify)

Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	1664B_NP - HEM Only	8260B_UST - 8260C - TRA_EDB_1,2-DCE_BTEX_MTBE	8015B_GRO - (MOD) Gasoline Range Organics (C6-C10)	8270C_SIM_Alkyl - PAHs & aPAHs (24)	8015B_DRO_Diesel Range Organics (C10-C28)	VOCs 5mL Water by 8260B VST	DRO microextraction	Total Number of containers	Special Instructions/Note:
			Preservation Code:				A	A	A	N	N				
TW14	8-10-20	1530	G	Water	N	N			X			X	X	6	Note: Time on TW07
TW04	8-10-20	1605	G	Water	N	N			X			X	X	6	is 0930
TW07	8-11-20	0930	G	Water	N	N			X	X		X	X	10	
TW04	8-11-20	1010	G	Water	N	N				X		X		3	Empty cooler contains
TW-14	8-11-20	1610	G	Water	N	N			X	X				4	bottles w/ very limited
TW07	8-12-20	0840	G	Water	N	N	X			X				1	water volume, plz
TW04	8-12-20	0900	G	Water	N	N				X				1	dispose of.
TW14	8-12-20	0955	G	Water	N	N	X							1	
TW05	8-11-20	1035	G	Water	N	N							X	1	

Possible Hazard Identification

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: A. Ambrosino	Date/Time: 8/12/20 1513	Company	Received by:	Date/Time: 8/14/20 15:40	Company ECC
Relinquished by:	Date/Time: 8/14/20 18:00	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time: 8-12-20 1810	Company ECC

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks: 1.3 — 2.8

Ver: 01/16/2019

Login Sample Receipt Checklist

Client: Geosyntec Consultants, Inc.

Job Number: 410-10524-1

Login Number: 10524
List Number: 1
Creator: Mathers, William

List Source: Eurofins Lancaster Laboratories Env

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable (</=6C, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable (</=6C, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	False	Refer to Job Narrative for details.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	N/A	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified.	N/A	
Residual Chlorine Checked.	N/A	
Sample custody seals are intact.	True	

Attachment D – Bulkhead Inspection Photographs

Bulkhead Inspection Photographs

Potomac River Generating Station, PC #2013-3154
1400 N. Royal Street
Alexandria, VA

Description:
Northern portion of the bulkhead

Direction of View:
Southwest

Date Taken:
08/11/2020

Description:
Northern and central portions of the bulkhead

Direction of View:
South

Date Taken:
08/11/2020

Bulkhead Inspection Photographs

Potomac River Generating Station, PC #2013-3154
1400 N. Royal Street
Alexandria, VA

Description:
Central portion of the bulkhead.

Direction of View:
Northwest

Date Taken:
08/11/2020



Description:
Southern portion of bulkhead

Direction of View:
Northwest

Date Taken:
08/11/2020

Attachment E – Remediation System Performance Graphs

REMEDIATION SYSTEM PERFORMANCE GRAPHS

NRG Potomac River Generating Station
1400 North Royal St
Alexandria, VA



Note: The recovery rate is normalized to a 30 day monthly operation period.

REMEDIATION SYSTEM PERFORMANCE GRAPHS

NRG Potomac River Generating Station
1400 North Royal St
Alexandria, VA